







Temperature:	23.9°C	Relative Humidity:	44%
Test Voltage:	AC 120V/60 Hz		
Test Mode:	TX B Mode 2437MHz		
Remark:	The EUT is programed in continuously transmitting mode		




Temperature:	23.9°C	Relative Humidity:	44%
Test Voltage:	AC 120V/60 Hz		
Test Mode:	TX B Mode 2462MHz		
Remark:	The EUT is programed in continuously transmitting mode		




Temperature:	23.9°C	Relative Humidity:	44%
Test Voltage:	AC 120V/60 Hz		
Test Mode:	TX G Mode 2412MHz		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	23.9°C	Relative Humidity:	44%
Test Voltage:	AC 120V/60 Hz		
Test Mode:	TX G Mode 2437MHz		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	23.9°C	Relative Humidity:	44%
Test Voltage:	AC 120V/60 Hz		
Test Mode:	TX G Mode 2462MHz		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	23.9°C	Relative Humidity:	44%
Test Voltage:	AC 120V/60 Hz		
Test Mode:	TX N(HT20) Mode 2412MHz		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	23.9°C	Relative Humidity:	44%
Test Voltage:	AC 120V/60 Hz		
Test Mode:	TX N(HT20) Mode 2437MHz		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	23.9°C	Relative Humidity:	44%
Test Voltage:	AC 120V/60 Hz		
Test Mode:	TX N(HT20) Mode 2462MHz		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	23.9°C	Relative Humidity:	44%
Test Voltage:	AC 120V/60 Hz		
Test Mode:	TX N(HT40) Mode 2422MHz		
Remark:	The EUT is programed in continuously transmitting mode		




Temperature:	23.9°C	Relative Humidity:	44%
Test Voltage:	AC 120V/60 Hz		
Test Mode:	TX N(HT40) Mode 2437MHz		
Remark:	The EUT is programmed in continuously transmitting mode		





Temperature:	23.9°C	Relative Humidity:	44%
Test Voltage:	AC 120V/60 Hz		
Test Mode:	TX N(HT40) Mode 2452MHz		
Remark:	The EUT is programed in continuously transmitting mode		





Band Edge





Temperature:	25°C	Relative Humidity:	55%
Test Voltage:	AC 120V/60 Hz		
Test Mode:	TX B Mode 2462		
Remark:	Only worse case is reported		





Temperature:	25°C	Relative Humidity:	55%
Test Voltage:	AC 120V/60 Hz		
Test Mode:	TX G Mode 2412		
Remark:	Only worse case is reported		





Temperature:	25°C	Relative Humidity:	55%
Test Voltage:	AC 120V/60 Hz		
Test Mode:	TX G Mode 2462		
Remark:	Only worse case is reported		





Temperature:	25°C	Relative Humidity:	55%
Test Voltage:	AC 120V/60 Hz		
Test Mode:	TX N(HT20) Mode 2412		
Remark:	Only worse case is reported		





Temperature:	25°C	Relative Humidity:	55%
Test Voltage:	AC 120V/60 Hz		
Test Mode:	TX N(HT20) Mode 2462		
Remark:	Only worse case is reported		



Temperature:	25°C	Relative Humidity:	55%
Test Voltage:	AC 120V/60 Hz		
Test Mode:	TX N(HT40) Mode 2422		
Remark:	Only worse case is reported		



Temperature:	25°C	Relative Humidity:	55%
Test Voltage:	AC 120V/60 Hz		
Test Mode:	TX N(HT40) Mode 2452		
Remark:	Only worse case is reported		




Attachment D-- Bandwidth Test Data




802.11B Mode


2437 MHz



802.11B Mode


2462 MHz






802.11G Mode


2437 MHz



802.11G Mode


2462 MHz






802.11N(HT20) Mode


2437 MHz



802.11N(HT20) Mode


2462 MHz






802.11N(HT40) Mode

2437 MHz



802.11N(HT40) Mode

2452 MHz




Attachment E-- Peak Output Power Test Data


Test Conditions:		Continuous Transmitting Mode	
Temperature:	23.9℃	Relative Humidity:	44%
Test Voltage:	AC 120V/60 Hz		
Mode	Channel frequency (MHz)	Test Result (dBm)	Limit (dBm)
802.11b	2412	13.542	30
	2437	13.944	
	2462	14.407	
802.11g	2412	13.736	
	2437	14.618	
	2462	14.752	
802.11n (HT20)	2412	12.688	
	2437	13.158	
	2462	13.333	
802.11n (HT40)	2422	11.716	
	2437	11.83	
	2452	11.917	
Result: PASS			

Duty Cycle		
Mode	Channel frequency (MHz)	Test Result
802.11b	2412	>98%
	2437	
	2462	
802.11g	2412	
	2437	
	2462	
802.11n (HT20)	2412	
	2437	
	2462	
802.11n (HT40)	2422	
	2437	
	2452	
Please see below plots		


802.11 B Mode 2437 MHz




802.11 G Mode 2437 MHz




802.11 N20 Mode 2437 MHz



802.11 N40 Mode 2437 MHz




Attachment F-- Power Spectral Density Test Data




802.11B Mode


2437 MHz



802.11B Mode


2462 MHz






802.11G Mode


2437 MHz



802.11G Mode


2462 MHz






802.11N(HT20) Mode


2437 MHz



802.11N(HT20) Mode


2462 MHz






802.11N(HT40) Mode

2437 MHz



802.11N(HT40) Mode

2452 MHz



-----END OF REPORT-----