

IEEE802.11 AC

600M Wireless USB Adapter

Standards	IEEE802.11ac/a/b/g/n
Interface Type	USB 2.0/1.1
Transmission Rate	600Mbps(5G:433M/2.4G:150M)
Frequency Range	2.4G: 2.412-2.462GHz 5G:5.18-5.24GHz/5.745-5.825GHz
Modulation	CCK,OFDM
Maximum output average power	2.4GHz: 9.0 dBm (Maximum) 5GHz: 8.0 dBm(Maximum) for Band 1 7.0 dBm(Maximum) for Band 3
Antenna Gain	2DBi
Supported OS	Windows xp/7/8/10 /MAC OSX /Linux
Environment	Operating Temperature:0℃-40℃ Operating Humidity:10%-85% RH non-condensing Storage Temperature:20℃-60℃ Storage Humidity: 5%-90% RH non-condensing

1

Installation Guide

This chapter will guide you through the process of installing the network adapter software package, with the included software CD. The package integrates driver and configuration software. Thus, when you are installing the driver, the configuration software will be installed automatically as well.

The software installation steps and operating guide in this user guide are explained under Windows XP. Installation steps for other operating systems are similar.

Before you proceed with the installation, please notice the following descriptions.

Note 1: The following installation was operated under Windows XP.

(Procedures are similar for Windows 98SE/Me/2000.)

Note 2: If you have installed the WLAN USB driver & utility before, please uninstall the old version first.

1 Install the USB network adapter

1.1 Please insert the Wireless USB Adapter into the USB port of your computer.



1.2 Ignore the following dialog. Please click "Cancel".

4




1.3 Put the software program CD, then auto installation window pops up on following. Just click **Windows** the driver should run automatically. (Double click "Setup.exe" in the software CD and manually install when it doesn't auto-run).




2

1.4 The following window will show up.



1.5 Click "Next" to process the installation.




5

1.6 It shows that it is installing.



1.7 Click "finish" to complete the installation.



3

Product Maintenance

1. Please keep the product away from water and humid environment to guarantee its normal performance
2. Protect it against hazardous substances (such as acids, alkalis etc).
3. Please don't directly expose the adapter to the sunlight or excessive heat.
4. Please contact our tech support if any problems occur.

Warranty Card

Model: _____ **Customer Name:** _____
Product Name: _____ **Address:** _____
Date of Purchase: _____ **Tel:** _____

MADE IN CHINA

6

FCC Warning:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- o Reorient or relocate the receiving antenna.
- o Increase the separation between the equipment and receiver.
- o Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- o Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

