Teguar Rugged Tablet TRT-A5380-10S Android System User's Manual

Foreword:

Thanks for using our products. In order to faster know about product, please reference instruction when you have question. The file main instruction T18 interface and system. By picture sign information, user can faster know about the way of product. Please connect our company technology staff to deal, when you have question you can't deal with, thanks for your faith.

Content

One.	File version information	2
Two.	Key layout Diagram and Interface description	3-5
Three.	Desktop initialization and Application	6-7
Four.	Menu bar layout	7-8
Five.	System setting	8-24

One. File version information

Filo	e name		TRT-AS	5380-109	6 Andro	oid System Us	ser's	Manual
File	number		0002			version		V1. 0
Issue date			2018-09)-3		page		
				Change	record			
Number	Update na	ame	Version	Dat	e	Content		Department
1	YDXX-0	2	V1 0	2018-09)-3	First nublishe	đ	Service FAE
-		2	11.0	2010 00				department

Two. Key layout Diagram and Interface description

Six view of product



Interface description



1.power key: Press it to turn your tablet PC on or off. Pressing with 5 seconds to turn on. Pressing with 10 seconds to turn off. Pressing with short time, for sleep mode or awaken.

2,3.Volume+ -: Press it to change the volume level.

4.TF card: support TF card expand, Maximum for 128G.



6.DC jack: by DC interface charge for your rugged tablet.
7.Micro USB: Data transferring, charge for the device.
8.HDMI interface: High-Definition Multimedia Interface, HD media interface.
9.Earphone interface: 3.5mm standard Earphone Audio output Interface.



10.Front camera/light sense: camera can take picture, video.light sense can adjust Luminance automatically.

11.Charge lamp: show the device charging status.



12.Handheld strap screw hole: Install handheld strap, do not use to install fixed bracket. **14.Rear Camera:** 5MP, take photos and record video.

15.Speaker: Built-in speakers for video, music, 8 Ω / 0.8W speakers x 1.

Three. Desktop initialization and Application

1.Initial page: Lock screen interface, slide up to unlock, as below picture.

2.Initial desktop : Click "OK" and go to the desktop, as below picture.

3. Initial menu: Click "OK" and go to the menu, as below picture.

Four. Menu bar layout

1) Desktop Menu introduction: this interface can start the application in a quick way, enter the menu operation, users can add shortcuts to the desktop according to their own needs, as below picture.

2) Menu bar layout: all the application and user installation applications are here, and all applications can be opened , as below picture.



Five. System setting

		2	8:31
gs			
Sug	gestions (3)	×	
â	Screen lock Protect your device	1	
м	Add another email account Set up your personal or work email	1	
Wire	less & networks		
•	Wi-Fi		
*	Bluetooth Disabled		
0	Data usage 0 B of data used		
	More		
Devi	ce		
0	Display Adaptive brightness is OFF		
٠	Notifications All apps allowed to send		
۲	Sound Ringer volume at 100%		
ē	Apps 24 apps installed		
=	Storage 150 MB of 11.29 GB used		
8	Battery 47% - approx. 7 days left		
	Memory Avg 0.92 GB of 1.9 GB memory used		
÷	Users Signed in as Owner		



1.Suggestions

1)Screen lock: The user sets the screen unlock based on the following tips.

					🖹 🛢 8:32 PM
Settings					
	None				
	Swipe Current screen lock				
	Pattern				
	PIN				
	Password				
		\bigtriangledown	0	5	



				■ 8:32 PM
М				
Set	up ema	ail		
G Goo	ogle			
o ⊇ Out	look, Hotmail,	and Live		
🞽 Yah	100			
E S Exc	hange			
🖬 Oth	er			
	\triangleleft	0		

2.wireless&networks

1)Wi-Fi setting

In this interface can search Wi-Fi, input password can be connected, under the advanced settings can be connected to the WLAN directly, WLAN sleep state setting.

						* 🛆 🛙	🖺 8:09 AM
÷	Conf	igure Wi-Fi					
		Saved networks					
		Network notification Notify whenever a public network is a	vailable			۰	
		Keep Wi-Fi on during sleep Always					
		MAC address 00:08:22:14:33:ff					
		IPv4 address 172.10.0.34					
		IPv6 address fe80::208:22ff:fe14:33ff					
			\bigtriangledown	0			

-					- •	🗘 🗘 🗘 🖹 8:11 AM
≡	Wi-Fi					Refresh
	On					Advanced
	₹.	EM-public Connected				
	₹.	AC				
	•	EM-gm				
	₹.	EM-office				
	•	EM-guest				
	•	Emdoorinfo-KEY				
	•	NVRAM WARNING: Err = 0x10				
	▼.	ChinaNet-ED5R				
	▼.	LieBaoWiFi696				
			\bigtriangledown	0		

					*•⊡• 🕈	🖹 🗏 8:11 AM
÷	Adva	nced Wi-Fi				
		Install certificates				
		Wi-Fi Direct				
		WPS Push Button				
		WPS Pin Entry				
			\bigtriangledown	0	5	

2)Bluetooth setting

Search this interface for Bluetooth pairing, remove or cancel paired Bluetooth devices. as the blew picture.

			* ⊖ ♥	🛛 📕 8:12 AM
≡	Bluetooth			:
	On			
	Avai	lable devices	C	
	e.	C0:9F:05:80:CA:96		
	L.	1116		
	Ω	CAR BT		
	e.	vivo V3Max A		
	AND	ROID BT is visible to nearby devices while Bluetooth settings is open.		

.	Bluetooth		* ● ♥ ■ ■ 8:12 AM Searching
	On		Rename this device
	Ava	lable devices	Show received files
	Ω	小米小钢炮蓝牙音箱	
	e.	OPPO A37t	
	e.	1116	
	*	68:DB:A6:4C:05:A9	
	Ω	CAR BT	
	e.	vivo V3Max A	
	*	64:6C:D3:5E:D0:E2	
	G	2A:8A:FF:0F:A8:28	
	AND	ROID BT is visible to nearby devices while Bluetooth settings is open.	
		⊲ 0 □	

3)data usage setting: Set up data traffic switch when connecting to mobile network, monitor the usage of application traffic.

			* • •	🖹 📱 8:13 AM
≡	Data	usage		:
		Usage 220 KB Wi-Fi data May 1 - 29		
		0 B	2.00 GB	
		Data saver Off		
		Wi-Fi		
		Wi-Fi data usage 220 KB used between May 1 – 29		
		Network restrictions		

3.device

1)Display setting: Brightness adjustment, desktop wallpaper replacement, sleep time setting, interactive screen saver, font size, screen rotation switch, etc.

-			* 0 🕅 1	📱 8:15 AM
=	Displ	ay		
		MiraVision™ Display picture quality optimization		
		HDMI settings Click to configure HDMI		
		Brightness level		
		Adaptive brightness Optimize brightness level for available light		
		Wallpaper		
		Sleep After 1 minute of inactivity		
		Press power button twice for camera Quickly open camera without unlocking your screen	۰	
		Screen saver Clock		
		< 0 □ ■		

2) sound and notification settings: Set media volume, alarm volume, notify volume size (can also use physical keys to the corresponding interface directly to adjust, do not disturb settings)notification ringtone settings and other operations.

					🗚 🖨 💎 🖹 🖁 8:17 AM
=	Sound				
	Media volume		•		
	Alarm volume				
	Ring volume		•		
	NID • ○				
	Do not disturb				
	Phone ringtone Flutey Phone				
	Default notification ringtone Pixie Dust				
	Default alarm ringtone Cesium				
	Other sounds				
		\triangleleft	0		

3)Storage setting: View system memory usage, install and uninstall SD cards.

-					* 0 \$	🛚 🖺 8:18 AM
≡	Internal shared storage					
	146 MB Used of 11.29 GB					
	Apps				58.80 MB	
	Images				1.49 MB	
	Videos				0	
	Audio				0	
	Other				0	
	Cached data				1.01 MB	
		\bigtriangledown	0			

4)Battery settings: check battery usage.

.			* • • •	8:18	BAM
≡	Batt	ery	C REFI	RESH	
		Standby intelligent power saving	٠		
		Battery saver Off / Never turn on automatically			
		30%			
		Approx. 6 hrs left	1000		
			100%		
			50%		
		20 mins ago 6 hrs left	0%		
		Use since last full charge			
		Battery usage data isn't available.			

5) User settings: users can add or delete accounts.

							🛪 🗢 💎 🖹 🖁 8:18 AM
≡	User	8					
		0	You (Owner)				
		0	Guest				٥
		+	Add user				
		Lock	screen settings				
		Add when	users device is locked				•
		Emer	gency information				
				\bigtriangledown	0	E	

4.personal

1)Location information: turn on or off the GPS, or restrict an application to use to obtain location information.

						🕸 🗢 💎 🖹 🛿 8:19 AM
=	Loca	tion				:
		On				•
		Mode Device only				
		Recent location requests				
			No apps have re-	quested location red	cently	
		Cocation services				
			\triangleleft	0		

2)Security settings: set screen locking mode with some encryption settings, can manage unknown sources of application installation settings, etc.



3)Language and input method settings: set display language and input method, text to voice, mouse /touch panel(pointer speed)etc.

					* 🗢 🗢 🗉	8:20 AM
≡ La	nguages & input					
	Languages English (United States)					
	Spell checker Android Spell Checker (AOSP)					
	Personal dictionary					
	Keyboard and input methods					
	Virtual keyboard					
	Physical keyboard					
	Speech					
	Text-to-speech output					
	Mouse/trackpad					
	Pointer speed					
		\bigtriangledown	0			

4)Backup and reset settings: do data backup and restore factory settings, restore factory settings will clear all content, please be careful.

a	ckup & reset
	Back up my data Off
	Backup account Need to set the backup account
	Automatic restore When reinstalling an app, restore backed up settings and data
	Network settings reset
	DRM reset Deletes all DRM licenses
	Factory data reset

	* 🗢 💎 🕷 📕 8:20 AM
÷	Factory data reset
This	will erase all data from your tablet's internal storage, including:
• You • Sys • Dow • Mu • Pho • Oth	ur Google account stem and app data and settings wnloaded apps sic otos ier user data
	RESET TABLET

5.system

1)Date and time settings: set the time and time zone and time format for 24 hours or 12 hours, or turn on automatic confirmation, which synchronizes automatically when the device is connected to the network.

	*	🖨 💎 🖹 🖺 8:21 AM
≡	ate & time	
	Automatic date & time Use network-provided time	
	Automatic time zone Use network-provided time zone	
	Set date May 29, 2018	
	Set time 8:21 AM	
	Select time zone GMT+00:00	
	Use 24-hour format 1:00 PM	

2

2)Accessibility: click with accessibility, for quick settings of personal operation habits, such as: Caption, magnification gesture, front size, display size, power button ends call, auto-rotate screen, speak password, color inversion, color correction.

					💲 🗢 💎 🖹 🖁 8:23 AM
=	Acce	ssibility			
		Services			
		TalkBack Off			
		Switch Access			
		System			
		Captions Off			
		Magnification gesture			
		Font size Small			
		Display size Default			
		Olisla often excinter store see	 0		

			🕈 🗢 💎 🖹 🖥 8:23 AM
≡	Acce	ssibility	
		Speak passwords	
		Large mouse pointer	•
		Mono audio Combine channels when playing audio	0
		Accessibility shortcut Off	
		Text-to-speech output	
		Touch & hold delay Short	
		Display	
		Color inversion (Experimental) May affect performance	0
		Color correction Off	

3)printing: you can print the picture or file.

	· · · · · · · · · · · · · · · · · · ·	🕸 🗢 💎 🖹 🖺 8:24 AM
=	Printing	
	No services installed	

4).schedule power on&off: you can set the power on &off time.

Schedule power on & off				\$ ● 💎 🕅 🞚 8:24 AM
I 7:00 AM Every day				
■ 8:30 ^{AM} Mon, Tue, Wed, Thu, Fri				
	\bigtriangledown	0	I	

5)Status information: View battery status, battery power / IP address WLANMAC address, Bluetooth address, serial number, boot time, etc.

-		\$ 🗢 🕈 🗄 🖁 25 AM
≡	Tablet status	
	System updates	
	Status Status of the battery, network, and other information	
	Legal information	
	Model number M9080_10	
	Android version 7.0	
	Android security patch level January 5, 2017	
	Baseband version MOLY.LR9.W1444.MD.LWTG.MP.V123, 2017/07/21 16:07	
	Kernel version 3.18.35 perry@perry #2 Wed Oct 25 09:24:14 CST 2017	
	Build number NRD90M test-keys	
	Custom build version alps-mp-n0.mp1-V1.35.4_emdoor8783.tb.n	
		3

■ Status			\$ O ♥ 🖻 🖩 8:26 AM
	Battery status Charging on AC		
	Battery level		
	SIM status		
	IMEI information		
	IP address fe80::208:22ff:fef8:5b0b 172:10.0.128		
	Wi-Fi MAC address 00:08:22:f8:5b:0b		
	Bluetooth address 00:00:46:03:37:01		
	Serial number 0123456789ABCDEF		
	Up time 0:29:13		
	\triangleleft	0	2

Thanks

If you have any questions, please contact us!

Teguar Rugged Tablet

Model Number: TRT-A5380-10S

FCC ID: 2AL2MTRT-A5380-10S

Made In China

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance

could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The devic e can be used in portable exposure condition without restriction

SAR Statement: This device has been tested and meets applicable limits for radio frequency (RF) exposure. Specific Absorption Rate (SAR) refers to the rate at which the body and head absorbs RF energy. The SAR limit is 1.6 watts per kilogram in USA that set the limit averaged over 1 gram of tissue. This device (FCC ID: 2AL2MTRT-A5380-10S) has been tested against this SAR limit. During testing, the device radios are set to their highest transmission levels and placed in positions that simulate uses against the body and head, with no separation, the highest SAR value reported is 1.385 W / kg. SAR information on this can be viewed on-line at https://www.fcc.gov/oet/ea/fccid. Please use the device FCC ID number for search. Cases with metal parts may change the RF performance of the device, including its compliance with RF exposure guidelines, in a manner that has not been tested or certified.