



普尔信通讯科技(深圳)有限公司  
Percsson Communication Equipment Co., Ltd

# Antenna Test Report

For ESPC2-12

<b>Customer</b>	深圳四博智联科技有限公司	<b>Project</b>	<b>XT-ZB6</b>
<b>Band</b>	<b>2.4G</b>	<b>Color</b>	<b>黑色</b>
<b>PRS PN</b>		<b>Version</b>	<b>V1.0</b>
<b>Issued by</b>	<b>Jason</b>	<b>Checked by</b>	<b>Mem</b>
<b>Confirmed by</b>	<b>Zhang</b>	<b>Date</b>	<b>2018.06.27</b>


## 一. TEST INSTRUMENTATION

<b>CHAMBER</b>	<b>SATIMO Chamber</b>
<b>Wireless Networking Test Set</b>	<b>Agilent 8960 5515C</b>
<b>NETWORK ANALYZER</b>	<b>Agilent 8753D</b>
<b>TEMPERATURE</b>	<b>20±2℃</b>
<b>HUMIDITY</b>	<b>50±20%rh</b>


This test report belongs to PERCSSON COMMUNICATION EQUIPMENT CO.LTD. and related clients to file, please keeping it propely, without our company and related clients allowed, anybody has no rights to reval it to public.



普尔信通讯科技(深圳)有限公司  
Percsson Communication Equipment Co., Ltd



ESPC2-12 Module




Antenna Dimension for XT-ZB6

This test report belongs to PERCSSON COMMUNICATION EQUIPMENT CO.LTD. and related clients to file, please keeping it properly, without our company and related clients allowed, anybody has no rights to reveal it to public.



普尔信通讯科技(深圳)有限公司  
Percsson Communication Equipment Co., Ltd



This test report belongs to PERCSSON COMMUNICATION EQUIPMENT CO.LTD. and related clients to file, please keeping it propely, without our company and related clients allowed, anybody has no rights to reval it to public.





普尔信通讯科技(深圳)有限公司  
Percsson Communication Equipment Co., Ltd

## 二. Definitions

VSWR: Voltage Standing Wave Rate

TRP: total radiated power TIS:

total isotropic sensitivity

	2.4G
VSWR	1.1

主天线驻波比:



This test report belongs to PERCSSON COMMUNICATION EQUIPMENT CO.LTD. and related clients to file, please keeping it propely, without our company and related clients allowed, anybody has no rights to revel it to public.



普尔信通讯科技(深圳)有限公司  
Percsson Communication Equipment Co., Ltd



## 主天线无源效率测试

Freq (MHz)	Effi (%)	Gain (dBi)
2400	30.91	-1.2
2410	30.74	-1.21
2420	31.4	-1.18
2430	32.06	-1.18
2440	32.66	-1.24
2450	33.14	-1.37
2460	33.31	-1.48
2470	33.49	-1.49
2480	33.81	-1.08
2490	33.79	-0.79
2500	33.38	-0.96

This test report belongs to PERCSSON COMMUNICATION EQUIPMENT CO.LTD. and related clients to file, please keeping it propely, without our company and related clients allowed, anybody has no rights to reval it to public.




普尔信通讯科技(深圳)有限公司  
Percsson Communication Equipment Co., Ltd  
无源方向图:



This test report belongs to PERCSSON COMMUNICATION EQUIPMENT CO.LTD. and related clients to file, please keeping it propely, without our company and related clients allowed, anybody has no rights to revel it to public.



普尔信通讯科技(深圳)有限公司  
Percsson Communication Equipment Co., Ltd



This test report belongs to PERCSSION COMMUNICATION EQUIPMENT CO.LTD. and related clients to file, please keeping it propely, without our company and related clients allowed, anybody has no rights to reval it to public.