

Antenna Test Report

For XT-ZB6


Customer	深圳四博智联科技有限公司	Project	XT-ZB6
Band	2.4G	Color	黑色
PRS PN		Version	V1.0
Issued by	Jason	Checked by	Mem
Confirmed by	Zhang	Date	2018.06.27

一. TEST INSTRUMENTATION


CHAMBER	SATIMO Chamber	
Wireless Networking Test Set	Agilent 8960 5515C	
NETWORK ANALYZER	Agilent 8753D	
TEMPERATURE	20 ±2 °C	
HUMIDITY	50±20%rh	



Percsson Communication Equipment Co., Ltd



XT-ZB6 Module



Antenna Dimension for XT-ZB6




Percsson Communication Equipment Co., Ltd














Percsson Communication Equipment Co., Ltd



Coordinate system - Cylindrical geometry



Coordinate system - Spherical geometry





Percsson Communication Equipment Co., Ltd

二. Definitions

VSWR: Voltage Standing Wave Rate

TRP: total radiated power TIS:

total istropic sensitivity

	2.4G
VSWR	1.1

主天线驻波比:





普尔信通讯科技(深圳)有限公司 Percsson Communication Equipment Co., Ltd

主天线无源效率测试

Freq	Effi	Gain
(MHz)	(%)	(dBi)
2400	30. 91	-1.2
2410	30. 74	-1. 21
2420	31. 4	-1. 18
2430	32. 06	-1. 18
2440	32. 66	-1. 24
2450	33. 14	-1. 37
2460	33. 31	-1. 48
2470	33. 49	-1. 49
2480	33. 81	-1. 08
2490	33. 79	-0. 79
2500	33. 38	-0. 96

普尔信通讯科技(深圳)有限公司 Percsson Communication Equipment Co., Ltd 无源方向图:





PRS

普尔信通讯科技(深圳)有限公司

Percsson Communication Equipment Co., Ltd

