



11AC20SISO_Ant1_5500



11AC20SISO_Ant1_5580




11AC20SISO_Ant1_5700




11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190






11AC40SISO_Ant1_5230




11AC40SISO_Ant1_5270







11AC40SISO_Ant1_5670









11AC40SISO_Ant1_5755




11AC40SISO_Ant1_5795








11AX20SISO_Ant1_5500




11AX20SISO_Ant1_5580



11AX20SISO_Ant1_5700



11AX20SISO_Ant1_5745








11AX20SISO_Ant1_5785






11AX20SISO_Ant1_5825











Appendix F: Maximum power spectral density
Test Result




Test Mode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11A	Ant1	5180	-4.31	≤11.00	PASS
		5200	-4.62	≤11.00	PASS
		5240	-3.79	≤11.00	PASS
		5260	-3.92	≤11.00	PASS
		5300	-3.53	≤11.00	PASS
		5320	-3.99	≤11.00	PASS
		5500	-2.27	≤11.00	PASS
		5580	-2.41	≤11.00	PASS
		5700	-4.05	≤11.00	PASS
		5745	-4.96	≤30.00	PASS
		5785	-6.86	≤30.00	PASS
11N20SISO	Ant1	5180	-3.91	≤11.00	PASS
		5200	-3.67	≤11.00	PASS
		5240	-2.61	≤11.00	PASS
		5260	-2.64	≤11.00	PASS
		5300	-2.49	≤11.00	PASS
		5320	-3.01	≤11.00	PASS
		5500	-0.86	≤11.00	PASS
		5580	-1.08	≤11.00	PASS
		5700	-2.6	≤11.00	PASS
		5745	-2.56	≤30.00	PASS
		5785	-4.83	≤30.00	PASS
11N40SISO	Ant1	5190	-5.95	≤11.00	PASS
		5230	-5.61	≤11.00	PASS
		5270	-5.05	≤11.00	PASS
		5310	-5.06	≤11.00	PASS
		5510	-3.42	≤11.00	PASS
		5590	-4.05	≤11.00	PASS
		5670	-4.62	≤11.00	PASS
		5755	-5.43	≤30.00	PASS
		5795	-7.43	≤30.00	PASS
11AC20SISO	Ant1	5180	-3.64	≤11.00	PASS
		5200	-3.36	≤11.00	PASS
		5240	-2.93	≤11.00	PASS
		5260	-2.27	≤11.00	PASS
		5300	-2.5	≤11.00	PASS
		5320	-2.73	≤11.00	PASS
		5500	-1.19	≤11.00	PASS
		5580	-0.99	≤11.00	PASS
		5700	-2.49	≤11.00	PASS
		5745	-2.2	≤30.00	PASS
		5785	-4.79	≤30.00	PASS
11AC40SISO	Ant1	5190	-6.32	≤11.00	PASS
		5230	-5.43	≤11.00	PASS
		5270	-5.33	≤11.00	PASS
		5310	-5.3	≤11.00	PASS
		5510	-3.04	≤11.00	PASS
		5590	-3.9	≤11.00	PASS
		5670	-4.77	≤11.00	PASS
		5755	-5.67	≤30.00	PASS
		5795	-7.62	≤30.00	PASS
11AX20SISO	Ant1	5180	-2.3	≤11.00	PASS




		5200	-2.21	≤11.00	PASS
		5240	-1.5	≤11.00	PASS
		5260	-1.23	≤11.00	PASS
		5300	-1.39	≤11.00	PASS
		5320	-1.68	≤11.00	PASS
		5500	0.45	≤11.00	PASS
		5580	-0.1	≤11.00	PASS
		5700	-1.47	≤11.00	PASS
		5745	-2.06	≤30.00	PASS
		5785	-4.05	≤30.00	PASS
		5825	-5.24	≤30.00	PASS
		11AX40SISO	Ant1	5190	-5.74
5230	-4.37			≤11.00	PASS
5270	-4.36			≤11.00	PASS
5310	-4.26			≤11.00	PASS
5510	-2.53			≤11.00	PASS
5590	-3.19			≤11.00	PASS
5670	-3.99			≤11.00	PASS
5755	-4.39			≤30.00	PASS
5795	-6.95	≤30.00	PASS		

Note : 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
 2.The Duty Cycle Factor and RBW Factor is compensated in the graph.


Test Graphs








11A_Ant1_5745



11A_Ant1_5785



11A_Ant1_5825

