

COUNCILROCK

Smart Private Networks

POWER INPUT: 9-60VDC 12W MAX

CLASS I DIVISION 2, GROUP A-D

T4

$-40^{\circ}\text{C} \leq T_{\text{amb}} \leq +62^{\circ}\text{C}$

This device complies with part 15 of the FCC rules. Operation is subject to the condition that it does not cause harmful interference.

CLASS B

CONTAINS FCC ID:

N7NEM75S

2AL52E15008B



TELiG E1500-L8

WARNING: EXPLOSION HAZARD. Do not connect or disconnect while circuits are live unless area is known to be non-hazardous.

AVERTISSEMENT: RISQUE D'EXPLOSION. Ne pas connecter ou déconnecter pendant que les circuits sont sous tension, sauf si la zone est connue pour être non dangereuse.

Refer to installation manual for installation instructions.



Intertek

Conforms to UL Std. # 121201

Conforms to UL Std. # 62368-1

Certified to CSA Std C22.2 #213

Certified to CSA Std C22.2 #62368-1

Control Number: 5016943

COUNCILROCK

Smart Private Networks

POWER INPUT: 9-60VDC 12W MAX

CLASS I DIVISION 2, GROUP A-D

T4

$-40^{\circ}\text{C} \leq T_{\text{amb}} \leq +62^{\circ}\text{C}$

This device complies with part 15 of the FCC rules. Operation is subject to the condition that it does not cause harmful interference.

CLASS B

CONTAINS FCC ID:

N7NEM75S

2AL52E15008B

2AL52E1500N



TELiG E1500-L8N

WARNING: EXPLOSION HAZARD. Do not connect or disconnect while circuits are live unless area is known to be non-hazardous.

AVERTISSEMENT: RISQUE D'EXPLOSION. Ne pas connecter ou déconnecter pendant que les circuits sont sous tension, sauf si la zone est connue pour être non dangereuse.

Refer to installation manual for installation instructions.



Intertek

Conforms to UL Std. # 121201
Conforms to UL Std. # 62368-1
Certified to CSA Std C22.2 #213
Certified to CSA Std C22.2 #62368-1
Control Number: 5016943

COUNCILROCK

Smart Private Networks

POWER INPUT: 9-60VDC 12W MAX

CLASS I DIVISION 2, GROUP A-D

T4

$-40^{\circ}\text{C} \leq T_{\text{amb}} \leq +62^{\circ}\text{C}$

This device complies with part 15 of the FCC rules. Operation is subject to the condition that it does not cause harmful interference.

CLASS B

CONTAINS FCC ID:

N7NEM75S

2AL52E15008B

TK4WLE900VX



TELiG E1500-L8W

WARNING: EXPLOSION HAZARD. Do not connect or disconnect while circuits are live unless area is known to be non-hazardous.

AVERTISSEMENT: RISQUE D'EXPLOSION. Ne pas connecter ou déconnecter pendant que les circuits sont sous tension, sauf si la zone est connue pour être non dangereuse.

Refer to installation manual for installation instructions.



Intertek

Conforms to UL Std. # 121201
Conforms to UL Std. # 62368-1
Certified to CSA Std C22.2 #213
Certified to CSA Std C22.2 #62368-1
Control Number: 5016943

COUNCILROCK

Smart Private Networks

POWER INPUT: 9-60VDC 12W MAX

CLASS I DIVISION 2, GROUP A-D

T4

$-40^{\circ}\text{C} \leq T_{\text{amb}} \leq +62^{\circ}\text{C}$

This device complies with part 15 of the FCC rules. Operation is subject to the condition that it does not cause harmful interference.

CLASS B

CONTAINS FCC ID:
N7NEM75S
TK4WLE900VX



TELiG E1500-LW

WARNING: EXPLOSION HAZARD. Do not connect or disconnect while circuits are live unless area is known to be non-hazardous.

AVERTISSEMENT: RISQUE D'EXPLOSION. Ne pas connecter ou déconnecter pendant que les circuits sont sous tension, sauf si la zone est connue pour être non dangereuse.

Refer to installation manual for installation instructions.



Conforms to UL Std. # 121201
Conforms to UL Std. # 62368-1
Certified to CSA Std C22.2 #213
Certified to CSA Std C22.2 #62368-1
Control Number: 5016943