

MPE Test Report

Report No.: CJPS-ESH-P23071150B-3

FCC ID: 2AL5X-YP2022020

Product: Smart Cat Litter Box

Model: YP2022020, MW-LR01

Received Date: Jul.20. 2023

Test Date: Jul.20 to Aug.07, 2023

Issued Date: Aug.08, 2023

Applicant: Hangzhou Tianyuan Pet Products Co., Ltd

Address: No.10-1, Xingling Rd, Xingqiao Town, Linping, Yuhang, Hangzhou, 311100,

China

Manufacturer: Hangzhou Tianyuan Pet Products Co., Ltd

Address: No.10-1, Xingling Rd, Xingqiao Town, Linping, Yuhang, Hangzhou, 311100,

China

Issued By: BUREAU VERITAS ADT (Shanghai) Corporation

Lab Address: No. 829, Xinzhuan Road, Shanghai, P.R.China (201612)

FCC Registration /

Designation Number: 176467/ CN1213



This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/ and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



Table of Contents

R	elea	se Control Record	. 3
1		Certificate of Conformity	. 4
2		General Information	. 5
	2.1	General Description of EUT	. 5
3		RF Exposure	. 7
	3.1	Limits For Maximum Permissible Exposure (MPE)	. 7
	3.2	MPE Calculation Formula	. 7
	3.3	MPE Calculation Formula	. 7
	3.4	Calculation Result of Maximum Permissible Exposure	. 7



Release Control Record

Issue No.	Description	Date Issued	
CJPS-ESH-P23071150B-3	Original release	Aug.08, 2023	



1 Certificate of Conformity

Product: Smart Cat Litter Box

Brand: **petstar** Meoผดกะ

Model: YP2022020, MW-LR01

Applicant: Hangzhou Tianyuan Pet Products Co., Ltd

Test Date: Jul.20 to Aug.07, 2023

Standards: FCC Part 2 (Section 2.1091)

KDB 447498 D01 General RF Exposure Guidance v06

IEEE C95.1-2019

The above equipment has been tested by **BUREAU VERITAS ADT (Shanghai) Corporation**, and found compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's EMC characteristics under the conditions specified in this report.

Prepared by :	yan.≥hou	, Date:	Aug.08, 2023	
	Yan ZHOU			
	Project Engineer			
Approved by :	Seen yn	, Date:	Aug.08, 2023	
	Sean YU			
	RF Team Supervisor			



2 General Information

2.1 General Description of EUT

Wi-Fi:

Product	Smart Cat Litter Box		
Brand	Petstar MeoWont		
Test Model	YP2022020, MW-LR01		
Model Difference			
Power Rating	DC 12V 2A, Powered by adaptor		
Modulation Type	CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM		
Modulation Technology	DSSS, OFDM		
Operating Frequency	2412MHz-2462MHz		
Number of Channel	802.11b, 802.11g and 802.11n (HT20):11		
Output Power	14.63 dBm		
Antenna Type	PCB Antenna		
Antenna Connector			
Antenna Gain	2.45 dBi		

Note:

1. For more details, please refer to the User's manual of the EUT.

Report No.: CJPS-ESH-P23071150B-3 Page No. 5 / 7 Report Format Version: 6.1.1



BLE:

Product	Smart Cat Litter Box		
Brand	Petstar Meoผดกะ		
Test Model	YP2022020, MW-LR01		
Model Difference			
Power Rating	DC 12V 2A, Powered by adaptor		
Modulation Type	GFSK		
Modulation Technology	Bluetooth Low Energy 4.2		
Operating Frequency	2402MHz ~ 2480MHz		
Number of Channel	40		
Output Power	6.19 dBm		
Antenna Type	PCB Antenna		
Antenna Connector			
Antenna Gain	2.54 dBi		

Note:

1. For more details, please refer to the User's manual of the EUT.

2.2 Description of Support Unit

DESCRIPTION	MANUFACTURER	MODEL NO.	SERIAL NO.	
Adaptor	Guangdong Keerda Electronics Co., Ltd	DZ024EHL120200U	NA	



3 RF Exposure

3.1 Limits For Maximum Permissible Exposure (MPE)

Frequency Range (MHz)	Electric Field Strength (V/m)	Magnetic Field Strength (A/m)	Power Density (mW/cm²)	Average Time (minutes)				
	Limits For General Population / Uncontrolled Exposure							
300-1,500	-	-	F/1500	30				
1,500-100,000	-	-	1.0	30				

F = Frequency in MHz

3.2 MPE Calculation Formula

Power density (S) is calculated according to the formula:

 $S = PG / (4\pi R^2)$

Where $S = power density in mW/cm^2$

P = transmit power in mW

G = numeric gain of transmit antenna (numeric gain=Log-1(dB antenna gain/10))

R = distance (cm)

3.3 MPE Calculation Formula

The antenna of this product, under normal use condition, is at least 20cm from the body of the user. So the device is classified as Mobile Device.

3.4 Calculation Result of Maximum Permissible Exposure

Frequency Band (MHz)	Max. Conducted output power(dBm)	Antenna Gain (dBi)	Distance (cm)	Power Density (mW/cm²)	Limit (mW/cm²)		
	WLAN 2.4GHz						
2412-2462	14.63	2.45	20	0.0102	1		
BLE 4.2							
2402-2480	6.19	2.54	20	0.0015	1		
WLAN 2.4GHz + BLE 4.2							
2412-2462	14.63	2.45	20	0.0117	1		
2402-2480	6.19	2.54					

Conclusion:

The calculation result of MPE is less than the limit.

--- END ---