

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

<Adapter Mode>

Band Edges, 2.31GHz ~ 2.9GHz


802.11b

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.04	51.81	14.26	37.55	74.00	-22.19	300	31 Peak	Horizontal		
2 *	2412.00	100.46	70.74	37.72	74.00	34.46	300	31 Peak	Horizontal		
3	2899.06	51.79	13.17	38.62	74.00	-22.21	300	31 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12
Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2386.33	52.33	14.79	37.54	74.00	-21.67	222	16 Peak	Vertical		
2 *	2412.00	100.83	72.11	37.72	74.00	35.83	222	16 Peak	Vertical		
3	2895.05	51.81	13.21	38.60	74.00	-22.19	222	16 Peak	Vertical		


802.11b

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3									
Level	Level	Level									
Factor	Factor	Factor									
Limit	Limit	Limit									
Over	Over	Over									
Line	Line	Line									
Limit	Limit	Limit									
APos	APos	APos									
TPos	TPos	TPos									
Remark	Remark	Remark									
Pol/Phase	Pol/Phase	Pol/Phase									
Note	Note	Note									
Freq	Level	Read									
MHz	dBuV/m	Level									
		Factor									
		dB/m									
		dB									
		dB									
		cm									
		deg									
1	2389.04	48.68	3.13	37.55	54.00	-13.32	300	31	Average	Horizontal	
2 *	2412.00	105.97	66.25	37.72	54.00	51.97	300	31	Average	Horizontal	
3	2899.06	42.22	3.60	38.62	54.00	-11.78	300	31	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3									
Level	Level	Level									
Factor	Factor	Factor									
Limit	Limit	Limit									
Over	Over	Over									
Line	Line	Line									
Limit	Limit	Limit									
APos	APos	APos									
TPos	TPos	TPos									
Remark	Remark	Remark									
Pol/Phase	Pol/Phase	Pol/Phase									
Note	Note	Note									
Freq	Level	Read									
MHz	dBuV/m	Level									
		Factor									
		dB/m									
		dB									
		dB									
		cm									
		deg									
1	2386.33	48.89	3.35	37.54	54.00	-13.11	222	16	Average	Vertical	
2 *	2412.00	107.38	69.58	37.72	54.00	53.38	222	16	Average	Vertical	
3	2895.05	42.33	3.73	38.60	54.00	-11.67	222	16	Average	Vertical	


802.11b

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2319.09	52.66	15.48	37.18	74.00	-21.34	291	29	Peak	Horizontal	
2 *	2462.00	108.04	69.98	38.06	74.00	34.04	291	29	Peak	Horizontal	
3	2897.40	55.16	16.55	38.61	74.00	-18.84	291	29	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2388.94	53.21	15.66	37.55	74.00	-20.79	392	360	Peak	Vertical	
2 *	2462.00	109.07	71.01	38.06	74.00	35.07	392	360	Peak	Vertical	
3	2891.39	55.18	16.60	38.58	74.00	-18.82	392	360	Peak	Vertical	


802.11b

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
2319.09	2462.00	2897.40
40.32	105.37	42.15
3.14	67.31	3.54
37.18	38.06	38.61
54.00	54.00	54.00
-13.68	51.37	-11.85
291	291	291
29	29	29
Average	average	Average
Horizontal	Horizontal	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3
2388.94	2462.00	2891.39
40.52	106.59	41.95
2.97	68.53	3.37
37.55	38.06	38.58
54.00	54.00	54.00
-13.48	52.59	-12.05
392	392	392
360	360	360
Average	Average	Average
Vertical	Vertical	Vertical


802.11g

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2389.86	73.41	35.85	37.56	74.00	-0.59	222	42	Peak	Horizontal	
2	2412.00	115.34	77.62	37.72	74.00	41.34	222	42	Peak	Horizontal	
3	2495.28	53.93	15.71	38.22	74.00	-20.07	222	42	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2389.63	68.11	38.55	37.56	74.00	-5.89	276	355	Peak	Vertical	
2	2412.00	114.51	76.79	37.72	74.00	40.51	222	6	Peak	Vertical	
3	2496.11	54.73	16.50	38.23	74.00	-19.27	222	6	Peak	Vertical	


802.11g

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 2389.86	53.78	16.22	37.56	54.00	-0.22	222	42	Average	Horizontal	
2 * 2412.00	105.52	67.00	37.72	54.00	51.52	222	42	Average	Horizontal	
3 2495.28	42.22	4.00	38.22	54.00	-11.78	222	42	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1 2389.63	53.49	15.93	37.56	54.00	-0.51	276	355	Average	Vertical	
2 * 2412.00	105.52	67.00	37.72	54.00	51.52	222	6	Average	Vertical	
3 2496.11	42.84	4.61	38.23	54.00	-11.16	222	6	Average	Vertical	


802.11g

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2359.35	50.93	13.59	37.34	74.00	-23.07	240	42	Peak	Horizontal
2 *	2462.00	114.25	76.19	38.06	74.00	40.25	240	42	Peak	Horizontal
3	2484.21	59.06	20.89	38.17	74.00	-14.94	240	42	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2375.96	54.16	16.70	37.46	74.00	-19.84	176	10	Peak	Vertical
2 *	2462.00	112.04	74.78	38.06	74.00	38.84	176	10	Peak	Vertical
3	2483.50	66.54	28.38	38.16	74.00	-7.46	192	360	Peak	Vertical


802.11g

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2359.35	41.03	3.69	37.34	54.00	-12.97	240	42 Average	Horizontal	
2 *	2462.00	104.58	66.52	38.06	54.00	50.58	240	42 Average	Horizontal	
3	2484.21	47.34	9.17	38.17	54.00	-6.66	240	42 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fongfiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2375.96	42.34	4.88	37.46	54.00	-11.66	176	10 Average	Vertical	
2 *	2462.00	103.75	65.69	38.06	54.00	49.75	176	10 Average	Vertical	
3 !	2483.50	52.39	14.23	38.16	54.00	-1.61	192	360 Average	Vertical	



802.11n HT20

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6	7	8	9	10	11	12
1	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.04	68.62	31.07	37.55	74.00	-5.38	223	42 Peak	Horizontal		
2	2412.00	114.25	76.53	37.72	74.00	40.25	174	42 Peak	Horizontal		
3	2504.82	53.18	14.94	38.24	74.00	-20.82	174	42 Peak	Horizontal		

1	2	3	4	5	6	7	8	9	10	11	12
1	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.63	67.06	29.50	37.56	74.00	-6.94	130	17 Peak	Vertical		
2	2412.00	114.94	77.22	37.72	74.00	40.94	130	17 Peak	Vertical		
3	2520.02	55.75	17.56	38.19	74.00	-18.25	130	17 Peak	Vertical		



802.11n HT20

Low Channel (Horizontal) Average

Low Channel (Vertical) Average

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.04	51.04	14.29	37.55	54.00	-2.15	223	42 Average	Horizontal
2 *	2412.00	105.38	67.66	37.72	54.00	51.38	174	42 Average	Horizontal
3	2504.82	42.75	4.51	38.24	54.00	-11.25	174	42 Average	Horizontal

Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.63	52.52	14.96	37.56	54.00	-1.48	130	17 Average	Vertical
2 *	2412.00	105.74	68.02	37.72	54.00	51.74	130	17 Average	Vertical
3	2520.02	43.30	5.11	38.19	54.00	-10.70	130	17 Average	Vertical



802.11n HT20

High Channel (Horizontal) Peak

High Channel (Vertical) Peak

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2372.42	57.16	19.73	37.43	74.00	-16.84	172	52	Peak	Horizontal	
2 *	2462.00	113.67	75.61	38.06	74.00	39.67	172	52	Peak	Horizontal	
3	2495.85	58.79	20.56	38.23	74.00	-15.21	172	52	Peak	Horizontal	

Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2343.16	58.83	21.58	37.25	74.00	-15.17	142	15	Peak	Vertical	
2 *	2462.00	114.00	76.74	38.06	74.00	40.00	142	15	Peak	Vertical	
3	2485.35	66.45	28.28	38.17	74.00	-7.55	142	15	Peak	Vertical	


802.11n HT20

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2372.42	41.63	4.20	37.43	54.00	-12.37	172	52	Average	Horizontal	
2 *	2462.00	104.74	66.68	38.06	54.00	50.74	172	52	Average	Horizontal	
3	2495.85	44.24	6.01	38.23	54.00	-9.76	172	52	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2376.00	42.19	4.73	37.46	54.00	-11.81	142	15	Average	Vertical	
2 *	2462.00	105.13	67.07	38.06	54.00	51.13	142	15	Average	Vertical	
3 !	2485.35	50.63	12.66	38.17	54.00	-3.17	142	15	Average	Vertical	



802.11n HT40

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak

TÜVRheinland
TÜVRheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TÜVRheinland
TÜVRheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2398.00	69.45	31.89	37.56	74.00	-4.55	288	53	Peak	Horizontal	
2 *	2422.00	111.93	74.14	37.79	74.00	37.93	155	55	Peak	Horizontal	
3	2495.97	56.87	18.64	38.23	74.00	-17.13	155	55	Peak	Horizontal	

Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2386.35	69.12	31.58	37.54	74.00	-4.88	162	28	Peak	Vertical	
2 *	2422.00	112.56	74.77	37.79	74.00	38.56	162	28	Peak	Vertical	
3	2520.04	61.98	23.79	38.19	74.00	-12.02	162	28	Peak	Vertical	


802.11n HT40

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2398.00	52.49	14.93	37.56	54.00	-1.51	288	53	Average	Horizontal	
2	2422.00	102.09	64.30	37.79	54.00	48.09	155	55	Average	Horizontal	
3	2495.97	43.65	5.42	38.23	54.00	-10.35	155	55	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2385.35	51.54	14.00	37.54	54.00	-2.46	162	20	Average	Vertical	
2	2422.00	102.93	65.14	37.79	54.00	48.93	162	20	Average	Vertical	
3	2520.04	43.57	5.38	38.19	54.00	-10.43	162	20	Average	Vertical	



802.11n HT40

High Channel (Horizontal) Peak

High Channel (Vertical) Peak

TÜVRheinland
TÜVRheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TÜVRheinland
TÜVRheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2389.77	55.32	17.76	37.56	74.00	-18.68	240	299	Peak	Horizontal	
2 *	2452.00	111.36	75.36	36.00	74.00	37.36	240	299	Peak	Horizontal	
3	2483.58	64.09	25.93	38.16	74.00	-9.91	240	299	Peak	Horizontal	

Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2389.65	63.70	26.14	37.56	74.00	-10.30	157	11	Peak	Vertical	
2 *	2452.00	111.73	75.73	36.00	74.00	37.73	157	11	Peak	Vertical	
3	2484.52	66.54	28.37	38.17	74.00	-7.46	157	11	Peak	Vertical	


802.11n HT40

High Channel (Horizontal) Average

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.77	41.74	4.18	37.56	54.00	-12.26	240	299	Average	Horizontal	
2 *	2452.00	101.28	63.28	38.00	54.00	47.28	240	299	average	Horizontal	
3	2483.58	47.28	9.12	38.16	54.00	-6.72	240	299	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.65	43.21	5.65	37.56	54.00	-10.79	157	11	Average	Vertical	
2 *	2452.00	101.41	63.41	38.00	54.00	47.41	157	11	Average	Vertical	
3 !	2484.52	52.20	14.03	38.17	54.00	-1.80	157	11	Average	Vertical	


802.11ax HE20

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2387.76	73.07	35.52	37.55	74.00	-0.93	159	49	Peak	Horizontal	
2 *	2412.00	118.09	80.37	37.72	74.00	44.09	174	50	Peak	Horizontal	
3	2495.85	62.27	24.04	38.23	74.00	-11.73	174	50	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2389.53	71.78	34.22	37.56	74.00	-2.22	130	19	Peak	Vertical	
2 *	2412.00	118.15	80.43	37.72	74.00	44.15	130	19	Peak	Vertical	
3	2495.97	58.04	19.81	38.23	74.00	-15.96	130	19	Peak	Vertical	


802.11ax HE20

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2387.76	52.59	15.04	37.55	54.00	-1.41	159	49 Average	Horizontal
2	2412.00	105.16	67.44	37.72	54.00	51.16	174	50 Average	Horizontal
3	2495.85	43.56	5.33	38.23	54.00	-10.44	174	50 Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322





Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2389.53	52.16	14.60	37.56	54.00	-1.84	129	19 Average	Vertical
2	2412.00	105.21	67.49	37.72	54.00	51.21	129	19 Average	Vertical
3	2495.97	43.53	5.30	38.23	54.00	-10.47	129	19 Average	Vertical

802.11ax HE20

High Channel (Horizontal) Peak

High Channel (Vertical) Peak



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2375.96	58.07	20.61	37.46	74.00	-15.93	172	53	Peak	Horizontal	
2 *	2462.00	114.82	76.76	38.06	74.00	40.82	172	53	Peak	Horizontal	
3	2495.97	57.99	19.76	38.23	74.00	-16.01	172	53	Peak	Horizontal	

Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2341.74	58.90	21.66	37.24	74.00	-15.10	143	16	Peak	Vertical	
2 *	2462.00	115.45	77.39	38.06	74.00	41.45	143	16	Peak	Vertical	
3	2485.35	61.77	23.60	38.17	74.00	-12.23	143	16	Peak	Vertical	


802.11ax HE20

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2375.96	41.06	3.60	37.46	54.00	-12.94	172	53 Average	Horizontal
2 *	2462.00	102.61	64.55	38.06	54.00	48.61	172	53 Average	Horizontal
3	2495.97	43.23	5.00	38.23	54.00	-10.77	172	53 Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2375.96	41.30	3.84	37.46	54.00	-12.70	143	16 Average	Vertical
2 *	2462.00	102.89	64.83	38.06	54.00	48.89	143	16 Average	Vertical
3	2485.35	47.42	9.25	38.17	54.00	-6.58	143	16 Average	Vertical


802.11ax HE40

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2389.89	70.23	32.67	37.56	74.00	-3.77	198	49	Peak	Horizontal	
2	2422.88	114.53	76.74	37.79	74.00	40.53	198	49	Peak	Horizontal	
3	2495.85	67.24	29.01	38.23	74.00	-6.76	198	49	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2385.99	68.81	31.27	37.54	74.00	-5.19	160	13	Peak	Vertical	
2	2422.88	114.71	76.92	37.79	74.00	40.71	160	13	Peak	Vertical	
3	2519.92	61.11	22.92	38.19	74.00	-12.89	160	13	Peak	Vertical	


802.11ax HE40

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.89	50.69	13.13	37.56	54.00	-3.31	198	49 Average	Horizontal	
2	2422.88	101.96	64.17	37.79	54.00	47.96	198	49 Average	Horizontal	
3	2495.85	43.55	5.32	38.23	54.00	-10.45	198	49 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2385.99	50.19	12.65	37.54	54.00	-3.81	160	13 Average	Vertical	
2	2422.88	102.34	64.55	37.79	54.00	48.34	160	13 Average	Vertical	
3	2519.92	44.18	5.99	38.19	54.00	-9.82	160	13 Average	Vertical	


802.11ax HE40

High Channel (Horizontal) Peak

High Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2380.35	59.03	21.40	37.55	74.00	-14.97	194	44	Peak	Horizontal	
2 *	2452.00	118.82	72.82	38.00	74.00	36.82	194	44	Peak	Horizontal	
3	2486.53	65.76	27.58	38.18	74.00	-8.24	194	44	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2389.53	57.78	20.22	37.56	74.00	-16.22	157	15	Peak	Vertical	
2 *	2452.00	111.78	73.78	38.00	74.00	37.78	157	15	Peak	Vertical	
3	2483.81	62.78	24.61	38.17	74.00	-11.22	157	15	Peak	Vertical	


802.11ax HE40

High Channel (Horizontal) Average

High Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2380.35	41.20	3.65	37.55	54.00	-12.80	194	44 Average	Horizontal	
2 *	2452.00	99.10	61.10	38.00	54.00	45.10	194	44 Average	Horizontal	
3	2486.53	46.56	8.38	38.18	54.00	-7.44	194	44 Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2389.53	41.51	3.95	37.56	54.00	-12.49	157	15 Average	Vertical	
2 *	2452.00	99.87	61.87	38.00	54.00	45.87	157	15 Average	Vertical	
3	2483.81	46.61	8.44	38.17	54.00	-7.39	157	15 Average	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11g

Low Channel (Open) 9kHz~150kHz

Low Channel (Open) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	52.53	32.56	19.97	127.58	-75.05	100	228 QP	Open
2	0.04	61.56	41.22	20.34	115.61	-54.05	100	196 QP	Open
3	0.06	42.96	22.67	20.29	111.83	-68.87	100	248 QP	Open
4	0.08	51.26	30.99	20.27	109.56	-58.30	100	178 QP	Open
5	0.11	43.35	23.12	20.23	106.91	-63.56	100	183 QP	Open
6	0.14	37.94	17.74	20.20	104.46	-66.52	100	220 QP	Open



TUV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.15	50.26	30.07	20.19	104.00	-53.82	100	184 QP	Open
2	2.14	36.93	16.79	20.14	69.50	-32.57	100	143 QP	Open
3	6.33	40.03	19.77	20.26	69.50	-29.47	100	159 QP	Open
4	13.58	34.13	13.71	20.42	69.50	-35.37	100	10 QP	Open
5	19.12	34.83	14.34	20.49	69.50	-34.67	100	14 QP	Open
6	27.50	33.74	13.21	20.53	69.50	-35.76	100	113 QP	Open


802.11g

Low Channel (Close) 9kHz~150kHz

Low Channel (Close) 150kHz~30MHz




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	56.47	36.50	19.97	127.57	-71.10	100	295 QP	Close
2	0.04	57.50	37.18	20.32	116.49	-58.99	100	247 QP	Close
3	0.07	46.92	26.65	20.27	110.39	-63.47	100	247 QP	Close
4	0.11	38.95	18.72	20.23	106.89	-67.94	100	262 QP	Close
5	0.12	38.46	18.24	20.22	105.98	-67.52	100	234 QP	Close
6	0.15	32.28	12.09	20.19	104.33	-72.05	100	247 QP	Close



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.00	40.16	27.98	20.18	67.75	-19.59	100	168 QP	Close
2	2.25	53.19	33.05	20.14	69.50	-16.31	100	359 QP	Close
3	5.56	58.95	38.72	20.23	69.50	-16.55	100	330 QP	Close
4	8.08	54.71	34.40	20.31	69.50	-14.79	100	347 QP	Close
5	19.41	51.76	31.27	20.49	69.50	-17.74	100	86 QP	Close
6	28.47	44.46	23.94	20.52	69.50	-25.04	100	298 QP	Close

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11g

Low Channel (Horizontal)



Low Channel (Vertical)



TUV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	71.71	31.34	41.77	-10.43	48.00	-8.66	480	289 QP	Horizontal
2	137.57	31.33	39.05	-7.72	43.50	-12.17	280	246 QP	Horizontal
3	374.45	32.07	36.99	-4.92	46.00	-13.93	100	219 QP	Horizontal
4	640.03	36.17	36.88	-0.71	46.00	-9.83	368	193 QP	Horizontal
5	800.08	37.15	35.36	1.79	46.00	-8.85	100	360 QP	Horizontal
6	960.04	39.32	34.86	4.46	54.00	-14.68	192	360 QP	Horizontal

Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	72.58	37.17	47.60	-10.43	48.00	-2.83	180	271 QP	Vertical
2	149.99	27.77	35.25	-7.48	43.50	-15.73	380	101 QP	Vertical
3	233.60	31.52	40.82	-8.50	46.00	-14.48	100	182 QP	Vertical
4	640.03	37.39	38.10	-0.71	46.00	-8.61	240	121 QP	Vertical
5	840.05	35.58	33.06	2.52	46.00	-10.42	196	258 QP	Vertical
6	960.04	38.22	33.76	4.46	54.00	-15.78	100	249 QP	Vertical

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



1	4824.00	38.53	48.29	-9.76	74.00	-35.47	265	0	Peak	Horizontal
---	---------	-------	-------	-------	-------	--------	-----	---	------	------------



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



1	4824.00	40.17	49.93	-9.76	74.00	-33.83	240	0	Peak	Vertical
---	---------	-------	-------	-------	-------	--------	-----	---	------	----------


802.11b

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4874.00	38.34	48.01	-9.67	74.00	-35.66	121	360	Peak	Horizontal
---	---------	-------	-------	-------	-------	--------	-----	-----	------	------------



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4874.00	38.63	48.30	-9.67	74.00	-35.37	100	223	Peak	Vertical
---	---------	-------	-------	-------	-------	--------	-----	-----	------	----------


802.11b

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4924.00	40.49	50.02	-9.53	74.00	-33.51	100	318	Peak	Horizontal
---	---------	-------	-------	-------	-------	--------	-----	-----	------	------------



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4924.00	38.68	48.21	-9.53	74.00	-35.32	200	262	Peak	Vertical
---	---------	-------	-------	-------	-------	--------	-----	-----	------	----------

802.11g

Low Channel (Horizontal)



Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4824.00	38.64	48.40	-9.76	74.00	-35.36	300	12 Peak	Horizontal
2	7236.00	46.84	54.14	-7.30	74.00	-27.16	400	201 Peak	Horizontal

Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4824.00	39.32	49.08	-9.76	74.00	-34.68	400	312 Peak	Vertical
2	7236.00	45.19	52.49	-7.30	74.00	-28.81	100	46 Peak	Vertical


802.11g

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	42.00	51.67	-9.67	74.00	-32.00	100	90 Peak	Horizontal	
2	7311.00	47.17	54.42	-7.25	74.00	-26.83	100	313 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	38.37	48.04	-9.67	74.00	-35.63	122	369 Peak	Vertical	
2	7311.00	32.95	48.20	-7.25	54.00	-21.05	300	328 Average	Vertical	
3	7311.00	48.40	55.65	-7.25	74.00	-25.60	300	328 Peak	Vertical	

802.11g

High Channel (Horizontal)



High Channel (Vertical)



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	42.52	52.05	-9.53	74.00	-31.48	300	144 Peak	Horizontal	
2	7386.00	42.28	49.61	-7.33	74.00	-31.72	300	243 Peak	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	39.72	49.25	-9.53	74.00	-34.28	344	360 Peak	Vertical	
2	7386.00	42.64	49.97	-7.33	74.00	-31.36	180	2 Peak	Vertical	


802.11n HT20

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	48.24	58.00	-9.76	74.00	-33.76	185	368 Peak	Horizontal	
2	7236.00	41.93	49.23	-7.30	74.00	-32.07	180	326 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	48.23	49.99	-9.76	74.00	-33.77	180	256 Peak	Vertical	
2	7236.00	41.94	49.24	-7.30	74.00	-32.06	221	8 Peak	Vertical	


802.11n HT20

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	48.83	58.50	-9.67	74.00	-33.17	300	32 Peak	Horizontal	
2	7311.00	46.41	53.66	-7.25	74.00	-27.59	300	323 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	41.79	51.46	-9.67	74.00	-32.21	180	24 Peak	Vertical	
2	7311.00	46.35	53.69	-7.25	74.00	-27.65	367	360 Peak	Vertical	


802.11n HT20

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	41.00	58.53	-9.53	74.00	-33.00	300	327 Peak	Horizontal	
2	7386.00	41.79	49.12	-7.33	74.00	-32.21	100	32 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	40.83	58.36	-9.53	74.00	-33.17	200	141 Peak	Vertical	
2	7386.00	42.78	58.11	-7.33	74.00	-31.22	400	38 Peak	Vertical	


802.11n HT40

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4844.00	39.65	49.40	-9.75	74.00	-34.35	200	66 Peak	Horizontal	
2	7266.00	41.52	49.22	-7.30	74.00	-32.00	400	45 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4844.00	40.41	50.16	-9.75	74.00	-33.59	300	5 Peak	Vertical	
2	7266.00	41.48	48.78	-7.30	74.00	-32.52	200	183 Peak	Vertical	

802.11n HT40

Middle Channel (Horizontal)



Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	38.65	48.32	-9.67	74.00	-35.35	100	100 Peak	Horizontal	
2	7311.00	35.27	42.52	-7.25	54.00	-18.73	210	319 Average	Horizontal	
3	7311.00	53.29	60.54	-7.25	74.00	-20.71	210	319 Peak	Horizontal	

Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	40.65	50.32	-9.67	74.00	-33.35	400	226 Peak	Vertical	
2	7311.00	47.39	54.64	-7.25	74.00	-26.61	400	15 Peak	Vertical	


802.11n HT40

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4984.00	39.95	49.54	-9.59	74.00	-34.05	200	116 Peak	Horizontal	
2	7356.00	40.77	48.10	-7.33	74.00	-33.23	300	0 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4984.00	40.02	49.61	-9.59	74.00	-33.98	300	53 Peak	Vertical	
2	7356.00	41.22	48.55	-7.33	74.00	-32.78	300	163 Peak	Vertical	


802.11ax HE20

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	41.56	51.32	-9.76	74.00	-32.44	238	0 Peak	Horizontal	
2	7236.00	42.99	50.29	-7.30	74.00	-31.01	200	316 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4824.00	40.96	50.72	-9.76	74.00	-33.04	200	24 Peak	Vertical	
2	7236.00	42.42	49.72	-7.30	74.00	-31.58	100	285 Peak	Vertical	


802.11ax HE20

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	38.65	48.32	-9.67	74.00	-35.35	180	180 Peak	Horizontal	
2	7311.00	35.27	42.52	-7.25	54.00	-18.73	210	319 Average	Horizontal	
3	7311.00	53.29	60.54	-7.25	74.00	-20.71	210	319 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	40.65	50.32	-9.67	74.00	-33.35	480	226 Peak	Vertical	
2	7311.00	47.39	54.64	-7.25	74.00	-26.61	480	15 Peak	Vertical	


802.11ax HE20

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	40.50	50.03	-9.53	74.00	-33.50	400	360 Peak	Horizontal	
2	7386.00	41.96	49.29	-7.33	74.00	-32.04	100	328 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	40.65	50.18	-9.53	74.00	-33.35	300	111 Peak	Vertical	
2	7386.00	42.38	49.71	-7.33	74.00	-31.62	200	357 Peak	Vertical	


802.11ax HE40

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4844.00	39.65	49.40	-9.75	74.00	-34.35	200	66 Peak	Horizontal	
2	7266.00	41.92	49.22	-7.30	74.00	-32.08	400	45 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4844.00	40.41	50.16	-9.75	74.00	-33.59	300	5 Peak	Vertical	
2	7266.00	41.48	48.78	-7.30	74.00	-32.52	200	183 Peak	Vertical	


802.11ax HE40

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	39.03	49.50	-9.67	74.00	-34.17	200	16 Peak	Horizontal	
2	7311.00	41.52	48.77	-7.25	74.00	-32.48	100	322 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1010 Fax: +886-2172-1322



Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4874.00	39.49	49.16	-9.67	74.00	-34.51	300	360 Peak	Vertical	
2	7311.00	41.18	48.43	-7.25	74.00	-32.82	100	42 Peak	Vertical	