


Appendix A: Test Results of Conducted Test

Test Result of 6 dB Bandwidth


802.11b: 2TX

Channel	Channel Frequency (MHz)	6 dB Bandwidth (MHz)		Limit (MHz)	Result
		Chain 0	Chain 1		
1	2412	7.55	6.99	> 0.5	Pass
6	2437	7.59	7.55	> 0.5	Pass
11	2462	8.11	7.07	> 0.5	Pass

<Chain 0>




<Chain 1>




802.11g: 2TX

Channel	Channel Frequency (MHz)	6 dB Bandwidth (MHz)		Limit (MHz)	Result
		Chain 0	Chain 1		
1	2412	15.06	15.06	> 0.5	Pass
6	2437	15.10	15.03	> 0.5	Pass
10	2457	15.10	15.10	> 0.5	Pass
11	2462	15.10	15.06	> 0.5	Pass


<Chain 0>


<Chain 1>




802.11ax HE20_OFDM: 2TX

Channel	Channel Frequency (MHz)	6 dB Bandwidth (MHz)		Limit (MHz)	Result
		Chain 0	Chain 1		
1	2412	15.06	15.06	> 0.5	Pass
6	2437	15.06	14.99	> 0.5	Pass
10	2457	15.14	15.06	> 0.5	Pass
11	2462	15.06	15.06	> 0.5	Pass

<Chain 0>



<Chain 1>




802.11ax HE40_OFDM: 2TX

Channel	Channel Frequency (MHz)	6 dB Bandwidth (MHz)		Limit (MHz)	Result
		Chain 0	Chain 1		
3	2422	35.08	33.73	> 0.5	Pass
6	2437	35.08	33.81	> 0.5	Pass
9	2452	35.08	35.08	> 0.5	Pass

<Chain 0>




<Chain 1>




802.11ax HE20_OFDMA: 2TX

Channel	Channel Frequency (MHz)	6 dB Bandwidth (MHz)		Limit (MHz)	Result
		Chain 0	Chain 1		
1	2412	15.06	15.10	> 0.5	Pass
6	2437	15.10	15.06	> 0.5	Pass
10	2457	15.10	15.06	> 0.5	Pass
11	2462	15.06	17.88	> 0.5	Pass

<Chain 0>




<Chain 1>




802.11ax HE40_OFDMA: 2TX

Channel	Channel Frequency (MHz)	6 dB Bandwidth (MHz)		Limit (MHz)	Result
		Chain 0	Chain 1		
3	2422	35.08	35.08	> 0.5	Pass
6	2437	35.01	35.01	> 0.5	Pass
9	2452	35.01	35.61	> 0.5	Pass

<Chain 0>



<Chain 1>




Test Result of 99% Occupied Bandwidth


802.11b: 2TX

Channel	Channel Frequency (MHz)	99% Bandwidth (MHz)	
		Chain 0	Chain 1
1	2412	12.95	13.23
6	2437	12.87	12.83
11	2462	12.99	12.91

<Chain 0>




<Chain 1>




802.11g: 2TX

Channel	Channel Frequency (MHz)	99% Bandwidth (MHz)	
		Chain 0	Chain 1
1	2412	16.38	16.34
6	2437	16.46	16.34
10	2457	16.34	16.34
11	2462	16.30	16.26

<Chain 0>



<Chain 1>




802.11ax HE20_OFDM: 2TX

Channel	Channel Frequency (MHz)	99% Bandwidth (MHz)	
		Chain 0	Chain 1
1	2412	18.78	18.78
6	2437	18.94	18.90
10	2457	18.74	18.78
11	2462	18.78	18.74

<Chain 0>




<Chain 1>




802.11ax HE40_OFDM: 2TX

Channel	Channel Frequency (MHz)	99% Bandwidth (MHz)	
		Chain 0	Chain 1
3	2422	37.56	37.64
6	2437	37.64	37.72
9	2452	37.64	37.56


<Chain 0>


<Chain 1>




802.11ax HE20_OFDMA: 2TX

Channel	Channel Frequency (MHz)	99% Bandwidth (MHz)	
		Chain 0	Chain 1
1	2412	18.78	18.82
6	2437	19.02	18.90
10	2457	18.82	18.78
11	2462	18.90	18.90

<Chain 0>





<Chain 1>




802.11ax HE40_OFDMA: 2TX

Channel	Channel Frequency (MHz)	99% Bandwidth (MHz)	
		Chain 0	Chain 1
3	2422	37.56	37.56
6	2437	37.56	37.64
9	2452	37.64	37.72

<Chain 0>

Channel 3	Channel 6																																																																
 <p>Channel 3</p> <p>Spectrum Ref Level 30.00 dBm Offset 11.00 dB RBW 1 MHz Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep Count 10/10</p> <p>1Pk View 20 dBm 17.94 dBm 2.421041 GHz 37.562437562 MHz</p> <p>CF 2.422 GHz 1001 pts Span 80.0 MHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.421041 GHz</td> <td>17.94 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>2.4032987 GHz</td> <td>9.89 dBm</td> <td>Occ Bw</td> <td>37.562437562 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>2.4408611 GHz</td> <td>10.35 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 14.AUG.2022 15:07:55</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.421041 GHz	17.94 dBm			T1	1			2.4032987 GHz	9.89 dBm	Occ Bw	37.562437562 MHz	T2	1			2.4408611 GHz	10.35 dBm			 <p>Channel 6</p> <p>Spectrum Ref Level 30.00 dBm Offset 11.00 dB RBW 1 MHz Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep Count 10/10</p> <p>1Pk View 20 dBm 18.81 dBm 2.438279 GHz 37.562437562 MHz</p> <p>CF 2.437 GHz 1001 pts Span 80.0 MHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.438279 GHz</td> <td>18.81 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>2.4182987 GHz</td> <td>10.43 dBm</td> <td>Occ Bw</td> <td>37.562437562 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>2.4558611 GHz</td> <td>10.08 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 14.AUG.2022 15:13:03</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.438279 GHz	18.81 dBm			T1	1			2.4182987 GHz	10.43 dBm	Occ Bw	37.562437562 MHz	T2	1			2.4558611 GHz	10.08 dBm		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																										
M1	1			2.421041 GHz	17.94 dBm																																																												
T1	1			2.4032987 GHz	9.89 dBm	Occ Bw	37.562437562 MHz																																																										
T2	1			2.4408611 GHz	10.35 dBm																																																												
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																										
M1	1			2.438279 GHz	18.81 dBm																																																												
T1	1			2.4182987 GHz	10.43 dBm	Occ Bw	37.562437562 MHz																																																										
T2	1			2.4558611 GHz	10.08 dBm																																																												
 <p>Channel 9</p> <p>Spectrum Ref Level 30.00 dBm Offset 11.00 dB RBW 1 MHz Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep Count 10/10</p> <p>1Pk View 20 dBm 16.80 dBm 2.4541580 GHz 37.642357642 MHz</p> <p>CF 2.452 GHz 1001 pts Span 80.0 MHz</p> <table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>2.454158 GHz</td> <td>16.80 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>2.4332188 GHz</td> <td>9.35 dBm</td> <td>Occ Bw</td> <td>37.642357642 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>2.4708611 GHz</td> <td>9.07 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 14.AUG.2022 15:18:00</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			2.454158 GHz	16.80 dBm			T1	1			2.4332188 GHz	9.35 dBm	Occ Bw	37.642357642 MHz	T2	1			2.4708611 GHz	9.07 dBm																																			
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																										
M1	1			2.454158 GHz	16.80 dBm																																																												
T1	1			2.4332188 GHz	9.35 dBm	Occ Bw	37.642357642 MHz																																																										
T2	1			2.4708611 GHz	9.07 dBm																																																												

<Chain 1>




Test Result of Power Spectral Density


802.11b: 2TX

Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)		Total PSD (dBm/3kHz)	Limit (dBm/3kHz)
		Chain 0	Chain 1		
1	2412	-0.55	2.29	4.11	6.30
6	2437	1.73	3.22	5.55	6.30
11	2462	1.64	1.99	4.83	6.30

<Chain 0>




<Chain 1>




802.11g: 2TX

Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)		Total PSD (dBm/3kHz)	Limit (dBm/3kHz)
		Chain 0	Chain 1		
1	2412	-3.17	-2.49	0.19	6.30
6	2437	-2.25	-3.49	0.18	6.30
10	2457	-3.90	-4.41	-1.14	6.30
11	2462	-5.02	-4.65	-1.82	6.30


<Chain 0>


<Chain 1>




802.11ax HE20_OFDM: 2TX

Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)		Total PSD (dBm/3kHz)	Limit (dBm/3kHz)
		Chain 0	Chain 1		
1	2412	-4.16	-4.24	-1.19	6.30
6	2437	-2.45	-2.71	0.43	6.30
10	2457	-4.19	-3.96	-1.06	6.30
11	2462	-6.04	-5.19	-2.58	6.30


<Chain 0>


<Chain 1>




802.11ax HE40_OFDM: 2TX

Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)		Total PSD (dBm/3kHz)	Limit (dBm/3kHz)
		Chain 0	Chain 1		
3	2422	-7.00	-6.81	-3.89	6.30
6	2437	-5.50	-5.38	-2.43	6.30
9	2452	-6.73	-7.20	-3.95	6.30


<Chain 0>


<Chain 1>




802.11ax HE20_OFDMA: 2TX

Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)		Total PSD (dBm/3kHz)	Limit (dBm/3kHz)
		Chain 0	Chain 1		
1	2412	-4.08	-3.91	-0.98	6.30
6	2437	-1.99	-3.66	0.27	6.30
10	2457	-4.54	-4.68	-1.60	6.30
11	2462	-4.14	-3.64	-0.87	6.30


<Chain 0>


<Chain 1>




802.11ax HE40_OFDMA: 2TX

Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)		Total PSD (dBm/3kHz)	Limit (dBm/3kHz)
		Chain 0	Chain 1		
3	2422	-6.59	-6.15	-3.35	6.30
6	2437	-5.10	-5.44	-2.26	6.30
9	2452	-6.10	-7.21	-3.61	6.30

<Chain 0>



<Chain 1>




Test Result of Conducted Spurious Emissions

802.11b: 2TX

<Chain 0>




<Chain 1>





802.11g: 2TX

<Chain 0>




<Chain 1>




802.11ax HE20_OFDM: 2TX
<Chain 0>


<Chain 1>




802.11ax HE40_OFDM: 2TX

<Chain 0>




<Chain 1>




802.11ax HE20_OFDMA: 2TX

<Chain 0>




<Chain 1>




802.11ax HE40_OFDMA: 2TX

<Chain 0>




<Chain 1>




Test Result of Conducted Bandedge, Tx Mode
802.11b: 2TX


<Chain 0>




<Chain 1>




802.11g
<Chain 0>




<Chain 1>




802.11ax HE20_OFDM: 2TX

<Chain 0>




<Chain 1>




802.11ax HE40_OFDM: 2TX
<Chain 0>

<Chain 1>



802.11ax HE20_OFDMA: 2TX

<Chain 0>



<Chain 1>



802.11ax HE40_OFDMA: 2TX
<Chain 0>

<Chain 1>
