


802.11ac VHT40

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4844.00	42.24	52.00	-9.76	74.00	-31.76	172	360	Peak	Horizontal
---	---------	-------	-------	-------	-------	--------	-----	-----	------	------------



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	4844.00	39.03	48.79	-9.76	74.00	-34.97	400	3	Peak	Vertical
---	---------	-------	-------	-------	-------	--------	-----	---	------	----------


802.11ac VHT40

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	4874.00	40.32	50.09	-9.77	74.00	-33.68	100	340	Peak	Horizontal	
2	7311.00	47.88	55.39	-7.51	74.00	-26.12	200	321	Peak	Horizontal	
3	9748.00	45.38	50.09	-4.71	74.00	-28.62	302	33	Peak	Horizontal	
4	12185.00	52.47	52.50	-0.03	74.00	-21.53	124	360	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	4874.00	39.30	49.07	-9.77	74.00	-34.70	400	358	Peak	Vertical	
2	7311.00	45.34	52.85	-7.51	74.00	-28.66	100	48	Peak	Vertical	
3	9748.00	45.66	50.37	-4.71	74.00	-28.34	208	58	Peak	Vertical	
4	12185.00	50.88	50.91	-0.03	74.00	-23.12	100	35	Peak	Vertical	


802.11ac VHT40

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	48.43	50.11	-9.68	74.00	-33.57	100	58	Peak	Horizontal	
2	7386.00	49.32	56.75	-7.43	74.00	-24.68	200	313	Peak	Horizontal	
3	12310.00	50.66	50.49	0.17	74.00	-23.34	100	57	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4924.00	39.20	48.88	-9.68	74.00	-34.80	400	16	Peak	Vertical	
2	7386.00	41.25	48.68	-7.43	74.00	-32.75	400	68	Peak	Vertical	
3	12310.00	48.36	48.19	0.17	74.00	-25.64	279	51	Peak	Vertical	


802.11ax HE20_OFDM

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4824.00	46.45	56.26	-9.81	74.00	-27.55	290	358 Peak	Horizontal
2	12868.00	52.24	52.40	-0.16	74.00	-21.76	180	65 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4824.00	42.49	52.30	-9.81	74.00	-31.51	283	331 Peak	Vertical
2	12868.00	50.42	50.58	-0.16	74.00	-23.58	290	331 Peak	Vertical


802.11ax HE20_OFDM

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dB	dB	cm	deg			
58.01	74.00	-25.76	200	50	Peak	Horizontal	
-9.77	74.00	-12.43	190	317	Average	Horizontal	
-7.51	74.00	-16.06	190	317	Peak	Horizontal	
65.45	74.00	-25.01	261	3	Peak	Horizontal	
-4.71	74.00	-21.38	200	38	Peak	Horizontal	
53.70	74.00	-21.41	300	335	Peak	Horizontal	
-0.03	74.00	-21.12	123	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dB/m	dB	dB	cm	deg			
51.01	74.00	-32.76	400	22	Peak	Vertical	
-9.77	74.00	-25.28	133	360	Peak	Vertical	
-7.51	74.00	-27.09	100	82	Peak	Vertical	
46.91	74.00	-21.12	300	0	Peak	Vertical	
-4.71	74.00	-21.48	156	360	Peak	Vertical	
52.91	74.00	-21.19	105	360	Peak	Vertical	
-0.03	74.00	-21.19	105	360	Peak	Vertical	


802.11ax HE40_OFDM

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4844.00	41.48	51.24	-9.76	74.00	-32.52	200	50 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level Factor	Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4844.00	38.80	48.56	-9.76	74.00	-35.20	400	25 Peak	Vertical


802.11ax HE40_OFDM

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	4874.00	41.52	51.29	-9.77	74.00	-32.48	221	28	Peak	Horizontal	
2	7311.00	44.15	51.66	-7.51	74.00	-29.85	100	310	Peak	Horizontal	
3	9748.00	48.24	52.95	-4.71	74.00	-25.76	100	62	Peak	Horizontal	
4	12185.00	50.29	50.32	-0.03	74.00	-23.71	117	360	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	4874.00	39.25	49.02	-9.77	74.00	-34.75	400	330	Peak	Vertical	
2	7311.00	43.36	50.87	-7.51	74.00	-30.64	305	360	Peak	Vertical	
3	9748.00	46.09	50.80	-4.71	74.00	-27.91	194	6	Peak	Vertical	
4	12185.00	49.21	49.24	-0.03	74.00	-24.79	300	5	Peak	Vertical	


802.11ax HE40_OFDM

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4
4904.00	7356.00	9808.00	12260.00
47.76	46.08	49.05	50.40
57.54	55.51	53.69	50.32
-9.78	-7.43	-4.64	0.08
74.00	74.00	74.00	74.00
-26.24	-25.92	-24.95	-23.60
100	200	300	100
58 Peak	332 Peak	8 Peak	61 Peak
Horizontal	Horizontal	Horizontal	Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4
4904.00	7356.00	9808.00	12260.00
37.58	42.30	46.74	50.09
47.36	49.73	51.38	50.01
-9.78	-7.43	-4.64	0.08
74.00	74.00	74.00	74.00
-36.42	-31.70	-27.26	-23.91
100	227	400	400
48 Peak	338 Peak	359 Peak	337 Peak
Vertical	Vertical	Vertical	Vertical


802.11ax HE20_OFDMA

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	4824.00	50.62	60.43	-9.81	74.00	-23.38	290	85	Peak	Horizontal	
2	12868.00	51.89	52.05	-0.16	74.00	-22.11	100	360	Peak	Horizontal	
3	14472.00	50.35	47.77	2.58	74.00	-23.65	300	354	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	4824.00	40.10	49.91	-9.81	74.00	-33.90	395	360	Peak	Vertical	
2	12868.00	50.95	51.11	-0.16	74.00	-23.05	300	0	Peak	Vertical	
3	14472.00	52.94	50.36	2.58	74.00	-21.06	188	360	Peak	Vertical	



802.11ax HE20_OFDMA

Middle Channel (Horizontal)

Middle Channel (Vertical)

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

TÜVRheinland
TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6
Read Level	Level Factor	Limit Line	Over Limit	APos	TPos
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB
4874.00	48.58	58.35	-9.77	74.00	-25.42
7311.00	52.74	60.25	-7.51	74.00	-21.26
9748.00	48.70	53.41	-4.71	74.00	-25.30
12185.00	52.94	52.97	-0.03	74.00	-21.06
14622.00	52.30	49.55	2.75	74.00	-21.70
17059.00	48.18	41.36	6.82	74.00	-25.82

1	2	3	4	5	6	7
Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm
4874.00	43.05	52.82	-9.77	74.00	-30.95	400
7311.00	50.61	58.12	-7.51	74.00	-23.39	200
9748.00	48.08	52.79	-4.71	74.00	-25.92	300
12185.00	40.14	40.17	-0.03	54.00	-13.86	346
12185.00	56.10	56.13	-0.03	74.00	-17.90	346
14622.00	52.43	49.68	2.75	74.00	-21.57	172
17059.00	51.33	44.51	6.82	74.00	-22.67	112


802.11ax HE40_OFDMA

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4844.00	42.12	51.88	-9.76	74.00	-31.88	295	177 Peak	Horizontal	
2	12118.00	58.16	50.24	-0.88	74.00	-23.84	112	368 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read Level	Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4844.00	48.18	49.94	-9.76	74.00	-33.82	180	233 Peak	Vertical	
2	12118.00	49.92	50.00	-0.08	74.00	-24.08	263	76 Peak	Vertical	


802.11ax HE40_OFDMA

Middle Channel (Horizontal)

Middle Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	4874.00	43.37	53.14	-9.77	74.00	-30.63	200	2	Peak	Horizontal	
2	7311.00	49.64	57.15	-7.51	74.00	-24.36	100	44	Peak	Horizontal	
3	12185.00	50.88	50.91	-0.03	74.00	-23.12	300	251	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	4874.00	40.69	50.46	-9.77	74.00	-33.31	400	31	Peak	Vertical	
2	7311.00	45.51	53.02	-7.51	74.00	-28.49	200	30	Peak	Vertical	
3	12185.00	50.48	50.51	-0.03	74.00	-23.52	262	133	Peak	Vertical	


802.11ax HE40_OFDMA

High Channel (Horizontal)

High Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	4918.00	39.73	49.49	-9.76	74.00	-34.27	280	328	Peak	Horizontal	
2	7356.00	46.91	54.34	-7.43	74.00	-27.09	280	317	Peak	Horizontal	
3	12268.00	50.26	58.18	0.08	74.00	-23.74	127	360	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	4918.00	40.78	50.54	-9.76	74.00	-33.22	335	360	Peak	Vertical	
2	7356.00	44.03	51.46	-7.43	74.00	-29.97	327	360	Peak	Vertical	
3	12268.00	50.55	58.47	0.08	74.00	-23.45	255	96	Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz

Worst Band

(Line)



(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 455-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 455-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

Line	Freq	Level	Read Level	Factor	Limit	Over	Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB	dB			
1	0.16	28.87	19.26	9.61	55.34	-26.47	Average	line1		
2	0.16	47.40	37.79	9.61	65.34	-17.94	QP	line1		
3	0.20	24.83	15.22	9.61	53.81	-28.98	Average	line1		
4	0.20	41.89	32.28	9.61	63.81	-21.92	QP	line1		
5	0.29	17.35	7.74	9.61	50.58	-33.23	Average	line1		
6	0.29	29.66	20.05	9.61	60.58	-30.92	QP	line1		
7	1.70	21.42	11.78	9.64	46.00	-24.58	Average	line1		
8	1.70	26.16	16.52	9.64	56.00	-29.84	QP	line1		
9	2.02	22.51	12.86	9.65	46.00	-23.19	Average	line1		
10	2.02	27.45	17.80	9.65	56.00	-28.55	QP	line1		
11	16.25	25.23	15.51	9.72	50.00	-24.77	Average	line1		
12	16.25	33.14	23.42	9.72	60.00	-26.86	QP	line1		

Trace: 1

Line	Freq	Level	Read Level	Factor	Limit	Over	Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB	dB			
1	0.16	30.18	20.59	9.59	55.46	-25.28	Average	neutral		
2	0.16	48.13	38.54	9.59	65.46	-17.33	QP	neutral		
3	0.17	32.85	23.26	9.59	54.88	-22.03	Average	neutral		
4	0.17	47.44	37.85	9.59	64.88	-17.44	QP	neutral		
5	1.44	20.59	10.97	9.62	46.00	-25.41	Average	neutral		
6	1.44	25.14	15.52	9.62	56.00	-30.86	QP	neutral		
7	2.10	22.01	12.38	9.63	46.00	-23.99	Average	neutral		
8	2.10	27.19	17.56	9.63	56.00	-28.81	QP	neutral		
9	6.96	13.90	4.19	9.71	50.00	-36.10	Average	neutral		
10	6.96	18.74	9.03	9.71	60.00	-41.26	QP	neutral		
11	16.01	25.47	15.69	9.78	50.00	-24.53	Average	neutral		
12	16.01	32.85	23.07	9.78	60.00	-27.15	QP	neutral		

<POE Mode>
Band Edges, 2.31GHz ~ 2.9GHz


802.11g

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak #	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2387.88	65.24	27.67	37.57	74.00	-8.76	273	316	Peak	Horizontal	
2 *	2412.00	120.11	82.46	37.65	74.00	46.11	273	316	Peak	Horizontal	
3	2508.71	56.89	19.03	37.86	74.00	-17.11	273	316	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak #	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	2389.53	59.28	21.70	37.58	74.00	-14.72	390	341	Peak	Vertical	
2 *	2412.00	109.47	71.82	37.65	74.00	35.47	390	341	Peak	Vertical	
3	2532.43	55.52	17.63	37.89	74.00	-18.48	390	341	Peak	Vertical	


802.11g

Low Channel (Horizontal) Average

Low Channel (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dBuV	dB/m	dBuV/m	dB	cm	deg		
52.83	15.25	37.58	54.00	-1.17	273	316	Average Horizontal
110.53	72.88	37.65	54.00	56.53	273	316	Average Horizontal
44.63	6.77	37.86	54.00	-9.37	273	316	Average Horizontal



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dBuV	dB/m	dBuV/m	dB	cm	deg		
46.19	8.61	37.58	54.00	-7.81	390	341	Average Vertical
99.58	61.93	37.65	54.00	45.58	390	341	Average Vertical
42.20	3.82	38.38	54.00	-11.80	390	341	Average Vertical

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11g

Low Channel 9kHz~150kHz(Open)

Low Channel 150kHz~30MHz(Open)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Line	Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.03	58.70	39.51	19.19	119.13	-60.43	100	120	QP	Open
2	0.05	44.54	25.20	19.34	114.19	-69.65	100	312	QP	Open
3	0.07	41.63	22.77	18.86	110.65	-69.02	100	276	QP	Open
4	0.09	37.17	18.82	18.35	108.16	-70.99	100	312	QP	Open
5	0.11	34.32	16.05	18.27	106.48	-72.16	100	272	QP	Open
6	0.13	30.18	11.78	18.32	105.40	-75.30	100	323	QP	Open




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Line	Freq	Level	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.15	41.01	22.61	18.40	104.08	-63.07	100	348	QP	Open
2	0.81	34.17	15.03	19.14	69.47	-35.30	100	59	QP	Open
3	3.88	31.79	12.33	19.46	69.50	-37.71	100	342	QP	Open
4	15.13	34.23	12.37	21.86	69.50	-35.27	100	106	QP	Open
5	22.27	34.32	12.02	22.30	69.50	-35.18	100	4	QP	Open
6	27.31	35.77	13.24	22.53	69.50	-33.73	100	98	QP	Open

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz
802.11g
Low Channel (Horizontal)
Low Channel (Vertical)

 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	72.68	34.54	43.56	-9.02	40.00	-5.46	300	265 QP	Horizontal
2	156.10	36.25	42.33	-6.08	43.50	-7.25	200	95 QP	Horizontal
3	314.21	29.65	34.26	-4.61	46.00	-16.35	100	326 QP	Horizontal
4	417.03	29.12	31.89	-2.77	46.00	-16.88	100	79 QP	Horizontal
5	631.40	31.34	30.64	0.70	46.00	-14.66	100	350 QP	Horizontal
6	812.79	40.64	37.49	3.15	46.00	-5.36	100	358 QP	Horizontal


 TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Read	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	42.61	38.04	44.11	-6.07	40.00	-1.96	100	178 QP	Vertical
2	77.53	37.94	47.90	-9.96	40.00	-2.06	100	349 QP	Vertical
3	152.22	33.31	39.35	-6.04	43.50	-10.19	100	92 QP	Vertical
4	330.70	30.99	34.96	-3.97	46.00	-15.01	100	110 QP	Vertical
5	605.21	34.91	34.70	0.21	46.00	-11.09	100	344 QP	Vertical
6	875.84	34.01	29.86	4.15	46.00	-11.99	100	98 QP	Vertical

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11g

Low Channel (Horizontal)

Low Channel (Vertical)




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	4824.00	47.27	57.08	-9.81	74.00	-26.73	200	359	Peak	Horizontal	
2	12868.00	50.09	50.25	-0.16	74.00	-23.91	135	360	Peak	Horizontal	
3	14472.00	47.69	45.11	2.58	74.00	-26.31	200	322	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Feniiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	4824.00	38.34	48.15	-9.81	74.00	-35.66	100	351	Peak	Vertical	
2	12868.00	49.18	49.34	-0.16	74.00	-24.82	251	125	Peak	Vertical	
3	14472.00	49.40	46.82	2.58	74.00	-24.60	160	360	Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz

Worst Band

(Line)


(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

Line	Freq	Level	Read Level	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	31.83	22.22	9.61	55.67	-23.84	Average	line1	
2	0.16	51.17	41.56	9.61	65.67	-14.50	QP	line1	
3	0.17	29.17	19.56	9.61	55.05	-25.88	Average	line1	
4	0.17	48.54	38.93	9.61	65.05	-16.51	QP	line1	
5	0.54	20.69	11.07	9.62	46.00	-25.31	Average	line1	
6	0.54	27.01	17.39	9.62	56.00	-28.99	QP	line1	
7	5.94	19.27	9.58	9.69	50.00	-30.73	Average	line1	
8	5.94	23.32	13.63	9.69	60.00	-36.68	QP	line1	
9	12.29	23.93	14.20	9.73	50.00	-26.07	Average	line1	
10	12.29	28.58	18.85	9.73	60.00	-31.42	QP	line1	
11	20.75	27.38	17.67	9.71	50.00	-22.62	Average	line1	
12	20.75	34.56	24.85	9.71	60.00	-25.44	QP	line1	



Trace: 1

Line	Freq	Level	Read Level	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.15	32.50	22.91	9.59	55.80	-23.38	Average	neutral	
2	0.15	50.07	40.48	9.59	65.80	-15.81	QP	neutral	
3	0.16	29.55	19.96	9.59	55.42	-25.87	Average	neutral	
4	0.16	48.79	39.20	9.59	65.42	-16.63	QP	neutral	
5	0.53	24.40	14.80	9.60	46.00	-21.60	Average	neutral	
6	0.53	28.93	19.33	9.60	56.00	-27.07	QP	neutral	
7	1.91	20.79	11.16	9.63	46.00	-25.21	Average	neutral	
8	1.91	24.42	14.79	9.63	56.00	-31.58	QP	neutral	
9	12.35	19.80	10.04	9.76	50.00	-30.20	Average	neutral	
10	12.35	24.59	14.83	9.76	60.00	-35.41	QP	neutral	
11	19.54	21.46	11.66	9.80	50.00	-28.54	Average	neutral	
12	19.54	29.46	19.66	9.80	60.00	-30.54	QP	neutral	