

Appendix B: Test Results of Radiation Spurious Emissions & Mains

Conducted Emission

<Adapter Mode>

Band Edges, 5.35GHz

U-NII-2A


802.11a

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|--------|------------|--------|--------|--------|--------|-----------|------|---------|------------|
| Level | Line | Limit | | | | | | | |
| Factor | | | | | | | | | |
| Freq | Level | Level | Factor | Limit | Over | APos | TPos | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5149.500 | 59.82 | 16.92 | 42.90 | 74.00 | -14.18 | 178 | 47 Peak | Horizontal |
| 2 | * 5280.000 | 125.33 | 82.56 | 42.97 | 68.20 | 57.13 | 178 | 47 Peak | Horizontal |
| 3 | 5357.000 | 67.11 | 24.11 | 43.00 | 74.00 | -6.89 | 178 | 47 Peak | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|--------|------------|--------|--------|--------|--------|-----------|------|---------|----------|
| Level | Line | Limit | | | | | | | |
| Factor | | | | | | | | | |
| Freq | Level | Level | Factor | Limit | Over | APos | TPos | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5141.500 | 56.65 | 13.61 | 42.84 | 74.00 | -17.35 | 112 | 16 Peak | Vertical |
| 2 | * 5280.000 | 122.02 | 79.05 | 42.97 | 68.20 | 53.82 | 112 | 16 Peak | Vertical |
| 3 | 5357.500 | 64.58 | 21.58 | 43.00 | 74.00 | -9.42 | 112 | 16 Peak | Vertical |


802.11a

CH 52 (Horizontal) Average

CH 52 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| 1 | 2 | 3 | Read Level | Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----|------------|--------|------------|--------------|------------|------------|------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | |
| 1 | 5150.000 | 47.06 | 4.16 | 42.90 | 54.00 | -6.94 | 178 | 47 | Average | Horizontal | |
| 2 | * 5286.000 | 115.82 | 72.85 | 42.97 | 54.00 | 61.82 | 178 | 47 | Average | Horizontal | |
| 3 | ! 5353.000 | 51.17 | 8.19 | 42.98 | 54.00 | -2.83 | 178 | 47 | Average | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| 1 | 2 | 3 | Read Level | Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----|------------|--------|------------|--------------|------------|------------|------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | |
| 1 | 5150.000 | 45.10 | 2.20 | 42.90 | 54.00 | -8.90 | 112 | 16 | Average | Vertical | |
| 2 | * 5286.000 | 111.69 | 68.63 | 42.97 | 54.00 | 57.69 | 112 | 16 | Average | Vertical | |
| 3 | ! 5351.000 | 50.95 | 7.08 | 42.97 | 54.00 | -3.95 | 112 | 16 | Average | Vertical | |


802.11a

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Level Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------------|---------------------|-----------------|-----------|------------|--------|------------|------|
| 1 | 5147.000 | 57.20 | 14.33 | 42.87 | 74.00 | -16.80 | 197 | 57 | Peak | Horizontal | |
| 2 * | 5350.000 | 123.66 | 89.74 | 42.92 | 68.20 | 55.46 | 197 | 57 | Peak | Horizontal | |
| 3 | 5354.500 | 65.41 | 22.42 | 42.99 | 74.00 | -8.59 | 197 | 57 | Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Peak | Freq (MHz) | Level (dBuV/m) | Read Level (dBuV) | Level Factor (dB/m) | Limit Line (dBuV/m) | Over Limit (dB) | APos (cm) | TPos (deg) | Remark | Pol/Phase | Note |
|------|------------|----------------|-------------------|---------------------|---------------------|-----------------|-----------|------------|--------|-----------|------|
| 1 | 5104.000 | 56.15 | 13.57 | 42.58 | 74.00 | -17.85 | 195 | 15 | Peak | Vertical | |
| 2 * | 5300.000 | 120.14 | 77.22 | 42.92 | 68.20 | 51.94 | 195 | 15 | Peak | Vertical | |
| 3 | 5352.500 | 64.09 | 21.11 | 42.98 | 74.00 | -9.91 | 195 | 15 | Peak | Vertical | |


802.11a

CH 60 (Horizontal) Average

CH 60 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | | | |
|--------|------------|--------|-------|-------|--------|-----------|------|----|---------|------------|--|
| Level | Line | Limit | | | | | | | | | |
| Factor | | | | | | | | | | | |
| dBuV | dBuV/m | dB | cm | deg | | | | | | | |
| 1 | 5149.500 | 44.22 | 1.32 | 42.90 | 54.00 | -9.78 | 197 | 57 | Average | Horizontal | |
| 2 | * 5300.000 | 114.11 | 71.19 | 42.92 | 54.00 | 60.11 | 197 | 57 | Average | Horizontal | |
| 3 | ! 5352.500 | 51.30 | 8.32 | 42.98 | 54.00 | -2.70 | 197 | 57 | Average | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | | |
|--------|------------|--------|-------|-------|--------|-----------|------|----|---------|----------|
| Level | Line | Limit | | | | | | | | |
| Factor | | | | | | | | | | |
| dBuV | dBuV/m | dB | cm | deg | | | | | | |
| 1 | 5136.000 | 43.07 | 1.06 | 42.81 | 54.00 | -10.13 | 195 | 15 | Average | Vertical |
| 2 | * 5300.000 | 111.27 | 68.35 | 42.92 | 54.00 | 57.27 | 195 | 15 | Average | Vertical |
| 3 | ! 5350.000 | 51.04 | 8.07 | 42.97 | 54.00 | -2.96 | 195 | 15 | Average | Vertical |


802.11a

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|--------|-------|--------|--------|-----------|------------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 56.97 | 14.39 | 42.58 | 74.00 | -17.03 | 188 | 52 Peak | Horizontal |
| 120.04 | 77.10 | 42.94 | 68.20 | 51.84 | 188 | 52 Peak | Horizontal |
| 65.34 | 22.37 | 42.97 | 66.20 | -2.86 | 188 | 52 Peak | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------|-------|--------|-------|--------|--------|-----------|----------|
| Level | Line | Limit | | | | | |
| Factor | | | | | | | |
| dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 56.19 | 13.40 | 42.79 | 74.00 | -17.81 | 186 | 23 Peak | Vertical |
| 116.51 | 73.57 | 42.94 | 68.20 | 48.31 | 186 | 23 Peak | Vertical |
| 62.83 | 19.05 | 42.98 | 74.00 | -11.17 | 186 | 23 Peak | Vertical |


802.11a

CH 64 (Horizontal) Average

CH 64 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| | Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|---|------------|--------|-------------------|------------|------------|-------|------|------------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 4800.000 | 44.57 | 2.57 | 42.00 | 54.00 | -9.43 | 188 | 52 Average | Horizontal | |
| 2 | * 5328.000 | 110.74 | 67.80 | 42.94 | 54.00 | 56.74 | 188 | 52 Average | Horizontal | |
| 3 | ! 5350.000 | 52.02 | 9.05 | 42.97 | 54.00 | -1.98 | 188 | 52 Average | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| | Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|---|------------|--------|-------------------|------------|------------|--------|------|------------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5320.000 | 43.08 | 1.13 | 42.75 | 54.00 | -10.12 | 186 | 23 Average | Vertical | |
| 2 | * 5328.000 | 107.22 | 64.28 | 42.94 | 54.00 | 53.22 | 186 | 23 Average | Vertical | |
| 3 | ! 5350.000 | 49.16 | 6.19 | 42.97 | 54.00 | -4.84 | 186 | 23 Average | Vertical | |


802.11ax HE20

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|------------|--------------|-------|--------|--------|-----------|------|---------|------------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5149.500 | 58.75 | 17.32 | 41.43 | 74.00 | -15.25 | 188 | 57 Peak | Horizontal |
| 2 | * 5288.000 | 121.73 | 88.85 | 41.88 | 68.28 | 53.53 | 188 | 57 Peak | Horizontal |
| 3 | 5357.000 | 64.50 | 22.64 | 41.86 | 74.00 | -9.50 | 188 | 57 Peak | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|------------|--------------|-------|--------|--------|-----------|------|---------|----------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5144.500 | 57.62 | 16.28 | 41.42 | 74.00 | -16.38 | 188 | 18 Peak | Vertical |
| 2 | * 5288.000 | 128.85 | 78.38 | 41.68 | 68.28 | 51.86 | 188 | 18 Peak | Vertical |
| 3 | 5351.500 | 66.57 | 24.79 | 41.78 | 74.00 | -7.43 | 188 | 18 Peak | Vertical |


802.11ax HE20

CH 52 (Horizontal) Average

CH 52 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| 1 | 2 | 3 | Read Level | Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----|------------|--------|------------|--------------|------------|------------|------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | |
| 1 | 5150.000 | 45.99 | 4.56 | 41.43 | 54.00 | -8.01 | 188 | 57 | Average | Horizontal | |
| 2 | * 5280.000 | 111.26 | 69.58 | 41.68 | 54.00 | 57.26 | 188 | 57 | Average | Horizontal | |
| 3 | ! 5354.500 | 50.46 | 8.64 | 41.82 | 54.00 | -3.54 | 188 | 57 | Average | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| 1 | 2 | 3 | Read Level | Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----|------------|--------|------------|--------------|------------|------------|------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | |
| 1 | 5150.000 | 45.24 | 3.61 | 41.43 | 54.00 | -8.76 | 100 | 18 | Average | Vertical | |
| 2 | * 5280.000 | 100.85 | 67.17 | 41.68 | 54.00 | 54.85 | 100 | 18 | Average | Vertical | |
| 3 | ! 5352.500 | 51.10 | 9.31 | 41.79 | 54.00 | -2.90 | 100 | 18 | Average | Vertical | |


802.11ax HE20

CH 60 (Horizontal) Peak

CH 60 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Peak | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|--------------|-------|-------|--------|------|---------|------------|------|
| | MHz | dBuV/m | Level Factor | Line | Limit | cm | deg | | | |
| 1 | 5119.000 | 54.49 | 13.14 | 41.35 | 74.00 | -19.51 | 165 | 48 Peak | Horizontal | |
| 2 * | 5300.000 | 122.06 | 80.83 | 42.83 | 68.20 | 53.86 | 165 | 48 Peak | Horizontal | |
| 3 | 5356.500 | 64.08 | 22.23 | 41.85 | 74.00 | -9.92 | 165 | 48 Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Peak | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|--------------|-------|-------|--------|------|---------|-----------|------|
| | MHz | dBuV/m | Level Factor | Line | Limit | cm | deg | | | |
| 1 | 5069.500 | 54.47 | 13.19 | 41.28 | 74.00 | -19.53 | 100 | 21 Peak | Vertical | |
| 2 * | 5300.000 | 119.45 | 77.45 | 42.83 | 68.20 | 51.28 | 100 | 21 Peak | Vertical | |
| 3 | 5352.000 | 66.69 | 24.81 | 41.79 | 74.00 | -7.40 | 100 | 21 Peak | Vertical | |


802.11ax HE20

CH 60 (Horizontal) Average

CH 60 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | | | |
|------|------------|--------------|-------|--------|--------|-----------|------|----|---------|------------|--|
| Freq | Level | Level Factor | Line | Limit | | | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | |
| 1 | 5189.000 | 42.82 | 1.49 | 41.33 | 54.00 | -11.18 | 165 | 48 | Average | Horizontal | |
| 2 | * 5388.000 | 111.90 | 69.87 | 42.03 | 54.00 | 57.90 | 165 | 48 | Average | Horizontal | |
| 3 | ! 5350.000 | 51.98 | 10.22 | 41.76 | 54.00 | -2.02 | 165 | 48 | Average | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | | | |
|------|------------|--------------|-------|--------|--------|-----------|------|----|---------|----------|--|
| Freq | Level | Level Factor | Line | Limit | | | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | |
| 1 | 5132.500 | 42.57 | 1.19 | 41.38 | 54.00 | -11.43 | 100 | 21 | Average | Vertical | |
| 2 | * 5388.000 | 108.32 | 66.29 | 42.03 | 54.00 | 54.32 | 100 | 21 | Average | Vertical | |
| 3 | ! 5350.000 | 52.99 | 11.23 | 41.76 | 54.00 | -1.01 | 100 | 21 | Average | Vertical | |


802.11ax HE20

CH 64 (Horizontal) Peak

CH 64 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|------------|--------------|-------|--------|--------|-----------|------|---------|------------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5145.500 | 55.85 | 12.99 | 42.86 | 74.00 | -18.15 | 288 | 49 Peak | Horizontal |
| 2 | * 5320.000 | 120.92 | 77.98 | 42.94 | 68.20 | 52.72 | 288 | 49 Peak | Horizontal |
| 3 | 5351.500 | 64.44 | 21.46 | 42.98 | 74.00 | -9.56 | 288 | 49 Peak | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|------------|--------------|-------|--------|--------|-----------|------|---------|----------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5096.000 | 56.39 | 13.03 | 42.56 | 74.00 | -17.61 | 115 | 19 Peak | Vertical |
| 2 | * 5320.000 | 119.63 | 76.69 | 42.94 | 68.20 | 51.43 | 115 | 19 Peak | Vertical |
| 3 | 5350.000 | 61.18 | 18.21 | 42.97 | 68.20 | -7.82 | 115 | 19 Peak | Vertical |


802.11ax HE20

CH 64 (Horizontal) Average

CH 64 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | | | |
|--------|------------|--------|-------|-------|--------|-----------|------|----|---------|------------|--|
| Level | Line | Limit | | | | | | | | | |
| Factor | | | | | | | | | | | |
| dBuV | dBuV/m | dB | cm | deg | | | | | | | |
| 1 | 4799.500 | 44.40 | 2.48 | 42.00 | 54.00 | -9.52 | 208 | 49 | Average | Horizontal | |
| 2 | * 5328.000 | 109.49 | 66.55 | 42.94 | 54.00 | 55.49 | 208 | 49 | Average | Horizontal | |
| 3 | ! 5350.000 | 50.84 | 7.87 | 42.97 | 54.00 | -3.16 | 208 | 49 | Average | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | | | |
|--------|------------|--------|-------|-------|--------|-----------|------|----|---------|----------|--|
| Level | Line | Limit | | | | | | | | | |
| Factor | | | | | | | | | | | |
| dBuV | dBuV/m | dB | cm | deg | | | | | | | |
| 1 | 5039.500 | 44.07 | 2.29 | 42.50 | 54.00 | -9.13 | 115 | 19 | Average | Vertical | |
| 2 | * 5328.000 | 108.12 | 65.18 | 42.94 | 54.00 | 54.12 | 115 | 19 | Average | Vertical | |
| 3 | ! 5350.000 | 48.79 | 5.82 | 42.97 | 54.00 | -5.21 | 115 | 19 | Average | Vertical | |


802.11ax HE40

CH 54 (Horizontal) Peak

CH 54 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|------------|--------------|-------|--------|--------|-----------|------|---------|------------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5146.000 | 62.69 | 19.82 | 42.87 | 74.00 | -11.31 | 182 | 50 Peak | Horizontal |
| 2 | * 5270.000 | 121.12 | 78.16 | 42.96 | 68.20 | 52.92 | 182 | 50 Peak | Horizontal |
| 3 | ! 5350.000 | 67.19 | 24.22 | 42.97 | 66.20 | -1.01 | 182 | 50 Peak | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|------------|--------------|-------|--------|--------|-----------|------|---------|----------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5142.000 | 60.07 | 10.03 | 42.04 | 74.00 | -13.13 | 358 | 10 Peak | Vertical |
| 2 | * 5270.000 | 115.97 | 73.01 | 42.96 | 68.20 | 47.77 | 358 | 10 Peak | Vertical |
| 3 | ! 5371.500 | 61.63 | 18.55 | 43.08 | 74.00 | -12.37 | 358 | 10 Peak | Vertical |


802.11ax HE40

CH 54 (Horizontal) Average

CH 54 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | |
|------|------------|--------------|-------|--------|--------|-----------|------|-----------------------|
| Freq | Level | Level Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | |
| 1 | 5149.500 | 46.68 | 3.78 | 42.90 | 54.00 | -7.32 | 182 | 50 Average Horizontal |
| 2 | * 5278.000 | 109.21 | 66.25 | 42.96 | 54.00 | 55.21 | 182 | 50 Average Horizontal |
| 3 | ! 5350.000 | 52.87 | 9.90 | 42.97 | 54.00 | -1.13 | 182 | 50 Average Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | |
|------|------------|--------------|-------|--------|--------|-----------|------|---------------------|
| Freq | Level | Level Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | |
| 1 | 5040.000 | 46.39 | 3.61 | 42.50 | 54.00 | -7.61 | 358 | 10 Average Vertical |
| 2 | * 5278.000 | 105.22 | 62.26 | 42.96 | 54.00 | 51.22 | 358 | 10 Average Vertical |
| 3 | ! 5371.500 | 48.28 | 5.20 | 43.08 | 54.00 | -5.72 | 358 | 10 Average Vertical |


802.11ax HE40

CH 62 (Horizontal) Peak

CH 62 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|----------|--------------|-------|--------|--------|-----------|------|---------|------------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5145.500 | 57.17 | 14.31 | 42.86 | 74.00 | -16.83 | 188 | 51 Peak | Horizontal |
| 2 * | 5318.000 | 118.04 | 75.11 | 42.93 | 68.28 | 49.84 | 188 | 51 Peak | Horizontal |
| 3 | 5356.000 | 65.60 | 22.61 | 42.99 | 74.00 | -8.40 | 188 | 51 Peak | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|----------|--------------|-------|--------|--------|-----------|------|---------|----------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 4906.000 | 56.17 | 14.06 | 42.11 | 74.00 | -17.83 | 100 | 22 Peak | Vertical |
| 2 * | 5318.000 | 115.15 | 72.22 | 42.93 | 68.28 | 48.95 | 100 | 22 Peak | Vertical |
| 3 | 5358.000 | 61.19 | 18.19 | 43.00 | 74.00 | -12.81 | 100 | 22 Peak | Vertical |


802.11ax HE40

CH 62 (Horizontal) Average

CH 62 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | |
|------|------------|--------------|-------|--------|--------|-----------|------|-----------------------|
| Freq | Level | Level Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | |
| 1 | 4799.500 | 45.83 | 3.83 | 42.00 | 54.00 | -8.17 | 188 | 51 Average Horizontal |
| 2 | * 5318.000 | 106.87 | 63.94 | 42.93 | 54.00 | 52.87 | 188 | 51 Average Horizontal |
| 3 | ! 5350.500 | 50.81 | 7.84 | 42.97 | 54.00 | -3.19 | 188 | 51 Average Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | |
|------|------------|--------------|-------|--------|--------|-----------|------|---------------------|
| Freq | Level | Level Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | |
| 1 | 5039.500 | 45.74 | 3.16 | 42.50 | 54.00 | -8.26 | 100 | 22 Average Vertical |
| 2 | * 5318.000 | 103.02 | 60.09 | 42.93 | 54.00 | 49.02 | 100 | 22 Average Vertical |
| 3 | ! 5350.500 | 47.17 | 4.20 | 42.97 | 54.00 | -6.83 | 100 | 22 Average Vertical |


802.11ax HE80

CH 58 (Horizontal) Peak

CH 58 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|----------|--------------|-------|--------|--------|-----------|------|---------|------------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5137.500 | 56.66 | 13.85 | 42.81 | 74.00 | -17.34 | 174 | 47 Peak | Horizontal |
| 2 | 5290.000 | 114.67 | 71.73 | 42.84 | 68.28 | 46.47 | 174 | 47 Peak | Horizontal |
| 3 | 5352.500 | 65.48 | 22.50 | 42.98 | 74.00 | -8.52 | 174 | 47 Peak | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|----------|--------------|-------|--------|--------|-----------|------|---------|----------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5131.000 | 56.38 | 13.61 | 42.77 | 74.00 | -17.62 | 108 | 23 Peak | Vertical |
| 2 | 5290.000 | 112.05 | 69.11 | 42.94 | 68.28 | 43.85 | 108 | 23 Peak | Vertical |
| 3 | 5356.500 | 62.77 | 19.77 | 43.00 | 74.00 | -11.23 | 108 | 23 Peak | Vertical |


802.11ax HE80

CH 58 (Horizontal) Average

CH 58 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | | | |
|------|------------|--------|--------|--------|--------|-----------|------|----|---------|------------|--|
| Freq | Level | Level | Factor | Line | Limit | | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | | |
| 1 | 5142.500 | 45.66 | 2.81 | 42.85 | 54.00 | -8.34 | 174 | 47 | Average | Horizontal | |
| 2 | * 5290.000 | 104.47 | 61.53 | 42.94 | 54.00 | 50.47 | 174 | 47 | Average | Horizontal | |
| 3 | ! 5352.500 | 52.76 | 9.78 | 42.98 | 54.00 | -1.24 | 174 | 47 | Average | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | | |
|------|------------|--------|--------|--------|--------|-----------|------|----|---------|----------|
| Freq | Level | Level | Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 5134.000 | 44.72 | 1.94 | 42.78 | 54.00 | -9.28 | 108 | 23 | Average | Vertical |
| 2 | * 5290.000 | 101.01 | 50.07 | 42.94 | 54.00 | 47.01 | 108 | 23 | Average | Vertical |
| 3 | ! 5357.000 | 48.87 | 5.87 | 43.00 | 54.00 | -5.13 | 108 | 23 | Average | Vertical |


802.11ax HE160

CH 50 (Horizontal) Peak

CH 50 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|------------|--------|--------|-------|------|------|--------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 5146.500 | 65.64 | 24.22 | 41.42 | 74.00 | -8.36 | 169 | 48 | Peak | Horizontal | |
| 2 * | 5258.000 | 111.06 | 69.47 | 41.59 | 68.20 | 42.86 | 169 | 48 | Peak | Horizontal | |
| 3 | 5386.500 | 66.06 | 23.77 | 42.29 | 74.00 | -7.94 | 169 | 48 | Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Peak | Freq | Level | Read Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|------------|--------|--------|-------|------|------|--------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 5133.500 | 64.58 | 23.19 | 41.39 | 74.00 | -9.42 | 286 | 23 | Peak | Vertical | |
| 2 * | 5258.000 | 105.92 | 64.33 | 41.59 | 68.20 | 37.72 | 286 | 23 | Peak | Vertical | |
| 3 | 5377.500 | 64.24 | 22.08 | 42.16 | 74.00 | -9.76 | 286 | 23 | Peak | Vertical | |


802.11ax HE160

CH 50 (Horizontal) Average

CH 50 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Level | Level Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|------------|--------------|-------|--------|-------|-------|--------|-----------|--------------------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5143.000 | 52.56 | 11.14 | 41.42 | 54.00 | -1.44 | 169 | 48 | Average Horizontal |
| 2 | * 5250.000 | 100.26 | 58.67 | 41.55 | 54.00 | 46.26 | 169 | 48 | Average Horizontal |
| 3 | 5372.500 | 51.80 | 9.72 | 42.08 | 54.00 | -2.20 | 169 | 48 | Average Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Level | Level Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|------------|--------------|-------|--------|-------|-------|--------|-----------|------------------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5107.000 | 50.76 | 9.44 | 41.32 | 54.00 | -3.24 | 286 | 23 | Average Vertical |
| 2 | * 5250.000 | 95.81 | 54.22 | 41.59 | 54.00 | 41.61 | 286 | 23 | Average Vertical |
| 3 | 5395.500 | 49.42 | 6.99 | 42.43 | 54.00 | -4.58 | 286 | 23 | Average Vertical |

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz
U-NII-2C


802.11a

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| | Freq | Level | Read | | Limit | | APos | TPos | Remark | Pol/Phase | Note |
|---|------------|--------|-------|--------|--------|--------|------|------|--------|------------|------|
| | | | Level | Factor | Line | Limit | | | | | |
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 5483.500 | 58.72 | 16.26 | 42.46 | 74.00 | -15.28 | 173 | 47 | Peak | Horizontal | |
| 2 | 5467.000 | 64.89 | 22.69 | 42.20 | 68.20 | -3.31 | 173 | 47 | Peak | Horizontal | |
| 3 | * 5500.000 | 119.31 | 76.96 | 42.35 | 68.20 | 51.11 | 173 | 47 | Peak | Horizontal | |
| 4 | 6944.000 | 68.63 | 16.83 | 43.80 | 68.20 | -7.57 | 173 | 47 | Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| | Freq | Level | Read | | Limit | | APos | TPos | Remark | Pol/Phase | Note |
|---|------------|--------|-------|--------|--------|--------|------|------|--------|-----------|------|
| | | | Level | Factor | Line | Limit | | | | | |
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 5457.500 | 59.48 | 17.33 | 42.15 | 74.00 | -14.52 | 219 | 19 | Peak | Vertical | |
| 2 | ! 5467.500 | 65.81 | 23.61 | 42.20 | 68.20 | -2.39 | 219 | 19 | Peak | Vertical | |
| 3 | * 5500.000 | 117.27 | 74.92 | 42.35 | 68.20 | 49.07 | 219 | 19 | Peak | Vertical | |
| 4 | 6944.000 | 58.96 | 15.16 | 43.80 | 68.20 | -9.24 | 219 | 19 | Peak | Vertical | |


802.11a

CH 100 (Horizontal) Average

CH 100 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | |
|------|------------|--------------|-------|--------|--------|-----------|------|-----------------------|
| Freq | Level | Level Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | |
| 1 | 5460.000 | 46.91 | 4.74 | 42.17 | 54.00 | -7.09 | 173 | 47 Average Horizontal |
| 2 | * 5500.000 | 109.95 | 67.60 | 42.35 | 54.00 | 55.95 | 173 | 47 Average Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | |
|------|------------|--------------|-------|--------|--------|-----------|------|---------------------|
| Freq | Level | Level Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | |
| 1 | 5457.000 | 45.73 | 3.58 | 42.15 | 54.00 | -8.27 | 219 | 19 Average Vertical |
| 2 | * 5500.000 | 100.05 | 65.70 | 42.35 | 54.00 | 54.05 | 219 | 19 Average Vertical |

802.11a

CH 116 (Horizontal) Peak



CH 116 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------|-------|--------|--------|------|---------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5389.500 | 57.55 | 14.39 | 43.16 | 74.00 | -16.45 | 187 | 45 Peak | Horizontal | |
| 2 | 5467.500 | 57.25 | 13.98 | 43.27 | 68.20 | -10.95 | 187 | 45 Peak | Horizontal | |
| 3 * | 5588.000 | 121.15 | 77.75 | 43.40 | 68.20 | 52.95 | 187 | 45 Peak | Horizontal | |
| 4 | 6874.500 | 60.33 | 15.17 | 45.16 | 68.20 | -7.87 | 187 | 45 Peak | Horizontal | |

| | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------|-------|--------|--------|------|---------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5429.500 | 56.62 | 13.38 | 43.24 | 74.00 | -17.38 | 162 | 16 Peak | Vertical | |
| 2 | 5466.000 | 56.18 | 12.91 | 43.27 | 68.20 | -12.02 | 162 | 16 Peak | Vertical | |
| 3 * | 5588.000 | 119.83 | 76.43 | 43.40 | 68.20 | 51.63 | 162 | 16 Peak | Vertical | |
| 4 | 6997.500 | 61.43 | 16.03 | 45.40 | 68.20 | -6.77 | 162 | 16 Peak | Vertical | |


802.11a

CH 116 (Horizontal) Average

CH 116 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| | Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------------------|------------|------------|-------|------|------------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5389.000 | 45.19 | 2.83 | 43.16 | 54.00 | -8.81 | 187 | 45 Average | Horizontal | |
| 2 * | 5588.000 | 112.37 | 68.97 | 43.40 | 54.00 | 58.37 | 187 | 45 Average | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| | Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------------------|------------|------------|-------|------|------------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5389.000 | 44.76 | 1.69 | 43.16 | 54.00 | -9.24 | 162 | 16 Average | Vertical | |
| 2 * | 5588.000 | 111.06 | 67.66 | 43.40 | 54.00 | 57.66 | 162 | 16 Average | Vertical | |


802.11a

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------|-------|--------|--------|------|---------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5386.500 | 55.27 | 12.98 | 42.29 | 74.00 | -18.73 | 177 | 63 Peak | Horizontal | |
| 2 | 5460.000 | 54.82 | 12.65 | 42.17 | 68.20 | -13.38 | 177 | 63 Peak | Horizontal | |
| 3 * | 5700.000 | 118.14 | 75.77 | 42.37 | 68.20 | 49.94 | 177 | 63 Peak | Horizontal | |
| 4 ! | 5725.000 | 64.19 | 21.70 | 42.49 | 68.20 | -4.01 | 177 | 63 Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------|-------|--------|--------|------|---------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5373.000 | 55.91 | 13.02 | 42.09 | 74.00 | -18.09 | 229 | 13 Peak | Vertical | |
| 2 | 5462.500 | 54.65 | 12.47 | 42.18 | 68.20 | -13.55 | 229 | 13 Peak | Vertical | |
| 3 * | 5700.000 | 116.73 | 74.36 | 42.37 | 68.20 | 48.53 | 229 | 13 Peak | Vertical | |
| 4 ! | 5726.000 | 65.00 | 22.51 | 42.49 | 68.20 | -3.20 | 229 | 13 Peak | Vertical | |


802.11a

CH 140 (Horizontal) Average

CH 140 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| | Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------------------|------------|------------|--------|------|------------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5395.000 | 43.12 | 0.71 | 42.41 | 54.00 | -10.88 | 177 | 63 Average | Horizontal | |
| 2 * | 5700.000 | 108.78 | 66.41 | 42.37 | 54.00 | 54.78 | 177 | 63 Average | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| | Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------------------|------------|------------|--------|------|------------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5395.000 | 43.16 | 0.73 | 42.43 | 54.00 | -10.84 | 229 | 13 Average | Vertical | |
| 2 * | 5700.000 | 107.24 | 64.87 | 42.37 | 54.00 | 53.24 | 229 | 13 Average | Vertical | |


802.11ax HE20

CH 100 (Horizontal) Peak

CH 100 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Peak | Freq | Level | Read Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|------------|--------|--------|--------|------|------|--------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 5460.000 | 58.13 | 14.87 | 43.26 | 68.20 | -10.07 | 175 | 49 | Peak | Horizontal | |
| 2 | 5470.000 | 62.18 | 18.91 | 43.27 | 68.20 | -6.02 | 175 | 49 | Peak | Horizontal | |
| 3 | 5500.000 | 120.18 | 76.89 | 43.29 | 68.20 | 51.98 | 175 | 49 | Peak | Horizontal | |
| 4 | 6948.500 | 61.17 | 15.91 | 45.26 | 68.20 | -7.03 | 175 | 49 | Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Peak | Freq | Level | Read Level | Factor | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|------|----------|--------|------------|--------|--------|--------|------|------|--------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 5459.500 | 57.35 | 14.09 | 43.26 | 74.00 | -16.65 | 103 | 13 | Peak | Vertical | |
| 2 | 5465.500 | 61.79 | 18.43 | 43.27 | 68.20 | -6.50 | 103 | 13 | Peak | Vertical | |
| 3 | 5500.000 | 118.51 | 75.22 | 43.29 | 68.20 | 50.31 | 103 | 13 | Peak | Vertical | |
| 4 | 6965.000 | 60.49 | 15.18 | 45.31 | 68.20 | -7.71 | 103 | 13 | Peak | Vertical | |

802.11ax HE20

CH 100 (Horizontal) Average


CH 100 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------------------|------------|------------|-------|------|--------|-----------|------------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5492.500 | 46.40 | 3.19 | 43.21 | 54.00 | -7.60 | 175 | 49 | Average | Horizontal |
| 2 * | 5500.000 | 109.23 | 65.94 | 43.29 | 54.00 | 55.23 | 175 | 49 | Average | Horizontal |



| | Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------------------|------------|------------|-------|------|--------|-----------|----------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5460.000 | 45.20 | 1.94 | 43.26 | 54.00 | -8.80 | 103 | 13 | Average | Vertical |
| 2 * | 5500.000 | 106.81 | 63.52 | 43.29 | 54.00 | 52.81 | 103 | 13 | Average | Vertical |


802.11ax HE20

CH 116 (Horizontal) Peak

CH 116 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------|-------|--------|--------|------|---------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5458.500 | 57.37 | 14.11 | 43.26 | 74.00 | -16.63 | 176 | 51 Peak | Horizontal | |
| 2 | 5462.500 | 56.80 | 13.54 | 43.26 | 68.20 | -11.40 | 176 | 51 Peak | Horizontal | |
| 3 * | 5500.000 | 124.10 | 80.70 | 43.40 | 68.20 | 55.90 | 176 | 51 Peak | Horizontal | |
| 4 | 6939.500 | 60.66 | 15.40 | 45.26 | 68.20 | -7.54 | 176 | 51 Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------|-------|--------|--------|------|---------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5419.000 | 57.03 | 13.00 | 43.23 | 74.00 | -16.97 | 153 | 14 Peak | Vertical | |
| 2 | 5465.000 | 56.99 | 13.72 | 43.27 | 68.20 | -11.21 | 153 | 14 Peak | Vertical | |
| 3 * | 5500.000 | 121.80 | 78.40 | 43.40 | 68.20 | 53.60 | 153 | 14 Peak | Vertical | |
| 4 | 6958.500 | 60.49 | 15.20 | 45.29 | 68.20 | -7.71 | 153 | 14 Peak | Vertical | |


802.11ax HE20

CH 116 (Horizontal) Average

CH 116 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------------------|------------|------------|-------|------|--------|-----------|------------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5389.000 | 45.34 | 2.18 | 43.16 | 54.00 | -8.66 | 176 | 51 | Average | Horizontal |
| 2 * | 5588.000 | 113.50 | 79.19 | 43.40 | 54.00 | 59.50 | 176 | 51 | Average | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------------------|------------|------------|-------|------|--------|-----------|----------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5437.500 | 44.68 | 1.44 | 43.24 | 54.00 | -9.32 | 153 | 14 | Average | Vertical |
| 2 * | 5588.000 | 110.77 | 67.37 | 43.40 | 54.00 | 56.77 | 153 | 14 | Average | Vertical |


802.11ax HE20

CH 140 (Horizontal) Peak

CH 140 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------|-------|--------|--------|------|---------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5378.500 | 57.47 | 14.37 | 43.10 | 74.00 | -16.53 | 188 | 62 Peak | Horizontal | |
| 2 | 5463.500 | 56.21 | 12.95 | 43.26 | 68.20 | -11.99 | 188 | 62 Peak | Horizontal | |
| 3 * | 5700.000 | 119.46 | 75.80 | 43.66 | 68.20 | 51.26 | 188 | 62 Peak | Horizontal | |
| 4 | 5804.000 | 60.64 | 16.78 | 43.86 | 68.20 | -7.56 | 188 | 62 Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------|-------|--------|--------|------|---------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5486.500 | 56.92 | 13.70 | 43.22 | 74.00 | -17.08 | 115 | 12 Peak | Vertical | |
| 2 | 5468.500 | 55.86 | 12.59 | 43.27 | 68.20 | -12.34 | 115 | 12 Peak | Vertical | |
| 3 * | 5700.000 | 117.15 | 73.49 | 43.66 | 68.20 | 48.95 | 115 | 12 Peak | Vertical | |
| 4 | 6845.000 | 60.94 | 15.86 | 45.08 | 68.20 | -7.26 | 115 | 12 Peak | Vertical | |


802.11ax HE20

CH 140 (Horizontal) Average

CH 140 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------------------|------------|------------|-------|------|------------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5450.500 | 44.39 | 1.14 | 43.25 | 54.00 | -9.61 | 188 | 62 Average | Horizontal | |
| 2 * | 5700.000 | 108.40 | 64.74 | 43.66 | 54.00 | 54.40 | 188 | 62 Average | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------------------|------------|------------|-------|------|------------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5391.500 | 44.10 | 1.01 | 43.17 | 54.00 | -9.82 | 115 | 12 Average | Vertical | |
| 2 * | 5700.000 | 106.23 | 62.57 | 43.66 | 54.00 | 52.23 | 115 | 12 Average | Vertical | |


802.11ax HE40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|-------|------|---------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5456.500 | 67.74 | 24.48 | 43.26 | 74.00 | -6.26 | 170 | 46 Peak | Horizontal | |
| 2 | 5461.500 | 67.52 | 24.26 | 43.26 | 68.20 | -9.68 | 170 | 46 Peak | Horizontal | |
| 3 | 5510.000 | 117.94 | 74.62 | 43.32 | 68.20 | 49.74 | 170 | 46 Peak | Horizontal | |
| 4 | 6952.000 | 61.01 | 15.74 | 45.27 | 68.20 | -7.19 | 170 | 46 Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|-------|------|---------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5456.000 | 65.25 | 21.99 | 43.26 | 74.00 | -8.75 | 209 | 18 Peak | Vertical | |
| 2 | 5461.500 | 65.54 | 22.28 | 43.26 | 68.20 | -2.66 | 209 | 18 Peak | Vertical | |
| 3 | 5510.000 | 114.95 | 71.63 | 43.32 | 68.20 | 46.75 | 209 | 18 Peak | Vertical | |
| 4 | 6984.500 | 60.59 | 15.35 | 45.24 | 68.20 | -7.61 | 209 | 18 Peak | Vertical | |


802.11ax HE40

CH 102 (Horizontal) Average

CH 102 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| | Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------------------|------------|------------|-------|------|--------|-----------|------------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5454.000 | 47.15 | 3.89 | 43.26 | 54.00 | -6.85 | 170 | 46 | Average | Horizontal |
| 2 * | 5518.000 | 106.05 | 62.73 | 43.32 | 54.00 | 52.05 | 170 | 46 | Average | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| | Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------------------|------------|------------|-------|------|--------|-----------|----------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5454.500 | 46.39 | 3.13 | 43.26 | 54.00 | -7.61 | 209 | 18 | Average | Vertical |
| 2 * | 5518.000 | 104.58 | 61.26 | 43.32 | 54.00 | 50.58 | 209 | 18 | Average | Vertical |


802.11ax HE40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|------------|--------|-------|-------|--------|-------|------|---------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5457.000 | 64.66 | 21.48 | 43.26 | 74.00 | -9.34 | 155 | 45 Peak | Horizontal | |
| 2 | 5462.500 | 67.74 | 24.48 | 43.26 | 68.20 | -0.46 | 155 | 45 Peak | Horizontal | |
| 3 | * 5550.000 | 120.96 | 77.52 | 43.44 | 68.20 | 52.76 | 155 | 45 Peak | Horizontal | |
| 4 | 6922.000 | 61.48 | 16.23 | 45.25 | 68.20 | -6.72 | 155 | 45 Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|------------|--------|-------|-------|--------|--------|------|---------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5454.500 | 63.96 | 20.79 | 43.26 | 74.00 | -10.04 | 206 | 11 Peak | Vertical | |
| 2 | ! 5465.000 | 64.89 | 20.62 | 43.27 | 68.20 | -4.11 | 206 | 11 Peak | Vertical | |
| 3 | * 5550.000 | 119.49 | 76.05 | 43.44 | 68.20 | 51.29 | 206 | 11 Peak | Vertical | |
| 4 | 6935.000 | 60.18 | 14.92 | 45.26 | 68.20 | -8.02 | 206 | 11 Peak | Vertical | |


802.11ax HE40

CH 110 (Horizontal) Average

CH 110 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|--------------|--------|-------------------|------------|------------|-------|------|------------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 5460.000 | 51.56 | 6.39 | 43.26 | 54.00 | -2.44 | 155 | 45 Average | Horizontal | |
| 2 * 5558.000 | 109.28 | 65.62 | 43.44 | 54.00 | 55.28 | 155 | 45 Average | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|--------------|--------|-------------------|------------|------------|-------|------|------------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 5453.000 | 49.47 | 6.21 | 43.26 | 54.00 | -4.53 | 206 | 11 Average | Vertical | |
| 2 * 5558.000 | 108.73 | 65.29 | 43.44 | 54.00 | 54.73 | 206 | 11 Average | Vertical | |


802.11ax HE40

CH 134 (Horizontal) Peak

CH 134 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------------------|------------|------------|--------|------|---------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5389.500 | 56.36 | 13.28 | 43.16 | 74.00 | -17.64 | 194 | 62 Peak | Horizontal | |
| 2 | 5462.000 | 55.90 | 12.64 | 43.26 | 68.20 | -12.30 | 194 | 62 Peak | Horizontal | |
| 3 * | 5678.000 | 117.67 | 74.15 | 43.52 | 68.20 | 49.47 | 194 | 62 Peak | Horizontal | |
| 4 ! | 5725.500 | 67.06 | 23.37 | 43.69 | 68.20 | -1.14 | 194 | 62 Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------------------|------------|------------|--------|------|---------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5433.500 | 56.52 | 13.28 | 43.24 | 74.00 | -17.48 | 191 | 14 Peak | Vertical | |
| 2 | 5469.500 | 55.88 | 12.71 | 43.27 | 68.20 | -12.22 | 191 | 14 Peak | Vertical | |
| 3 * | 5678.000 | 118.22 | 74.70 | 43.52 | 68.20 | 50.02 | 191 | 14 Peak | Vertical | |
| 4 ! | 5725.000 | 65.14 | 21.45 | 43.69 | 68.20 | -3.06 | 191 | 14 Peak | Vertical | |


802.11ax HE40

CH 134 (Horizontal) Average

CH 134 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read | | Limit | | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------|--------|--------|--------|------|------|---------|------------|------|
| | | | Level | Factor | Line | Limit | | | | | |
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 5427.500 | 43.98 | 0.75 | 43.23 | 54.00 | -10.02 | 194 | 62 | Average | Horizontal | |
| 2 * | 5678.000 | 106.84 | 63.32 | 43.52 | 54.00 | 52.84 | 194 | 62 | Average | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| | Freq | Level | Read | | Limit | | APos | TPos | Remark | Pol/Phase | Note |
|-----|----------|--------|-------|--------|--------|-------|------|------|---------|-----------|------|
| | | | Level | Factor | Line | Limit | | | | | |
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 | 5426.000 | 44.21 | 0.98 | 43.23 | 54.00 | -9.79 | 191 | 14 | Average | Vertical | |
| 2 * | 5678.000 | 105.67 | 62.15 | 43.52 | 54.00 | 51.67 | 191 | 14 | Average | Vertical | |


802.11ax HE80

CH 106 (Horizontal) Peak

CH 106 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|-------|------|---------|------------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5433.500 | 64.60 | 21.44 | 43.24 | 74.00 | -9.32 | 183 | 41 Peak | Horizontal | |
| 2 | 5464.500 | 65.99 | 22.73 | 43.26 | 68.20 | -2.21 | 183 | 41 Peak | Horizontal | |
| 3 | 5530.000 | 114.80 | 71.42 | 43.38 | 68.20 | 46.60 | 183 | 41 Peak | Horizontal | |
| 4 | 6923.000 | 61.00 | 15.75 | 45.25 | 68.20 | -7.20 | 183 | 41 Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| | Freq | Level | Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|---|----------|--------|-------|-------|--------|--------|------|---------|-----------|------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5454.000 | 63.48 | 20.22 | 43.26 | 74.00 | -10.52 | 207 | 11 Peak | Vertical | |
| 2 | 5465.500 | 64.11 | 20.84 | 43.27 | 68.20 | -4.09 | 207 | 11 Peak | Vertical | |
| 3 | 5530.000 | 115.30 | 71.92 | 43.38 | 68.20 | 47.10 | 207 | 11 Peak | Vertical | |
| 4 | 6999.000 | 60.67 | 15.27 | 45.40 | 68.20 | -7.53 | 207 | 11 Peak | Vertical | |


802.11ax HE80

CH 106 (Horizontal) Average

CH 106 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|--------------|--------|-------------------|------------|------------|-------|------|------------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 5454.000 | 50.47 | 7.21 | 43.26 | 54.00 | -3.53 | 183 | 41 Average | Horizontal | |
| 2 * 5530.000 | 105.51 | 60.13 | 45.38 | 54.00 | 49.51 | 183 | 41 Average | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|--------------|--------|-------------------|------------|------------|-------|------|------------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 5454.000 | 48.32 | 5.07 | 43.25 | 54.00 | -5.68 | 207 | 11 Average | Vertical | |
| 2 * 5530.000 | 105.57 | 60.19 | 45.38 | 54.00 | 49.57 | 207 | 11 Average | Vertical | |


802.11ax HE160

CH 114 (Horizontal) Peak

CH 114 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| | Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|---|------------|--------|-------------------|------------|------------|-------|------|--------|-----------|------------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5459.500 | 66.14 | 22.88 | 43.26 | 74.00 | -7.86 | 191 | 43 | Peak | Horizontal |
| 2 | 5469.500 | 67.10 | 23.83 | 43.27 | 68.20 | -1.10 | 191 | 43 | Peak | Horizontal |
| 3 | * 5578.000 | 109.88 | 66.47 | 43.41 | 68.20 | 41.68 | 191 | 43 | Peak | Horizontal |
| 4 | 6942.500 | 60.66 | 15.40 | 45.26 | 68.20 | -7.54 | 191 | 43 | Peak | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| | Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|---|------------|--------|-------------------|------------|------------|-------|------|--------|-----------|----------|
| | MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 5397.500 | 68.10 | 24.98 | 43.20 | 74.00 | -5.82 | 226 | 9 | Peak | Vertical |
| 2 | 5462.500 | 66.71 | 23.45 | 43.26 | 68.20 | -1.49 | 226 | 9 | Peak | Vertical |
| 3 | * 5578.000 | 108.15 | 64.74 | 43.41 | 68.20 | 39.95 | 226 | 9 | Peak | Vertical |
| 4 | 6949.500 | 60.91 | 15.64 | 45.27 | 68.20 | -7.29 | 226 | 9 | Peak | Vertical |


802.11ax HE160

CH 114 (Horizontal) Average

CH 114 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|--------------|--------|-------------------|------------|------------|-------|------|--------|-----------|------------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 5443.000 | 51.25 | 8.00 | 43.25 | 54.00 | -2.75 | 191 | 43 | Average | Horizontal |
| 2 * 5578.000 | 98.69 | 55.28 | 43.41 | 54.00 | 44.69 | 191 | 43 | Average | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|--------------|--------|-------------------|------------|------------|-------|------|--------|-----------|----------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 5424.500 | 50.86 | 7.63 | 43.23 | 54.00 | -3.14 | 226 | 9 | Average | Vertical |
| 2 * 5578.000 | 98.50 | 55.09 | 43.41 | 54.00 | 44.50 | 226 | 9 | Average | Vertical |

Spurious Emission, Tx Mode, 1GHz ~ 40GHz
U-NII-2A


802.11a

CH 52 (Horizontal)

CH 52 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | |
|------|------------|--------------|-------|--------|--------|-----------|------|-----------------------|
| Freq | Level | Level Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | |
| 1 | 18520.000 | 52.23 | 56.52 | -4.29 | 68.20 | -15.97 | 300 | 46 Peak Horizontal |
| 2 | 115780.000 | 49.13 | 47.37 | 1.76 | 54.00 | -4.87 | 200 | 34 Average Horizontal |
| 3 | 15780.000 | 62.58 | 60.82 | 1.76 | 74.00 | -11.42 | 200 | 34 Peak Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | |
|------|------------|--------------|-------|--------|--------|-----------|------|---------------------|
| Freq | Level | Level Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | |
| 1 | 10520.000 | 51.32 | 55.61 | -4.29 | 68.20 | -16.88 | 200 | 334 Peak Vertical |
| 2 | 115780.000 | 48.77 | 47.01 | 1.76 | 54.00 | -9.23 | 203 | 14 Average Vertical |
| 3 | 15780.000 | 62.31 | 60.55 | 1.76 | 74.00 | -11.69 | 203 | 14 Peak Vertical |


802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|-----------|--------------|-------|--------|--------|-----------|------|-------------|------------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 18600.000 | 45.52 | 49.76 | -4.24 | 54.00 | -8.48 | 100 | 292 Average | Horizontal |
| 2 | 18600.000 | 54.62 | 58.86 | -4.24 | 74.00 | -19.38 | 100 | 292 Peak | Horizontal |
| 3 | 15900.000 | 47.90 | 46.03 | 1.87 | 54.00 | -6.10 | 207 | 35 Average | Horizontal |
| 4 | 15900.000 | 62.31 | 60.44 | 1.87 | 74.00 | -11.69 | 207 | 35 Peak | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|-----------|--------------|-------|--------|--------|-----------|------|-------------|----------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 10600.000 | 45.25 | 49.49 | -4.24 | 54.00 | -8.75 | 100 | 12 Average | Vertical |
| 2 | 10600.000 | 53.10 | 57.34 | -4.24 | 74.00 | -20.90 | 100 | 12 Peak | Vertical |
| 3 | 15900.000 | 43.60 | 41.73 | 1.87 | 54.00 | -10.40 | 189 | 360 Average | Vertical |
| 4 | 15900.000 | 58.66 | 56.79 | 1.87 | 74.00 | -15.34 | 189 | 360 Peak | Vertical |


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|-----------|--------------|-------|--------|--------|-----------|------|-------------|------------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 18640.000 | 45.74 | 49.88 | -4.14 | 54.00 | -8.26 | 290 | 296 Average | Horizontal |
| 2 | 18640.000 | 53.36 | 57.58 | -4.14 | 74.00 | -20.64 | 290 | 296 Peak | Horizontal |
| 3 | 15960.000 | 43.53 | 41.39 | 2.14 | 54.00 | -10.47 | 202 | 34 Average | Horizontal |
| 4 | 15960.000 | 60.26 | 58.12 | 2.14 | 74.00 | -13.74 | 202 | 34 Peak | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|-----------|--------------|-------|--------|--------|-----------|------|-------------|----------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 18640.000 | 47.78 | 51.92 | -4.14 | 54.00 | -6.22 | 254 | 354 Average | Vertical |
| 2 | 18640.000 | 54.21 | 58.35 | -4.14 | 74.00 | -19.79 | 254 | 354 Peak | Vertical |
| 3 | 15960.000 | 40.20 | 38.06 | 2.14 | 54.00 | -13.80 | 194 | 360 Average | Vertical |
| 4 | 15960.000 | 57.97 | 55.83 | 2.14 | 74.00 | -16.03 | 194 | 360 Peak | Vertical |


802.11ax HE20

CH 52 (Horizontal)

CH 52 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|---------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 18520.000 | 51.36 | 55.65 | -4.29 | 68.20 | -16.84 | 100 | 34 | Peak | Horizontal | |
| 2 15780.000 | 47.58 | 45.82 | 1.76 | 54.00 | -6.42 | 100 | 336 | Average | Horizontal | |
| 3 15780.000 | 56.23 | 54.47 | 1.76 | 74.00 | -17.77 | 100 | 336 | Peak | Horizontal | |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|---------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 18520.000 | 52.97 | 57.26 | -4.29 | 68.20 | -15.23 | 100 | 14 | Peak | Vertical | |
| 2 15780.000 | 47.60 | 45.84 | 1.76 | 54.00 | -6.40 | 100 | 361 | Average | Vertical | |
| 3 15780.000 | 56.94 | 55.18 | 1.76 | 74.00 | -17.86 | 100 | 361 | Peak | Vertical | |


802.11ax HE20

CH 60 (Horizontal)

CH 60 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | |
|------|-----------|--------------|-------|--------|--------|-----------|------|------------------------|
| Freq | Level | Level Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | |
| 1 | 18600.000 | 45.27 | 49.51 | -4.24 | 54.00 | -8.73 | 100 | 265 Average Horizontal |
| 2 | 18600.000 | 51.04 | 55.28 | -4.24 | 74.00 | -22.96 | 100 | 265 Peak Horizontal |
| 3 | 15900.000 | 46.41 | 44.54 | 1.87 | 54.00 | -7.59 | 100 | 334 Average Horizontal |
| 4 | 15900.000 | 56.64 | 54.77 | 1.87 | 74.00 | -17.36 | 100 | 334 Peak Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | |
|------|-----------|--------------|-------|--------|--------|-----------|------|---------------------|
| Freq | Level | Level Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | |
| 1 | 18600.000 | 47.21 | 51.45 | -4.24 | 54.00 | -6.79 | 100 | 43 Average Vertical |
| 2 | 18600.000 | 49.27 | 53.51 | -4.24 | 74.00 | -24.73 | 100 | 43 Peak Vertical |
| 3 | 15900.000 | 46.55 | 44.68 | 1.87 | 54.00 | -7.45 | 100 | 32 Average Vertical |
| 4 | 15900.000 | 56.70 | 54.83 | 1.87 | 74.00 | -17.30 | 100 | 32 Peak Vertical |


802.11ax HE20

CH 64 (Horizontal)

CH 64 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | |
|------|-----------|--------------|-------|--------|--------|-----------|------|------------------------|
| Freq | Level | Level Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | |
| 1 | 18640.000 | 44.79 | 48.93 | -4.14 | 54.00 | -9.21 | 100 | 279 Average Horizontal |
| 2 | 18640.000 | 49.48 | 53.62 | -4.14 | 74.00 | -24.52 | 100 | 279 Peak Horizontal |
| 3 | 15960.000 | 38.63 | 36.49 | 2.14 | 54.00 | -15.37 | 100 | 360 Average Horizontal |
| 4 | 15960.000 | 51.25 | 49.11 | 2.14 | 74.00 | -22.75 | 100 | 360 Peak Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | |
|------|-----------|--------------|-------|--------|--------|-----------|------|---------------------|
| Freq | Level | Level Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | |
| 1 | 18640.000 | 47.21 | 51.35 | -4.14 | 54.00 | -6.79 | 100 | 43 Average Vertical |
| 2 | 18640.000 | 47.65 | 51.79 | -4.14 | 74.00 | -26.35 | 100 | 43 Peak Vertical |
| 3 | 15960.000 | 42.53 | 40.39 | 2.14 | 54.00 | -11.47 | 100 | 30 Average Vertical |
| 4 | 15960.000 | 49.64 | 47.50 | 2.14 | 74.00 | -24.36 | 100 | 30 Peak Vertical |

802.11ax HE40

CH 54 (Horizontal)


CH 54 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 10540.000 | 47.72 | 52.00 | -4.28 | 68.20 | -20.48 | 200 | 283 | Peak | Horizontal | |



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 10540.000 | 48.96 | 53.24 | -4.28 | 68.20 | -19.24 | 297 | 360 | Peak | Vertical | |


802.11ax HE40

CH 62 (Horizontal)

CH 62 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|-----------|-------|--------|--------|--------|-----------|------|-------------|------------|
| Freq | Level | Level | Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 10620.000 | 45.30 | 49.49 | -4.19 | 54.00 | -8.70 | 280 | 361 Average | Horizontal |
| 2 | 10620.000 | 51.20 | 55.39 | -4.19 | 74.00 | -22.80 | 280 | 361 Peak | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|-----------|-------|--------|--------|--------|-----------|------|-------------|----------|
| Freq | Level | Level | Factor | Line | Limit | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 10620.000 | 46.63 | 50.62 | -4.19 | 54.00 | -7.37 | 282 | 360 Average | Vertical |
| 2 | 10620.000 | 52.17 | 56.36 | -4.19 | 74.00 | -21.83 | 282 | 360 Peak | Vertical |

802.11ax HE80

CH 58 (Horizontal)


CH 58 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 10580.000 | 47.36 | 51.62 | -4.26 | 68.20 | -20.84 | 200 | 297 | Peak | Horizontal | |



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 10580.000 | 48.18 | 52.44 | -4.26 | 68.20 | -20.02 | 317 | 360 | Peak | Vertical | |

802.11ax HE160

CH 50 (Horizontal)


CH 50 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|--------|------------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 10500.000 | 49.20 | 53.50 | -4.30 | 68.20 | -19.00 | 200 | 297 | Peak | Horizontal | |



| Freq | Level | Read Level | Factor | Limit Line | Over Limit | APos | TPos | Remark | Pol/Phase | Note |
|-------------|--------|------------|--------|------------|------------|------|------|--------|-----------|------|
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | | |
| 1 10500.000 | 49.31 | 53.61 | -4.30 | 68.20 | -18.89 | 200 | 342 | Peak | Vertical | |

U-NII-2C


802.11a

CH 100 (Horizontal)

CH 100 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|-----------|--------------|-------|--------|--------|-----------|------|-------------|------------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 11000.000 | 43.80 | 47.23 | -3.43 | 54.00 | -10.20 | 200 | 350 Average | Horizontal |
| 2 | 11000.000 | 52.67 | 56.10 | -3.43 | 74.00 | -21.33 | 200 | 350 Peak | Horizontal |
| 3 | 16500.000 | 61.86 | 58.72 | 3.14 | 66.20 | -6.34 | 100 | 41 Peak | Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note | | |
|------|------------|--------------|-------|--------|--------|-----------|------|------------|----------|
| Freq | Level | Level Factor | Line | Limit | | | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg | | |
| 1 | 111000.000 | 48.79 | 52.22 | -3.43 | 54.00 | -5.21 | 200 | 32 Average | Vertical |
| 2 | 11000.000 | 53.30 | 56.73 | -3.43 | 74.00 | -20.70 | 200 | 32 Peak | Vertical |
| 3 | 16500.000 | 60.35 | 57.21 | 3.14 | 66.20 | -7.85 | 100 | 348 Peak | Vertical |


802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------------|--------|--------------|-------|--------|--------|-----------|------------------------|
| Freq | Level | Level Factor | Line | Limit | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg |
| 1 11169.000 | 43.40 | 46.79 | -3.22 | 54.00 | -10.52 | 124 | 336 Average Horizontal |
| 2 11169.000 | 55.83 | 59.85 | -3.22 | 74.00 | -18.17 | 124 | 336 Peak Horizontal |
| 3 116740.000 | 66.82 | 62.66 | 4.16 | 66.20 | -1.38 | 180 | 343 Peak Horizontal |



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322



| Read | Limit | Over | APos | TPos | Remark | Pol/Phase | Note |
|--------------|--------|--------------|-------|--------|--------|-----------|----------------------|
| Freq | Level | Level Factor | Line | Limit | | | |
| MHz | dBuV/m | dBuV | dB/m | dBuV/m | dB | cm | deg |
| 1 11169.000 | 42.89 | 46.11 | -3.22 | 54.00 | -11.11 | 264 | 335 Average Vertical |
| 2 11169.000 | 56.89 | 54.11 | -3.22 | 74.00 | -23.11 | 264 | 335 Peak Vertical |
| 3 116740.000 | 67.18 | 63.02 | 4.16 | 66.20 | -1.02 | 156 | 354 Peak Vertical |