

Report No.: KSCR220500070201 Page: 1 of 24

# TEST REPORT

Application No.:	KSCR2205000702AT
FCC ID:	2AL8S-0235C68X
IC:	25987-0235C68X
Applicant:	Zhejiang Uniview Technologies Co., Ltd
Address of Applicant:	88 Jiangling Road, Xixing Town, Binjiang District, Hangzhou, Zhejiang, China
Manufacturer:	Zhejiang Uniview Technologies Co., Ltd
Address of Manufacturer:	88 Jiangling Road, Xixing Town, Binjiang District, Hangzhou, Zhejiang, China
Factory:	Zhejiang Uniview System Technology Co., Ltd
Address of Factory:	No.1277 Qingfeng South Road (South), Tongxiang Economic Development Zone, Tongxiang City, Jiaxing, 311042, Zhejiang, China
Equipment Under Test (EUT	):
EUT Name:	Face Recognition Access Control Terminal
Model No.:	OET-573B-HM-R, OET-573B-HM-R-NB¤
¤	Please refer to section 2 of this report which indicates which model was actually tested and which were electrically identical.
Standard(s) :	47 CFR Part 15, Subpart C 15.225
	RSS-210 Issue 10 Amendment (April 2020)
	RSS-Gen Issue 5 Amendment 2 (February 2021)
Date of Receipt:	2022-05-12
Date of Test:	2022-05-26 to 2022-06-08
Date of Issue:	2022-06-09
Test Result:	Pass*

\* In the configuration tested, the EUT complied with the standards specified above.

Eni fri

Eric Lin Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document document document document for und within the limits of transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@csc.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



 Report No.:
 KSCR220500070201

 Page:
 2 of 24

Revision Record								
Version Chapter Date Modifier Rem								
01		2022-06-09		Original				

Authorized for issue by:		
	Tommie Tang	
	Tommie_Tang/Project Engineer	-
	En fri	
	Eric Lin/Reviewer	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation client's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@ess.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Test Report Form Version: Rev01

Member of the SGS Group (SGS SA)

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



 Report No.:
 KSCR220500070201

 Page:
 3 of 24

# 2 Test Summary

Radio Spectrum Technical Requirement						
ltem	Method	Result				
Antenna Requirement	47 CFR Part 15, Subpart C 15.203	RSS-Gen Section 6.8	N/A	Pass		

Radio Spectrum Matter Part							
Item	FCC Requirement	IC Requirement	Method	Result			
20dB Bandwidth	47 CFR Part 15, Subpart C 15.215	N/A	N/A	Pass			
Conducted Emissions at Mains Terminals (150kHz-30MHz)	47 CFR Part 15, Subpart C 15.207	RSS-Gen Clause 8.8	ANSI C63.10 (2013) Section 6.2	Pass			
Emission Mask	47 CFR Part 15, Subpart C 15.225(a)&(b)&(C )	RSS-210 B6 (a)	6 (a) ANSI C63.10 (2013) Section 6.4				
Frequency tolerance	47 CFR Part 15, Subpart C 15.225(e)	RSS-Gen Section 8.11	ANSI C63.10 (2013) Section 6.8	Pass			
Radiated Emissions (30MHz-1GHz)	47 CFR Part 15, Subpart C 15.225(d) & 15.209	RSS-Gen Section 8.9 ANSI C63.10 (2013) Section 6.4&6.5		Pass			
Radiated Emissions (9kHz-30MHz)	Subbad L. RSS-Geb Section & M		ANSI C63.10 (2013) Section 6.4&6.5	Pass			
99% Bandwidth	N/A	RSS-Gen Section 6.7	RSS-Gen Issue 5 Amendment 2 (February 2021)	Pass			

Note1\*: The test level of the fundamental signal is below the limit of general spurious emission, so the test item doesn't be performed.

#### **Declaration of EUT Family Grouping:**

Note: There are series models mentioned in this report, and they are the identical in electrical and electronic characters. Only the model OET-573B-HM-R was tested since their differences were the model number.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-512)57370818 www.sgsqroup.com.cn

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Report No.: KSCR220500070201 Page: 4 of 24

# 3 Contents

1       COVER PAGE       1         2       TEST SUMMARY       3         3       CONTENTS       4         4       GENERAL INFORMATION       6         4.1       DETAILS OF E.U.T       6         4.2       DESCRIPTION OF SUPPORT UNITS       6         4.3       MEASUREMENT UNCERTAINTY       6         4.4       TEST LOCATION       7         4.5       TEST FACILITY       7         4.6       DEVIATION FROM STANDARDS       7         4.7       ASNORMALTIES FROM STANDARD CONDITIONS       7         5       EQUIPMENT LIST       8         6       RADIO SPECTRUM TECHNICAL REQUIREMENT       11         6.1.1       TEST REQUIREMENT       11         6.1.2       Conclusion       11         7.1       ADIO SPECTRUM MATTER TEST RESULTS       12         7.1.1       Fust Mode Description       12         7.1.1       Fust Mode Description       12         7.1.2       Test Mode Description       13         7.2.3       Test Mode Description       13         7.2.4       Measurement Procedure and Data       13         7.2.1       Test Mode Description       13			Page
3       CONTENTS       4         4       GENERAL INFORMATION       6         4.1       DETAILS OF E. U.T.       6         4.2       DESCRIPTION OF SUPPORT UNITS       6         4.3       MEASUREMENT UNCERTAINTY       6         4.4       TEST LOCATION       7         4.5       TEST FACILITY       7         4.6       DEVIATION FROM STANDARDS       7         4.7       ABNORMALITIES FROM STANDARDS       7         5       EQUIPMENT LIST       8         6       RADIO SPECTRUM TECHNICAL REQUIREMENT       11         6.1.1       ANTENNA REQUIREMENT       11         6.1.2       Conclusion       11         7.1       Conclusion       11         7.1       Test Requirement       11         7.1       Test Mode Description       12         7.1.1       E.U.T. Operation       12         7.1.2       Test Mode Description       13         7.2.2       Test Mode Description       13         7.2.1       E.U.T. Operation       13         7.2.2       Test Mode Description       13         7.2.3       Test Setup Diagram       13         7.4       M	1	COVER PAGE	1
4       GENERAL INFORMATION       6         4.1       DETAILS OF E.U.T.       6         4.2       DESCRIPTION OF SUPPORT UNITS       6         4.3       MEASUREMENT UNCERTAINTY       6         4.4       TEST FACILITY       7         4.5       TEST FACILITY       7         4.6       DEVIATION FROM STANDARDS       7         4.7       ABNORMALITIES FROM STANDARD CONDITIONS       7         5       EQUIPMENT LIST       8         6       RADIO SPECTRUM TECHNICAL REQUIREMENT       11         6.1       ANTENNA REQUIREMENT       11         6.1.1       Test Requirement       11         6.1.2       Conclusion       11         7.1       EUT Operation       12         7.1       ZONDOUTED EDSIGNS AT MAINS TERMINALS (150kHZ-30MHZ)       12         7.1.1       EUT. Operation       12         7.2.2       Test Mode Description       13         7.2.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data       12         7.1.5       CONDUCTED EMISSIONS AT MAINS TERMINALS (150kHZ-30MHZ)       13         7.2.2       Test Mode Description       13         7.3	2	2 TEST SUMMARY	3
4       GENERAL INFORMATION       6         4.1       DETAILS OF E.U.T.       6         4.2       DESCRIPTION OF SUPPORT UNITS       6         4.3       MEASUREMENT UNCERTAINTY       6         4.4       TEST FACILITY       7         4.5       TEST FACILITY       7         4.6       DEVIATION FROM STANDARDS       7         4.7       ABNORMALITIES FROM STANDARD CONDITIONS       7         5       EQUIPMENT LIST       8         6       RADIO SPECTRUM TECHNICAL REQUIREMENT       11         6.1       ANTENNA REQUIREMENT       11         6.1.1       Test Requirement       11         6.1.2       Conclusion       11         7.1       EUT Operation       12         7.1       ZONDOUTED EDSIGNS AT MAINS TERMINALS (150kHZ-30MHZ)       12         7.1.1       EUT. Operation       12         7.2.2       Test Mode Description       13         7.2.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data       12         7.1.5       CONDUCTED EMISSIONS AT MAINS TERMINALS (150kHZ-30MHZ)       13         7.2.2       Test Mode Description       13         7.3			
4.1       DETAILS OF E.U.T.       6         4.2       DESCRIPTION OF SUPPORT UNITS.       6         4.3       MEASUREMENT UNCERTAINTY       6         4.4       TEST LOCATION       7         4.5       TEST LOCATION       7         4.6       DEVIATION FROM STANDARDS.       7         4.6       DEVIATION FROM STANDARDS.       7         4.6       DEVIATION FROM STANDARD CONDITIONS       7         5       EQUIPMENT LIST.       8         6       RADIO SPECTRUM TECHNICAL REQUIREMENT       11         6.1       ANTENNA REQUIREMENT       11         6.1.1       TEST EAGUISMEMENT       11         6.1.2       Conclusion       11         7       RADIO SPECTRUM MATTER TEST RESULTS       12         7.1.1       E.U.T. Operation       12         7.1.2       Test Mode Description       12         7.1.3       Test Setup Diagram       12         7.1.4       Measurement Procedure and Data       12         7.2.1       EUT. Operation       13         7.2.2       Test Mode Description       13         7.2.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data<	3	CONTENTS	4
4.2       DESCRIPTION OF SUPPORT UNITS       6         4.3       MEASUREMENT UNCERTAINTY       6         4.4       TEST LOCATION       7         4.5       TEST FACILITY       7         4.6       DEVIATION FROM STANDARDS       7         4.7       ABNORMALITIES FROM STANDARDS       7         5       EQUIPMENT LIST       8         6       RADIO SPECTRUM TECHNICAL REQUIREMENT       11         6.1       ANTENNA REQUIREMENT       11         6.1.1       Test Requirement       11         6.1.2       Conclusion       11         7.1       Feld Conduction       12         7.1.1       EU T. Operation       12         7.1.2       Test Mode Description       12         7.1.3       Test Setup Diagram       12         7.1.4       Measurement Procedure and Data       12         7.2.1       Test Mode Description       13         7.2.2       Test Mode Description       13         7.2.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data       14         7.3       Test Mode Description       13         7.2.4       Measurement Procedure and Data	4	GENERAL INFORMATION	6
4.3       MEASUREMENT UNCERTAINTY       6         4.4       TEST LOCATION       7         4.5       TEST FACILITY.       7         4.6       DEVIATION FROM STANDARDS       7         4.7       ABNORMALITIES FROM STANDARD CONDITIONS       7         5       EQUIPMENT LIST		4.1 DETAILS OF E.U.T.	6
4.4       TEST LOCATION		4.2 DESCRIPTION OF SUPPORT UNITS	6
4.5       TEST FACILITY.       7         4.6       DEVIATION FROM STANDARDS.       7         4.7       ABNORMALITIES FROM STANDARD CONDITIONS.       7         5       EQUIPMENT LIST.       8         6       RADIO SPECTRUM TECHNICAL REQUIREMENT       11         6.1       ANTENNA REQUIREMENT       11         6.1.1       Test Requirement:       11         6.1.2       Conclusion       11         7.1       RADIO SPECTRUM MATTER TEST RESULTS       12         7.1.1       E.U.T. Operation       12         7.1.2       Test Mode Description       12         7.1.3       Test Setup Diagram       12         7.1.4       Measurement Procedure and Data       12         7.2.1       E.U.T. Operation       13         7.2.2       Test Mode Description       13         7.2.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data       14         7.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data       14         7.3       Test Mode Description       15         7.3.1       E.U.T. Operation       15         7.3.2       Te			
4.6       DEVIATION FROM STANDARDS       7         4.7       ABNORMALITIES FROM STANDARD CONDITIONS       7         5       EQUIPMENT LIST       8         6       RADIO SPECTRUM TECHNICAL REQUIREMENT       11         6.1       ANTENNA REQUIREMENT       11         6.1.1       Test Requirement:       11         6.1.2       Conclusion       11         7       RADIO SPECTRUM MATTER TEST RESULTS       12         7.1       20DB BANDWIDTH       12         7.1.1       E.U.T. Operation       12         7.1.2       Test Mode Description       12         7.1.3       Test Setup Diagram       12         7.1.4       Measurement Procedure and Data       12         7.2.1       E.U.T. Operation       13         7.2.2       Test Mode Description       13         7.2.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data       14         7.3       Test Mode Description       13         7.2.4       Measurement Procedure and Data       15         7.3.1       E.U.T. Operation       15         7.3.2       Test Mode Description       15         7.3.3       T			
4.7       ABNORMALITIES FROM STANDARD CONDITIONS       7         5       EQUIPMENT LIST       8         6       RADIO SPECTRUM TECHNICAL REQUIREMENT       11         6.1       ANTENNA REQUIREMENT       11         6.1.1       Test Requirement:       11         6.1.2       Conclusion       11         7       RADIO SPECTRUM MATTER TEST RESULTS       12         7.1       20DB BANDWIDTH       12         7.1.2       Test Mode Description       12         7.1.3       Test Setup Diagram       12         7.1.4       Measurement Procedure and Data       12         7.2       Conducted Emissions at Mains Terminals (150kHz-30MHz)       13         7.2.1       E.U.T. Operation       13         7.2.2       Test Mode Description       13         7.2.3       Test Mode Description       13         7.2.4       Measurement Procedure and Data       14         7.3       Test Mode Description       13         7.2.4       Measurement Procedure and Data       14         7.3       Test Mode Description       15         7.3.1       E.U.T. Operation       15         7.3.2       Test Mode Description       15      <			
5       EQUIPMENT LIST			
6       RADIO SPECTRUM TECHNICAL REQUIREMENT       11         6.1       ANTENNA REQUIREMENT       11         6.1.1       Test Requirement:       11         6.1.2       Conclusion       11         6.1.3       Test Requirement:       11         6.1.4       Test Requirement:       11         6.1.7       Test Requirement:       11         7       RADIO SPECTRUM MATTER TEST RESULTS       12         7.1       20DB BANDWIDTH       12         7.1.1       E.U.T. Operation       12         7.1.3       Test Setup Diagram       12         7.1.4       Measurement Procedure and Data.       12         7.1.4       Measurement Procedure and Data.       12         7.2.1       E.U.T. Operation       13         7.2.2       Test Mode Description       13         7.2.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data.       14         7.3       Test Setup Diagram       15         7.3.1       E.U.T. Operation       15         7.3.2       Test Mode Description       15         7.3.3       Test Setup Diagram       16         7.3.4       Measurement Proced			
6.1       ANTENNA REQUIREMENT       11         6.1.1       Test Requirement:       11         6.1.2       Conclusion       11         7       RADIO SPECTRUM MATTER TEST RESULTS       12         7.1       20DB BANDWIDTH       12         7.1.1       E.U.T. Operation       12         7.1.2       Test Mode Description       12         7.1.3       Test Setup Diagram       12         7.1.4       Measurement Procedure and Data       12         7.1.4       Measurement Procedure and Data       12         7.1.2       CoNDUCTED EMISSIONS AT MAINS TERMINALS (150KHZ-30MHZ)       13         7.2.1       E.U.T. Operation       13         7.2.2       Test Mode Description       13         7.2.4       Measurement Procedure and Data       14         7.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data       14         7.3       Test Setup Diagram       15         7.3.1       E.U.T. Operation       15         7.3.2       Test Mode Description       15         7.3.3       Test Setup Diagram       16         7.4       Measurement Procedure and Data       16	5		8
6.1.1       Test Requirement:       11         6.1.2       Conclusion       11         7       RADIO SPECTRUM MATTER TEST RESULTS       12         7.1       20DB BANDWIDTH       12         7.1.1       E.U.T. Operation       12         7.1.2       Test Mode Description       12         7.1.3       Test Setup Diagram       12         7.1.4       Measurement Procedure and Data       12         7.2       CONDUCTED EMISSIONS AT MAINS TERMINALS (150kHz-30MHz)       13         7.2.1       E.U.T. Operation       13         7.2.2       Test Mode Description       13         7.2.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data       14         7.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data       14         7.3       Test Setup Diagram       15         7.3.1       E.U.T. Operation       15         7.3.2       Test Mode Description       15         7.3.3       Test Setup Diagram       16         7.4       Measurement Procedure and Data       16         7.4       FREQUENCY TOLERANCE       17         7.4.1 <td>6</td> <td>RADIO SPECTRUM TECHNICAL REQUIREMENT</td> <td>11</td>	6	RADIO SPECTRUM TECHNICAL REQUIREMENT	11
6.1.2       Conclusion       11         7       RADIO SPECTRUM MATTER TEST RESULTS       12         7.1       20DB BANDWIDTH       12         7.1.1       E.U.T. Operation       12         7.1.2       Test Mode Description       12         7.1.3       Test Setup Diagram       12         7.1.4       Measurement Procedure and Data       12         7.1.5       CONDUCTED EMISSIONS AT MAINS TERMINALS (150KHZ-30MHZ)       13         7.2.1       E.U.T. Operation       13         7.2.2       Test Mode Description       13         7.2.1       E.U.T. Operation       13         7.2.2       Test Mode Description       13         7.2.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data       14         7.3       Test Setup Diagram       15         7.3.1       E.U.T. Operation       15         7.3.2       Test Mode Description       15         7.3.3       Test Setup Diagram       16         7.4       Measurement Procedure and Data       16         7.4       FREQUENCY TOLERANCE       17         7.4.1       E.U.T. Operation       17         7.4.2		6.1 ANTENNA REQUIREMENT	
7       RADIO SPECTRUM MATTER TEST RESULTS       12         7.1       20DB BANDWIDTH       12         7.1.1       E.U.T. Operation       12         7.1.2       Test Mode Description       12         7.1.3       Test Setup Diagram       12         7.1.4       Measurement Procedure and Data       12         7.1.4       Measurement Procedure and Data       12         7.1.4       Measurement Procedure and Data       12         7.2       CONDUCTED EMISSIONS AT MAINS TERMINALS (150kHz-30MHz)       13         7.2.1       E.U.T. Operation       13         7.2.2       Test Mode Description       13         7.2.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data       14         7.3       Test Mode Description       15         7.3.1       E.U.T. Operation       15         7.3.2       Test Mode Description       15         7.3.3       Test Setup Diagram       16         7.4       Measurement Procedure and Data       16         7.4       Measurement Procedure and Data       16         7.4.4       Measurement Procedure and Data       17         7.4.3       Test Setup Diagram       <			
7.1       20DB BANDWIDTH       12         7.1.1       E.U.T. Operation       12         7.1.2       Test Mode Description       12         7.1.3       Test Setup Diagram       12         7.1.4       Measurement Procedure and Data       12         7.2       CONDUCTED EMISSIONS AT MAINS TERMINALS (150kHz-30MHz)       13         7.2.1       E.U.T. Operation       13         7.2.2       Test Mode Description       13         7.2.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data       13         7.2.5       Test Mode Description       13         7.2.6       Test Setup Diagram       13         7.2.7       Test Mode Description       13         7.2.8       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data       14         7.3       Test Mode Description       15         7.3.1       E.U.T. Operation       15         7.3.2       Test Mode Description       15         7.3.3       Test Setup Diagram       16         7.4       Measurement Procedure and Data       16         7.4.1       E.U.T. Operation       17         7.		6.1.2 Conclusion	
7.1.1       E.U.T. Operation       12         7.1.2       Test Mode Description       12         7.1.3       Test Setup Diagram       12         7.1.4       Measurement Procedure and Data       12         7.2       CONDUCTED EMISSIONS AT MAINS TERMINALS (150KHZ-30MHZ)       13         7.2.1       E.U.T. Operation       13         7.2.2       Test Mode Description       13         7.2.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data       13         7.2.5       Test Mode Description       13         7.2.4       Measurement Procedure and Data       14         7.3       Test Setup Diagram       15         7.3.1       E.U.T. Operation       15         7.3.2       Test Mode Description       15         7.3.3       Test Setup Diagram       16         7.4       FREQUENCY TOLERANCE       17         7.4.1       E.U.T. Operation       17         7.4.2       Test Mode Description       17         7.4.3       Test Setup Diagram       16         7.4.4       Measurement Procedure and Data       17         7.4.4       Measurement Procedure and Data       17      <	7	RADIO SPECTRUM MATTER TEST RESULTS	12
7.1.2       Test Mode Description       12         7.1.3       Test Setup Diagram       12         7.1.4       Measurement Procedure and Data       12         7.2       CONDUCTED EMISSIONS AT MAINS TERMINALS (150KHZ-30MHZ)       13         7.2.1       E.U.T. Operation       13         7.2.2       Test Mode Description       13         7.2.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data       13         7.2.5       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data       14         7.3       Test Mode Description       15         7.3.1       E.U.T. Operation       15         7.3.2       Test Mode Description       15         7.3.3       Test Setup Diagram       16         7.4       FREQUENCY TOLERANCE       17         7.4.1       E.U.T. Operation       17         7.4.2       Test Mode Description       17         7.4.4       Measurement Procedure and Data       16         7.4.7       Test Mode Description       17         7.4.8       EU.T. Operation       17         7.4.9       Test Mode Description       17		7.1 20dB Bandwidth	12
7.1.3       Test Setup Diagram       12         7.1.4       Measurement Procedure and Data       12         7.2       CONDUCTED EMISSIONS AT MAINS TERMINALS (150kHz-30MHz)       13         7.2.1       E.U.T. Operation       13         7.2.2       Test Mode Description       13         7.2.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data       14         7.3       EMISSION MASK       15         7.3.1       E.U.T. Operation       15         7.3.2       Test Mode Description       15         7.3.3       Test Setup Diagram       15         7.3.4       Measurement Procedure and Data       16         7.3.5       Test Mode Description       15         7.3.6       Test Setup Diagram       16         7.3.7       Test Mode Description       17         7.4       Measurement Procedure and Data       16         7.4       FREQUENCY TOLERANCE       17         7.4.1       E.U.T. Operation       17         7.4.2       Test Mode Description       17         7.4.3       Test Setup Diagram       17         7.4.4       Measurement Procedure and Data       17			
7.1.4       Measurement       Procedure and Data.       12         7.2       CONDUCTED EMISSIONS AT MAINS TERMINALS (150kHz-30MHz).       13         7.2.1       E.U.T. Operation       13         7.2.2       Test Mode Description       13         7.2.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data.       14         7.3       EMISSION MASK       15         7.3.1       E.U.T. Operation       15         7.3.2       Test Mode Description       15         7.3.3       Test Setup Diagram       16         7.3.4       Measurement Procedure and Data.       16         7.3.5       Test Mode Description       16         7.3.4       Measurement Procedure and Data.       16         7.4       FREQUENCY TOLERANCE       17         7.4.1       E.U.T. Operation       17         7.4.2       Test Mode Description       17         7.4.3       Test Setup Diagram       17         7.4.4       Measurement Procedure and Data.       17         7.5       RADIATED EMISSIONS (30MHz-1GHz)       18			
7.2       CONDUCTED EMISSIONS AT MAINS TERMINALS (150kHz-30MHz)       13         7.2.1       E.U.T. Operation       13         7.2.2       Test Mode Description       13         7.2.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data       14         7.3       EMISSION MASK       15         7.3.1       E.U.T. Operation       15         7.3.2       Test Mode Description       15         7.3.3       Test Setup Diagram       16         7.3.4       Measurement Procedure and Data       16         7.4       FREQUENCY TOLERANCE       17         7.4.1       E.U.T. Operation       17         7.4.2       Test Mode Description       17         7.4.3       Test Setup Diagram       16         7.4.4       Measurement Procedure and Data       16         7.4.5       Test Mode Description       17         7.4.3       Test Setup Diagram       17         7.4.4       Measurement Procedure and Data       17         7.5       Radiated Emissions (30MHz-1GHz)       18			
7.2.1       E.U.T. Operation       13         7.2.2       Test Mode Description       13         7.2.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data.       14         7.3       EMISSION MASK       15         7.3.1       E.U.T. Operation       15         7.3.2       Test Mode Description       15         7.3.3       Test Setup Diagram       16         7.3.4       Measurement Procedure and Data.       16         7.3.4       Measurement Procedure and Data.       16         7.4       FREQUENCY TOLERANCE       17         7.4.1       E.U.T. Operation       17         7.4.2       Test Mode Description       17         7.4.3       Test Setup Diagram       17         7.4.4       Measurement Procedure and Data.       17         7.5       RADIATED EMISSIONS (30MHz-1GHz)       18			
7.2.2       Test Mode Description       13         7.2.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data       14         7.3       EMISSION MASK       15         7.3.1       E.U.T. Operation       15         7.3.2       Test Mode Description       15         7.3.3       Test Mode Description       16         7.3.4       Measurement Procedure and Data       16         7.3.4       Measurement Procedure and Data       16         7.4       FREQUENCY TOLERANCE       17         7.4.1       E.U.T. Operation       17         7.4.2       Test Mode Description       17         7.4.3       Test Setup Diagram       17         7.4.4       Measurement Procedure and Data       17         7.5       RADIATED EMISSIONS (30MHz-1GHz)       18			
7.2.3       Test Setup Diagram       13         7.2.4       Measurement Procedure and Data       14         7.3       EMISSION MASK       15         7.3.1       E.U.T. Operation       15         7.3.2       Test Mode Description       15         7.3.3       Test Setup Diagram       16         7.3.4       Measurement Procedure and Data       16         7.4       FREQUENCY TOLERANCE       17         7.4.1       E.U.T. Operation       17         7.4.2       Test Mode Description       17         7.4.3       Test Setup Diagram       17         7.4.4       Measurement Procedure and Data       17         7.5       RADIATED EMISSIONS (30MHz-1GHz)       18			
7.2.4       Measurement Procedure and Data.       14         7.3       EMISSION MASK       15         7.3.1       E.U.T. Operation       15         7.3.2       Test Mode Description       15         7.3.3       Test Setup Diagram       16         7.3.4       Measurement Procedure and Data       16         7.4       FREQUENCY TOLERANCE       17         7.4.1       E.U.T. Operation       17         7.4.2       Test Mode Description       17         7.4.3       Test Setup Diagram       17         7.4.4       Measurement Procedure and Data       17         7.5       RADIATED EMISSIONS (30MHZ-1GHZ)       18			
7.3.1       E.U.T. Operation       15         7.3.2       Test Mode Description       15         7.3.3       Test Setup Diagram       16         7.3.4       Measurement Procedure and Data       16         7.4       FREQUENCY TOLERANCE       17         7.4.1       E.U.T. Operation       17         7.4.2       Test Mode Description       17         7.4.3       Test Setup Diagram       17         7.4.4       Measurement Procedure and Data       17         7.5       RADIATED EMISSIONS (30MHZ-1GHZ)       18			
7.3.2       Test Mode Description       15         7.3.3       Test Setup Diagram       16         7.3.4       Measurement Procedure and Data       16         7.4       FREQUENCY TOLERANCE       17         7.4.1       E.U.T. Operation       17         7.4.2       Test Mode Description       17         7.4.3       Test Setup Diagram       17         7.4.4       Measurement Procedure and Data       17         7.5       RADIATED EMISSIONS (30MHZ-1GHZ)       18		7.3 EMISSION MASK	15
7.3.3       Test Setup Diagram		•	
7.3.4       Measurement       Procedure and Data.       16         7.4       FREQUENCY TOLERANCE       17         7.4.1       E.U.T. Operation       17         7.4.2       Test Mode Description       17         7.4.3       Test Setup Diagram       17         7.4.4       Measurement Procedure and Data       17         7.5       RADIATED EMISSIONS (30MHz-1GHz)       18		$\sim$	
7.4       FREQUENCY TOLERANCE       17         7.4.1       E.U.T. Operation       17         7.4.2       Test Mode Description       17         7.4.3       Test Setup Diagram       17         7.4.4       Measurement Procedure and Data       17         7.5       RADIATED EMISSIONS (30MHz-1GHz)       18			
7.4.1       E.U.T. Operation       17         7.4.2       Test Mode Description       17         7.4.3       Test Setup Diagram       17         7.4.4       Measurement Procedure and Data       17         7.5       RADIATED EMISSIONS (30MHZ-1GHZ)       18			
7.4.2       Test Mode Description       17         7.4.3       Test Setup Diagram       17         7.4.4       Measurement Procedure and Data       17         7.5       RADIATED EMISSIONS (30MHz-1GHz)       18			
7.4.3       Test Setup Diagram       17         7.4.4       Measurement Procedure and Data       17         7.5       RADIATED EMISSIONS (30MHz-1GHz)       18		•	
7.4.4 Measurement Procedure and Data		•	
7.5 RADIATED EMISSIONS (30MHz-1GHz)18			
7.5.1 E.U.T. Operation			
		7.5.1 E.U.T. Operation	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exoered the prior writem approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com</a> (86-512/5730818 www.sgsgroup.com.cn

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220500070201 Page: 5 of 24

9	EUT C	CONSTRUCTIONAL DETAILS (EUT PHOTOS)	
8	TEST	SETUP PHOTO	24
	7.7.4	Measurement Procedure and Data	
	7.7.3	Test Setup Diagram	
	7.7.2	Test Mode Description	23
	7.7.1	E.U.T. Operation	23
7.	7 9	99% Bandwidth	23
	7.6.4	Measurement Procedure and Data	
	7.6.3	Test Setup Diagram	
	7.6.2	Test Mode Description	
		E.U.T. Operation	
7.	6 F	RADIATED EMISSIONS (9KHz-30MHz)	
	7.5.4	Measurement Procedure and Data	
	7.5.3	Test Setup Diagram	
	7.5.2	Test Mode Description	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation clients is old is to its Cilent and this document does not exoerial parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@egs.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



Report No.: KSCR220500070201 Page: 6 of 24

# 4 General Information

## 4.1 Details of E.U.T.

DC 12V,2.0A
13.56MHz
ASK
Loop Antenna
1
3224000007
QPTS-B2501.3.5.220524

#### 4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
Adapter	SHENZHEN HONOR ELECTRONIC CO., LTD.	ADS-12AM-12 12012EPCU	/

## 4.3 Measurement Uncertainty

No.	Item	Measurement Uncertainty
1	Radio Frequency	8.4 x 10 <sup>-8</sup>
2	Timeout	2s
3	Duty Cycle	0.37%
4	Occupied Bandwidth	3%
5	RF Conducted Power	0.6dB
6	RF Power Density	2.9dB
7	Conducted Spurious Emissions	0.75dB
8	DE Dedicted Dewer	5.2dB (Below 1GHz)
8	RF Radiated Power	5.9dB (Above 1GHz)
		4.2dB (Below 30MHz)
0		4.5dB (30MHz-1GHz)
9	Radiated Spurious Emission Test	5.1dB (1GHz-18GHz)
		5.4dB (Above 18GHz)
10	Temperature Test	1°C
11	Humidity Test 3%	
12	Supply Voltages	1.5%
13	Time	3%

Note: The measurement uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Ferms-and-Conditions/Ferms-and-Conditions/Ferms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Ferms-en-Document.aspx</a>, attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the 30 advises only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: Content us in the sume of the sum of the

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220500070201 Page: 7 of 24

## 4.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc.

No.10 Weiye Rd, Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China.

Tel: +86 512 5735 5888 Fax: +86 512 5737 0818

No tests were sub-contracted.

## 4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### CNAS (No. CNAS L4354)

CNAS has accredited Compliance Certification Services (Kunshan) Inc. to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

#### • A2LA (Certificate No. 2541.01)

Compliance Certification Services (Kunshan) Inc. is accredited by the American Association for Laboratory Accreditation (A2LA). Certificate No. 2541.01.

#### • FCC (Designation Number: CN1172)

Compliance Certification Services (Kunshan) Inc. has been recognized as an accredited testing laboratory.

Designation Number: CN1172.

#### • ISED (CAB identifier: CN0072)

Compliance Certification Services (Kunshan) Inc. has been recognized by Innovation, Science and Economic Development Canada (ISED) as an accredited testing laboratory.

Company Number: 2324E

#### • VCCI (Member No.: 1938)

The 3m and 10m Semi-anechoic chamber and Shielded Room of Compliance Certification Services (Kunshan) Inc. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-20134, R-11600, C-11707, T-11499, G-10216 respectively.

# 4.6 Deviation from Standards

None

# 4.7 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exconserate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document is content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only. Attention: To check the authenticity of testing inspection report & criticate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Report No.: KSCR220500070201 Page: 8 of 24

# 5 Equipment List

Item	Equipment	Manufacturer	Model	Inventory No	Cal Date	Cal. Due Date		
Cond	Conducted Emission at Mains Terminals (150kHz-30MHz)							
1	EMI Test Receive	R&S	ESCI	KS301101	01/22/2022	01/21/2023		
2	LISN	R&S	ENV216	KS301197	01/22/2022	01/21/2023		
3	LISN	Schwarzbeck	NNLK 8129	KS301091	01/22/2022	01/21/2023		
4	Pulse Limiter	R&S	ESH3-Z2	KUS1902E001	01/22/2022	01/21/2023		
5	CE test Cable	Thermax	1	CZ301102	11/14/2021	11/13/2022		
6	Test Software	Farad	EZ-EMC	1	N.C.R	N.C.R		
RF Co	onducted Test							
1	Spectrum Analyzer	Keysight	N9020A	KUS1911E004- 2	10/11/2021	10/10/2022		
2	Spectrum Analyzer	Keysight	N9020A	KUS2001M001- 2	09/17/2021	09/16/2022		
3	Spectrum Analyzer	Keysight	N9030B	KSEM021-1	01/22/2022	01/21/2023		
4	Signal Generator	R&S	SMW200A	KSEM020-1	10/12/2021	10/11/2022		
5	Signal Generator	Agilent	N5182A	KUS2001M001- 1	08/27/2021	08/26/2022		
6	Radio Communication Test Station	Anritsu	MT8000A	KSEM001-1	09/23/2021	09/22/2022		
7	Radio Communication Analyzer	Anritsu	MT8821C	KSEM002-1	04/01/2022	03/31/2023		
8	Universal Radio Communication Tester	R&S	CMW500	KUS1911E004- 1	10/12/2021	10/11/2022		
9	Switcher	CCSRF	FY562	KUS2001M001- 3	10/12/2021	10/11/2022		
10	AC Power Source	EXTECH	6605	KS301178	N.C.R	N.C.R		
11	DC Power Supply	Aglient	E3632A	KS301180	N.C.R	N.C.R		
12	Conducted Test Cable	Thermax	RF01-RF04	CZ301111- CZ301120	01/16/2022	01/15/2023		
13	Temp. / Humidity Chamber	TERCHY	MHK-120AK	KS301190	04/01/2021	03/31/2023		
14	Temperature & Humidity Recorder	Renke Control	RS-WS-N01- 6J	KSEM024-5	04/01/2021	03/31/2023		
15	Software	BST	TST-PASS	/	N/A	N/A		
RF Ra	adiated Test							
1	Spectrum Analyzer	R&S	FSV40	KUS1806E003	10/11/2021	10/10/2022		
2	Universal Radio Communication Tester	R&S	CMW500	KSEM009-1	04/01/2022	03/31/2023		
3	Signal Generator	Agilent	E8257C	KS301066	10/18/2021	10/17/2022		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exoered the prior writem approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com</a> (86-512/5730818 www.sgsgroup.com.cn

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Test Report Form Version: Rev01

Member of the SGS Group (SGS SA)



Report No.: KSCR220500070201 Page: 9 of 24

4	Loop Antenna	COM-POWER	AL-130R	KUS1806E001	04/13/2021	04/12/2023
5	Bilog Antenna	TESEQ	CBL 6112D	KUS1806E005	06/29/2021	06/28/2023
6	Bilog Antenna	SCHWARZBECK	VULB9160	CZ301016	04/13/2021	04/12/2024
7	Horn-antenna(1-18GHz)	Schwarzbeck	BBHA9120D	KS301079	10/26/2020	10/25/2022
8	Horn-antenna(1-18GHz)	ETS-LINDGREN	3117	KS301186	02/22/2021	02/21/2023
9	Horn Antenna(18-40GHz)	Schwarzbeck	BBHA9170	CZ301058	03/22/2022	03/21/2023
10	Amplifier(30MHz~18GHz)	PANSHAN TECHNOLOGY	LNA:1~18G	KSEM010-1	01/22/2022	01/21/2023



Test Report Form Version: Rev01

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation client's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@ess.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



 Report No.:
 KSCR220500070201

 Page:
 10 of 24

11	Amplifier(18~40GHz)	COM-POWER	PAM-840A	KUS1710E001	01/22/2022	01/21/2023
12	RE Test Cable	REBES MICROWAVE	/	CZ301097	11/14/2021	11/13/2022
13	Temperature & Humidity Recorder	Renke Control	RS-WS-N01- 6J	KSEM024-4	01/04/2022	31/03/2023
14	Software	Faratronic	EZ_EMC-v 3A1	/	N/A	N/A



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch.Doccheck@gs.com</a> [86-512157370818 www.sgsgroup.com.cn

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Report No.: KSCR220500070201 Page: 11 of 24

# 6 Radio Spectrum Technical Requirement

## 6.1 Antenna Requirement

#### 6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203

#### 6.1.2 Conclusion

15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

#### EUT Antenna:

The antenna is Loop antenna on the main PCB and no consideration of replacement. The best case gain of the antenna is 0dBi.

Antenna location: Refer to Internal photos



No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Report No.: KSCR220500070201 Page: 12 of 24

# 7 Radio Spectrum Matter Test Results

## 7.1 20dB Bandwidth

Test Requirement	47 CFR Part 15, Subpart C 15.215
Test Method:	ANSI C63.10 (2013) Section 6.9


#### 7.1.1 E.U.T. Operation

Operating Environment:									
Temperature:	25.1 °C	Humidity:	56.9 % RH	Atmospheric Pressure:	1010	mbar			

#### 7.1.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in transmitting mode

#### 7.1.3 Test Setup Diagram



# **Ground Reference Plane**

#### 7.1.4 Measurement Procedure and Data

The detailed test data see: Appendix A for KSCR220500070201



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation Collent's instructions, if any. The Company's sole responsibility is to its Cilent and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CNLDoccheck@ags.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220500070201 Page: 13 of 24

## 7.2 Conducted Emissions at Mains Terminals (150kHz-30MHz)

Test Requirement	47 CFR Part 15, Subpart C 15.207
Test Method:	ANSI C63.10 (2013) Section 6.2

Limit:

	Limit (dBuV)		
Frequency range (MHz)	Quasi-peak	Average	
0.15-0.5	66 to 56*	56 to 46*	
0.5-5	56	46	
5-30	60	50	

\* Decreases with the logarithm of the frequency.


#### 7.2.1 E.U.T. Operation

Operating Environment:							
Temperature:	25.2 °C	Humidity:	54.1 % RH	Atmospheric Pressure:	1010	mbar	

#### 7.2.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in transmitting mode

#### 7.2.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation client's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exoeriate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@ess.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220500070201 Page: 14 of 24

#### 7.2.4 Measurement Procedure and Data

1) The mains terminal disturbance voltage test was conducted in a shielded room.

2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50ohm/50 $\mu$ H + 50hm linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.

3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane,

4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.

5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark: Level=Read Level+ Cable Loss+ LISN Factor

The detailed test data see: Appendix A for KSCR220500070201



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation Collegations under the transaction droument does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ess.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Report No.: KSCR220500070201 Page: 15 of 24

## 7.3 Emission Mask

Test Requirement47 CFR Part 15, Subpart C 15.225(a)&(b)&(C )Test Method:ANSI C63.10 (2013) Section 6.4

Limit:

(a) The field strength of any emissions within the band 13.553-13.567 MHz shall not exceed 15,848 microvolts/meter at 30 meters.

- (b) Within the bands 13.410-13.553 MHz and 13.567-13.710 MHz, the field strength of any emissions shall not exceed 334 microvolts/meter at 30 meters.
- (c) Within the bands 13.110-13.410 MHz and 13.710-14.010 MHz the field strength of any emissions shall not exceed 106 microvolts/meter at 30 meters.

(d) The field strength of any emissions appearing outside of the 13.110-14.010 MHz band shall not exceed the general radiated emission limits in § 15.209.

#### **Below 30MHz**

The limit at 30m test distance is below:

$$FS_{\text{limit}} = FS_{\text{max}} - 40 \log \left(\frac{d_{\text{limit}}}{d_{\text{measure}}}\right)$$

where

$FS_{\text{limit}}$	is the calculation of field strength at the limit distance, expressed in $dB\mu V/m$
$FS_{max}$	is the measured field strength, expressed in dBµV/m
$d_{\text{measure}}$	is the distance of the measurement point from the EUT
$d_{ m limit}$	is the reference distance or the distance of the $\lambda/2\pi$ point

The field strength of any emissions within the band 13.553-13.567 MHz shall not exceed 84dBuV/m at 30 meters.

#### 7.3.1 E.U.T. Operation

Operating Environment:							
Temperature:	25.1 °C	Humidity:	57.0 % RH	Atmospheric Pressure:	1010	mbar	

# 7.3.2 Test Mode Description Pre-scan / Final test Mode Code Description Final test 00 TX mode\_Keep the EUT in transmitting mode



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exoered the prior writem approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com</a> (86-512/5730818 www.sgsgroup.com.cn

No.10, Weiye Road, Innovation Park, Runshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300


Member of the SGS Group (SGS SA)



 Report No.:
 KSCR220500070201

 Page:
 16 of 24

#### 7.3.3 Test Setup Diagram



#### 7.3.4 Measurement Procedure and Data

For testing performed with the loop antenna, the center of the loop was positioned 1 m above the ground and positioned with its plane vertical at the specified distance from the EUT. During testing the loop was rotated about its vertical axis for maximum response at each azimuth and also investigated with the loop positioned in the horizontal plane.

Remark: The test level of the fundamental signal is below the limit of general spurious emission, so the test item doesn't be performed.

The detailed test data see: Appendix A for KSCR220500070201



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation Collegations under the transaction droument does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ess.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)



Report No.: KSCR220500070201 Page: 17 of 24

## 7.4 Frequency tolerance

Test Requirement	47 CFR Part 15, Subpart C 15.225(e)
Test Method:	ANSI C63.10 (2013) Section 6.8

Limit:

±0.01

#### 7.4.1 E.U.T. Operation


Operating Environment:

1 0							
Temperatu	re:	25.1 °C	Humidity:	57.0 % RH	Atmospheric Pressure:	1010	mbar

#### 7.4.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in transmitting mode

#### 7.4.3 Test Setup Diagram



# **Ground Reference Plane**

## 7.4.4 Measurement Procedure and Data

The detailed test data see: Appendix A for KSCR220500070201



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com</a> (86-512/5730818 www.sgsgroup.com.cn

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Test Report Form Version: Rev01



Report No.: KSCR220500070201 Page: 18 of 24

## 7.5 Radiated Emissions (30MHz-1GHz)

Test Requirement	47 CFR Part 15, Subpart C 15.225(d) & 15.209
Test Method:	ANSI C63.10 (2013) Section 6.4&6.5

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

#### 7.5.1 E.U.T. Operation

Operating Environment:						
Temperature:	25.1 °C	Humidity:	57.0 % RH	Atmospheric Pressure:	1010	mbar

#### 7.5.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in transmitting mode




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation Collegations under the transaction droument does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ess.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220500070201 Page: 19 of 24

#### 7.5.3 Test Setup Diagram



#### 7.5.4 Measurement Procedure and Data

a. The EUT was placed on the top of a rotating table 0.8 meters above the ground for below 1GHz at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation. b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet. g. The radiation measurements are performed in X, Y, Z axis positioning. And found the X axis positioning which it is worse case, only the test worst case mode is recorded in the report. Remark: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

The detailed test data see: Appendix A for KSCR220500070201



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/aspx">http://www.sgs.com/en/Terms-and-Conditions/aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@essa.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220500070201 Page: 20 of 24

## 7.6 Radiated Emissions (9kHz-30MHz)

47 CFR Part 15, Subpart C 15.225(d) & 15.209 Test Requirement Test Method: ANSI C63.10 (2013) Section 6.4&6.5

Limit:

Frequency(MHz)	Field strength (microvolts/meter)	Limit (dBuV/m)	Detector	Measurement Distance (meters)
0.009-0.490	2400/F(kHz)	-	-	300
0.490-1.705	24000/F(kHz)	-	-	30
1.705-30	30	-	-	30

#### **Below 30MHz**

If field strength is measured at only a single point, then that point shall be at the radial from the EUT that produces the maximum emission at the frequency being measured, as described in 5.4. If that point is closer to the EUT than  $\lambda/2\pi$  and the limit distance is greater than  $\lambda/2\pi$ , the measurement shall be extrapolated to the limit distance by conservatively presuming that the field strength decreases at a 40 dB/decade of distance rate to the  $\lambda/2\pi$  distance, and at a 20 dB/decade of distance rate beyond  $\lambda/2\pi$ . This shall be accomplished using Equation (2):

$$FS_{(10m)} = FS_{(30/300m)} + 40\log\{d_{(near field)}/d_{(10m)}\} + 20\log\{d_{(30/300m)}/d_{(near field)}\}$$
(2)

If the single point measured is at a distance greater than  $\lambda/2\pi$ , then extrapolation to the limit distance shall be calculated using Equation (3):

$$FS_{(10m)} = FS_{(30/300m)} + 20log\{d_{(30/300m)}/d_{(10m)}\}$$
(3)

If both the single point and the limit distance are equal to or closer to the EUT than  $\lambda/2\pi$ , then extrapolation to the limit distance shall be calculated using Equation (4):

$$FS_{(10m)} = FS_{(30/300m)} + 40\log\{d_{(30/300m)}/d_{(10m)}\}$$
(4)

Remark:

 $d_{\text{near field}} = 47.77 / f_{\text{MHz}}$ 

where f<sub>MHz</sub> is the frequency of the emission being measured in MHz.

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation Collegations under the transaction droument does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ess.com</a> No.10, Weive Road, Innovation Park, Kunshan, Jiangsu, China 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300



Report No.: KSCR220500070201 Page: 21 of 24

$$FS_{\text{limit}} = FS_{\text{max}} - 40\log\left(\frac{d_{\text{limit}}}{d_{\text{measure}}}\right)$$

where

r

$FS_{\text{limit}}$	is the calculation of field strength at the limit distance, expressed in $dB\mu V/m$
$FS_{\max}$	is the measured field strength, expressed in dBµV/m
$d_{\text{measure}}$	is the distance of the measurement point from the EUT
$d_{\text{limit}}$	is the reference distance or the distance of the $\lambda/2\pi$ point


7.6.1 E.U.T. Operation

Operating Enviro	onment:			
Temperature:	25.1 °C	Humidity:	56.9 % RH	Atmospheric Pressure: 1010 mbar

#### 7.6.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in transmitting mode

#### 7.6.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation client's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@ess.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

Test Report Form Version: Rev01

Member of the SGS Group (SGS SA)



Report No.: KSCR220500070201 Page: 22 of 24

#### 7.6.4 Measurement Procedure and Data

For testing performed with the loop antenna, the center of the loop was positioned 1 m above the ground and positioned with its plane vertical at the specified distance from the EUT. During testing the loop was rotated about its vertical axis for maximum response at each azimuth and also investigated with the loop positioned in the horizontal plane.

The detailed test data see: Appendix A for KSCR220500070201



Test Report Form Version: Rev01

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation client's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exoeriate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@ess.com</a>

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn



 Report No.:
 KSCR220500070201

 Page:
 23 of 24

## 7.7 99% Bandwidth

Fest Requirement	RSS-Gen Section 6.7
Fest Method:	RSS-Gen Issue 5 Amendment 2 (February 2021) Section 6.7


#### 7.7.1 E.U.T. Operation

Operating Environment:Temperature:25.1 °CHumidity:57.0 % RHAtmospheric Pressure:1010mbar

#### 7.7.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in transmitting mode

## 7.7.3 Test Setup Diagram



# **Ground Reference Plane**

## 7.7.4 Measurement Procedure and Data

The detailed test data see: Appendix A for KSCR220500070201



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_Doccheck@sgs.com</a> (86-512/5730818 www.sgsgroup.com.cn

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国•江苏•昆山市留学生创业园伟业路10号 邮编 215300

Test Report Form Version: Rev01

Member of the SGS Group (SGS SA)



 Report No.:
 KSCR220500070201

 Page:
 24 of 24

# 8 Test Setup Photo

Refer to Appendix - Test Setup Photo for KSCR2205000702AT

# 9 EUT Constructional Details (EUT Photos)

Refer to Appendix - Photographs of EUT Constructional Details for KSCR2205000702AT

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation client's sole responsibility is to its Cilent's and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ess.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Member of the SGS Group (SGS SA)