



Shenzhen FLYINGVOICE NETWORK Technology Co., Ltd.

1. Antenna specifications (Unit: mm)



2. Physical drawing of antenna:




Shenzhen FLYINGVOICE NETWORK Technology Co., Ltd.

Address: 1801-1802, Building 1, Chongwen Park, Nanshan Zhiyuan, Nanshan District, Shenzhen, China tel:(86)-0755-26099365

Fax: (86)-0755-26099347

http: www.flyingvoice.com

Frequency / MHz	Gain / dB
2400	2.55
2410	2.47
2420	2.3
2430	2.45
2440	2.5
2450	2.57
2460	2.47
2470	2.67
2480	2.67
2490	2.67
2500	2.52
5100	3.91
5150	3.84
5200	4.1
5250	3.72
5300	3.22
5350	2.67
5400	2.86
5450	2.39
5500	2.22
5550	2.67
5600	2.49
5650	3.01
5700	3.32
5750	3.35
5800	3.48
5850	4.19



Frequency / MHz	Efficiency / dB	Efficiency / %
2400	-3.27	47.1
2410	-3.28	46.99
2420	-3.38	45.92
2430	-3.31	46.67
2440	-3.21	47.75
2450	-3.15	48.42
2460	-3.28	46.99
2470	-3.12	48.75
2480	-3.14	48.53
2490	-3.1	48.98
2500	-3.29	46.88
5100	-2.42	57.28
5150	-2.58	55.21
5200	-2.73	53.33
5250	-3.23	47.53
5300	-3.72	42.46
5350	-3.94	40.36
5400	-3.81	41.59
5450	-3.98	39.99
5500	-4.32	36.98
5550	-3.94	40.36
5600	-4.15	38.46
5650	-4.01	39.72
5700	-3.68	42.85
5750	-3.71	42.56
5800	-3.61	43.55
5850	-3.09	49.09

