

Instruction – DP2.0 Standalone

Standalone Kit 2043972



Standalone x 1 Item no. - 2043972

Power Adapter with Accessories x 1



Setup

- 1. Glue the dummy bottle on the Standalone
- 2. Place the Standalone on a safe display location
- 3. Connect the Power Adapter to the DC IN 5V on the Standalone
- 4. Connect the Power Adapter to the power source using the suitable plug
- 5. The Standalone is ready to use

Operation

The Standalone can be used alone or controlled by the "Luminous RMM" app (available on the AppStore) The device must be fully charged for at least 8 hours for first time using. The device will only work till fully charged

Standalone Mode

1. Push the power switch to either "White" or "Rose" to power the LED panel in green or pink respectively

White: Green Color Light Rose: Pink Color Light


2. Toggle the effect switch to either "Effect" or "Solid" $\,$

Effect: Fade in and out rhythmically Solid: Solid Lit in the selected color

3. Push the power switch to "OFF" to turn off the standalone

App Control Mode

- 1. Push the power switch to either "White" or "Rose" to power on the LED panel.
- 2. Using the iPhone 8 or above, download the "Luminous RMM" app from the AppStore
- Plug the Repeater (sold separately) to the power source. It will be turned on automatically and a indicated LED light.
- 4. Start the iPhone app, then click on the wireless button and connect to the repeater.
- 5. LED on the connecting kit will lit indicating the connecting kit is connected with the app
- 6. Use the app to control the lighting effect of the standalone. The app will override the lighting effect selected on standalone.
- 7. The maximum effective distance between the transmitter and the standalone is 30m
- 8. Push the power switch to "OFF" to turn off the standalone





Charging

1. LED indicator Normal working batteries: Green Low battery: Orange Out of battery: Red

- 1. During charging, the LED will flash and will turn from flashing Red to fully charge flashing Green
- 2. It takes around 8 hours for fully charge from out of battery.

Warnings

- 1. Don't drop any components as it will damage the products
- 2. Don't expose any components to an open flame
- Don't expose any components to direct sunlight
- Keep all components dry, there is no waterproof components in the kit
- When using in app mode, always operate the standalone and the transmitter within the stated effective range 30m
- 6. Use only the manufacturer supplied adapter
- 7. The manufacturer is not legally responsible for any kind of malfunction of the product directly caused by user negligence
- 8. The manufacturer is not responsible for unauthorized repair or modification of the product
- 9. The product's communicating system can be disturbed by magnetic field or other wireless devices
- 10. The product is not intended for persons under the legal drinking age according to local laws

Other Information

This device coplies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) this device may not cause harmful interference.

(2) this device must accept any interference received; including interference that may cause undesired operation.

Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. This limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determine by turning the equipment off and on, the user is encouraged to try to correct the interferenceby one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device meets low-power exclusion level, so the device complies with EMF basic restrictions according to standard EN 62479.

Item No.

2043972 DP BASE FOR CTD LLABSTD ALONE C1

FCC ID 2ALCP2043972

Power Rating 5V DC 1A

Radio Operation Frequency Range and Max. Radio Power Rechargeable Power Module: 2402-2408MHz, 4dBm

Produced for: MHCS 9 avenue de champagne, 51207 EPERNAY CEDEX - France

Produced by: LF BEAUTY LIMITED 2/F, HK Spinners Industrial building, Phases I & II, 800 Cheung Sha Wan Road, Kowloon, Hong Kong



This symbol, affixed to the product or its packaging, indicates that this product should not be treated with household waste. It must be handed over to an appropriate collection point for the recycling of used batteries, and electrical and electronic equipment. By ensuring that this product is disposed of appropriately, you will help prevent potential negative consequences for the environment and human health. Recycling materials will help conservenatural resources

EU Declaration of Conformity		
LO Deciaration of Comornity		
We,		
LF BEAUTY LIMITED 2/F, HK Spinners Industrial Buildin 800 Cheung Sha Wan Road, Kowlo		
Declare that the DoC is issued under our sole responsibility and belongs to the following product(s):		
Item No. 2043972_DP BASE FOR CTD LLABSTD ALONE C1		
The object of the declaration described above is in conformity with the essential requirements of the relevant Union harmonization legislation:		
Radio Equipment Directive 2014/53/EU		
The following harmonized standar	ds and technical specifications have been	applied:
Health and Safety (Article 3.1a):	EN60950-1:2006+A11:2009+A1:2010+/ EN 62479: 2010;	A12:2011+A2:2013
EMC (Article 3.1b):	EN 301 489-1 V2.1.1 EN 301 489-3 V2.1.1 EN 301 489-17 V3.1.1 EN 55015:2013+A1:2015 EN 61547:2009 EN 61000-3-2: 2014 EN 61000-3-3: 2013	
Radio Spectrum (Article 3.2):	EN 300328 V2.1.1; EN 300 330 V2.1.1	
Technical Compliance File Held by LF BEAUTY LIMITED 2/F, HK Spinners Industrial Buildin 800 Cheung Sha Wan Road, Kowlo	g, Phases I & II,	
Signed for and on behalf of LF BEA		
	· · · · · · · · · · · · · · · · · · ·	
Hong Kong Place of issue	Aug 17, 2018 Date of issue	<u>Michael Ho</u> Signature of Authorized Person