



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21703-16710-P-2224  
 FCC ID: 2ALG8RMBU3GTR

**Radiated Emission Measurement**

Operator: Spencer

File :251  
 50.0 dBm


Data :#1

Date: 2017/4/20

Temperature:24 °C

Time: 上午 10:51:31

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 Bandedge

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 BANDEDGE

Note :

Polarization: *Horizontal*

Power : 3.7V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	849.0000	-61.87	peak	36.49	-25.38	-13.00	150	240	-12.38	



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21703-16710-P-2224  
 FCC ID: 2ALG8RMBU3GTR

**Radiated Emission Measurement**

Operator: Spencer

File :251  
 50.0 dBm


Data :#2

Date: 2017/4/20

Temperature:24 °C

Time: 上午 10:54:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 Bandedge

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 BANDEDGE

Note :

Polarization: *Vertical*

Power : 3.7V d.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	849.0000	-64.98	peak	36.33	-28.65	-13.00	150	240	-15.65	



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21703-16710-P-2224  
 FCC ID: 2ALG8RMBU3GTR

Band 1900 MHz



Site : Chamber      Polarization: *Horizontal*  
 Condition : FCC\_part 24 Bandedge      Power : 3.7V d.c.  
 EUT : W6M21703-16710      Distance: 3m  
 M/N:  
 Test Mode : DCS1900 CH512 ACTIVE  
 Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.000	-72.94	peak	44.16	-28.78	-13.00	150	100	-15.78	



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21703-16710-P-2224  
 FCC ID: 2ALG8RMBU3GTR

**Radiated Emission Measurement**


**Operator: Spencer**

File :512  
 40.0 dBm

Data :#2

Date: 2017/4/20  
 Time: 上午 11:05:36

Temperature:24 °C  
 Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 Bandedge

EUT : W6M21703-16710

M/N:

Test Mode : DCS1900 CH512 BANDEDGE


Note :

Polarization: *Vertical*

Power : 3.7V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.000	-73.41	peak	45.39	-28.02	-13.00	150	240	-15.02	



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21703-16710-P-2224  
 FCC ID: 2ALG8RMBU3GTR

**Radiated Emission Measurement**

Operator: Spencer

File :810  
 40.0 dBm


Data :#1

Date: 2017/4/20

Temperature:24 °C

Time: 上午 11:03:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 Bandedge

Polarization: *Horizontal*

EUT : W6M21703-16710

Power : 3.7V d.c.


M/N:

Distance: 3m

Test Mode : DCS1900 CH810 BANDEDGE

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1910.000	-66.80	peak	44.40	-22.40	-13.00	150	100	-9.40	



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21703-16710-P-2224  
 FCC ID: 2ALG8RMBU3GTR

**Radiated Emission Measurement**

**Operator: Spencer**

File :810  
 40.0 dBm


Data :#2

Date: 2017/4/20

Temperature:24 °C

Time: 上午 11:04:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 Bandedge

Polarization: *Vertical*

EUT : W6M21703-16710

Power : 3.7V d.c.

M/N:

Distance: 3m

Test Mode : DCS1900 CH810 BANDEDGE

Note :


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1910.000	-66.55	peak	45.86	-20.69	-13.00	150	270	-7.69	



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21703-16710-P-2224  
 FCC ID: 2ALG8RMBU3GTR

Band II



Site : Chamber  
 Condition : FCC\_part 24 Bandedge  
 EUT : W6M21703-16710  
 M/N:  
 Test Mode : WCDMA BANDII CH9262 BANDEDGE  
 Note :

Polarization: *Horizontal*  
 Power : 3.7 Vd.c.  
 Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1849.973	-61.26	peak	43.90	-17.36	-13.00	150	220	-4.36	



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21703-16710-P-2224  
 FCC ID: 2ALG8RMBU3GTR


**Radiated Emission Measurement**

Operator: Mark  
 Temperature: 24 °C  
 Humidity: 60 %

File :CH9262  
 40.0 dBm

Data :#2

Date: 2017/4/18  
 Time: 下午 08:03:47



Site : Chamber  
 Condition : FCC\_part 24 Bandedge  
 EUT : W6M21703-16710  
 M/N:  
 Test Mode : WCDMA BANDII CH9262 BANDEDGE  
 Note :

Polarization: *Vertical*  
 Power : 3.7 Vd.c.  
 Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1849.973	-62.91	peak	43.86	-19.05	-13.00	150	200	-6.05	





# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21703-16710-P-2224  
 FCC ID: 2ALG8RMBU3GTR

**Radiated Emission Measurement**

Operator: Mark

File :CH9538

Data :#1


Date: 2017/4/18

Temperature:24 °C

40.0 dBm

Time: 下午 08:11:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 Bandedge

Polarization: *Horizontal*

EUT : W6M21703-16710

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA BANDII CH9538 BANDEDGE

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1910.000	-66.52	peak	44.07	-22.45	-13.00	150	220	-9.45	



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21703-16710-P-2224  
 FCC ID: 2ALG8RMBU3GTR


**Radiated Emission Measurement**

Operator: Mark  
 Temperature: 24 °C  
 Humidity: 60 %

File : CH9538  
 40.0 dBm

Data : #2

Date: 2017/4/18  
 Time: 下午 08:10:48



Site : Chamber

Condition : FCC\_part 24 Bandedge

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538 BANDEDGE

Note :

Polarization: *Vertical*

Power : 3.7 Vd.c.


Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1910.000	-69.79	peak	43.82	-25.97	-13.00	150	200	-12.97	



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21703-16710-P-2224  
 FCC ID: 2ALG8RMBU3GTR  
 Band V



Site : Chamber  
 Condition : FCC\_part 22 Bandedge  
 EUT : W6M21703-16710  
 M/N:  
 Test Mode : WCDMA BANDV CH4132 BANDEGE  
 Note :

Polarization: *Horizontal*  
 Power : 3.7 Vd.c.  
 Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.0000	-54.01	peak	33.89	-20.12	-13.00	150	100	-7.12	



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21703-16710-P-2224  
 FCC ID: 2ALG8RMBU3GTR

**Radiated Emission Measurement**

Operator: Mark

File :CH4132

Data :#2


Date: 2017/4/18

Temperature:24 °C

50.0 dBm

Time: 下午 10:09:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 Bandedge

Polarization: *Vertical*

EUT : W6M21703-16710

Power : 3.7 Vd.c.


M/N:

Distance: 3m

Test Mode : WCDMA BANDV CH4132 BANDEGE

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.0000	-54.90	peak	34.75	-20.15	-13.00	150	70	-7.15	



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21703-16710-P-2224  
 FCC ID: 2ALG8RMBU3GTR

### Radiated Emission Measurement

Operator: Mark

File :CH4233

Data :#1


Date: 2017/4/18

Temperature:24 °C

50.0 dBm

Time: 下午 10:17:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 Bandedge

Polarization: *Horizontal*

EUT : W6M21703-16710

Power : 3.7 Vd.c.


M/N:

Distance: 3m

Test Mode : WCDMA BANDV CH4233 BANDEDGE

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	849.0000	-55.99	peak	34.94	-21.05	-13.00	150	100	-8.05	



# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21703-16710-P-2224  
 FCC ID: 2ALG8RMBU3GTR

**Radiated Emission Measurement**

Operator: Mark

File :CH4233

Data :#2


Date: 2017/4/18

Temperature:24 °C

50.0 dBm

Time: 下午 10:18:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 Bandedge

Polarization: *Vertical*

EUT : W6M21703-16710

Power : 3.7 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA BANDV CH4233 BANDEDGE

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	849.0000	-62.48	peak	34.91	-27.57	-13.00	150	200	-14.57	

Test equipment: ETSTW-RE 004, ETSTW-RE 030, ETSTW-RE 062, ETSTW-RE 142, ETSTW-RE 147, ETSTW-GSM 002


Report Number: W6M21703-16710-P-2224

FCC ID: 2ALG8RMBU3GTR

## 8. Frequency Stability

### 8.1 Test procedure

- The equipment under test was supplied with rated power supply and the RF output was connected to a frequency counter via feed through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable, exited the chamber through an opening made for that purpose.  
After the temperature stabilized the frequency output was recorded from the counter.
- An external variable power supply was used to supply nominal voltage and 85% to 115% of nominal voltage to the EUT under room temperature. Record the frequencies measured from the counter.
- End point voltage: For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer. Then record the frequencies measured from the counter.





Report Number: W6M21703-16710-P-2224

FCC ID: 2ALG8RMBU3GTR

**8.2 Test Results**

**8.2.1 Frequency Stability vs. Temperature**

Band 850 MHz & Band 1900 MHz

CH128	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH512	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
3.7VDC	-30	-19.000	-0.023	±2.5	3.7VDC	-30	-23.000	-0.012	±2.5
	-20	-22.000	-0.027			-20	-18.000	-0.010	
	-10	-19.000	-0.023			-10	-20.000	-0.011	
	0	-34.000	-0.041			0	-19.000	-0.010	
	10	-15.000	-0.018			10	-21.000	-0.011	
	20	-19.000	-0.023			20	-30.000	-0.016	
	30	-23.000	-0.028			30	-26.000	-0.014	
	40	-16.000	-0.019			40	-22.000	-0.012	
	50	-30.000	-0.036			50	-25.000	-0.014	
4.07VDC	25	-40.000	-0.049	4.07VDC	25	-19.000	-0.010		
3.33VDC	25	-28.000	-0.034	3.33VDC	25	-23.000	-0.012		
CH188	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH661	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
3.7VDC	-30	-26.000	-0.031	±2.5	3.7VDC	-30	-29.000	-0.015	±2.5
	-20	-18.000	-0.022			-20	-15.000	-0.008	
	-10	-19.000	-0.023			-10	-19.000	-0.010	
	0	-13.000	-0.016			0	-23.000	-0.012	
	10	-18.000	-0.022			10	-17.000	-0.009	
	20	-15.000	-0.018			20	-18.000	-0.010	
	30	-23.000	-0.028			30	-23.000	-0.012	
	40	-29.000	-0.035			40	-15.000	-0.008	
	50	-26.000	-0.031			50	-22.000	-0.012	
4.07VDC	25	-18.000	-0.022	4.07VDC	25	-18.000	-0.010		
3.33VDC	25	-16.000	-0.019	3.33VDC	25	-16.000	-0.009		
CH251	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH810	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
3.7VDC	-30	-15.000	-0.018	±2.5	3.7VDC	-30	-28.000	-0.015	±2.5
	-20	-19.000	-0.022			-20	-16.000	-0.008	
	-10	-20.000	-0.024			-10	-22.000	-0.012	
	0	-18.000	-0.021			0	-23.000	-0.012	
	10	-16.000	-0.019			10	-15.000	-0.008	
	20	-23.000	-0.027			20	-19.000	-0.010	
	30	-18.000	-0.021			30	-24.000	-0.013	
	40	-27.000	-0.032			40	-19.000	-0.010	
	50	-11.000	-0.013			50	-18.000	-0.009	
4.07VDC	25	-15.000	-0.018	4.07VDC	25	-21.000	-0.011		
3.33VDC	25	-16.000	-0.019	3.33VDC	25	-23.000	-0.012		





# Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21703-16710-P-2224

FCC ID: 2ALG8RMBU3GTR

Band II & Band V

CH9262	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4132	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
3.7VDC	-30	15.000	0.018	±2.5	3.7VDC	-30	-26.000	-0.014	±2.5
	-20	26.000	0.032			-20	-19.000	-0.010	
	-10	-13.000	-0.016			-10	23.000	0.012	
	0	18.000	0.022			0	-18.000	-0.010	
	10	27.000	0.033			10	-20.000	-0.011	
	20	18.000	0.022			20	-19.000	-0.010	
	30	31.000	0.038			30	-25.000	-0.014	
	40	26.000	0.032			40	-28.000	-0.015	
4.07VDC	25	21.000	0.025	4.07VDC	25	-19.000	-0.010		
3.33VDC	25	19.000	0.023	3.33VDC	25	-26.000	-0.014		
CH9400	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4183	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
3.7VDC	-30	25.000	0.030	±2.5	3.7VDC	-30	-31.000	-0.016	±2.5
	-20	19.000	0.023			-20	18.000	0.010	
	-10	31.000	0.037			-10	22.000	0.012	
	0	10.000	0.012			0	24.000	0.013	
	10	16.000	0.019			10	-18.000	-0.010	
	20	14.000	0.017			20	-23.000	-0.012	
	30	-23.000	-0.028			30	-19.000	-0.010	
	40	-26.000	-0.031			40	-18.000	-0.010	
50	-29.000	-0.035	50	-11.000	-0.006				
4.07VDC	25	18.000	0.022	4.07VDC	25	-19.000	-0.010		
3.33VDC	25	-19.000	-0.023	3.33VDC	25	-15.000	-0.008		
CH9538	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)	CH4233	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
3.7VDC	-30	11.000	0.013	±2.5	3.7VDC	-30	-16.000	-0.008	±2.5
	-20	-18.000	-0.021			-20	14.000	0.007	
	-10	-12.000	-0.014			-10	-18.000	-0.009	
	0	-20.000	-0.024			0	-12.000	-0.006	
	10	18.000	0.021			10	-23.000	-0.012	
	20	-25.000	-0.029			20	-26.000	-0.014	
	30	19.000	0.022			30	-19.000	-0.010	
	40	23.000	0.027			40	-25.000	-0.013	
50	15.000	0.018	50	29.000	0.015				
4.07VDC	25	19.000	0.022	4.07VDC	25	-13.000	-0.007		
3.33VDC	25	15.000	0.018	3.33VDC	25	-15.000	-0.008		

Test equipment: ETSTW-CE 009, ETSTW-RE 055, ETSTW-GSM 002



Report Number: W6M21703-16710-P-2224

FCC ID: 2ALG8RMBU3GTR

## 9 Maximum Permissible Exposure

### 9.1 Applicable Standard

Systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy levels in excess limit for maximum permissible exposure. In accordance with 47 CFR FCC Part 2 Subpart J, section 2.1091 this device has been defined as a mobile device whereby a distance of - - m normally can be maintained between the user and the device.

### 9.2 MPE Calculation Method

#### (A) Limits for Occupational/Controlled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm <sup>2</sup> )	Averaging Time ( E  <sup>2</sup> ,  H  <sup>2</sup> or S) (minutes)
0.3-3.0	614	1.63	(100)*	6
3.0-30	1842/f	4.89/f	(900/f <sup>2</sup> )*	6
30-300	61.4	0.163	1.0	6
300-1500	--	--	f/300	6
1500-100,000	--	--	5	6

#### (B) Limits for General Population/Uncontrolled Exposure

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm <sup>2</sup> )	Averaging Time ( E  <sup>2</sup> ,  H  <sup>2</sup> or S) (minutes)
0.3-1.34	614	1.63	(100)*	30
1.34-30	824/f	2.19/f	(180/f <sup>2</sup> )*	30
30-300	27.5	0.073	0.2	30
300-1500	--	--	f/1500	30
1500-100,000	--	--	1.0	30

f = frequency in MHz

\*Plane-wave equivalent power density

$$E \text{ (V/m)} \cdot \frac{\sqrt{30 \times P \times G}}{d}$$


$$\text{Power Density: } Pd \text{ (W/m}^2\text{)} \cdot \frac{E^2}{377}$$

E = Electric field (V/m) P = output power (W) G = EUT Antenna numeric gain (numeric)

d = Separation distance between radiator and human body (m)

The formula can be changed to

$$Pd \cdot \frac{30 \times P \times G}{377 \times d^2}$$



Report Number: W6M21703-16710-P-2224  
FCC ID: 2ALG8RMBU3GTR

Frequency	Max output power (dBm) / (W)		Antenna Gain	Power Density(S) (mW/cm <sup>2</sup> )	Limit of Power Density (S) (mW/cm <sup>2</sup> )	Test Result
GSM 850	32.70	1.8621	2.46	0.65	1.0	Complies
PCS 1900	30.43	1.1041	4.06	0.56	1.0	Complies
Band II	21.46	0.14	4.06	0.07	1.0	Complies
Band V	23.00	0.1995	2.46	0.07	1.0	Complies

From the peak EUT RF output power, the minimum mobile separation distance,  $d=0.2$  m, as well as the gain of the used antenna, the RF power density can be obtained.



Report Number: W6M21703-16710-P-2224  
FCC ID: 2ALG8RMBU3GTR

## **Appendix**

Measurement diagrams

1. RF Power Output
2. Filed Strength of Spurious Emission



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T850PH1

Data :#1


Date: 2017/4/10

Temperature:24 °C

40.0 dBm

Time: 下午 03:31:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.2451	-28.12	peak	35.64	7.52	38.45	150	100	-30.93	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T850PH1

Data :#2


Date: 2017/4/10

Temperature:24 °C

40.0 dBm

Time: 下午 03:07:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.1108	-27.51	peak	35.56	8.05	38.45	150	240	-30.40	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T850PH2

Data :#1


Date: 2017/4/10

Temperature:24 °C

40.0 dBm

Time: 下午 03:38:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.1008	-27.81	peak	36.04	8.23	38.45	150	280	-30.22	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T850PH2

Data :#2


Date: 2017/4/10

Temperature:24 °C

40.0 dBm

Time: 下午 02:59:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.1028	-22.99	peak	35.93	12.94	38.45	150	200	-25.51	

\*:Maximum data x:Over limit !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T850PH3

Data :#1


Date: 2017/4/10

Temperature:24 °C

40.0 dBm

Time: 下午 03:45:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	848.7850	-27.71	peak	36.32	8.61	38.45	150	240	-29.84	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T850PH3

Data :#2


Date: 2017/4/10

Temperature:24 °C

40.0 dBm

Time: 下午 02:51:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Vertical*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	837.0411	-23.53	peak	35.96	12.43	38.45	150	140	-26.02	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :T1900PH1

Data :#1


Date: 2017/4/7

Temperature:24 °C

40.0 dBm

Time: 下午 03:57:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 POWER

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.175	-41.91	peak	44.16	2.25	33.00	150	270	-30.75	



Radiated Emission Measurement

Operator: Mark

File :T1900PH1

Data :#2


Date: 2017/4/7

Temperature:24 °C

40.0 dBm

Time: 下午 03:44:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 POWER

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.135	-40.82	peak	45.39	4.57	33.00	150	210	-28.43	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T1900PH2

Data :#1


Date: 2017/4/7

Temperature:24 °C

40.0 dBm

Time: 下午 04:03:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 POWER

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.915	-41.55	peak	44.17	2.62	33.00	150	170	-30.38	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :T1900PH2

Data :#2


Date: 2017/4/7

Temperature:24 °C

40.0 dBm

Time: 下午 03:54:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 POWER

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Vertical*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.965	-40.29	peak	45.49	5.20	33.00	150	220	-27.80	



Radiated Emission Measurement

Operator: Mark

File :T1900PH3

Data :#1


Date: 2017/4/7

Temperature:24 °C

40.0 dBm

Time: 下午 04:10:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 POWER

Polarization: *Horizontal*

EUT : W6M21703-16710

Power : 4.07V d.c.

M/N:

Distance: 3m

Test Mode : PCS1900 CH810 ACTIVE

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1909.815	-40.08	peak	44.40	4.32	33.00	150	200	-28.68	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T1900PH3

Data :#2


Date: 2017/4/7

Temperature:24 °C

40.0 dBm

Time: 下午 03:55:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 POWER

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Vertical*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1909.705	-41.05	peak	45.85	4.80	33.00	150	200	-28.20	

\*:Maximum data x:Over limit !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T850PL1

Data :#1


Date: 2017/4/10

Temperature:24 °C

40.0 dBm

Time: 下午 03:09:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.1088	-27.57	peak	35.63	8.06	38.45	150	240	-30.39	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T850PL1

Data :#2


Date: 2017/4/10

Temperature:24 °C

40.0 dBm

Time: 下午 03:32:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	824.1068	-27.11	peak	35.56	8.45	38.45	150	100	-30.00	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Mark

File :T850PL2

Data :#1


Date: 2017/4/10

Temperature:24 °C

40.0 dBm

Time: 下午 03:41:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.2351	-27.70	peak	36.05	8.35	38.45	150	270	-30.10	



Radiated Emission Measurement

Operator: Mark

File :T850PL2

Data :#2


Date: 2017/4/10

Temperature:24 °C

40.0 dBm

Time: 下午 03:00:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.2351	-23.07	peak	35.94	12.87	38.45	150	240	-25.58	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T850PL3

Data :#1


Date: 2017/4/10

Temperature:24 °C

40.0 dBm

Time: 下午 03:48:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	848.8391	-27.70	peak	36.48	8.78	38.45	150	240	-29.67	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T850PL3

Data :#2


Date: 2017/4/10

Temperature:24 °C

40.0 dBm

Time: 下午 02:52:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	837.0411	-23.40	peak	35.96	12.56	38.45	150	100	-25.89	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :T1900PL1

Data :#1


Date: 2017/4/7

Temperature:24 °C

40.0 dBm

Time: 下午 03:59:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 POWER

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.245	-41.79	peak	44.16	2.37	33.00	150	100	-30.63	



Radiated Emission Measurement

Operator: Mark

File :T1900PL1

Data :#2


Date: 2017/4/7

Temperature:24 °C

40.0 dBm

Time: 下午 04:19:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 POWER

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1850.265	-43.04	peak	45.39	2.35	33.00	150	240	-30.65	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T1900PL2

Data :#1


Date: 2017/4/7

Temperature:24 °C

40.0 dBm

Time: 下午 04:07:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 POWER

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.995	-41.57	peak	44.17	2.60	33.00	150	210	-30.40	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Mark

File :T1900PL2

Data :#2


Date: 2017/4/7

Temperature:24 °C

40.0 dBm

Time: 下午 04:16:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 POWER

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1880.015	-44.84	peak	45.49	0.65	33.00	150	100	-32.35	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T1900PL3

Data :#1


Date: 2017/4/7

Temperature:24 °C

40.0 dBm

Time: 下午 04:11:31

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 POWER

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1909.705	-40.08	peak	44.39	4.31	33.00	150	210	-28.69	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Mark

File :T1900PL3

Data :#2


Date: 2017/4/7

Temperature:24 °C

40.0 dBm

Time: 下午 04:15:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 POWER

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1909.845	-41.92	peak	45.86	3.94	33.00	150	100	-29.06	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#1


Date: 2017/4/15

Temperature:24 °C

50.0 dBm

Time: 下午 09:57:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1852.385	-18.39	peak	43.89	25.50	38.45	150	270	-12.95	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#2


Date: 2017/4/15

Temperature:24 °C

50.0 dBm

Time: 下午 09:59:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1853.046	-24.74	peak	43.84	19.10	38.45	150	80	-19.35	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#1


Date: 2017/4/15

Temperature:24 °C

50.0 dBm

Time: 下午 10:05:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.384	-21.11	peak	43.86	22.75	38.45	150	140	-15.70	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#2


Date: 2017/4/15

Temperature:24 °C

50.0 dBm

Time: 下午 10:06:31

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.354	-24.26	peak	43.71	19.45	38.45	150	200	-19.00	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#1


Date: 2017/4/15

Temperature:24 °C

50.0 dBm

Time: 下午 10:13:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

Polarization: *Horizontal*

EUT : W6M21703-16710

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA BANDII CH9538

Note :

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1906.533	-23.37	peak	43.99	20.62	38.45	150	120	-17.83	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#2


Date: 2017/4/15

Temperature:24 °C

50.0 dBm

Time: 下午 10:10:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1906.563	-26.38	peak	43.75	17.37	38.45	150	140	-21.08	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#1


Date: 2017/4/21

Temperature:24 °C

50.0 dBm

Time: 下午 08:01:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	825.6831	-16.21	peak	33.96	17.75	38.45	150	70	-20.70	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#2


Date: 2017/4/21

Temperature:24 °C

50.0 dBm

Time: 下午 08:09:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	825.9235	-21.33	peak	34.77	13.44	38.45	150	200	-25.01	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#1


Date: 2017/4/21

Temperature:24 °C

50.0 dBm

Time: 下午 08:17:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	837.5168	-16.31	peak	34.46	18.15	38.45	150	140	-20.30	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#2


Date: 2017/4/21

Temperature:24 °C

50.0 dBm

Time: 下午 08:14:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	836.9457	-22.37	peak	34.84	12.47	38.45	150	210	-25.98	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#1


Date: 2017/4/21

Temperature:24 °C

50.0 dBm

Time: 下午 08:20:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	845.5330	-15.48	peak	34.79	19.31	38.45	150	270	-19.14	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#2


Date: 2017/4/21

Temperature:24 °C

50.0 dBm

Time: 下午 08:21:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	845.3224	-21.81	peak	34.89	13.08	38.45	150	100	-25.37	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#1


Date: 2017/4/15

Temperature:24 °C

50.0 dBm

Time: 下午 09:57:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1851.122	-18.60	peak	43.89	25.29	38.45	150	70	-13.16	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#2


Date: 2017/4/15

Temperature:24 °C

50.0 dBm

Time: 下午 10:00:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1852.054	-25.09	peak	43.84	18.75	38.45	150	100	-19.70	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#1


Date: 2017/4/15

Temperature:24 °C

50.0 dBm

Time: 下午 10:04:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.173	-21.03	peak	43.86	22.83	38.45	150	70	-15.62	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#2


Date: 2017/4/15

Temperature:24 °C

50.0 dBm

Time: 下午 10:03:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1879.684	-24.22	peak	43.71	19.49	38.45	150	150	-18.96	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#1


Date: 2017/4/15

Temperature:24 °C

50.0 dBm

Time: 下午 10:12:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1906.563	-23.31	peak	43.99	20.68	38.45	150	100	-17.77	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#2


Date: 2017/4/15

Temperature:24 °C

50.0 dBm

Time: 下午 10:11:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: **Vertical**

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1906.202	-26.75	peak	43.74	16.99	38.45	150	300	-21.46	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#1


Date: 2017/4/21

Temperature:24 °C

50.0 dBm

Time: 下午 10:19:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	826.5850	-15.83	peak	34.00	18.17	38.45	150	170	-20.28	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#2


Date: 2017/4/21

Temperature:24 °C

50.0 dBm

Time: 下午 10:20:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	826.7353	-21.69	peak	34.77	13.08	38.45	150	300	-25.37	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#1


Date: 2017/4/21

Temperature:24 °C

50.0 dBm

Time: 下午 10:23:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	837.1261	-16.38	peak	34.44	18.06	38.45	150	200	-20.39	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#2


Date: 2017/4/21

Temperature:24 °C

50.0 dBm

Time: 下午 10:22:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	837.0660	-22.42	peak	34.84	12.42	38.45	150	300	-26.03	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#1


Date: 2017/4/21

Temperature:24 °C

50.0 dBm

Time: 下午 10:26:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	845.4427	-15.59	peak	34.79	19.20	38.45	150	110	-19.25	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :POWER

Data :#2


Date: 2017/4/21

Temperature:24 °C

50.0 dBm

Time: 下午 10:27:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 POWER

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	845.3224	-21.83	peak	34.89	13.06	38.45	150	70	-25.39	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :T8501H1

Data :#1


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:04:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-104.18	peak	23.64	-80.54	-13.00	150	240	-67.54	
	173.7675	-104.94	peak	23.96	-80.98	-13.00	150	100	-67.98	



Radiated Emission Measurement

Operator: Mark

File :T8501H1

Data :#2


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:04:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-102.46	peak	24.20	-78.26	-13.00	150	270	-65.26	
	184.6693	-104.18	peak	24.53	-79.65	-13.00	150	100	-66.65	



Radiated Emission Measurement

Operator: Mark

File :T8502H1

Data :#1


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 01:40:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	416.4330	-69.94	peak	-8.08	-78.02	-13.00	150	140	-65.02	
*	870.1403	-54.97	peak	0.51	-54.46	-13.00	150	200	-41.46	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8502H1

Data :#2


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 02:34:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	478.9580	-67.63	peak	-5.66	-73.29	-13.00	150	240	-60.29	
*	881.3627	-44.08	peak	0.36	-43.72	-13.00	150	100	-30.72	

\*:Maximum data    x:Over limit    !:over margin





Radiated Emission Measurement

Operator: Mark

File :T8503H1

Data :#1


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:14:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2424.850	-64.69	peak	8.79	-55.90	-13.00	150	240	-42.90	
*	3464.930	-63.92	peak	10.02	-53.90	-13.00	150	280	-40.90	



Radiated Emission Measurement

Operator: Mark

File :T8503H1

Data :#4


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:03:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2280.561	-65.61	peak	6.62	-58.99	-13.00	150	240	-45.99	
*	3452.906	-65.19	peak	10.81	-54.38	-13.00	150	270	-41.38	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503H1

Data :#2


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:15:18

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503H1

Data :#5


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:05:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Vertical*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503H1

Data :#3


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:22:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503H1

Data :#6


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:06:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Vertical*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :T8501H2

Data :#1


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:05:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	73.6072	-103.40	peak	23.94	-79.46	-13.00	150	150	-66.46	
	97.7956	-103.18	peak	23.64	-79.54	-13.00	150	100	-66.54	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8501H2

Data :#2


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:05:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-102.09	peak	24.20	-77.89	-13.00	150	270	-64.89	
	176.4930	-103.95	peak	24.74	-79.21	-13.00	150	280	-66.21	

\*:Maximum data x:Over limit !:over margin





Radiated Emission Measurement

Operator: Mark

File :T8502H2

Data :#1


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 01:44:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	414.8297	-65.63	peak	-8.11	-73.74	-13.00	150	200	-60.74	
*	881.3627	-55.00	peak	0.86	-54.14	-13.00	150	300	-41.14	



Radiated Emission Measurement

Operator: Mark

File :T8502H2

Data :#2


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 02:31:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	414.8297	-66.88	peak	-8.23	-75.11	-13.00	150	240	-62.11	
*	881.3627	-43.98	peak	0.36	-43.62	-13.00	150	100	-30.62	



Radiated Emission Measurement

Operator: Mark

File :T8503H2

Data :#1


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:06:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2382.765	-63.31	peak	8.31	-55.00	-13.00	150	240	-42.00	
*	3218.437	-61.94	peak	7.79	-54.15	-13.00	150	280	-41.15	



Radiated Emission Measurement

Operator: Mark

File :T8503H2

Data :#4


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:00:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2106.212	-64.67	peak	5.79	-58.88	-13.00	150	170	-45.88	
*	2749.499	-65.32	peak	12.08	-53.24	-13.00	150	240	-40.24	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503H2

Data :#2


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:06:40

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503H2

Data :#5


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:01:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Vertical*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503H2

Data :#3


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:06:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503H2

Data :#6


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:02:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Vertical*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8501H3

Data :#1


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:06:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-102.45	peak	23.64	-78.81	-13.00	150	140	-65.81	
	168.9980	-104.24	peak	23.75	-80.49	-13.00	150	120	-67.49	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :T8501H3

Data :#2


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:06:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-103.73	peak	24.20	-79.53	-13.00	150	150	-66.53	
	172.0641	-104.37	peak	24.65	-79.72	-13.00	150	100	-66.72	



Radiated Emission Measurement

Operator: Mark

File :T8502H3

Data :#1


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 01:49:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	333.0661	-71.39	peak	-7.86	-79.25	-13.00	150	240	-66.25	
*	894.1884	-55.83	peak	1.27	-54.56	-13.00	150	170	-41.56	



Radiated Emission Measurement

Operator: Mark

File :T8502H3

Data :#2


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 02:30:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	414.8297	-66.82	peak	-8.23	-75.05	-13.00	150	240	-62.05	
*	894.1884	-43.95	peak	0.37	-43.58	-13.00	150	100	-30.58	



Radiated Emission Measurement

Operator: Mark

File :T8503H3

Data :#1


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 02:57:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2220.441	-64.47	peak	6.52	-57.95	-13.00	150	240	-44.95	
*	3404.810	-64.10	peak	10.05	-54.05	-13.00	150	100	-41.05	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503H3

Data :#4


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:11:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2142.285	-63.70	peak	5.89	-57.81	-13.00	150	240	-44.81	
*	2791.583	-65.26	peak	12.07	-53.19	-13.00	150	200	-40.19	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503H3

Data :#2


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 02:57:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503H3

Data :#5


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:12:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Vertical*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503H3

Data :#3


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:02:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503H3

Data :#6


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:15:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Vertical*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :T19001H1

Data :#1


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:13:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	97.7956	-103.02	peak	23.64	-79.38	-13.00	150	240	-66.38	
*	175.8116	-102.77	peak	24.04	-78.73	-13.00	150	280	-65.73	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19001H1

Data :#2


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:14:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	98.1363	-104.05	peak	24.21	-79.84	-13.00	150	240	-66.84	
*	177.1743	-102.56	peak	24.76	-77.80	-13.00	150	170	-64.80	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Mark

File :T19002H1

Data :#1


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 04:16:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	416.4330	-64.00	peak	-8.08	-72.08	-13.00	150	270	-59.08	
*	897.3948	-61.82	peak	1.37	-60.45	-13.00	150	140	-47.45	



Radiated Emission Measurement

Operator: Mark

File :T19002H1

Data :#2


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 05:09:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	284.9700	-59.06	peak	-7.67	-66.73	-13.00	150	240	-53.73	
	886.1724	-67.34	peak	0.36	-66.98	-13.00	150	170	-53.98	



Radiated Emission Measurement

Operator: Mark

File :T19003H1

Data :#1


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 01:51:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3218.437	-62.98	peak	7.79	-55.19	-13.00	150	40	-42.19	
*	3567.134	-63.56	peak	9.88	-53.68	-13.00	150	200	-40.68	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H1

Data :#6


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 03:15:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3218.437	-62.72	peak	8.97	-53.75	-13.00	150	240	-40.75	
*	3777.555	-62.76	peak	10.84	-51.92	-13.00	150	100	-38.92	

\*:Maximum data x:Over limit !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H1

Data :#2


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 01:52:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H1

Data :#7


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 03:22:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Vertical*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H1

Data :#3


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 01:52:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H1

Data :#8


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 03:23:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Vertical*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H1

Data :#4


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 01:53:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H1

Data :#9


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 03:23:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Vertical*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H1

Data :#5


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 01:53:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H1

Data :#10


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 03:23:40

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Vertical*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Radiated Emission Measurement

Operator: Mark

File :T19001H2

Data :#1


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:14:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-101.66	peak	23.64	-78.02	-13.00	150	240	-65.02	
	185.0100	-103.45	peak	24.01	-79.44	-13.00	150	100	-66.44	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19001H2

Data :#2


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:18:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-102.79	peak	23.64	-79.15	-13.00	150	240	-66.15	
	186.3727	-104.14	peak	23.96	-80.18	-13.00	150	270	-67.18	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Mark

File :T19002H2

Data :#1


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 04:19:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	414.8297	-64.72	peak	-8.11	-72.83	-13.00	150	240	-59.83	
	892.5852	-75.77	peak	1.22	-74.55	-13.00	150	150	-61.55	



Radiated Emission Measurement

Operator: Mark

File :T19002H2

Data :#2


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 05:13:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	414.8297	-64.09	peak	-8.23	-72.32	-13.00	150	240	-59.32	
*	898.9980	-62.86	peak	0.37	-62.49	-13.00	150	270	-49.49	



Radiated Emission Measurement

Operator: Mark

File :T19003H2

Data :#1


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:07:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3218.437	-62.94	peak	7.79	-55.15	-13.00	150	240	-42.15	
*	3627.255	-63.18	peak	9.87	-53.31	-13.00	150	270	-40.31	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H2

Data :#6


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 03:06:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3362.726	-63.22	peak	9.83	-53.39	-13.00	150	240	-40.39	
*	3615.231	-62.94	peak	10.28	-52.66	-13.00	150	100	-39.66	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H2

Data :#2


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:09:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H2

Data :#7


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 03:07:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Vertical*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H2

Data :#3


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:10:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H2

Data :#8


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 03:07:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H2

Data :#4


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:10:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H2

Data :#9


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 03:07:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Vertical*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H2

Data :#5


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:10:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H2

Data :#10


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 03:08:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Vertical*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19001H3

Data :#1


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:19:40

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-102.67	peak	23.64	-79.03	-13.00	150	240	-66.03	
	168.3166	-103.37	peak	23.72	-79.65	-13.00	150	270	-66.65	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Mark

File :T19001H3

Data :#2


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:20:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-102.97	peak	24.20	-78.77	-13.00	150	240	-65.77	
	157.4148	-103.22	peak	24.14	-79.08	-13.00	150	100	-66.08	





Radiated Emission Measurement

Operator: Mark

File :T19002H3

Data :#1


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 04:21:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	238.4770	-57.65	peak	-12.05	-69.70	-13.00	150	240	-56.70	
*	745.0902	-58.57	peak	-2.52	-61.09	-13.00	150	270	-48.09	



Radiated Emission Measurement

Operator: Mark

File :T19002H3

Data :#2


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 05:15:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	414.8297	-64.13	peak	-8.23	-72.36	-13.00	150	240	-59.36	
*	898.9980	-57.13	peak	0.37	-56.76	-13.00	150	280	-43.76	



Radiated Emission Measurement

Operator: Mark

File :T19003H3

Data :#1


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:14:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3218.437	-62.25	peak	7.79	-54.46	-13.00	150	270	-41.46	
*	3615.231	-63.29	peak	9.84	-53.45	-13.00	150	100	-40.45	



Radiated Emission Measurement

Operator: Mark

File :T19003H3

Data :#6


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:59:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2995.992	-64.70	peak	10.38	-54.32	-13.00	150	240	-41.32	
*	3416.834	-63.50	peak	11.14	-52.36	-13.00	150	100	-39.36	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H3

Data :#2


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:14:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H3

Data :#7


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:59:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Vertical*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H3

Data :#3


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:14:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H3

Data :#8


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:59:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Vertical*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H3

Data :#4


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:15:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H3

Data :#9


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 03:00:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: **Vertical**

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H3

Data :#5


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:15:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Horizontal*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003H3

Data :#10


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 03:00:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Vertical*

Power : 4.07V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :1

Data :#3


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 02:22:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	37.0833	-86.57	peak	25.15	-61.42	-13.00	150	165	-48.42	
	185.8333	-86.62	peak	24.47	-62.15	-13.00	150	200	-49.15	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :1

Data :#1


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 02:01:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: **Vertical**

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	78.4935	-88.01	peak	24.00	-64.01	-13.00	150	125	-51.01	
	161.0416	-93.61	peak	25.26	-68.35	-13.00	150	100	-55.35	



Radiated Emission Measurement

Operator: Mark

File :2

Data :#1


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 03:03:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	550.0001	-53.04	peak	-6.70	-59.74	-13.00	150	220	-46.74	
	950.0000	-61.83	peak	0.18	-61.65	-13.00	150	200	-48.65	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :2

Data :#2


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 03:05:18

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	800.0000	-63.47	peak	-1.03	-64.50	-13.00	150	100	-51.50	
	550.0001	-62.67	peak	-4.32	-66.99	-13.00	150	110	-53.99	

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#1


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:08:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#6


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:17:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :3

Data :#2


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:09:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5557.200	-67.75	peak	12.38	-55.37	-13.00	150	300	-42.37	
*	7409.600	-64.95	peak	12.88	-52.07	-13.00	150	210	-39.07	



Radiated Emission Measurement

Operator: Mark

File :3

Data :#7


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:17:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: **Vertical**

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5557.200	-67.91	peak	12.55	-55.36	-13.00	150	250	-42.36	
*	7409.600	-64.60	peak	11.78	-52.82	-13.00	150	130	-39.82	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#3


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:10:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#8


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:18:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#4


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:10:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#9


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:18:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#5


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:11:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Ken

File :3

Data :#10


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:19:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :1

Data :#1


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 02:12:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	105.7372	-92.05	peak	23.08	-68.97	-13.00	150	240	-55.97	
*	162.6763	-92.50	peak	24.65	-67.85	-13.00	150	165	-54.85	



Radiated Emission Measurement

Operator: Mark

File :1

Data :#2


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 02:02:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: **Vertical**

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	82.3077	-86.73	peak	24.06	-62.67	-13.00	150	120	-49.67	
	162.9487	-94.28	peak	25.27	-69.01	-13.00	150	100	-56.01	



Radiated Emission Measurement

Operator: Mark

File :2

Data :#1


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 03:11:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	550.0001	-52.61	peak	-6.70	-59.31	-13.00	150	220	-46.31	
	950.0000	-62.44	peak	0.18	-62.26	-13.00	150	200	-49.26	



Radiated Emission Measurement

Operator: Mark

File :2

Data :#2


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 03:13:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	700.0000	-65.57	peak	-1.36	-66.93	-13.00	150	100	-53.93	
*	800.0000	-63.73	peak	-1.03	-64.76	-13.00	150	140	-51.76	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#1


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:22:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#6


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:34:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Radiated Emission Measurement

Operator: Mark

File :3

Data :#2


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:22:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5640.000	-67.62	peak	12.29	-55.33	-13.00	150	300	-42.33	
*	7520.000	-64.15	peak	12.55	-51.60	-13.00	150	100	-38.60	



Radiated Emission Measurement

Operator: Mark

File :3

Data :#7


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:35:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: **Vertical**

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5640.000	-67.66	peak	12.16	-55.50	-13.00	150	300	-42.50	
*	7520.000	-63.55	peak	12.04	-51.51	-13.00	150	120	-38.51	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#3


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:23:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#8


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:36:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#4


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:23:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#9


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:36:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#5


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:23:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#10


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:36:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Radiated Emission Measurement

Operator: Mark

File :1

Data :#1


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 02:08:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	105.4646	-92.34	peak	23.10	-69.24	-13.00	150	210	-56.24	
*	162.1314	-92.01	peak	24.64	-67.37	-13.00	150	130	-54.37	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :1

Data :#2


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 02:06:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: **Vertical**

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	82.5801	-88.38	peak	24.03	-64.35	-13.00	150	120	-51.35	
	170.3044	-93.84	peak	25.33	-68.51	-13.00	150	140	-55.51	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :2

Data :#1


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 03:24:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	550.0001	-54.24	peak	-6.70	-60.94	-13.00	150	100	-47.94	
	950.0000	-62.24	peak	0.18	-62.06	-13.00	150	130	-49.06	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :2

Data :#2


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 03:26:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: **Vertical**

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	800.0000	-64.14	peak	-1.03	-65.17	-13.00	150	220	-52.17	
	650.0000	-63.93	peak	-3.05	-66.98	-13.00	150	110	-53.98	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#1


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:42:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#6


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:47:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#2


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:43:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5722.800	-67.71	peak	11.99	-55.72	-13.00	150	250	-42.72	
*	7630.400	-64.50	peak	13.00	-51.50	-13.00	150	100	-38.50	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :3

Data :#7


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:48:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: **Vertical**

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5722.800	-66.66	peak	12.13	-54.53	-13.00	150	300	-41.53	
*	7630.400	-64.75	peak	12.44	-52.31	-13.00	150	270	-39.31	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#3


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:44:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#8


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:48:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#4


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:44:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#9


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:49:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#5


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:44:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#10


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:49:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :1

Data :#4


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 下午 04:05:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	98.6538	-90.04	peak	23.32	-66.72	-13.00	150	100	-53.72	
*	168.9423	-90.90	peak	24.79	-66.11	-13.00	150	125	-53.11	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :1

Data :#5


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 下午 04:44:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: **Vertical**

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	77.6763	-87.10	peak	23.87	-63.23	-13.00	150	100	-50.23	
	159.4071	-90.78	peak	25.20	-65.58	-13.00	150	200	-52.58	

\*:Maximum data x:Over limit !:over margin





Radiated Emission Measurement

Operator: Mark

File :2

Data :#1


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 上午 12:16:46

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	549.4990	-53.46	peak	-6.71	-60.17	-13.00	150	120	-47.17	
*	700.2004	-58.74	peak	-0.10	-58.84	-13.00	150	220	-45.84	



Radiated Emission Measurement

Operator: Mark

File :2

Data :#2


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 上午 12:40:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: **Vertical**

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	549.4990	-61.42	peak	-4.34	-65.76	-13.00	150	250	-52.76	
*	700.2004	-60.68	peak	-1.36	-62.04	-13.00	150	70	-49.04	



Radiated Emission Measurement

Operator: Mark

File :3

Data :#1


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:21:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1655.311	-45.23	peak	3.02	-42.21	-13.00	150	300	-29.21	
	3306.400	-61.49	peak	9.65	-51.84	-13.00	150	250	-38.84	



Radiated Emission Measurement

Operator: Mark

File :3

Data :#4


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:30:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: **Vertical**

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1655.311	-48.19	peak	1.48	-46.71	-13.00	150	200	-33.71	
	3306.400	-62.18	peak	8.52	-53.66	-13.00	150	100	-40.66	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#2


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:22:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#5


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:31:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#3


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:22:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#6


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:31:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :1

Data :#3


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 下午 04:08:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	103.5576	-91.12	peak	23.20	-67.92	-13.00	150	100	-54.92	
*	169.4871	-90.99	peak	24.80	-66.19	-13.00	150	220	-53.19	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Mark

File :1

Data :#4


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 下午 04:45:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: **Vertical**

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	77.6763	-86.70	peak	23.87	-62.83	-13.00	150	145	-49.83	
	164.5833	-91.28	peak	25.29	-65.99	-13.00	150	100	-52.99	



Radiated Emission Measurement

Operator: Mark

File :2

Data :#1


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 上午 12:20:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	549.4990	-53.51	peak	-6.71	-60.22	-13.00	150	70	-47.22	
*	700.2004	-58.71	peak	-0.10	-58.81	-13.00	150	220	-45.81	



Radiated Emission Measurement

Operator: Mark

File :2

Data :#2


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 上午 12:41:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: **Vertical**

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	549.4990	-61.27	peak	-4.34	-65.61	-13.00	150	210	-52.61	
*	700.2004	-61.29	peak	-1.36	-62.65	-13.00	150	270	-49.65	



Radiated Emission Measurement

Operator: Mark

File :3

Data :#1


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:08:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-51.58	peak	3.08	-48.50	-13.00	150	40	-35.50	
	3346.400	-61.87	peak	9.74	-52.13	-13.00	110	300	-39.13	



Radiated Emission Measurement

Operator: Mark

File :3

Data :#4


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:14:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: **Vertical**

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-51.68	peak	2.05	-49.63	-13.00	150	150	-36.63	
	3346.400	-61.72	peak	9.10	-52.62	-13.00	150	280	-39.62	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#2


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:09:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#5


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:15:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#3


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:10:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#6


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:16:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :1

Data :#3


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 下午 04:09:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	103.2853	-90.70	peak	23.21	-67.49	-13.00	150	100	-54.49	
*	167.8526	-90.75	peak	24.76	-65.99	-13.00	150	135	-52.99	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :1

Data :#4


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 下午 04:46:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: **Vertical**

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	82.8525	-86.92	peak	24.01	-62.91	-13.00	150	130	-49.91	
	166.7627	-92.20	peak	25.30	-66.90	-13.00	150	140	-53.90	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Mark

File :2

Data :#1


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 上午 12:28:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	549.4990	-53.68	peak	-6.71	-60.39	-13.00	150	70	-47.39	
*	700.2004	-59.34	peak	-0.10	-59.44	-13.00	150	200	-46.44	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :2

Data :#2


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 上午 12:43:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: **Vertical**

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	549.4990	-61.57	peak	-4.34	-65.91	-13.00	150	270	-52.91	
*	700.2004	-60.93	peak	-1.36	-62.29	-13.00	150	300	-49.29	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :3

Data :#1


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 09:55:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1691.383	-44.00	peak	3.14	-40.86	-13.00	150	300	-27.86	
	3386.400	-61.96	peak	9.82	-52.14	-13.00	150	220	-39.14	



Radiated Emission Measurement

Operator: Mark

File :3

Data :#4


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:04:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: **Vertical**

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1691.383	-45.43	peak	2.63	-42.80	-13.00	150	300	-29.80	
	3386.400	-62.07	peak	9.67	-52.40	-13.00	150	100	-39.40	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#2


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 09:56:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#5


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:05:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#3


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 09:56:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#6


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:06:14

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :T8501L1

Data :#1


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:07:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-103.02	peak	23.64	-79.38	-13.00	150	240	-66.38	
	173.0862	-104.50	peak	23.93	-80.57	-13.00	150	170	-67.57	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8501L1

Data :#2


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:07:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-102.92	peak	24.20	-78.72	-13.00	150	240	-65.72	
	179.5591	-104.18	peak	24.81	-79.37	-13.00	150	100	-66.37	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Mark

File :T8502L1

Data :#1


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 01:42:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	703.4068	-68.17	peak	-0.92	-69.09	-13.00	150	240	-56.09	
*	870.1403	-54.70	peak	0.51	-54.19	-13.00	150	200	-41.19	



Radiated Emission Measurement

Operator: Mark

File :T8502L1

Data :#2


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 02:38:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	301.0020	-69.60	peak	-5.47	-75.07	-13.00	150	240	-62.07	
*	881.3627	-43.91	peak	0.36	-43.55	-13.00	150	270	-30.55	





Radiated Emission Measurement

Operator: Mark

File :T8503L1

Data :#1


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:12:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	2460.922	-60.42	peak	8.35	-52.07	-13.00	150	240	-39.07	
	3218.437	-61.39	peak	7.79	-53.60	-13.00	150	100	-40.60	



Radiated Emission Measurement

Operator: Mark

File :T8503L1

Data :#4


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:17:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1979.960	-65.17	peak	5.69	-59.48	-13.00	150	150	-46.48	
*	3428.858	-65.75	peak	11.03	-54.72	-13.00	150	100	-41.72	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503L1

Data :#2


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:12:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503L1

Data :#5


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:18:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503L1

Data :#3


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:13:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503L1

Data :#6


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:20:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH128 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :T8501L2

Data :#1


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:08:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-100.89	peak	23.64	-77.25	-13.00	150	240	-64.25	
	165.9320	-103.80	peak	23.62	-80.18	-13.00	150	100	-67.18	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8501L2

Data :#2


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:10:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-103.04	peak	24.20	-78.84	-13.00	150	240	-65.84	
	169.6794	-104.04	peak	24.60	-79.44	-13.00	150	140	-66.44	

\*:Maximum data x:Over limit !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8502L2

Data :#1


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 01:45:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	331.4630	-69.09	peak	-7.91	-77.00	-13.00	150	240	-64.00	
*	881.3627	-54.69	peak	0.86	-53.83	-13.00	150	150	-40.83	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Mark

File :T8502L2

Data :#2


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 02:33:39

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	331.4630	-67.90	peak	-6.77	-74.67	-13.00	150	240	-61.67	
*	881.3627	-44.03	peak	0.36	-43.67	-13.00	150	170	-30.67	



Radiated Emission Measurement

Operator: Mark

File :T8503L2

Data :#1


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:07:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2406.814	-63.75	peak	9.01	-54.74	-13.00	150	240	-41.74	
*	3218.437	-61.08	peak	7.79	-53.29	-13.00	150	270	-40.29	



Radiated Emission Measurement

Operator: Mark

File :T8503L2

Data :#4


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:21:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2088.176	-63.96	peak	5.82	-58.14	-13.00	150	240	-45.14	
*	2707.415	-64.48	peak	12.09	-52.39	-13.00	150	100	-39.39	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503L2

Data :#2


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:08:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503L2

Data :#5


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:22:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503L2

Data :#3


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 03:11:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503L2

Data :#6


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:22:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH188 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8501L3

Data :#1


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:11:21

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-102.22	peak	23.64	-78.58	-13.00	150	140	-65.58	
	153.3267	-103.91	peak	22.99	-80.92	-13.00	150	100	-67.92	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8501L3

Data :#2


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:11:40

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-103.18	peak	24.20	-78.98	-13.00	150	170	-65.98	
	160.1403	-104.04	peak	24.39	-79.65	-13.00	150	280	-66.65	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8502L3

Data :#1


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 01:50:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	414.8297	-67.51	peak	-8.11	-75.62	-13.00	150	240	-62.62	
*	894.1884	-55.70	peak	1.27	-54.43	-13.00	150	100	-41.43	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Mark

File :T8502L3

Data :#2


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 02:42:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	738.6774	-65.27	peak	-1.41	-66.68	-13.00	150	240	-53.68	
*	894.1884	-43.93	peak	0.37	-43.56	-13.00	150	150	-30.56	



Radiated Emission Measurement

Operator: Mark

File :T8503L3

Data :#1


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 02:52:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2388.778	-62.26	peak	8.58	-53.68	-13.00	150	140	-40.68	
*	2995.992	-62.71	peak	9.89	-52.82	-13.00	150	210	-39.82	



Radiated Emission Measurement

Operator: Mark

File :T8503L3

Data :#4


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:23:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2394.790	-61.38	peak	7.51	-53.87	-13.00	150	140	-40.87	
*	3398.798	-64.32	peak	11.24	-53.08	-13.00	150	210	-40.08	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503L3

Data :#2


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 02:55:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503L3

Data :#5


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:28:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503L3

Data :#3


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 02:56:28

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T8503L3

Data :#6


Date: 2017/4/6

Temperature:24 °C

0.0 dBm

Time: 下午 05:28:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : GSM850 CH251 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :T19001L1

Data :#1


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:20:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	75.6513	-103.76	peak	23.91	-79.85	-13.00	150	270	-66.85	
	170.7014	-104.32	peak	23.82	-80.50	-13.00	150	140	-67.50	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19001L1

Data :#2


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:21:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	97.7956	-102.77	peak	24.20	-78.57	-13.00	150	240	-65.57	
*	159.4590	-102.45	peak	24.34	-78.11	-13.00	150	100	-65.11	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :T19002L1

Data :#1


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 04:22:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	416.4330	-64.50	peak	-8.08	-72.58	-13.00	150	240	-59.58	
*	730.6614	-56.36	peak	-1.97	-58.33	-13.00	150	140	-45.33	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19002L1

Data :#2


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 05:02:50

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	333.0662	-63.33	peak	-6.84	-70.17	-13.00	150	240	-57.17	
	762.7255	-71.60	peak	-1.43	-73.03	-13.00	150	140	-60.03	

\*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Mark

File :T19003L1

Data :#1


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 01:54:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: **Horizontal**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3194.389	-63.04	peak	7.63	-55.41	-13.00	150	170	-42.41	
*	3458.918	-63.23	peak	10.03	-53.20	-13.00	150	240	-40.20	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L1

Data :#6


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:52:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3194.389	-64.84	peak	9.23	-55.61	-13.00	150	240	-42.61	
*	3428.858	-64.41	peak	11.03	-53.38	-13.00	150	200	-40.38	

\*:Maximum data x:Over limit !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L1

Data :#2


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 01:56:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L1

Data :#7


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:52:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L1

Data :#3


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 01:56:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L1

Data :#8


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:53:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L1

Data :#4


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 01:56:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L1

Data :#9


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:58:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L1

Data :#5


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 01:57:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L1

Data :#10


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:58:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH512 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19001L2

Data :#1


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:21:57

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-102.97	peak	23.64	-79.33	-13.00	150	140	-66.33	
	182.2846	-104.18	peak	24.13	-80.05	-13.00	150	100	-67.05	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19001L2

Data :#2


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:22:18

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-102.60	peak	24.20	-78.40	-13.00	150	20	-65.40	
	169.6794	-103.90	peak	24.60	-79.30	-13.00	150	140	-66.30	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :T19002L2

Data :#1


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 04:23:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	416.4330	-64.61	peak	-8.08	-72.69	-13.00	150	270	-59.69	
*	730.6614	-49.56	peak	-1.97	-51.53	-13.00	150	140	-38.53	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19002L2

Data :#2


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 05:05:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	331.4630	-61.64	peak	-6.77	-68.41	-13.00	150	240	-55.41	
*	889.3788	-68.46	peak	0.36	-68.10	-13.00	150	280	-55.10	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L2

Data :#1


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:00:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3218.437	-62.20	peak	7.79	-54.41	-13.00	150	240	-41.41	
*	3753.507	-63.36	peak	9.93	-53.43	-13.00	150	100	-40.43	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L2

Data :#6


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:45:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3200.401	-64.73	peak	9.32	-55.41	-13.00	150	240	-42.41	
*	3801.603	-64.78	peak	10.99	-53.79	-13.00	150	100	-40.79	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L2

Data :#2


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:01:05

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L2

Data :#7


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:45:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L2

Data :#3


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:01:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L2

Data :#8


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:46:02

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L2

Data :#4


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:01:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L2

Data :#9


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:46:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L2

Data :#5


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:01:58

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L2

Data :#10


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:47:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH661 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19001L3

Data :#1


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:23:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-103.15	peak	23.64	-79.51	-13.00	150	240	-66.51	
	152.6453	-103.95	peak	22.95	-81.00	-13.00	150	100	-68.00	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19001L3

Data :#2


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:23:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7956	-103.06	peak	24.20	-78.86	-13.00	150	240	-65.86	
	160.4810	-104.65	peak	24.40	-80.25	-13.00	150	280	-67.25	

\*:Maximum data x:Over limit !:over margin





Radiated Emission Measurement

Operator: Mark

File :T19002L3

Data :#1


Date: 2017/4/10

Temperature:24 °C

0.0 dBm

Time: 下午 04:27:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	478.9580	-63.81	peak	-7.01	-70.82	-13.00	150	240	-57.82	
*	729.0582	-45.72	peak	-1.91	-47.63	-13.00	150	140	-34.63	



Radiated Emission Measurement

Operator: Mark

File :T19002L3

Data :#2


Date: 2017/4/11

Temperature:24 °C

0.0 dBm

Time: 上午 10:30:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	416.4330	-66.00	peak	-8.17	-74.17	-13.00	150	100	-61.17	
	639.2786	-77.03	peak	-2.70	-79.73	-13.00	150	240	-66.73	



Radiated Emission Measurement

Operator: Mark

File :T19003L3

Data :#1


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:16:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3368.738	-65.09	peak	9.55	-55.54	-13.00	150	170	-42.54	
*	3873.748	-64.94	peak	10.27	-54.67	-13.00	150	240	-41.67	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L3

Data :#6


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:30:12

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: **Vertical**

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	3284.569	-63.65	peak	8.32	-55.33	-13.00	150	170	-42.33	
*	3951.904	-64.45	peak	10.50	-53.95	-13.00	150	240	-40.95	

\*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L3

Data :#2


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:19:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L3

Data :#7


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:30:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L3

Data :#3


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:19:33

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L3

Data :#8


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:30:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L3

Data :#4


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:19:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L3

Data :#9


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:31:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L3

Data :#5


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:20:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Horizontal*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :T19003L3

Data :#10


Date: 2017/4/7

Temperature:24 °C

0.0 dBm

Time: 下午 02:31:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : PCS1900 CH810 ACTIVE

Note :

Polarization: *Vertical*

Power : 3.33V d.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :1

Data :#2


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 02:24:03

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	79.8558	-87.89	peak	24.22	-63.67	-13.00	150	50	-50.67	
*	178.2051	-86.82	peak	24.99	-61.83	-13.00	150	100	-48.83	



Radiated Emission Measurement

Operator: Mark

File :1

Data :#1


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 02:00:23

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: **Vertical**

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.6827	-85.12	peak	22.90	-62.22	-13.00	150	105	-49.22	
	165.1280	-93.29	peak	25.29	-68.00	-13.00	150	100	-55.00	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Ken

File :2

Data :#1


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 03:01:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	550.0001	-52.81	peak	-6.70	-59.51	-13.00	150	100	-46.51	
	951.2821	-61.94	peak	0.14	-61.80	-13.00	150	130	-48.80	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :2

Data :#2


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 03:06:40

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: **Vertical**

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	800.0000	-63.47	peak	-1.03	-64.50	-13.00	150	200	-51.50	
	700.0000	-65.73	peak	-1.36	-67.09	-13.00	150	120	-54.09	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#1


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:04:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#6


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:14:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :3

Data :#2


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:05:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5557.200	-66.59	peak	12.38	-54.21	-13.00	150	100	-41.21	
*	7409.600	-64.34	peak	12.88	-51.46	-13.00	150	250	-38.46	



Radiated Emission Measurement

Operator: Mark

File :3

Data :#7


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:14:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: **Vertical**

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5557.200	-67.82	peak	12.55	-55.27	-13.00	150	100	-42.27	
*	7409.600	-64.45	peak	11.78	-52.67	-13.00	150	210	-39.67	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#3


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:06:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#8


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:15:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#4


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:06:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#9


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:15:41

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#5


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:06:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#10


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:15:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9262

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :1

Data :#2


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 02:11:00

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	126.7146	-91.48	peak	22.62	-68.86	-13.00	150	100	-55.86	
*	165.1282	-92.31	peak	24.70	-67.61	-13.00	150	115	-54.61	



Radiated Emission Measurement

Operator: Mark

File :1

Data :#1


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 02:04:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: **Vertical**

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	81.7628	-87.47	peak	24.10	-63.37	-13.00	150	200	-50.37	
	165.9454	-94.15	peak	25.30	-68.85	-13.00	150	100	-55.85	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :2

Data :#1


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 03:09:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	550.0001	-52.65	peak	-6.70	-59.35	-13.00	150	160	-46.35	
	951.2821	-62.00	peak	0.14	-61.86	-13.00	150	100	-48.86	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :2

Data :#2


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 03:14:20

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	700.0000	-65.91	peak	-1.36	-67.27	-13.00	150	100	-54.27	
*	800.0000	-63.36	peak	-1.03	-64.39	-13.00	150	210	-51.39	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#1


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:26:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#6


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:30:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#2


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:26:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5640.000	-67.44	peak	12.29	-55.15	-13.00	150	300	-42.15	
*	7520.000	-64.41	peak	12.55	-51.86	-13.00	150	130	-38.86	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#7


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:31:10

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: **Vertical**

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5640.000	-68.05	peak	12.16	-55.89	-13.00	150	100	-42.89	
*	7520.000	-64.22	peak	12.04	-52.18	-13.00	150	200	-39.18	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#3


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:28:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#8


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:31:53

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#4


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:28:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#9


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:32:04

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#5


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:28:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#10


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:32:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9400

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Radiated Emission Measurement

Operator: Mark

File :1

Data :#1


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 02:05:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: **Vertical**

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	105.1923	-87.17	peak	24.24	-62.93	-13.00	150	100	-49.93	
	166.2177	-93.78	peak	25.30	-68.48	-13.00	150	100	-55.48	



Radiated Emission Measurement

Operator: Mark

File :1

Data :#2


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 02:09:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	98.1090	-92.68	peak	23.29	-69.39	-13.00	150	100	-56.39	
*	161.8590	-92.16	peak	24.63	-67.53	-13.00	150	135	-54.53	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :2

Data :#1


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 03:22:51

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	550.0001	-54.08	peak	-6.70	-60.78	-13.00	150	240	-47.78	
	950.0000	-62.26	peak	0.18	-62.08	-13.00	150	210	-49.08	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :2

Data :#2


Date: 2017/4/15

Temperature:24 °C

-5.0 dBm

Time: 下午 03:28:29

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	800.0000	-64.39	peak	-1.03	-65.42	-13.00	150	210	-52.42	
	850.0000	-66.74	peak	-0.72	-67.46	-13.00	150	130	-54.46	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#1


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:39:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#6


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:50:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#2


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:39:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5722.800	-67.38	peak	11.99	-55.39	-13.00	150	200	-42.39	
*	7630.000	-64.75	peak	13.00	-51.75	-13.00	150	230	-38.75	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :3

Data :#7


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:51:37

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: **Vertical**

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5722.800	-67.47	peak	12.13	-55.34	-13.00	150	100	-42.34	
*	7630.400	-64.63	peak	12.44	-52.19	-13.00	150	230	-39.19	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#3


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:40:56

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#8


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:52:22

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#4


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:41:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#9


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:52:34

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#5


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:41:19

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#10


Date: 2017/4/15

Temperature:24 °C

0.0 dBm

Time: 下午 11:52:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 24 (1900 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BANDII CH9538

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

**Radiated Emission Measurement**

Operator: Mark

File :1

Data :#3


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 下午 04:10:17

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	31.0897	-89.27	peak	25.23	-64.04	-13.00	150	215	-51.04	
	103.8301	-90.39	peak	23.19	-67.20	-13.00	150	100	-54.20	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :1

Data :#4


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 下午 04:42:59

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: **Vertical**

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	76.0417	-87.20	peak	23.60	-63.60	-13.00	150	100	-50.60	
	164.3110	-91.70	peak	25.28	-66.42	-13.00	150	100	-53.42	





Radiated Emission Measurement

Operator: Mark

File :2

Data :#1


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 上午 12:29:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	549.4990	-53.33	peak	-6.71	-60.04	-13.00	150	300	-47.04	
*	700.2004	-58.55	peak	-0.10	-58.65	-13.00	150	290	-45.65	



Radiated Emission Measurement

Operator: Mark

File :2

Data :#2


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 上午 12:38:48

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: **Vertical**

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	549.4990	-61.62	peak	-4.34	-65.96	-13.00	150	300	-52.96	
*	700.2004	-61.16	peak	-1.36	-62.52	-13.00	150	270	-49.52	



Radiated Emission Measurement

Operator: Mark

File :3

Data :#1


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:24:08

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2479.800	-61.27	peak	6.48	-54.79	-13.00	150	180	-41.79	
*	3306.400	-62.18	peak	9.65	-52.53	-13.00	150	100	-39.53	



Radiated Emission Measurement

Operator: Mark

File :3

Data :#4


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:33:06

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: **Vertical**

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1655.311	-47.90	peak	1.48	-46.42	-13.00	150	270	-33.42	
	3306.400	-61.53	peak	8.52	-53.01	-13.00	150	120	-40.01	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#2


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:24:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#5


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:33:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#3


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:25:31

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#6


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:34:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4132

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Radiated Emission Measurement

Operator: Mark

File :1

Data :#3


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 下午 04:37:16

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	102.7403	-90.85	peak	23.24	-67.61	-13.00	150	150	-54.61	
*	163.4936	-91.15	peak	24.67	-66.48	-13.00	150	245	-53.48	



Radiated Emission Measurement

Operator: Mark

File :1

Data :#4


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 下午 04:41:40

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: **Vertical**

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	104.6474	-87.76	peak	24.27	-63.49	-13.00	150	160	-50.49	
	163.4934	-90.99	peak	25.28	-65.71	-13.00	150	100	-52.71	



Radiated Emission Measurement

Operator: Mark

File :2

Data :#1


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 上午 12:31:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	549.4990	-53.62	peak	-6.71	-60.33	-13.00	150	110	-47.33	
*	700.2004	-58.50	peak	-0.10	-58.60	-13.00	150	280	-45.60	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :2

Data :#2


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 上午 12:37:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: **Vertical**

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	549.4990	-61.55	peak	-4.34	-65.89	-13.00	150	80	-52.89	
*	700.2004	-61.14	peak	-1.36	-62.50	-13.00	150	220	-49.50	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :3

Data :#1


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:11:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-51.08	peak	3.08	-48.00	-13.00	150	80	-35.00	
	3346.400	-61.70	peak	9.74	-51.96	-13.00	150	105	-38.96	



Radiated Emission Measurement

Operator: Mark

File :3

Data :#4


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:17:35

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: **Vertical**

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-51.65	peak	2.05	-49.60	-13.00	150	300	-36.60	
	3346.400	-61.50	peak	9.10	-52.40	-13.00	150	100	-39.40	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#2


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:12:07

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#5


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:18:13

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#3


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:12:49

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#6


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:18:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4183

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :1

Data :#3


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 下午 04:38:36

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	98.3813	-91.18	peak	23.31	-67.87	-13.00	150	200	-54.87	
*	159.4071	-90.12	peak	24.55	-65.57	-13.00	150	100	-52.57	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :1

Data :#4


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 下午 04:40:18

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: **Vertical**

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	77.4038	-87.12	peak	23.82	-63.30	-13.00	150	130	-50.30	
	164.8557	-91.42	peak	25.29	-66.13	-13.00	150	100	-53.13	

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Mark

File :2

Data :#1


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 上午 12:32:42

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	549.4990	-53.37	peak	-6.71	-60.08	-13.00	150	250	-47.08	
*	700.2004	-58.49	peak	-0.10	-58.59	-13.00	150	100	-45.59	



Radiated Emission Measurement

Operator: Mark

File :2

Data :#2


Date: 2017/4/21

Temperature:24 °C

-5.0 dBm

Time: 上午 12:35:32

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	549.4990	-61.52	peak	-4.34	-65.86	-13.00	150	200	-52.86	
*	700.2004	-61.36	peak	-1.36	-62.72	-13.00	150	300	-49.72	



Radiated Emission Measurement

Operator: Mark

File :3

Data :#1


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 09:58:15

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1691.383	-44.18	peak	3.14	-41.04	-13.00	150	120	-28.04	
	3386.400	-61.20	peak	9.82	-51.38	-13.00	150	130	-38.38	



Radiated Emission Measurement

Operator: Mark

File :3

Data :#4


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:02:09

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: *Vertical*

Power : 7.92VDC

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1691.383	-45.40	peak	2.63	-42.77	-13.00	150	220	-29.77	
	3386.400	-61.82	peak	9.67	-52.15	-13.00	150	120	-39.15	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#2


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 09:58:54

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#5


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:02:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: *Vertical*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#3


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 09:59:38

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: *Horizontal*

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Mark

File :3

Data :#6


Date: 2017/4/21

Temperature:24 °C

0.0 dBm

Time: 下午 10:03:30

Humidity:60 %



Site : Chamber

Condition : FCC\_part 22 (850 band)

EUT : W6M21703-16710

M/N:

Test Mode : WCDMA BAND V CH4233

Note :

Polarization: **Vertical**

Power : 3.33 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/5/12

Temperature:24 °C

80.0 dBuV/m

Time: 上午 12:46:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21703-16710

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM 850 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	136.9138	27.45	peak	-6.80	20.65	43.50	100	245	-22.85	
	488.7574	29.39	peak	-2.87	26.52	46.00	100	80	-19.48	
	653.9880	28.93	peak	-0.23	28.70	46.00	100	220	-17.30	
*	733.6874	29.97	peak	0.24	30.21	46.00	100	75	-15.79	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/5/12

Temperature:24 °C

80.0 dBuV/m

Time: 上午 12:46:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21703-16710

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM 850 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	134.9700	27.14	peak	-6.75	20.39	43.50	100	195	-23.11	
	453.7675	28.91	peak	-3.16	25.75	46.00	100	60	-20.25	
	527.6352	29.19	peak	-2.31	26.88	46.00	100	220	-19.12	
*	741.4630	28.64	peak	0.37	29.01	46.00	100	145	-16.99	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2017/5/16

Temperature:24 °C

90.0 dBuV/m

Time: 下午 06:21:44

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21703-16710

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM 850 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4829.659	42.29	peak	0.11	42.40	74.00	150	275	-31.60	
*	7214.429	40.90	peak	5.06	45.96	74.00	150	330	-28.04	



Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2017/5/16

Temperature:24 °C

90.0 dBuV/m

Time: 下午 06:27:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: **Vertical**

EUT : W6M21703-16710

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM 850 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4577.154	42.60	peak	-0.05	42.55	74.00	150	180	-31.45	
*	7340.681	41.11	peak	5.12	46.23	74.00	150	155	-27.77	





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2017/5/16

Temperature:24 °C

90.0 dBuV/m

Time: 下午 06:24:26

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21703-16710

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM 850 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2017/5/16

Temperature:24 °C

90.0 dBuV/m

Time: 下午 06:29:01

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21703-16710

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : GSM 850 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2017/5/12

Temperature:24 °C

80.0 dBuV/m

Time: 上午 12:52:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

EUT : W6M21703-16710

M/N:

Test Mode : PCS 1900 Idle

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	129.1382	27.37	peak	-6.67	20.70	43.50	100	145	-22.80	
	488.7574	29.60	peak	-2.87	26.73	46.00	100	230	-19.27	
	636.4930	28.67	peak	-0.66	28.01	46.00	100	165	-17.99	
*	893.0861	28.55	peak	3.12	31.67	46.00	100	75	-14.33	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2017/5/12

Temperature:24 °C

80.0 dBuV/m

Time: 上午 12:53:18

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21703-16710

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	140.8015	27.60	peak	-6.94	20.66	43.50	100	85	-22.84	
	407.1142	27.33	peak	-3.48	23.85	46.00	100	145	-22.15	
	488.7575	29.98	peak	-2.87	27.11	46.00	100	260	-18.89	
*	704.5291	29.08	peak	-0.25	28.83	46.00	100	90	-17.17	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#1


Date: 2017/5/16

Temperature:24 °C

90.0 dBuV/m

Time: 下午 06:44:27

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21703-16710

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4492.986	42.02	peak	0.00	42.02	74.00	150	300	-31.98	
*	6905.811	40.83	peak	4.89	45.72	74.00	150	255	-28.28	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#5


Date: 2017/5/16

Temperature:24 °C

90.0 dBuV/m

Time: 下午 06:47:43

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21703-16710

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5026.052	42.19	peak	0.33	42.52	74.00	150	205	-31.48	
*	6555.110	41.73	peak	4.20	45.93	74.00	150	185	-28.07	

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#2


Date: 2017/5/16

Temperature:24 °C

90.0 dBuV/m

Time: 下午 06:45:55

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21703-16710

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#6


Date: 2017/5/16

Temperature:24 °C

90.0 dBuV/m

Time: 下午 06:49:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21703-16710

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin





Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#3


Date: 2017/5/16

Temperature:24 °C

90.0 dBuV/m

Time: 下午 07:05:45

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Horizontal*

EUT : W6M21703-16710

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#7


Date: 2017/5/16

Temperature:24 °C

90.0 dBuV/m

Time: 下午 07:09:47

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

Polarization: *Vertical*

EUT : W6M21703-16710

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : PCS 1900 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#4


Date: 2017/5/16

Temperature:24 °C

90.0 dBuV/m

Time: 下午 07:06:52

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M21703-16710

M/N:

Test Mode : PCS 1900 Idle

Note :

Polarization: *Horizontal*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei  
 Tel:+886-2-6606-8877  
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Sora

File :3

Data :#8


Date: 2017/5/16

Temperature:24 °C

90.0 dBuV/m

Time: 下午 07:10:24

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_Above 1GHz\_PK

EUT : W6M21703-16710

M/N:

Test Mode : PCS 1900 Idle

Note :

Polarization: *Vertical*

Power : 4.07 Vd.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

\*:Maximum data    x:Over limit    !:over margin



Radiated Emission Measurement

Operator: Leon

File :1

Data :#1


Date: 2017/4/20

Temperature:24 °C

80.0 dBuV/m

Time: 下午 07:47:25

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Horizontal*

EUT : W6M21703-16710

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band II Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	146.6332	13.27	peak	15.21	28.48	43.50	100	135	-15.02	
	346.8536	19.69	peak	17.01	36.70	46.00	100	80	-9.30	
	848.3768	14.48	peak	26.59	41.07	46.00	100	175	-4.93	
*	947.5150	13.43	peak	28.08	41.51	46.00	100	210	-4.49	



Radiated Emission Measurement

Operator: Leon

File :1

Data :#2


Date: 2017/4/20

Temperature:24 °C

80.0 dBuV/m

Time: 下午 07:48:11

Humidity:60 %



Site : Chamber

Condition : FCC\_part 15 RE-Class B\_30-1000MHz

Polarization: *Vertical*

EUT : W6M21703-16710

Power : 4.07 Vd.c.

M/N:

Distance: 3m

Test Mode : WCDMA Band II Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	31.9440	18.20	peak	13.30	31.50	40.00	100	140	-8.50	
	146.6333	17.76	peak	15.21	32.97	43.50	100	50	-10.53	
	346.8536	17.06	peak	17.01	34.07	46.00	100	130	-11.93	
*	947.5150	14.57	peak	28.08	42.65	46.00	100	95	-3.35	