

# RF EXPOSURE EVALUATION REPORT

**APPLICANT**: ShenZhen Earfone Technology Co. Ltd

**PRODUCT NAME**: Bluetooth headset

**MODEL NAME** : SD-V1,SD-V2,V11,V13,V18,V19

**BRAND NAME**: SAUDIO EARFONE

FCC ID : 2ALGKSDV1SDV2V11V13

**STANDARD(S)** : 47CFR 2.1093

KDB 447498

**ISSUE DATE** : 2018-01-08

Tested by:

Peng Fuwei (Test engineer)

Approved by:

Peng Huarui (Supervisor)

**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.



Tel: 86-755-36698555

Fax: 86-755-36698525

Http://www.morlab.cn

E-mail: service@morlab.cn





# **DIRECTORY**

1. Technical Information ······	:
1.1 Applicant and Manufacturer Information	
1.2 Equipment Under Test (EUT) Description	:
1.3 Photographs of the EUT ······	~
1.4 Applied Reference Documents ·······	,,,
2. Device Category And RF Exposure Limit ···································	(
3. Measurement Of conducted Peak Output Power ······	
4. RF Exposure Evaluation ······	
Annex A General Information ····································	

Change History			
Issue	Date	Reason for change	
1.0	2018-01-08	First edition	



# 1. Technical Information

Note: Provide by manufacturer.

## 1.1 Applicant and Manufacturer Information

Applicant:	ShenZhen Earfone Technology Co. Ltd		
Annlicont Address.	4D 5block NanYou TianAn Industrial Zone, DengLiang Road,		
Applicant Address:	Nanshan District, Shenzhen City, Guangdong province, China		
Manufacturer:	Dongguan City Dongcheng Earfone Electronics Factory		
Manufacturan Address	earfone Industrial Zone Lian Tang Road, Dong Cheng		
Manufacturer Address:	District, Dong Guan City, China		

## 1.2 Equipment Under Test (EUT) Description

EUT Type:	Bluetooth headset
Hardware Version:	HV2.1.2
Software Version:	SV1.1.6
Frequency Bands:	Bluetooth 4.2(BR+EDR):2402 MHz -2480MHz;
Modulation Mode:	Bluetooth 4.2(BR+EDR): FHSS (GFSK(1Mbps), π/4-DQPSK(EDR
	2Mbps), 8-DPSK(EDR 3Mbps));
Antenna Type:	Chip Antenna
Antenna Gain:	4.9dBi

**Note 1:** According to the certificate holder, they declared that the models: SD-V1, SD-V2, V11, V13, V18 and V19 only the model numbers are different, everything else is the same. The main measuring model is SD-V1, only the results for SD-V1 were recorded in this report.





# 1.3 Photographs of the EUT

#### 1. EUT front view



## 2. EUT rear view







#### 1.3.1 Identification of all used EUT

The EUT identity consists of numerical and letter characters, the letter character indicates the test sample, and the following two numerical characters indicate the software version of the test sample.

EUT Identity	Hardware Version	Software Version
1#	HV2.1.2	SV1.1.6

# 1.4 Applied Reference Documents

Leading reference documents for testing:

No.	Identity	Document Title
1	47 CFR§2.1093	Radio frequency Radiation Exposure Evaluation: portable
		devices
2	KDB 447498 D01v06	General RF Exposure Guidance

FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,



# 2. Device Category And RF Exposure Limit

Per user manual, this device is a Bluetooth headset. Based on 47CFR 2.1093, this device belongs to portable device category with General Population/Uncontrolled exposure.

#### **Portable Devices:**

47CFR 2.1093(b)

For purposes of this section, a portable device is defined as a transmitting device designed to be used so that the radiating structure(s) of the device is/are within 20 centimeters of the body of the user.

#### **GENERAL POPULATION / UNCONTROLLED EXPOSURE**

47CFR 2.1093(d) (2)

Limits for General Population/Uncontrolled exposure: 0.08 W/kg as averaged over the whole-body and spatial peak SAR not exceeding 1.6 W/kg as averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the hands, wrists, feet and ankles where the spatial peak SAR shall not exceed 4 W/kg, as averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube). General Population/Uncontrolled limits apply when the general public may be exposed, or when persons that are exposed as a consequence of their employment may not be fully aware of the potential for exposure or do not exercise control over their exposure. Warning labels placed on consumer devices such as cellular telephones will not be sufficient reason to allow these devices to be evaluated subject to limits for occupational/controlled exposure in paragraph (d)(1) of this section.





# 3. Measurement Of conducted Peak Output Power

## 1. Bluetooth Peak output power

Pand	Channel	Frequency (MHz)	Output Power(dBm)		
Band	Chamilei		GFSK	π/4-DQPSK	8-DPSK
BT 4.2 BR+EDR	0	2402	0.28	-2.39	-2.21
	39	2441	1.15	-1.36	-1.19
	78	2480	1.41	-0.98	-0.61

# 4. RF Exposure Evaluation

The device only incorporates a Bluetooth transmitter, so standalone SAR evaluation is required for Bluetooth and simultaneous SAR is not required.

Standalone transmission SAR evaluation

According to KDB 447498 section 4.3.1, the 1-g SAR test exclusion thresholds at test separation Distances ≤ 50 mm are determined by:

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)]·[ $\sqrt{f(GHz)}$ ]  $\leq 3.0$ 

The maximum tune-up limit power is 1.41mW @ 2.480GHz

When Bluetooth headset is used on the head, so use **5mm** as the most conservative minimum test separation distance,

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)]·[ $\sqrt{f(GHz)}$ ] =0.44 $\leq$  3.0

So SAR evaluation is not required for this device.

Note: Declaration of the tune-up limit is 1.5dBm.





# **Annex A General Information**

### 1. Identification of the Responsible Testing Laboratory

Company Name:	Shenzhen Morlab Communications Technology Co., Ltd.			
Department:	Morlab Laboratory			
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang			
	Road, Block 67, BaoAn District, ShenZhen, GuangDong			
	Province, P. R. China			
Responsible Test Lab Manager:	Mr. Su Feng			
Telephone:	+86 755 36698555			
Facsimile:	+86 755 36698525			

## 2. Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd.
	Morlab Laboratory
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang
	Road, Block 67, BaoAn District, ShenZhen, GuangDong
	Province, P. R. China

END OF REPORT	

