


---

**1.6dB Bandwidth**


Test Mode	Test Channel	Ant	EBW[MHz]	Limit	Verdict
BLE	2440	Ant1	0.6723	0.5	PASS
BLE	2480	Ant1	0.6687	0.5	PASS
BLE	2402	Ant1	0.6676	0.5	PASS

TEST PLOT


6dB Bandwidth\_BLE\_2440\_Ant1



6dB Bandwidth\_BLE\_2480\_Ant1



6dB Bandwidth\_BLE\_2402\_Ant1




---

## 2.Occupied Bandwidth


Test Mode	Test Channel	Ant	OBW[MHz]	Limit[MHz]	Verdict
BLE	2440	Ant1	1.0561	---	PASS
BLE	2480	Ant1	1.0598	---	PASS
BLE	2402	Ant1	1.0780	---	PASS


TEST PLOT

Occupied Bandwidth\_BLE\_2440\_Ant1



Occupied Bandwidth\_BLE\_2480\_Ant1






### 3. Maximum peak conducted output power


Test Mode	Test Channel	Ant	Power[dBm]	Limit[dBm]	Verdict
BLE	2440	Ant1	-1.179	30	PASS
BLE	2480	Ant1	-1.791	30	PASS
BLE	2402	Ant1	-2.268	30	PASS


TEST PLOT

Maximum peak conducted output power\_BLE\_2440\_Ant1



Maximum peak conducted output power\_BLE\_2480\_Ant1





#### 4. Maximum Peak power spectral density

Test Mode	Test Channel	Ant	PSD[dBm/MHz]	Limit[dBm/MHz]	Verdict
BLE	2440	Ant1	-13.952	8.00	PASS
BLE	2480	Ant1	-14.908	8.00	PASS
BLE	2402	Ant1	-16.724	8.00	PASS



TEST PLOT

Maximum Peak power spectral density\_BLE\_2440\_Ant1



Maximum Peak power spectral density\_BLE\_2480\_Ant1









**6.RF Conducted Spurious Emissions**

Test Mode	Test Channel	Ant	StartFre [MHz]	StopFre [MHz]	RBW [kHz]	VBW [kHz]	Pref[dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BLE	2402	Ant1	30	3000	100	300	-2.124	-48.337	- 22.124	PASS
BLE	2402	Ant1	3000	5000	100	300	-2.124	-46.108	- 22.124	PASS
BLE	2402	Ant1	5000	10000	100	300	-2.124	-44.869	- 22.124	PASS
BLE	2402	Ant1	10000	15000	100	300	-2.124	-40.883	- 22.124	PASS
BLE	2402	Ant1	15000	25000	100	300	-2.124	-33.787	- 22.124	PASS
BLE	2440	Ant1	30	3000	100	300	-2.144	-47.813	- 22.144	PASS
BLE	2440	Ant1	3000	5000	100	300	-2.144	-47.190	- 22.144	PASS
BLE	2440	Ant1	5000	10000	100	300	-2.144	-44.001	- 22.144	PASS
BLE	2440	Ant1	10000	15000	100	300	-2.144	-41.506	- 22.144	PASS
BLE	2440	Ant1	15000	25000	100	300	-2.144	-33.470	- 22.144	PASS
BLE	2480	Ant1	30	3000	100	300	-4.824	-47.960	- 24.824	PASS
BLE	2480	Ant1	3000	5000	100	300	-4.824	-45.259	- 24.824	PASS
BLE	2480	Ant1	5000	10000	100	300	-4.824	-44.592	- 24.824	PASS
BLE	2480	Ant1	10000	15000	100	300	-4.824	-41.014	- 24.824	PASS
BLE	2480	Ant1	15000	25000	100	300	-4.824	-33.556	- 24.824	PASS


TEST PLOT

RF Conducted Spurious Emissions\_BLE\_2402\_Ant1




RF Conducted Spurious Emissions\_BLE\_2440\_Ant1

Pref




CSE\_1



RF Conducted Spurious Emissions\_BLE\_2480\_Ant1

Pref



CSE\_1

