

Appendix A

RF Test Data for BT(BDR/EDR) (Conducted Measurement)

Product Name: Wireless Speaker

Trade Mark: **WEKOME**[®]

Test Model: D31 MINI

FCC ID: 2ALJXD3MIN

Environmental Conditions

Temperature:	22.8° C
Relative Humidity:	56%
ATM Pressure:	100.0 kPa
Test Engineer:	Nancy Li
Supervised by:	Hugo Chen


Appendix A: 20dB Emission Bandwidth

Test Result


TestMode	Antenna	Channel	20db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.933	2401.559	2402.492	---	PASS
		2441	0.939	2440.559	2441.498	---	PASS
		2480	0.891	2479.559	2480.450	---	PASS
2DH5	Ant1	2402	1.257	2401.385	2402.642	---	PASS
		2441	1.317	2440.358	2441.675	---	PASS
		2480	1.284	2479.364	2480.648	---	PASS

Test Graphs


DH5_Ant1_2402




DH5_Ant1_2441




DH5_Ant1_2480




2DH5_Ant1_2402



2DH5_Ant1_2441



2DH5_Ant1_2480




Appendix B: Occupied Channel Bandwidth


Test Result

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.85279	2401.586	2402.439	---	PASS
		2441	0.84898	2440.586	2441.435	---	PASS
		2480	0.85285	2479.586	2480.438	---	PASS
2DH5	Ant1	2402	1.1798	2401.425	2402.605	---	PASS
		2441	1.1797	2440.427	2441.607	---	PASS
		2480	1.1874	2479.424	2480.611	---	PASS


Test Graphs




2DH5_Ant1_2402



2D5_Ant1_2441



2D5_Ant1_2480




Appendix C: Maximum conducted output power**Test Result**


TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
DH5	Ant1	2402	-3.57	<=30.00	PASS
		2441	-3.75	<=30.00	PASS
		2480	-3.87	<=30.00	PASS
2DH5	Ant1	2402	-2.7	<=20.97	PASS
		2441	-3.07	<=20.97	PASS
		2480	-3.13	<=20.97	PASS

Test Graphs


DH5_Ant1_2402




DH5_Ant1_2441




DH5_Ant1_2480






2DH5_Ant1_2441



2DH5_Ant1_2480





Appendix D: Carrier frequency separation

Test Result

TestMode	Antenna	Channel	Result[MHz]	Limit[MHz]	Verdict
DH5	Ant1	Hop	1.000	≥ 0.939	PASS
2DH5	Ant1	Hop	0.996	≥ 0.878	PASS

Test Graphs





Appendix E: Time of occupancy

Test Result

TestMode	Antenna	Channel	BurstWidth [ms]	TotalHops [Num]	Result[s]	Limit[s]	Verdict
DH5	Ant1	Hop	2.88	120	0.345	<=0.4	PASS
2DH5	Ant1	Hop	2.88	90	0.26	<=0.4	PASS

Test Graphs







Appendix F: Number of hopping channels

Test Result

TestMode	Antenna	Channel	Result[Num]	Limit[Num]	Verdict
DH5	Ant1	Hop	79	≥ 15	PASS
2DH5	Ant1	Hop	79	≥ 15	PASS

Test Graphs




Appendix G: Band edge measurements

Test Result


TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	-4.07	-46.44	≤-24.07	PASS
		High	2480	-4.45	-47.63	≤-24.45	PASS
		Low	Hop_2402	-5.10	-49.54	≤-25.1	PASS
		High	Hop_2480	-4.48	-48.39	≤-24.48	PASS
2DH5	Ant1	Low	2402	-4.04	-47.92	≤-24.04	PASS
		High	2480	-5.50	-48.06	≤-25.5	PASS
		Low	Hop_2402	-4.83	-49.72	≤-24.83	PASS
		High	Hop_2480	-8.07	-49.44	≤-28.07	PASS

Test Graphs


DH5_Ant1_Low_2402




DH5_Ant1_High_2480




DH5_Ant1_Low_Hop_2402




DH5_Ant1_High_Hop_2480




2DH5_Ant1_Low_2402




2DH5_Ant1_High_2480



2DH5_Ant1_Low_Hop_2402



2DH5_Ant1_High_Hop_2480




Appendix H: Conducted Spurious Emission

Test Result


TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	-4.68	-4.68	---	PASS
			30~1000	-4.68	-60.23	≤-24.68	PASS
			1000~26500	-4.68	-50.52	≤-24.68	PASS
		2441	Reference	-5.06	-5.06	---	PASS
			30~1000	-5.06	-60.44	≤-25.06	PASS
			1000~26500	-5.06	-50.2	≤-25.06	PASS
		2480	Reference	-5.18	-5.18	---	PASS
			30~1000	-5.18	-61.36	≤-25.18	PASS
			1000~26500	-5.18	-49.57	≤-25.18	PASS
2DH5	Ant1	2402	Reference	-4.17	-4.17	---	PASS
			30~1000	-4.17	-60.05	≤-24.17	PASS
			1000~26500	-4.17	-50.38	≤-24.17	PASS
		2441	Reference	-7.59	-7.59	---	PASS
			30~1000	-7.59	-61.57	≤-27.59	PASS
			1000~26500	-7.59	-50.27	≤-27.59	PASS
		2480	Reference	-7.19	-7.19	---	PASS
			30~1000	-7.19	-59.69	≤-27.19	PASS
			1000~26500	-7.19	-49.09	≤-27.19	PASS

Test Graphs


DH5_Ant1_2402_0~Reference




DH5_Ant1_2402_30~1000




DH5_Ant1_2402_1000~26500




DH5_Ant1_2441_0~Reference




DH5_Ant1_2441_30~1000




DH5_Ant1_2441_1000~26500




DH5_Ant1_2480_0-Reference




DH5_Ant1_2480_30~1000




DH5_Ant1_2480_1000~26500




2DH5_Ant1_2402_0~Reference




2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500




2DH5_Ant1_2441_0~Reference




2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference



2DH5_Ant1_2480_30~1000



2DH5_Ant1_2480_1000~26500




Appendix I: Duty Cycle

Test Result


TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	1/B(KHz)
DH5	Ant1	2402	2.88	3.75	76.80	0.35
		2441	2.88	3.75	76.80	0.35
		2480	2.88	3.75	76.80	0.35
2DH5	Ant1	2402	2.88	3.75	76.80	0.35
		2441	2.89	3.75	77.07	0.35
		2480	2.89	3.75	77.07	0.35

Test Graphs


DH5_Ant1_2402




DH5_Ant1_2441




DH5_Ant1_2480




2DH5_Ant1_2402



2DH5_Ant1_2441



2DH5_Ant1_2480



Appendix J: Emissions in Restricted Bands

Test Result


TestMode	Antenna	ChName	Channel	Detector	Freq(MHz)	Result(dBm)	Limit(dBm)	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-49.24	≤-41.20	PASS
				AV	2378.015	-46.3	≤-41.20	PASS
				AV	2390.000	-48.37	≤-41.20	PASS
				Peak	2310.000	-41.85	≤-21.20	PASS
				Peak	2378.015	-38.12	≤-21.20	PASS
				Peak	2390.000	-41.91	≤-21.20	PASS
		High	2480	AV	2483.500	-45.39	≤-41.20	PASS
				AV	2483.520	-45.39	≤-41.20	PASS
				AV	2500.000	-47.61	≤-41.20	PASS
				Peak	2483.500	-38.56	≤-21.20	PASS
				Peak	2483.520	-38.56	≤-21.20	PASS
				Peak	2500.000	-39.81	≤-21.20	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-49.16	≤-41.20	PASS
				AV	2378.120	-46.81	≤-41.20	PASS
				AV	2390.000	-48.3	≤-41.20	PASS
				Peak	2310.000	-42.31	≤-21.20	PASS
				Peak	2382.005	-37.55	≤-21.20	PASS
				Peak	2390.000	-42.81	≤-21.20	PASS
		High	2480	AV	2483.500	-46.56	≤-41.20	PASS
				AV	2483.520	-46.56	≤-41.20	PASS
				AV	2500.000	-47.66	≤-41.20	PASS
				Peak	2483.500	-41.05	≤-21.20	PASS
				Peak	2498.720	-37.73	≤-21.20	PASS
				Peak	2500.000	-41.28	≤-21.20	PASS

Note :


1. The Antenna Gain is compensated in the graph with 2dBi and Antenna Gain which is Higher.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs


DH5_Ant1_Low_2402_AV




DH5_Ant1_Low_2402_Peak




DH5_Ant1_High_2480_AV




DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV



2DH5_Ant1_Low_2402_Peak



2DH5_Ant1_High_2480_AV



2DH5_Ant1_High_2480_Peak

