

TEST REPORT							
FCC ID:	2ALNA-BTH12						
Test Report No::	TCT220415E026						
Date of issue::	May 10, 2022						
Testing laboratory:	SHENZHEN TONGCE TESTING LAB						
Testing location/ address:	TCT Testing Industrial Park Fuqiao 5th Industrial Zone, Fuhai Street, Bao'an District Shenzhen, Guangdong, 518103, People's Republic of China						
Applicant's name::	Shenzhen Thousandshores Tech	nnology Co., Ltd.					
Address::	Room 1101, Building B, Lotus Pl Majialong Community, Nantou S Shenzhen, China	aza, No. 3186, Nanshan Avenue, treet, Nanshan District,					
Manufacturer's name:	Shenzhen Thousandshores Tech	nnology Co., Ltd.					
Address::	Room 1101, Building B, Lotus Plaza, No. 3186, Nanshan Avenue, Majialong Community, Nantou Street, Nanshan District, Shenzhen, China						
Standard(s)::	FCC CFR Title 47 Part 1.1307						
Product Name::	Wireless Headphones						
Trade Mark::	Tribit						
Model/Type reference:	TR-KH02						
Rating(s)::	Rechargeable Li-ion Battery DC	3.7V					
Date of receipt of test item :::	Apr. 15, 2022						
Date (s) of performance of test:	Apr. 15, 2022 ~ May 10, 2022						
Tested by (+signature):	: Aaron MO						
Check by (+signature):	Beryl ZHAO	Roy(the TOT)					
Approved by (+signature):							
Remark::	This test report was based on TCT211229E005; Change applicant and manufacturer address, product model No. and add lamp belt inside ear case.						

General disclaimer:

This report shall not be reproduced except in full, without the written approval of SHENZHEN TONGCE TESTING LAB. This document may be altered or revised by SHENZHEN TONGCE TESTING LAB personnel only, and shall be noted in the revision section of the document. The test results in the report only apply to the tested sample.

Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com





Table of Contents

1.1. 1.2. 2. Ge 2.1. 2.2. 3. Fac 3.1. 3.2.	EUT desc Model(s) neral Info Test envi Descripti cilities ar Facilities Location	cription listormation ironment a ion of Sup nd Accre	and mode. port Units ditations			34455
4. Tes	st Result	s and Me	easureme	ent Data .	 (c)	 6



1. General Product Information

1.1. EUT description

Product Name:	Wireless Headphones	(5)		(3)
Model/Type reference:	TR-KH02			
Sample Number:	TCT211229E004-0101			
Operation Frequency:	2402MHz~2480MHz		(60)	
Modulation Type:	GFSK, π/4-DQPSK, 8DPSK			
Antenna Type:	PCB Antenna	(C)		(C)
Antenna Gain:	0dBi			
Rating(s):	Rechargeable Li-ion Battery DC	3.7V		

Note: The antenna gain listed in this report is provided by applicant, and the test laboratory is not responsible for this parameter.

1.2. M	rameter. lodel(s) l one.	list			



General Information

2.1. Test environment and mode

Item	Normal condition						
Temperature	+25°C						
Voltage	DC 3.7V						
Humidity	56%						
Atmospheric Pressure:	1008 mbar						
Test Mode:							
Engineering mode:	Keep the EUT in continuous transmitting by select channel						

2.2. Description of Support Units

The EUT has been tested as an independent unit together with other necessary accessories or support units. The following support units or accessories were used to form a representative test configuration during the tests.

Equipment Model No.		Serial No.	FCC ID	Trade Name	
Adapter	JD-050200	2012010907576735	1	1	
Note:	(20)	(60)	(KO.)	KO	

Note:

- 1. All the equipment/cables were placed in the worst-case configuration to maximize the emission during the test.
- 2. Grounding was established in accordance with the manufacturer's requirements and conditions for the intended
- 3. For conducted measurements (Output Power, 20dB Occupied Bandwidth, Carrier Frequencies Separation, Hopping Channel Number, Dwell Time, Spurious Emissions), the antenna of EUT is connected to the test equipment via temporary antenna connector, the antenna connector is soldered on the antenna port of EUT, and the temporary antenna connector is listed in the Test Instruments.



3. Facilities and Accreditations

3.1. Facilities

The test facility is recognized, certified, or accredited by the following organizations:

• FCC - Registration No.: 645098

SHENZHEN TONGCE TESTING LAB

Designation Number: CN1205

The testing lab has been registered and fully described in a report with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files.

IC - Registration No.: 10668A-1

SHENZHEN TONGCE TESTING LAB

CAB identifier: CN0031

The testing lab has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing.

3.2. Location

SHENZHEN TONGCE TESTING LAB

Address: TCT Testing Industrial Park Fuqiao 5th Industrial Zone, Fuhai Street, Bao'an

District Shenzhen, Guangdong, 518103, People's Republic of China

TEL: +86-755-27673339





4. Test Results and Measurement Data

According to § 15.247(i) and § 1.1307b(1), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the commission's guidance.

The 1-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances ≤ 50 mm are determined by:

[(max. power of channel, including tune-up tolerance, mW) / (min. test separation distance, mm)] $\cdot [\sqrt{f(GHz)}] \le 3.0$ for 1-g SAR, where

- f(GHz) is the RF channel transmit frequency in GHz
- Power and distance are rounded to the nearest mW and mm before calculation
- When the minimum test separation distance is < 5 mm, a distance of 5 mm according is applied to determine SAR test exclusion.
- · The result is rounded to one decimal place for comparison

· BDR+EDR:

Channel	Frequency (GHz)	Max. Power (dBm)	Tune up Power (dBm)	Max. Tune up Power (dBm)	Max. Tune up Power (mW)	Test distance (mm)	Result	exclusion thresholds for 1-g SAR
CH 78	2.480	-1.11	-2±1	-1	0.79	5	0.25	3.0

Result:

Base on the calculation value, No SAR measurement is required.

