


Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	BLE 1M	2402	Ant1	60.3	2.2	2.63
NVNT	BLE 1M	2440	Ant1	58.7	2.3	2.70
NVNT	BLE 1M	2480	Ant1	60.3	2.2	2.63


Test Graphs

Duty Cycle NVNT BLE 1M 2402MHz Ant1





Duty Cycle NVNT BLE 1M 2440MHz Ant1






Maximum Conducted Output Power



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE 1M	2402	Ant1	-7.45	30	Pass
NVNT	BLE 1M	2440	Ant1	-2.38	30	Pass
NVNT	BLE 1M	2480	Ant1	-2.81	30	Pass






-6dB Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE 1M	2402	Ant1	0.505	0.5	Pass
NVNT	BLE 1M	2440	Ant1	0.503	0.5	Pass
NVNT	BLE 1M	2480	Ant1	0.511	0.5	Pass






Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE 1M	2402	Ant1	0.912
NVNT	BLE 1M	2440	Ant1	0.908
NVNT	BLE 1M	2480	Ant1	0.917






Maximum Power Spectral Density Level



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE 1M	2402	Ant1	-19.82	8	Pass
NVNT	BLE 1M	2440	Ant1	-14.69	8	Pass
NVNT	BLE 1M	2480	Ant1	-15.23	8	Pass







Band Edge



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant1	-44.27	-20	Pass
NVNT	BLE 1M	2480	Ant1	-47.4	-20	Pass









Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE 1M	2402	Ant1	-29.45	-20	Pass
NVNT	BLE 1M	2440	Ant1	-31.64	-20	Pass
NVNT	BLE 1M	2480	Ant1	-30.56	-20	Pass







-----End-----