


MODEL
GT-1C7W-L V2
LOT NO. XXXXXXX R
POWER SOURCE
24V ===
CURRENT CONSUMPTION
(MAX) 360mA
FCC ID:2ALNEGT1C7WV2
IC: 4361A-GT1C7WV2
MADE IN THAILAND Inspected
AIPHONE CO., LTD.

100%

Note.


1. Material : Polyester (AVERY DENNISON : 2M WH PET TC)
※Polyester is a resin and has excellent tear strength, heat resistance, dimensional stability, opacity and chemical resistance.
2. Adhesive : Acrylic emulsion (AVERY DENNISON : S-333)
※The adhesive features high initial tack and ultimate adhesive strength.
3. Color : Black & White
4. Size : 40(L)×25(W), R=2mm



Note.


1. Material : Polyester (AVERY DENNISON : 2M WH PET TC)
※Polyester is a resin and has excellent tear strength, heat resistance, dimensional stability, opacity and chemical resistance.
2. Adhesive : Acrylic emulsion (AVERY DENNISON : S-333)
※The adhesive features high initial tack and ultimate adhesive strength.
3. Color : Black & White
4. Size : 17(L)×64(W), R=2mm

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1) This device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.



Rev.	Document
Name GT-1C7W-L V2	
Designed NAKAJIMA	Traced NAKAJIMA
Process PRINTING	
Material	
Limit	Scale
Third Angle Projection 	
Date 2022.10.13	
Fig. No. ()	
AIPHONE	

●使用材料は、RoHS対応であること。 ●The materials must comply with RoHS Directive.




MODEL
GT-1C7W V2
LOT NO. XXXXXXX R
POWER SOURCE
24V ---
CURRENT CONSUMPTION
(MAX) 300mA
FCC ID:2ALNEG1C7WW2
IC: 4361A-GT1C7WW2
MADE IN THAILAND Inspected
AIPHONE CO., LTD.

Note.

1. Material : Polyester (AVERY DENNISON : 2M WH PET TC)
※Polyester is a resin and has excellent tear strength, heat resistance, dimensional stability, opacity and chemical resistance.
2. Adhesive : Acrylic emulsion (AVERY DENNISON : S-333)
※The adhesive features high initial tack and ultimate adhesive strength.
3. Color : Black & White
4. Size : 40(L)×25(W), R=2mm

100%




Note.

1. Material : Polyester (AVERY DENNISON : 2M WH PET TC)
※Polyester is a resin and has excellent tear strength, heat resistance, dimensional stability, opacity and chemical resistance.
2. Adhesive : Acrylic emulsion (AVERY DENNISON : S-333)
※The adhesive features high initial tack and ultimate adhesive strength.
3. Color : Black & White
4. Size : 17(L)X64(W),R=2mm

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
(1)This device may not cause harmful interference, and
(2)this device must accept any interference received, including interference that may cause undesired operation.

100%



Rev.	Document
Name GT-1C7W V2	
Designed NAKAJIMA	Traced NAKAJIMA
Process PRINTING	
Material	
Limit	Scale
Third Angle Projection ⊕	
Date 2022.10.13	
Fig. No. ()	

●使用材料は、RoHS対応であること。 ●The materials must comply with RoHS Directive.

