

FCC Test Report

Report No.: AGC00677200701FE08

FCC ID	•	2ALP3-L2
APPLICATION PURPOSE	:	Original Equipment
PRODUCT DESIGNATION	:	Smartphone
BRAND NAME		Kodak
MODEL NAME	÷	Smartway L2, Smartway L2 Series
APPLICANT		INDUSTRIA FUEGUINA DE RELOJERIA ELECTRONICA SA
DATE OF ISSUE	÷	Aug. 11, 2020
STANDARD(S)	:	FCC Part 15.247
REPORT VERSION	:	V1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated restriction of Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter prohorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC00677200701FE08 Page 2 of 45

REPORT REVISE RECORD

Rep	oort Version	Revise Time	Issued Date	Valid Version	Notes
	V1.0		Aug. 11, 2020	Valid	Initial Release

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pasting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



TABLE OF CONTENTS

1. VERIFICATION OF COMPLIANCE	
2.GENERAL INFORMATION	6
2.1PRODUCT DESCRIPTION	
2.2. TABLE OF CARRIER FREQUENCYS	
2.3 RELATED SUBMITTAL(S)/GRANT(S)	7
2.4TEST METHODOLOGY	7
2.5 SPECIAL ACCESSORIES	7
2.6 EQUIPMENT MODIFICATIONS	
2.7. ANTENNA REQUIREMENT	7
3. MEASUREMENT UNCERTAINTY	
4. DESCRIPTION OF TEST MODES	9
5. SYSTEM TEST CONFIGURATION	
5.1 CONFIGURATION OF TESTED SYSTEM	10
5.2 EQUIPMENT USED IN TESTED SYSTEM	10
5.3. SUMMARY OF TEST RESULTS	
6. TEST FACILITY	
7. PEAK OUTPUT POWER	
7.1. MEASUREMENT PROCEDURE	
7.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)	
7.3. LIMITS AND MEASUREMENT RESULT	
8. 6 DB BANDWIDTH	
8.1. MEASUREMENT PROCEDURE	15
8.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)	15
8.3. LIMITS AND MEASUREMENT RESULTS	
9. CONDUCTED SPURIOUS EMISSION	
9.1. MEASUREMENT PROCEDURE	17
9.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)	
9.3. MEASUREMENT EQUIPMENT USED	17
9.4. LIMITS AND MEASUREMENT RESULT	
10. MAXIMUM CONDUCTED OUTPUT POWER SPECTRAL DENSITY	
10.1 MEASUREMENT PROCEDURE	
10.2 TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)	
10.3 MEASUREMENT EQUIPMENT USED	
10.4 LIMITS AND MEASUREMENT RESULT	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter explorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC00677200701FE08 Page 4 of 45

11. RADIATED EMISSION	
11.1. MEASUREMENT PROCEDURE	
11.2. TEST SETUP	
11.3. LIMITS AND MEASUREMENT RESULT	
11.4. TEST RESULT	
12. FCC LINE CONDUCTED EMISSION TEST	39
12.1. LIMITS OF LINE CONDUCTED EMISSION TEST	
12.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST	
12.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST	40
12.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST	40
12.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST	
APPENDIX A: PHOTOGRAPHS OF TEST SETUP	43
APPENDIX B: PHOTOGRAPHS OF EUT	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



1. VERIFICATION OF COMPLIANCE

Applicant	INDUSTRIA FUEGUINA DE RELOJERIA ELECTRONICA SA
Address	SARMIENTO 2920 RIO DRAND 9420 Argentina
Manufacturer	United Creation Technology Corp.,Ltd
Address	Room 201, Block A, Science and technology buliding phase-2, Nanhai Road 1057, Shekou, Nanshan district, Shenzhen
Factory	INDUSTRIA FUEGUINA DE RELOJERIA ELECTRONICA SA
Address	SARMIENTO 2920 RIO DRAND 9420 Argentina
Product Designation	Smartphone
Brand Name	Kodak
Test Model	Smartway L2
Serial Mode	Smartway L2Series
Difference Description	All the same, except for the model name.
Date of test	Jul. 17, 2020~Aug. 11, 2020
Deviation	No any deviation from the test method.
Condition of Test Sample	Normal
Test Result	Pass
Report Template	AGCRT-US-BLE/RF

We hereby certify that:

The above equipment was tested by Attestation of Global Compliance (Shenzhen) Co., Ltd. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10 (2013) and the energy emitted by the sample EUT tested as described in this report is in compliance with radiated emission limits of FCC part 15.247.

Prepared By

Calin Lin

Calvin Liu (Project Engineer)

Aug. 11, 2020

Reviewed By

Approved By

Max Zhang

Max Zhang (Reviewer)

Aug. 11, 2020

Forrest is

Forrest Lei (Authorized Officer)

Aug. 11, 2020

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand resting in the stand of the test results of the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



2.GENERAL INFORMATION

2.1PRODUCT DESCRIPTION

The EUT is designed as a "Smartphone". It is designed by way of utilizing the GFSK technology to achieve the system operation.

A major technical description of EUT is described as following

Operation Frequency	2.402 GHz to 2.480GHz			
RF Output Power	-6.552dBm(Max)			
Bluetooth Version	V4.0			
Modulation	BR □GFSK, EDR □π /4-DQPSK, □8DPSK BLE ⊠GFSK 1Mbps □GFSK 2Mbps			
Number of channels	40 Channel			
Antenna Designation	PIFA Antenna(Comply with requirements of the FCC part 15.203)			
Antenna Gain	-2.3dBi			
Hardware Version	J517D			
Software Version	2020.09.02L2.v1			
Power Supply	DC 3.8V by Built-in Li-ion Battery			

2.2. TABLE OF CARRIER FREQUENCYS

Frequency Band	Channel Number	Frequency	
	0	2402MHZ	
		2404MHZ	
2400~2483.5MHZ			
AGC AGC V	38	2478 MHZ	
	39	2480 MHZ	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGE the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



2.3 RELATED SUBMITTAL(S)/GRANT(S)

This submittal(s) (test report) is intended for FCC ID: 2ALP3-L2 filing to comply with the FCC Part 15.247 requirements.

2.4TEST METHODOLOGY

Both conducted and radiated testing was performed according to the procedures in ANSI C63.10 (2013). Radiated testing was performed at an antenna to EUT distance 3 meters.

2.5 SPECIAL ACCESSORIES

Refer to section 2.2.

2.6 EQUIPMENT MODIFICATIONS

Not available for this EUT intended for grant.

2.7. ANTENNA REQUIREMENT

This intentional radiator is designed with a permanently attached antenna of an antenna to ensure that no antenna other than that furnished by the responsible party shall be used with the device. For more information of the antenna, please refer to the APPENDIX B: PHOTOGRAPHS OF EUT.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand of t



3. MEASUREMENT UNCERTAINTY

The reported uncertainty of measurement y $\pm U$, where expended uncertainty U is based on a standard uncertainty multiplied by a coverage factor of k=2, providing a level of confidence of approximately 95%.

- Uncertainty of Conducted Emission, Uc = ±3.2 dB
- Uncertainty of Radiated Emission below 1GHz, Uc = ±3.9 dB
- Uncertainty of Radiated Emission above 1GHz, Uc = ±4.8 dB
- Uncertainty of total RF power, conducted, $Uc = \pm 0.8$ dB
- Uncertainty of RF power density, conducted, Uc = ±2.6dB
- Uncertainty of spurious emissions, conducted, Uc = ±2.7dB
- Uncertainty of Occupied Channel Bandwidth: Uc = ±2 %

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated fresh g/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter aphorization of AGE the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



4. DESCRIPTION OF TEST MODES

NO.	TEST MODE DESCRIPTION
1	Low channel TX
2	Middle channel TX
3	High channel TX

Note:

1. Only the result of the worst case was recorded in the report, if no other cases.

2. For Radiated Emission, 3axis were chosen for testing for each applicable mode.

3. For Conducted Test method, a temporary antenna connector is provided by the manufacture.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE, he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day Safter the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




5. SYSTEM TEST CONFIGURATION

5.1 CONFIGURATION OF TESTED SYSTEM

Radiated Emission Configure :

EUT

Conducted Emission Configure :



5.2 EQUIPMENT USED IN TESTED SYSTEM

Item	Equipment	Model No.	ID or Specification	Remark
1	Smartphone	Smartway L2	FCC ID: 2ALP3-L2	EUT
2	Adapter	KA1508-050100AR DC 5.0V 1A		AE
3	Battery	L2545216	DC 3.8V 2200mAh	AE
4	USB Cable	N/A	N/A	AE
5	Earphone	N/A	N/A	AE

5.3. SUMMARY OF TEST RESULTS

FCC RULES	DESCRIPTION OF TEST	RESULT
15.247 (b)(3)	Peak Output Power	Compliant
15.247 (a)(2)	6 dB Bandwidth	Compliant
15.247 (d)	Conducted Spurious Emission	Compliant
15.247 (e)	Maximum Conducted Output Power Density	Compliant
15.209	Radiated Emission	Compliant
15.207	Conducted Emission	Compliant

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated for the formation of the stamp. Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



6. TEST FACILITY

Test Site	Attestation of Global Compliance (Shenzhen) Co., Ltd
Location	1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Designation Number	CN1259
FCC Test Firm Registration Number	975832
A2LA Cert. No.	5054.02
Description	Attestation of Global Compliance(Shenzhen) Co., Ltd is accredited by A2LA

TEST EQUIPMENT OF CONDUCTED EMISSION TEST

Equipment	Manufacturer	Model	S/N	Cal. Date	Cal. Due
TEST RECEIVER	R&S	ESPI	101206	May 15, 2020	May 14, 2022
LISN	R&S	ESH2-Z5	100086	Aug. 26, 2019	Aug. 25, 2020

TEST EQUIPMENT OF RADIATED EMISSION TEST

Equipment	Manufacturer	Model	S/N	Cal. Date	Cal. Due	
TEST RECEIVER	R&S	ESCI	10096	May 15, 2020	May 14, 2022	
EXA Signal Analyzer	Aglient	N9010A	MY53470504	Dec. 18, 2019	Dec. 17, 2020	
2.4GHz Fliter	EM	1	N/A	May 23, 2020	May 22, 2022	
Attenuator	ZHINAN	E-002	N/A	Sep. 09, 2019	Sep. 08, 2020	
Horn antenna	SCHWARZBECK	BBHA 9170	#768	Sep. 21, 2017	Sep. 20, 2020	
Active loop antenna (9K-30MHz)	ZHINAN	ZN30900C	18051	Jun. 14, 2018	Jun. 13, 2020	
Double-Ridged Waveguide Horn	ETS LINDGREN	3117	00034609	May. 17, 2019	May. 16, 2021	
Broadband Preamplifier	ETS LINDGREN	3117PA	00225134	Oct. 15, 2019	Oct. 14, 2020	
ANTENNA	SCHWARZBECK	VULB9168	D69250	Jan. 09, 2019	Jan. 08, 2021	

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



7. PEAK OUTPUT POWER


7.1. MEASUREMENT PROCEDURE

For peak power test:


- 1. Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
- 2. RBW > DTS bandwidth
- 3. VBW≥3*RBW.
- 4. SPAN≥VBW.
- 5. Sweep: Auto.
- 6. Detector function: Peak.
- 7. Trace: Max hold.

Allow trace to stabilize. Use the marker-to-peak function to set the marker to the peak of the emission. The indicated level is the peak output power, after any corrections for external attenuators and cables.

7.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION) PEAK POWER TEST SETUP



Spectrum Analyzer



RF Cable

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand in the stand in the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



7.3. LIMITS AND MEASUREMENT RESULT

PEAK OUTPUT POWER MEASUREMENT RESULT								
	FOR GFSK MOUDULA	TION						
Frequency (GHz)Peak Power (dBm)Applicable Limits (dBm)Pass or Fail								
2.402	-7.030	30	Pass					
2.440	-6.552	30	Pass					
2.480	-8.341	30	Pass					

CH0




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day Safer the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Report No.: AGC00677200701FE08 Page 14 of 45





CH39



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, be test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



8.6 DB BANDWIDTH

8.1. MEASUREMENT PROCEDURE

- 1. Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
- 2. Set the EUT Work on the top, the middle and the bottom operation frequency individually.
- 3. Set SPA Centre Frequency = Operation Frequency, RBW= 100 KHz, VBW≥3×RBW.
- 4. Set SPA Trace 1 Max hold, then View.

Note: The EUT was tested according to ANSI C63.10 for compliance to FCC PART 15.247 requirements.

8.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)

The same as described in section 7.2.

8.3. LIMITS AND MEASUREMENT RESULTS

LIMITS AND MEASUREMENT RESULT								
Applicable Limite	Applicable Limits							
Applicable Limits	Test Data	Criteria						
S S	Low Channel	524.3	PASS					
>500KHZ	Middle Channel	523.1	PASS					
6	High Channel	524.1	PASS					



TEST PLOT OF BANDWIDTH FOR LOW CHANNEL

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated Pasting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





TEST PLOT OF BANDWIDTH FOR MIDDLE CHANNEL

TEST PLOT OF BANDWIDTH FOR HIGH CHANNEL



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written aphrorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



9. CONDUCTED SPURIOUS EMISSION

9.1. MEASUREMENT PROCEDURE

- 1. Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
- 2, Set the EUT Work on the top, the middle and the bottom operation frequency individually.
- 3. Set SPA Trace 1 Max hold, then View.

Note: The EUT was tested according to ANSI C63.10 for compliance to FCC PART 15.247 requirements.

9.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)

The same as described in section 7.2.

9.3. MEASUREMENT EQUIPMENT USED


The same as described in section 6.

9.4. LIMITS AND MEASUREMENT RESULT

LIMITS AND MEASUREMENT RESULT								
Applicable Limits								
Applicable Limits	Test Data	Criteria						
In any 100 KHz Bandwidth Outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produce by the intentional radiator shall be at least 20 dB below that in 100KHz bandwidth within the band that contains the highest level of the desired power.	At least -20dBc than the reference level	PASS						

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Presting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





TEST RESULT FOR ENTIRE FREQUENCY RANGE GFSK MODULATION IN LOW CHANNEL

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Berlicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, be test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.

Report No.: AGC00677200701FE08 Page 19 of 45



Keysight Sp	ectrum An	alyzer - Swe	pt SA												
Center F	_R ⊧ req 13	50 Ω 3.7417		CORREC			NSE:INT		g Type	ALIGN AUTO	TRA	PM Jul 24, 2020 CE <mark>1 2 3 4 5</mark>	6	Frequ	uency
				PNO: Fas IFGain:Lo	51	Trig: Free Atten: 30		Avg	g Hold	: 10/10 Mkr	¹ 24.96	17GH	Z	Aı	uto Tune
10 dB/div Log 10.0 0.00	Ref	20.00 d	Bm								-40.0				n ter Freq 60000 GHz
-20.0 -30.0 -40.0												DL1 -27.21 dB			tart Freq 00000 GHz
-50.0						Northe Court And C									t op Freq 00000 GHz
Start 2.48 #Res BW	100 k	Hz	X 24.0	# ¹ 061 7 GHz		800 kHz Y 48.571 dE		FUNCTION		Sweep	2.152 s (3	25.00 GH 30000 pts	5)		CF Step 50000 GHz Man
2 3 4 5 6			24.9			40.37 T U							=	Fre	e q Offset 0 Hz
7 8 9 10															ale Type
11													-	.og	Lin
MSG										STATU	3				

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuerce of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Januaria,					
Keysight Spectrum Analyzer - S		SENSE:IN	IT ALIGN AU	TO 03:14:31 PM Jul 24, 2020	
Center Freq 2.4400		SENSE.IN	Avg Type: Log-P	Wr TRACE 1 2 3 4 5 6	Frequency
Conton Prog 211100	PNO: Wide	Trig: Free Rur	Avg Hold: 10/10	WT TRACE 1 2 3 4 5 6 TYPE MWWWW DET P NNNN	
	IFGain:Low	Atten: 30 dB			
			Mkr	2.439 734 0 GHz	Auto Tune
10 dB/div Ref 20.00) dBm			-6.684 dBm	
Log 10.0		T T			O antas Fran
		1			Center Freq
0.00		- (• '			2.440000000 GHz
-10.0			M		
-20.0			Martin Martin		Start Freq
-30.0					2.438500000 GHz
-40.0	wanthing		has		2.400000000000
-50.0			dada.		
				All	Stop Freq
-60.0					2.441500000 GHz
-70.0					
Center 2.440000 GH				Span 3.000 MHz	05.000
#Res BW 100 kHz		W 300 kHz	Sween	2.000 ms (30000 pts)	CF Step 300.000 kHz
					Auto Man
MKR MODE TRC SCL	× 2.439 734 0 GHz	-6.684 dBm	FUNCTION FUNCTION W	DTH FUNCTION VALUE	
2	2.4397340GHZ	-0.064 GBM			
3 4					Freq Offset
5				=	0 Hz
6					
8					Scale Type
9					
11					Log <u>Lin</u>
		m		Þ	
MSG					
			ST	ATUS	
			ST	ATUS	
Keysight Spectrum Analyzer - S					
X RL RF 50	Ω AC CORREC	SENSE:IN	IT ALIGN AU	TO 03:14:40 PM Jul 24, 2020	-
	Ω AC CORREC 0000000 GHz PNO: Fast	Trig: Free Rur	IT ALIGN AU Avg Type: Log-P	TO 03:14:40 PM Jul 24, 2020 Wr TRACE 2 3 4 5 6	Frequency
X RL RF 50	Ω AC CORREC	T	IT ALIGN AU Avg Type: Log-P n Avg Hold: 10/10	TO 03:14:40 PMJul 24, 2020 Wr TRACE 2 3 4 5 6 TYPE M 2 3 4 5 6 TYPE P NNNNN	Frequency
X RL RF 50	Ω AC CORREC 0000000 GHz PNO: Fast	Trig: Free Rur	IT ALIGN AU Avg Type: Log-P n Avg Hold: 10/10	TO 03:14:40 PMJul 24, 2020 wr TRACE 1 2 3 4 5 6 TYPE MUNICAL DET P NNNNN Ikr1 2.226 43 GHz	Frequency
04 RL RF 50 Center Freq 1.2150	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	Trig: Free Rur	IT ALIGN AU Avg Type: Log-P n Avg Hold: 10/10	TO 03:14:40 PMJul 24, 2020 Wr TRACE 2 3 4 5 6 TYPE M 2 3 4 5 6 TYPE P NNNNN	Frequency
00 RL RF 50 Center Freq 1.2150	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	Trig: Free Rur	IT ALIGN AU Avg Type: Log-P n Avg Hold: 10/10	TO 03:14:40 PMJul 24, 2020 wr TRACE 1 2 3 4 5 6 TYPE MUNICAL DET P NNNNN Ikr1 2.226 43 GHz	Frequency Auto Tune
OM RL RF 50 Center Freq 1.2150 10 dB/div Ref 20.00 10 dB/div Ref 20.00 100 100	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	Trig: Free Rur	IT ALIGN AU Avg Type: Log-P n Avg Hold: 10/10	TO 03:14:40 PMJul 24, 2020 wr TRACE 1 2 3 4 5 6 TYPE MUNICAL DET P NNNNN Ikr1 2.226 43 GHz	Frequency Auto Tune Center Freq
00 RL RF 50 Center Freq 1.2150	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	Trig: Free Rur	IT ALIGN AU Avg Type: Log-P n Avg Hold: 10/10	TO 03:14:40 PMJul 24, 2020 wr TRACE 1 2 3 4 5 6 TYPE MUNICAL DET P NNNNN Ikr1 2.226 43 GHz	Frequency Auto Tune
OM RL RF 50 Center Freq 1.2150 10 dB/div Ref 20.00 10 dB/div Ref 20.00 100 100	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	Trig: Free Rur	IT ALIGN AU Avg Type: Log-P n Avg Hold: 10/10	TO 03:14:40 PMJul 24, 2020 wr TRACE 1 2 3 4 5 6 TYPE MUNICAL DET P NNNNN Ikr1 2.226 43 GHz	Frequency Auto Tune Center Freq
00 RL RF 50 Center Freq 1.2150	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	Trig: Free Rur	IT ALIGN AU Avg Type: Log-P n Avg Hold: 10/10	10 03:14:40 PMJul 24, 2020 wr TRACE 23:45 G TYPE MANNAN Ikr1 2.226 43 GHz -57.555 dBm	Frequency Auto Tune Center Freq 1.215000000 GHz
Off RL RF 50 Center Freq 1.2150 Ref 20.00 <	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	Trig: Free Rur	IT ALIGN AU Avg Type: Log-P n Avg Hold: 10/10	TO 03:14:40 PMJul 24, 2020 wr TRACE 1 2 3 4 5 6 TYPE MUNICAL DET P NNNNN Ikr1 2.226 43 GHz	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq
OM RL RF 50 Center Freq 1.215(10 dB/div Ref 20.00 Log	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	Trig: Free Rur	IT ALIGN AU Avg Type: Log-P n Avg Hold: 10/10	10 03:14:40 PMJul 24, 2020 wr TRACE 23:45 G TYPE MANNAN Ikr1 2.226 43 GHz -57.555 dBm	Frequency Auto Tune Center Freq 1.215000000 GHz
M RL RF 50 Center Freq 1.215(10 dB/div Ref 20.00 Log	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	Trig: Free Rur	IT ALIGN AU Avg Type: Log-P n Avg Hold: 10/10	10 03:14:40 PMJul 24, 2020 wr TRACE 23:45 G TYPE MANNAN Ikr1 2.226 43 GHz -57.555 dBm	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq
M RL RF 50 Center Freq 1.215(10 dB/div Ref 20.00 Log	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	Trig: Free Rur	IT ALIGN AU Avg Type: Log-P n Avg Hold: 10/10	10 03:14:40 PMJul 24, 2020 wr TRACE 23:45 G TYPE MANNAN Ikr1 2.226 43 GHz -57.555 dBm	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq
DM RL RF 50 Center Freq 1.2150 Ref 20.00 Ref 20.00 10.dB/div Ref 20.00 Ref 20.00 10.d Ref 20.00 Ref 20.00	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	Trig: Free Rur	IT ALIGN AU Avg Type: Log-P n Avg Hold: 10/10	10 03:14:40 PMJul 24, 2020 wr TRACE 23:45 G TYPE MANNAN Ikr1 2.226 43 GHz -57.555 dBm	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq
M RL RF 50 Center Freq 1.215(10 dB/div Ref 20.00 Log	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	Trig: Free Rur	IT ALIGN AU Avg Type: Log-P n Avg Hold: 10/10	10 03:14:40 PMJul 24, 2020 wr TRACE 23:45 G TYPE MANNAN Ikr1 2.226 43 GHz -57.555 dBm	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq
DM RL RF 50 Center Freq 1.215(Ref 20.00 Ref 20.00 <thref 20.00<="" th=""> Ref 20.00 <th< td=""><td>Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low</td><td>Trig: Free Rur</td><td>IT ALIGN AU Avg Type: Log-P n Avg Hold: 10/10</td><td>TO 03:14:40 PM Jul 24, 2020 wr TRACE 2 3 4 5 6 TYPE WWWWW DET PNNNN Ikr1 2.226 43 GHz -57.555 dBm 0.1 -28 88 dBm</td><td>Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz</td></th<></thref>	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	Trig: Free Rur	IT ALIGN AU Avg Type: Log-P n Avg Hold: 10/10	TO 03:14:40 PM Jul 24, 2020 wr TRACE 2 3 4 5 6 TYPE WWWWW DET PNNNN Ikr1 2.226 43 GHz -57.555 dBm 0.1 -28 88 dBm	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz
DM RL RF 50 Center Freq 1.215(Ref 20.00 Ref 20.00 <thref 20.00<="" th=""> Ref 20.00 <th< td=""><td>DOCORREC DOCODO CHZ PNO: Fast IFGain:Low D dBm D dBm</td><td>Trig: Free Run Atten: 30 dB</td><td>IT ALIGN AU Avg Type: Log-P Avg Hold: 10/10</td><td>10 03:14:40 PM Jul 24, 2020 wr TRACE 23:45 6 TYPE WWWWWW DET PWWWWWW JET 2.226 43 GHz -57.555 dBm 0.1-26 69 dBm 1 </td><td>Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz</td></th<></thref>	DOCORREC DOCODO CHZ PNO: Fast IFGain:Low D dBm D dBm	Trig: Free Run Atten: 30 dB	IT ALIGN AU Avg Type: Log-P Avg Hold: 10/10	10 03:14:40 PM Jul 24, 2020 wr TRACE 23:45 6 TYPE WWWWWW DET PWWWWWW JET 2.226 43 GHz -57.555 dBm 0.1-26 69 dBm 1 	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz
M RE SD Center Freq 1.215(50 Log Ref 20.00 10.0 10.0 <td>AC CORREC CORREC CORREC DO0000 GHz IFGain:Low D dBm</td> <td>Trig: Free Run Atten: 30 dB</td> <td>Arg Type: Log-P Avg Hold: 10/10</td> <td>03:14:40 PM Jul 24, 2020 wr TRACE 2 3 4 5 6 TYPE NNNN Jer NNNN Ikr1 2.226 43 GHz -57.555 dBm OL1-28 68 dBm 0 Stop 2.400 GHz 228.0 ms (30000 pts)</td> <td>Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz CF Step 237.000000 MHz</td>	AC CORREC CORREC CORREC DO0000 GHz IFGain:Low D dBm	Trig: Free Run Atten: 30 dB	Arg Type: Log-P Avg Hold: 10/10	03:14:40 PM Jul 24, 2020 wr TRACE 2 3 4 5 6 TYPE NNNN Jer NNNN Ikr1 2.226 43 GHz -57.555 dBm OL1-28 68 dBm 0 Stop 2.400 GHz 228.0 ms (30000 pts)	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz CF Step 237.000000 MHz
DM RL RF 50 Center Freq 1.215(Ref 20.00 Ref 20.00 Ref 20.00 Log Ref 20.00 Ref 20.00 <thref 20.00<="" td="" th<=""><td>Ω AC CORREC DO0000 GHz PN0: Fast IFGain:Low</td><td>Trig: Free Run Atten: 30 dB</td><td>IT ALIGN AU Avg Type: Log-P Avg Hold: 10/10</td><td>03:14:40 PM Jul 24, 2020 wr TRACE 2 3 4 5 6 TYPE NNNN Jer NNNN Ikr1 2.226 43 GHz -57.555 dBm OL1-28 68 dBm 0 Stop 2.400 GHz 228.0 ms (30000 pts)</td><td>Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz CF Step 237.000000 MHz</td></thref>	Ω AC CORREC DO0000 GHz PN0: Fast IFGain:Low	Trig: Free Run Atten: 30 dB	IT ALIGN AU Avg Type: Log-P Avg Hold: 10/10	03:14:40 PM Jul 24, 2020 wr TRACE 2 3 4 5 6 TYPE NNNN Jer NNNN Ikr1 2.226 43 GHz -57.555 dBm OL1-28 68 dBm 0 Stop 2.400 GHz 228.0 ms (30000 pts)	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz CF Step 237.000000 MHz
M RL RF 50 Center Freq 1.215(Ref 20.00 Ref 20.00 <thref 20.00<="" th=""> Ref 20.00 <thr< td=""><td>AC CORREC CORREC CORREC DO0000 GHz IFGain:Low D dBm</td><td>Trig: Free Run Atten: 30 dB</td><td>Arg Type: Log-P Avg Hold: 10/10</td><td>03:14:40 PM Jul 24, 2020 wr TRACE 2 3 4 5 6 TYPE NNNN Jer NNNN Ikr1 2.226 43 GHz -57.555 dBm OL1-28 68 dBm 0 Stop 2.400 GHz 228.0 ms (30000 pts)</td><td>Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz CF Step 237.000000 MHz Auto Man</td></thr<></thref>	AC CORREC CORREC CORREC DO0000 GHz IFGain:Low D dBm	Trig: Free Run Atten: 30 dB	Arg Type: Log-P Avg Hold: 10/10	03:14:40 PM Jul 24, 2020 wr TRACE 2 3 4 5 6 TYPE NNNN Jer NNNN Ikr1 2.226 43 GHz -57.555 dBm OL1-28 68 dBm 0 Stop 2.400 GHz 228.0 ms (30000 pts)	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz CF Step 237.000000 MHz Auto Man
DM RL RF 50 Center Freq 1.215(Ref 20.00 Ref 20.00 <thref 20.00<="" th=""> Ref 20.00 <th< td=""><td>Ω AC CORREC DO0000 GHz PN0: Fast IFGain:Low</td><td>Trig: Free Run Atten: 30 dB</td><td>Arg Type: Log-P Avg Hold: 10/10</td><td>03:14:40 PM Jul 24, 2020 wr TRACE 2 3 4 5 6 TYPE NNNN Jer NNNN Ikr1 2.226 43 GHz -57.555 dBm OL1-28 68 dBm 0 Stop 2.400 GHz 228.0 ms (30000 pts)</td><td>Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz CF Step 237.000000 MHz Auto Man</td></th<></thref>	Ω AC CORREC DO0000 GHz PN0: Fast IFGain:Low	Trig: Free Run Atten: 30 dB	Arg Type: Log-P Avg Hold: 10/10	03:14:40 PM Jul 24, 2020 wr TRACE 2 3 4 5 6 TYPE NNNN Jer NNNN Ikr1 2.226 43 GHz -57.555 dBm OL1-28 68 dBm 0 Stop 2.400 GHz 228.0 ms (30000 pts)	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz CF Step 237.000000 MHz Auto Man
M RL RF 50 Center Freq 1.215(Ref 20.00 Ref 20.00 <thref 20.00<="" th=""> Ref 20.00 <thr< td=""><td>Ω AC CORREC DO0000 GHz PN0: Fast IFGain:Low</td><td>Trig: Free Run Atten: 30 dB</td><td>Arg Type: Log-P Avg Hold: 10/10</td><td>03:14:40 PM Jul 24, 2020 wr TRACE 2 3 4 5 6 TYPE NNNN Jer NNNN Ikr1 2.226 43 GHz -57.555 dBm OL1-28 68 dBm 0 Stop 2.400 GHz 228.0 ms (30000 pts)</td><td>Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz CF Step 237.000000 MHz Auto Man</td></thr<></thref>	Ω AC CORREC DO0000 GHz PN0: Fast IFGain:Low	Trig: Free Run Atten: 30 dB	Arg Type: Log-P Avg Hold: 10/10	03:14:40 PM Jul 24, 2020 wr TRACE 2 3 4 5 6 TYPE NNNN Jer NNNN Ikr1 2.226 43 GHz -57.555 dBm OL1-28 68 dBm 0 Stop 2.400 GHz 228.0 ms (30000 pts)	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz CF Step 237.000000 MHz Auto Man
DM RE 50 Center Freq 1.215(Freq 1.215(10 dB/div Ref 20.00 Log Image: Comparison of the second secon	Ω AC CORREC DO0000 GHz PN0: Fast IFGain:Low	Trig: Free Run Atten: 30 dB	Arg Type: Log-P Avg Hold: 10/10	10:11:40 PM Jul 24, 2020 wr TRACE 2 3 4 5 6 TYPE TYPE TYPE JET NNNN Ikr1 2.226 43 GHz -57.555 dBm JUL -26 68 dBm 1 Stop 2.400 GHz 228.0 ms (30000 pts) DTH FUNCTION VALUE 1	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz CF Step 237.000000 MHz Auto Man Freq Offset 0 Hz
DM RL RF 50 Center Freq 1.215(Ref 20.00 Ref 20.00 <thref 20.00<="" th=""> Ref 20.00 <th< td=""><td>Ω AC CORREC DO0000 GHz PN0: Fast IFGain:Low</td><td>Trig: Free Run Atten: 30 dB</td><td>Arg Type: Log-P Avg Hold: 10/10</td><td>10:11:40 PM Jul 24, 2020 wr TRACE 2 3 4 5 6 TYPE TYPE TYPE JET NNNN Ikr1 2.226 43 GHz -57.555 dBm JUL -26 68 dBm 1 Stop 2.400 GHz 228.0 ms (30000 pts) DTH FUNCTION VALUE 1</td><td>Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz CF Step 237.000000 MHz Auto Man Freq Offset 0 Hz</td></th<></thref>	Ω AC CORREC DO0000 GHz PN0: Fast IFGain:Low	Trig: Free Run Atten: 30 dB	Arg Type: Log-P Avg Hold: 10/10	10:11:40 PM Jul 24, 2020 wr TRACE 2 3 4 5 6 TYPE TYPE TYPE JET NNNN Ikr1 2.226 43 GHz -57.555 dBm JUL -26 68 dBm 1 Stop 2.400 GHz 228.0 ms (30000 pts) DTH FUNCTION VALUE 1	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz CF Step 237.000000 MHz Auto Man Freq Offset 0 Hz
M RF 50 Center Freq 1.215(Feed 1.215(Log Ref 20.00 Log Image: State 1.215(Start 0.030 GHz Image: State 1.215(Start 0.030 GHz Image: State 1.215(Image: Start 0.030 GHz Image: State 1.215(Image: Model Trcl Scl. Image: State 1.215(Image: State 1.215(Image: State 1.215(<thimage: 1.215(<="" state="" th=""></thimage:>	Ω AC CORREC DO0000 GHz PN0: Fast IFGain:Low	Trig: Free Run Atten: 30 dB	Arg Type: Log-P Avg Hold: 10/10	10:11:40 PM Jul 24, 2020 wr TRACE 2 3 4 5 6 TYPE TYPE TYPE JET NNNN Ikr1 2.226 43 GHz -57.555 dBm JUL -26 68 dBm 1 Stop 2.400 GHz 228.0 ms (30000 pts) DTH FUNCTION VALUE 1	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz Auto Man Freq Offset 0 Hz Scale Type
DM RL RF 50 Center Freq 1.215(Ref 20.00 Ref 20.00 <thref 20.00<="" th=""> Ref 20.00 <th< td=""><td>Ω AC CORREC DO0000 GHz PN0: Fast IFGain:Low</td><td>Trig: Free Run Atten: 30 dB</td><td>Arg Type: Log-P Avg Hold: 10/10</td><td>10:11:40 PM Jul 24, 2020 wr TRACE 2 3 4 5 6 TYPE TYPE TYPE JET NNNN Ikr1 2.226 43 GHz -57.555 dBm JUL -26 68 dBm 1 Stop 2.400 GHz 228.0 ms (30000 pts) DTH FUNCTION VALUE 1</td><td>Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz CF Step 237.000000 MHz Auto Man Freq Offset 0 Hz</td></th<></thref>	Ω AC CORREC DO0000 GHz PN0: Fast IFGain:Low	Trig: Free Run Atten: 30 dB	Arg Type: Log-P Avg Hold: 10/10	10:11:40 PM Jul 24, 2020 wr TRACE 2 3 4 5 6 TYPE TYPE TYPE JET NNNN Ikr1 2.226 43 GHz -57.555 dBm JUL -26 68 dBm 1 Stop 2.400 GHz 228.0 ms (30000 pts) DTH FUNCTION VALUE 1	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz CF Step 237.000000 MHz Auto Man Freq Offset 0 Hz
DM RL RF 50 Center Freq 1.215(Ref 20.00 Ref 20.00 Log Ref 20.00 Ref 20.00 10.0 Ref 20.00 Ref 20.00 10.0 Ref 20.00 Ref 20.00 10.0 Ref 20.00 Ref 20.00	Ω AC CORREC DO0000 GHz PN0: Fast IFGain:Low	Trig: Free Run Atten: 30 dB	Arg Type: Log-P Avg Hold: 10/10	10:11:40 PM Jul 24, 2020 wr TRACE 2 3 4 5 6 TYPE TYPE TYPE JET NNNN Ikr1 2.226 43 GHz -57.555 dBm JUL -26 68 dBm 1 Stop 2.400 GHz 228.0 ms (30000 pts) DTH FUNCTION VALUE 1	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz Auto Man Freq Offset 0 Hz Scale Type

GFSK MODULATION IN MIDDLE CHANNEL

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Report No.: AGC00677200701FE08 Page 21 of 45



Keysight Sp	ectrum Analyze	r - Swept SA								
Center F		50Ω AC		SEN	NSE:INT	ALIGN AUTO		1 Jul 24, 2020 E 1 2 3 4 5 6	Fre	equency
Genter I		+175000	PNO: Fast IFGain:Lov		eRun A	vg Hold: 10/10	TYP			
10 dB/div	Ref 20.	00 dBm				Mk	r1 24.944 -47.7	l 5 GHz 15 dBm		Auto Tune
Log 10.00										enter Freq 750000 GHz
-20.0 -30.0 -40.0								DL1 -26.68 dBm	2.483	Start Freq 500000 GHz
-50.0 -60.0 (1994) (199 -70.0									25.000	Stop Freq 0000000 GHz
Start 2.44 #Res BW	100 kHz	X	#V .944 5 GHz	/BW 300 kHz -47.715 dE	FUNCTION		2.152 s (3	5.00 GHz 0000 pts) ^{DN VALUE}	2.251 <u>Auto</u>	CF Step 650000 GHz Man
1 N 2 3 4 5 6		24	.944 5 GHZ	-4/./19 05					F	F req Offset 0 Hz
8 9 10										Scale Type
11								-	Log	Lin
MSG						STAT	US			


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



_					
Keysight Spectrum Analyzer - S		SENSE:IN	IT ALIGN AUTO	03:17:34 PM Jul 24, 2020	
Center Freq 2.4800			Avg Type: Log-Pw	TRACE 1 2 3 4 5 6	Frequency
	PNO: Wide + IFGain:Low	Trig: Free Run Atten: 30 dB	Avg Hold: 10/10	TRACE 1 2 3 4 5 6 TYPE MWWWW DET P NNNN	
	II Guilleow		Mkr4	2.479 729 9 GHz	Auto Tune
40 JD/JE Dof 20.00) dBm			-8.420 dBm	
10 dB/div Ref 20.00	J dBm	- T		0.420 abii	
10.0					Center Freq
0.00		<u>_</u> 1			2.480000000 GHz
-10.0					
-20.0		~ ~~~ ~~	and the second s		
-30.0					Start Freq
	and the second second		N. N.		2.478500000 GHz
-40.0	www.m.m.		- Andrew	www.	
				"Phillipping	Stop Freq
-60.0					2.481500000 GHz
-70.0					
Center 2.480000 GH	-			Span 3.000 MHz	05 04
#Res BW 100 kHz		W 300 kHz	Sweep 2	2.000 ms (30000 pts)	CF Step 300.000 kHz
MKR MODE TRC SCL		Y			<u>Auto</u> Man
	× 2.479 729 9 GHz	-8.420 dBm	FUNCTION FUNCTION WIDT	H FUNCTION VALUE	
2					Freq Offset
3 4					0 Hz
5				=	
7					0
8					Scale Type
10					Log <u>Lin</u>
					_
11		m	STAT	• • • • • • • • • • • • • • • • • • •	
11 < □		m	STAT	US VS	
MSG Keysight Spectrum Analyzer - S					
MSG Keysight Spectrum Analyzer - S XX RL RF 50	Ω AC CORREC	III SENSE:IN	IT ALIGN AUTO	03:17:43 PM Jul 24, 2020	
MSG Keysight Spectrum Analyzer - S	Ω AC CORREC D00000 GHz PNO: Fast +	SENSE:IN	IT ALIGN AUTO Avg Type: Log-Pwi	03:17:43 PM Jul 24, 2020 TRACE 1 2 3 4 5 6	
MSG Keysight Spectrum Analyzer - S XX RL RF 50	Ω AC CORREC	SENSE:IN	IT ALIGN AUTC Avg Type: Log-Pwi Avg Hold: 10/10	0 03:17:43 PM Jul 24, 2020 TRACE 1 2 3 4 5 6 TYPE M DET P N N N N	Frequency
11 MSG MSG Keysight Spectrum Analyzer - 3 X RL RL RF SQ Center Freq 1.2150	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	SENSE:IN	IT ALIGN AUTC Avg Type: Log-Pwi Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 23 4 5 6 TYPE MININA DET PININAN	
11 MSG MSG Keysight Spectrum Analyzer - 3 X RL RL RF SQ Center Freq 1.2150	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	SENSE:IN	IT ALIGN AUTC Avg Type: Log-Pwi Avg Hold: 10/10	0 03:17:43 PM Jul 24, 2020 TRACE 1 2 3 4 5 6 TYPE M DET P N N N N	Frequency
11 MSG MSG Keysight Spectrum Analyzer - 3 K RL RF SO Center Freq 1.2150	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	SENSE:IN	IT ALIGN AUTC Avg Type: Log-Pwi Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 23 4 5 6 TYPE MININA DET PININAN	Frequency Auto Tune
11 MSG Keysight Spectrum Analyzer - So RL RF SO Center Freq 1.2150 10 dB/div Ref 20.00 10 0	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	SENSE:IN	IT ALIGN AUTC Avg Type: Log-Pwi Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 23 4 5 6 TYPE MININA DET PININAN	Frequency Auto Tune Center Freq
11 MSG Keysight Spectrum Analyzer - So RL RF SCenter Freq 1.2150 10 dB/div Ref 20.00 10 og 10 og	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	SENSE:IN	IT ALIGN AUTC Avg Type: Log-Pwi Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 23 4 5 6 TYPE MININA DET PININAN	Frequency Auto Tune
11 MSG Image: Sector and the se	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	SENSE:IN	IT ALIGN AUTC Avg Type: Log-Pwi Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 23 4 5 6 TYPE MININA DET PININAN	Frequency Auto Tune Center Freq
11 MSG Image: Section Analyzer - Section Content Freq 1.2150 Center Freq 1.2150 10 dB/div Ref 20.00 0.00 -10 0 -20.0	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	SENSE:IN	IT ALIGN AUTC Avg Type: Log-Pwi Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 23 4 5 6 TYPE MININA DET PININAN	Frequency Auto Tune Center Freq 1.21500000 GHz Start Freq
11 MSG With Keysight Spectrum Analyzer - 50 Center Freq 1.215(10 dB/div Ref 20.00 0.00 -10.0 -20.0 -30.0	Ω AC CORREC 0000000 GHz PNO: Fast IFGain:Low	SENSE:IN	IT ALIGN AUTC Avg Type: Log-Pwi Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 12 2:3 4 5 6 TYPE WWWWW DET WWWWWW CT 2.327 24 GHz -57.634 dBm	Frequency Auto Tune Center Freq 1.21500000 GHz
11 MSG MSG Q RL Q RE 10 GB/div Ref 20.00 0.00 -10.0 -20.0 -30.0	Ω AC CORREC 0000000 GHz PNO: Fast ↑ IFGain:Low	SENSE:IN	IT ALIGN AUTC Avg Type: Log-Pwi Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 12 2:3 4 5 6 TYPE WWWWW DET WWWWWW CT 2.327 24 GHz -57.634 dBm	Frequency Auto Tune Center Freq 1.21500000 GHz Start Freq
11 MSG With Keysight Spectrum Analyzer - 50 Center Freq 1.215(10 dB/div Ref 20.00 0.00 -10.0 -20.0 -30.0	Ω AC CORREC 0000000 GHz PNO: Fast ↑ IFGain:Low	SENSE:IN	IT ALIGN AUTC Avg Type: Log-Pwi Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 12 2:3 4 5 6 TYPE WWWWW DET WWWWWW CT 2.327 24 GHz -57.634 dBm	Frequency Auto Tune Center Freq 1.21500000 GHz Start Freq 30.000000 MHz
11 MSG MSG Q RL Q RE 10 GB/div Ref 20.00 0.00 -10.0 -20.0 -30.0	Ω AC CORREC 0000000 GHz PNO: Fast ↑ IFGain:Low	SENSE:IN	IT ALIGN AUTC Avg Type: Log-Pwi Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 12 2:3 4 5 6 TYPE WWWWW DET WWWWWW CT 2.327 24 GHz -57.634 dBm	Frequency Auto Tune Center Freq 1.21500000 GHz Start Freq
11 MSG WSG Center Freq 1.2150 10 dB/div Ref 20.00 0.00 -0.00 -10.0 -20.0 -30.0 -40.0 -50.0	Ω AC CORREC 0000000 GHz PNO: Fast ↑ IFGain:Low	SENSE:IN	IT ALIGN AUTC Avg Type: Log-Pwi Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 12 2:3 4 5 6 TYPE WWWWW DET WWWWWW CT 2.327 24 GHz -57.634 dBm	Frequency Auto Tune Center Freq 1.21500000 GHz Start Freq 30.000000 MHz Stop Freq
11	Ω AC CORREC 0000000 GHz PNO: Fast ↑ IFGain:Low	SENSE:IN	IT ALIGN AUTC Avg Type: Log-Pwi Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE D 2:3 4 5 6 Type Minimum per Minimum r1 2.327 24 GHz -57.634 dBm DL1 -28.42 dBm DL1 -28.42 dBm	Frequency Auto Tune Center Freq 1.21500000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz
11	Ω AC CORREC 000000 GHz PRO: Fast = IFGain:Low 0 Bm	SENSE:IN	Avg Type: Log-Pw Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 1 2 3 4 5 6 Type PMMMM or 2.327 24 GHz -57.634 dBm CL1 -28.42 cBm	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz
11	Ω AC CORREC 000000 GHz PIO: Fast - IFGain:Low 0 dBm	SENSE:IN Trig: Free Rur Atten: 30 dB	Avg Type: Log-Pw Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 12 2:3 4 5 6 TYPE PMMMM or PMMMM rr1 2.327 24 GHz -57.634 dBm 011-28 42 dBm 011-28 42 dBm 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Frequency Auto Tune Center Freq 1.21500000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz
11	Ω AC CORREC D00000 GHz PRO: Fast - IFGain:Low D dBm D dBm	SENSE:IN Trig: Free Rur Atten: 30 dB	Avg Type: Log-Pw Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 12 2:3 4 5 6 TYPE PMMMM or PMMMM rr1 2.327 24 GHz -57.634 dBm 011-28 42 dBm 011-28 42 dBm 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz
11	Ω AC CORREC 000000 GHz PIO: Fast - IFGain:Low 0 dBm	SENSE:IN Trig: Free Rur Atten: 30 dB	Avg Type: Log-Pw Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 12 2:3 4 5 6 TYPE PMMMM or PMMMM rr1 2.327 24 GHz -57.634 dBm 011-28 42 dBm 011-28 42 dBm 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Frequency Auto Tune Center Freq 1.21500000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz CF Step 237.000000 MHz Auto Man
11 Image: Content of the sector	Ω AC CORREC D00000 GHz PRO: Fast - IFGain:Low D dBm D dBm	SENSE:IN Trig: Free Rur Atten: 30 dB	Avg Type: Log-Pw Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 12 2:3 4 5 6 TYPE PMMMM or PMMMM rr1 2.327 24 GHz -57.634 dBm 011-28 42 dBm 011-28 42 dBm 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz CF Step 237.000000 MHz Auto Man
11	Ω AC CORREC D00000 GHz PRO: Fast - IFGain:Low D dBm D dBm	SENSE:IN Trig: Free Rur Atten: 30 dB	Avg Type: Log-Pw Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 12 2:3 4 5 6 TYPE PMMMM or PMMMM rr1 2.327 24 GHz -57.634 dBm 011-28 42 dBm 011-28 42 dBm 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Frequency Auto Tune Center Freq 1.21500000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz CF Step 237.000000 MHz Auto Man
11	Ω AC CORREC D00000 GHz PRO: Fast - IFGain:Low D dBm D dBm	SENSE:IN Trig: Free Rur Atten: 30 dB	Avg Type: Log-Pw Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 12 2 3 4 5 6 TYPE WWWWW DET WWWWW CT 2.327 24 GHz -57.634 dBm CL1-2842 65m CL1-2842 65m 1 2 Stop 2.400 GHz 228.0 ms (30000 pts) H FUNCTION VALUE	Frequency Auto Tune Center Freq 1.21500000 GHz Start Freq 30.000000 MHz CF Step 237.000000 MHz Auto Man Freq Offset 0 Hz
11	Ω AC CORREC D00000 GHz PRO: Fast - IFGain:Low D dBm D dBm	SENSE:IN Trig: Free Rur Atten: 30 dB	Avg Type: Log-Pw Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 12 2 3 4 5 6 TYPE WWWWW DET WWWWW CT 2.327 24 GHz -57.634 dBm CL1-2842 65m CL1-2842 65m 1 2 Stop 2.400 GHz 228.0 ms (30000 pts) H FUNCTION VALUE	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 MHz Stop Freq 2.400000000 GHz CF Step 237.000000 MHz Auto Man
11	Ω AC CORREC D00000 GHz PRO: Fast - IFGain:Low D dBm D dBm	SENSE:IN Trig: Free Rur Atten: 30 dB	Avg Type: Log-Pw Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 12 2 3 4 5 6 TYPE WWWWW DET WWWWW CT 2.327 24 GHz -57.634 dBm CL1-2842 65m CL1-2842 65m 1 2 Stop 2.400 GHz 228.0 ms (30000 pts) H FUNCTION VALUE	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 GHz Stop Freq 2.400000000 GHz Auto Man Freq Offset 0 Hz Scale Type
11	Ω AC CORREC D00000 GHz PRO: Fast - IFGain:Low D dBm D dBm	SENSE:IN Trig: Free Rur Atten: 30 dB	Avg Type: Log-Pw Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 12 2 3 4 5 6 TYPE WWWWW DET WWWWW CT 2.327 24 GHz -57.634 dBm CL1-2842 65m CL1-2842 65m 1 2 Stop 2.400 GHz 228.0 ms (30000 pts) H FUNCTION VALUE	Frequency Auto Tune Center Freq 1.21500000 GHz Start Freq 30.000000 MHz CF Step 237.000000 MHz Auto Man Freq Offset 0 Hz
11	Ω AC CORREC D00000 GHz PRO: Fast - IFGain:Low D dBm D dBm	SENSE:IN Trig: Free Rur Atten: 30 dB	Avg Type: Log-Pw Avg Hold: 10/10	03:17:43 PMJul 24, 2020 TRACE 12 2 3 4 5 6 TYPE MININN CT 2.327 24 GHz -57.634 dBm DL 2342	Frequency Auto Tune Center Freq 1.215000000 GHz Start Freq 30.000000 GHz Stop Freq 2.400000000 GHz Auto Man Freq Offset 0 Hz Scale Type

GFSK MODULATION IN HIGH CHANNEL

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated for the formation of the stamp. Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






🔤 Key	sight Spe	ctrum A	Analyzer - :	Swept	SA											
(X/ RL Cent		_{RF}			AC	CORREC			NSE:INT			ALIGN AUTO e: Log-Pwr	TRA	M Jul 24, 2020 CE 1 2 3 4 5		Frequency
							ast ↔ Low	 Trig: Fre Atten: 30 		Av	g Hold	: 10/10 Mkr	□ 1 24.97	67 GHz		Auto Tune
10 dE Log 10.0 0.00	3/div	Rei	20.00	de	3m								-48.0			Center Freq 13.750000000 GHz
-20.0 -30.0 -40.0														DL1 -28.42 dBn		Start Freq 2.50000000 GHz
-50.0 -60.0 -70.0																Stop Freq 25.00000000 GHz
#Res	E 2.50 BW	100			X	976 7 GI		7 300 kHz Y -48.080 d		FUNCTION	FUI	Sweep	2.152 s (3	25.00 GHz 00000 pts ON VALUE)	CF Step 2.25000000 GHz Auto Man
2 3 4 5 6					246			-40.000 u								Freq Offset 0 Hz
7 8 9																Scale Type
10 11															L	.og <u>Lin</u>
MSG		_			_							STATU	3			

Note: The peak emissions without marker on the above plots are fundamental wave and need not to compare with the limit.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter explorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





TEST RESULT FOR BAND EDGE GFSK MODULATION IN LOW CHANNEL

GFSK MODULATION IN HIGH CHANNEL



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pertug/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



10. MAXIMUM CONDUCTED OUTPUT POWER SPECTRAL DENSITY

10.1 MEASUREMENT PROCEDURE

- (1). Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
- (2). Set the EUT Work on the top, the middle and the bottom operation frequency individually.
- (3). Set SPA Trace 1 Max hold, then View.

Note: The method of PKPSD in the KDB 558074 item 10.2 was used in this testing.

10.2 TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)

Refer To Section 7.2.

10.3 MEASUREMENT EQUIPMENT USED

Refer To Section 6.

10.4 LIMITS AND MEASUREMENT RESULT

Channel No.	PSD (dBm/3kHz)	Limit (dBm/3kHz)	Result	
Low Channel	-7.637	8	Pass	
Middle Channel	-7.138	8	Pass	
High Channel	-8.947	8	Pass	

TEST PLOT OF SPECTRAL DENSITY FOR LOW CHANNEL



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the sole dicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15d v/s after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.





TEST PLOT OF SPECTRAL DENSITY FOR MIDDLE CHANNEL

TEST PLOT OF SPECTRAL DENSITY FOR HIGH CHANNEL



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, be test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



11. RADIATED EMISSION

11.1. MEASUREMENT PROCEDURE


- 1. The EUT was placed on the top of the turntable 0.8 or 1.5 meter above ground. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.
- 2. Power on the EUT and all the supporting units. The turntable was rotated by 360 degrees to determine the position of the highest radiation.
- 3. The height of the broadband receiving antenna was varied between one meter and four meters above ground to find the maximum emissions field strength of both horizontal and vertical polarization.
- 4. For each suspected emissions, the antenna tower was scan (from 1 M to 4 M) and then the turntable was rotated (from 0 degree to 360 degrees) to find the maximum reading.
- 5. Set the test-receiver system to Peak or CISPR quasi-peak Detect Function with specified bandwidth under Maximum Hold Mode.
- 6. For emissions above 1GHz, use 1MHz RBW and 3MHz VBW for peak reading. Place the measurement antenna away from each area of the EUT determined to be a source of emissions at the specified measurement distance, while keeping the measurement antenna aimed at the source of emissions at each frequency of significant emissions, with polarization oriented for maximum response. The measurement antenna may have to be higher or lower than the EUT, depending on the radiation pattern of the emission and staying aimed at the emission source for receiving the maximum signal. The final measurement antenna elevation shall be that which maximizes the emissions. The measurement antenna elevation for maximum emissions shall be restricted to a range of heights of from 1 m to 4 m above the ground or reference ground plane.
- 7. When the radiated emissions limits are expressed in terms of the average value of the emissions, and pulsed operation is employed, the measurement field strength shall be determined by averaging over one complete pulse train, including blanking intervals, as long as the pulse train does not exceed 0.1 seconds. As an alternative (provided the transmitter operates for longer than 0.1 seconds) or in cases where the pulse train exceeds 0.1 seconds, the measured field strength shall be determined from the average absolute voltage during a 0.1 second interval during which the field strength is at its maximum values.
- 8. If the emissions level of the EUT in peak mode was 3 dB lower than the average limit specified, then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions which do not have 3 dB margin will be repeated one by one using the quasi-peak method for below 1GHz.
- 9. For testing above 1GHz, the emissions level of the EUT in peak mode was lower than average limit (that means the emissions level in peak mode also complies with the limit in average mode), then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.
- 10. In case the emission is lower than 30MHz, loop antenna has to be used for measurement and the recorded data should be QP measured by receiver. High Low scan is not required in this case.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the test results of the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC00677200701FE08 Page 28 of 45

11.2. TEST SETUP



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the strend in the stamp of the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issue of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.

11.3. LIMITS AND MEASUREMENT RESULT

15.209 Limit in the below table has to be followed

Frequencies (MHz)	Field Strength (micorvolts/meter)	Measurement Distance (meters)
0.009~0.490	2400/F(KHz)	300
0.490~1.705	24000/F(KHz)	30
1.705~30.0	30	30
30~88	100	3
88~216	150	3
216~960	200	3
Above 960	500	3

Note: All modes were tested For restricted band radiated emission, the test records reported below are the worst result compared to other modes.

11.4. TEST RESULT

RADIATED EMISSION BELOW 30MHZ

The amplitude of spurious emissions from 9kHz to 30MHz which are attenuated more than 20 dB below the permissible value need not be reported.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pestion/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written aphorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC00677200701FE08 Page 30 of 45

RADIATED EMISSION BELOW 1GH	Ζ
-----------------------------	---

EUT	Smartphone	Model Name	Smartway L2
Temperature	25° C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 1	Antenna	Horizontal




RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated frame/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC in the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15da/Castra the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Report No.: AGC00677200701FE08 Page 31 of 45

EUT	Smartphone	Model Name	Smartway L2
Temperature	25° C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 1	Antenna	Vertical



RESULT: PASS Note:

- 1. Factor=Antenna Factor + Cable loss, Margin=Measurement-Limit.
- 2. All test modes had been tested. The mode 1 is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Partico/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Report No.: AGC00677200701FE08 Page 32 of 45

RADIATED EMISSION ABOVE 1GHZ

EUT	Smartphone	Model Name	Smartway L2
Temperature	25° C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 1	Antenna	Horizontal

Value Type
peak
AVG
peak
AVG
0
_

EUT	Smartphone	Model Name	Smartphone
Temperature	25° C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 1	Antenna	Vertical

Frequency	Meter Reading	Factor	Emission Level	Limits 💿	Margin	
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	Value Type
4804.011	48.61	0.08	48.69	74.00	-25.31	peak
4804.011	40.66	0.08	40.74	54.00	-13.26	AVG
7206.022	47.63	2.21	49.84	74.00	-24.16	peak
7206.022	39.79	2.21	42.00	54.00	-12.00	AVG
emark:		Ô		0	e,C	

Factor = Antenna Factor + Cable Loss - Pre-amplifier.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pasting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC00677200701FE08 Page 33 of 45

EUT	Smartphone	Model Name	Smartway L2
Temperature	25° C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 2	Antenna	Horizontal

Frequency	Meter Reading	Factor	Emission Level	🛛 Limits 📂 🚺	Margin	Value Trees
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	Value Type
4880.005	48.87	0.14	49.01	74.00	-24.99	peak
4880.005	41.36	0.14	41.50	54.00	-12.50	AVG
7320.140	45.36	2.36	47.72	74.00	-26.28	peak
7320.140	39.63	2.36	41.99	54.00	-12.01	AVG
mark:		8		100		8

EUT	Smartphone	Model Name	Smartphone
Temperature	25° C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 2	Antenna	Vertical

Meter Reading	Factor	Emission	Limits	Margin	
(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	Value Type
49.74	0.14	49.88	74.00	-24.12	peak
42.63	0.14	42.77	54.00	-11.23	AVG
47.72	2.36	50.08	74.00	-23.92	peak
40.62	2.36	42.98	54.00	-11.02	AVG
	-0			9	G
	49.74 42.63 47.72	(dBµV) (dB) 49.74 0.14 42.63 0.14 47.72 2.36	(dBµV) (dB) (dBµV/m) 49.74 0.14 49.88 42.63 0.14 42.77 47.72 2.36 50.08	(dBµV) (dB) (dBµV/m) (dBµV/m) 49.74 0.14 49.88 74.00 42.63 0.14 42.77 54.00 47.72 2.36 50.08 74.00	(dBµV) (dB) (dBµV/m) (dBµV/m) (dB) 49.74 0.14 49.88 74.00 -24.12 42.63 0.14 42.77 54.00 -11.23 47.72 2.36 50.08 74.00 -23.92

Factor = Antenna Factor + Cable Loss - Pre-amplifier.

Compliances Dedicated Fes Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated restrict a stamp? is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the requiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com. g/Inspection The test results the test report.



Report No.: AGC00677200701FE08 Page 34 of 45

EUT	Smartphone	Model Name	Smartway L2
Temperature	25° C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 3	Antenna	Horizontal

Frequency	Meter Reading	Factor	Emission Level	🛛 Limits 📂 🚺	Margin	Value Trees
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	Value Type
4960.012	49.52	0.22	49.74	74.00	-24.26	peak
4960.012	39.78	0.22	40.00	54.00	-14.00	AVG
7440.027	47.66	2.64	50.30	74.00	-23.70	peak
7440.027	37.79	2.64	40.43	54.00	-13.57	AVG
20		8				8
mark:			0			0

EUT	Smartphone	Model Name	Smartphone
Temperature	25° C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 3	Antenna	Vertical

Frequency	Meter Reading	Factor	Emission Level	Limits	Margin	Value Trees
(MHz)	(dBµV)	(dB)	(dBµV/m)	(dBµV/m)	(dB)	- Value Type
4960.013	51.69	0.22	51.91	74	-22.09	peak
4960.013	40.58	0.22	40.80	54	-13.20	AVG
7440.027	48.37	2.64	51.01	74	-22.99	peak
7440.027	37.55	2.64	40.19	54	-13.81	AVG
					0	
emark:		-0-		8		

Factor = Antenna Factor + Cable Loss - Pre-amplifier.

RESULT: PASS

Note:

The amplitude of other spurious emissions from 1G to 25 GHz which are attenuated more than 20 dB below the permissible value need not be reported.

Factor = Antenna Factor + Cable loss - Amplifier gain, Over=Measure-Limit.

The "Factor" value can be calculated automatically by software of measurement system.

Compliance Dedicated Fe Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written of the report is not permitten of the report is not permitten of the report is not p Inspection he test results anthorization of AG presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15d 🐙 Bf he test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC00677200701FE08 Page 35 of 45

TEST RESULT FOR RESTRICTED BANDS REQUIREMENTS

EUT	Smartphone	Model Name	Smartway L2
Temperature	25° C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 1	Antenna	Horizontal

ΡK



AV




RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written aphorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC00677200701FE08 Page 36 of 45

EUT	Smartphone	Model Name	Smartway L2
Temperature	25° C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 1	Antenna	Vertical
	PK		



AV




RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written aphorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC00677200701FE08 Page 37 of 45

EUT	Smartphone	Model Name	Smartway L2
Temperature	25° C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 3	Antenna	Horizontal






RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC00677200701FE08 Page 38 of 45

EUT	Smartphone	Model Name	Smartway L2
Temperature	25° C	Relative Humidity	55.4%
Pressure	960hPa	Test Voltage	Normal Voltage
Test Mode	Mode 3	Antenna	Vertical



RESULT: PASS

Note: The factor had been edited in the "Input Correction" of the Spectrum Analyzer. So the Amplitude of test plots is equal to Reading level plus the Factor in dB. Use the A dB(μ V) to represent the Amplitude. Use the F dB(μ V/m) to represent the Field Strength. So A=F.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the aberdence of the strend/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

12. FCC LINE CONDUCTED EMISSION TEST


12.1. LIMITS OF LINE CONDUCTED EMISSION TEST

Francisco	Maximum RF Line Voltage					
Frequency	Q.P.(dBuV)	Average(dBuV)				
150kHz~500kHz	66-56	56-46				
500kHz~5MHz	56	46				
5MHz~30MHz	60	50				


Note:

- 1. The lower limit shall apply at the transition frequency.
- 2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

12.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stand of t





12.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST

- The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a Smartphone op system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
- 2. Support equipment, if needed, was placed as per ANSI C63.10.
- 3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
- 4. All support equipments received AC120V/60Hz power from a LISN, if any.
- 5. The EUT received DC charging voltage by PC which received AC120V/60Hz power by a LISN..
- 6. The test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side). Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 ohm load; the second scan had Line 1 connected to a 50 ohm load and Line 2 connected to the Analyzer / Receiver.
- 7. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
- 8. During the above scans, the emissions were maximized by cable manipulation.
- 9. The test mode(s) were scanned during the preliminary test.

Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.

12.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST


- 1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
- A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit. If EUT emission level was less -2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
- 3. The test data of the worst case condition(s) was reported on the Summary Data page.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the topompliance strug/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



12.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST

Line Conducted Emission Test Line 1-L



MEASUREMENT RESULT: "agc_fin"

2020/7/17 21: Frequency MHz	35 Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
0.150000 0.170000 0.230000 0.426000 1.230000 1.794000	36.20 32.60 26.80 28.60 19.00 18.00	9.3 9.3 9.3 9.3 9.3 9.3 9.3	66 65 62 57 56 56	29.8 32.4 35.6 28.7 37.0 38.0	QP QP QP QP QP QP	L1 L1 L1 L1 L1 L1	GND GND GND GND GND GND

MEASUREMENT RESULT: "agc_fin2"


2020/7/17 21: Frequency MHz	35 Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line	PE
0.150000 0.170000 0.234000 0.426000 1.230000 1.794000	31.20 20.30 15.30 21.80 12.90 11.80	9.3 9.3 9.3 9.3 9.3 9.3	56 55 47 46 46	24.8 34.7 37.0 25.5 33.1 34.2	AV AV AV AV AV AV	L1 L1 L1 L1 L1 L1	GND GND GND GND GND GND

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter explorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Report No.: AGC00677200701FE08 Page 42 of 45

Line Conducted Emission Test Line 2-N



MEASUREMENT RESULT: "agc_fin"

2020/7/17 21:	31						
Frequency	Level	Transd	Limit	Margin	Detector	Line	PE
MHz	dBµV	dB	dBµV	dB			
0 150000	24.40	0 0		21 0	0.5		
0.158000	34.40	9.3	66		QP	N	GND
0.194000	28.90	9.3	64	35.0	QP	N	GND
0.298000	21.80	9.3	60	38.5	QP	N	GND
0.422000	27.60	9.3	57	29.8	QP	N	GND
0.906000	16.90	9.3	56	39.1	QP	N	GND
1.978000	14.90	9.3	56	41.1	QP	N	GND

MEASUREMENT RESULT: "agc fin2"

2020/7/17 21	:31						
Frequency	Level	Transd	Limit	Margin	Detector	Line	PE
MHz	dBµV	dB	dBµV	dB			
0.158000	22.20	9.3	56	33.4	AV	Ν	GND
0.186000	19.90	9.3	54	34.3	AV	N	GND
0.298000	14.90	9.3	50	35.4	AV	N	GND
0.426000	21.90	9.3	47	25.4	AV	Ν	GND
0.914000	11.30	9.3	46	34.7	AV	N	GND
1.978000	8.70	9.3	46	37.3	AV	Ν	GND


RESULT: PASS

Note: All the test modes had been tested, the mode 1 was the worst case. Only the data of the worst case would be record in this test report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Posting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.




Report No.: AGC00677200701FE08 Page 43 of 45



APPENDIX A: PHOTOGRAPHS OF TEST SETUP

RADIATED EMISSION TEST SETUP ABOVE 1GHZ



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Report No.: AGC00677200701FE08 Page 44 of 45

CONDUCTED EMISSION TEST SETUP

Compliancest Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Pest Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issues of Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com. g/Inspection The test results 3f the test report.



Report No.: AGC00677200701FE08 Page 45 of 45



APPENDIX B: PHOTOGRAPHS OF EUT

----END OF REPORT----

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written approver, and the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuer of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Co., Ltd (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").

2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.

3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.

4. The non-CMA report issued by AGC is only permitted to be used by the client as internal reference use and shall not be used for public demonstration purpose.

5. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

6. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.

7. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.

8. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.

9. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.

10. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Perturn/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issues of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.