


Ninebot KickScooter


- Product Manual
- Manuel de Produit
- Manual del producto

F25 / F30 / F40

EN



Dashboard & Power Button



Power Button: Press the button to turn the KickScooter on and press, and hold the button for 3 seconds to turn the scooter off. When the KickScooter is on, press the button to turn on/off the headlight and the rear light, and press twice to switch between the speed modes.
Speedometer: Display the current speed of the scooter, as well as to display error codes.
Speed Mode: Three modes available.

Mode	Model	F25	F30	F40
ECO (Energy saving mode)		9.3 mph (15 km/h)	9.3 mph (15 km/h)	9.3 mph (15 km/h)
D (Standard mode)		15.5 mph (25 km/h)	15.5 mph (25 km/h)	18.6 mph (30 km/h)
S (Sport mode)		15.5 mph (25 km/h)	15.5 mph (25 km/h)	18.6 mph (30 km/h)

Error: The wrench icon indicates that the scooter has detected an error.
Temperature Indicator: The thermometer icon always on indicates that the battery temperature has reached 122°F (50°C) or is below 32°F (0°C).
 * At this point, the vehicle cannot accelerate normally and may not be charged. Do not use it until the temperature is lowered to normal range.
Bluetooth: The icon indicates that the scooter has been successfully connected to the mobile device.
Battery Level: The total battery level equals to 5 bars.
 * The battery power is very low when the first battery bar is red. Please charge your KickScooter immediately.

2 Specifications

Item	Parameter	
Product	Name	Ninebot KickScooter
	Model	F25
	Length × Width × Height	Approx. 45 × 18.9 × 45.7 in (1143 × 480 × 1160 mm)
	Folded: Length × Width × Height	Approx. 45 × 18.9 × 19.5 in (1143 × 480 × 495 mm)
Rider	Net Weight	Approx. XX lbs (XX kg)
	Payload	66–220 lbs (30–100 kg)
Machine	Recommended Age	14+ years
	Required Height	3'11"–6'6" (120–200 cm)
	Max. Speed	Approx. 15.5 mph (25 km/h)
	Typical Range ^[1]	Approx. 12.4 miles (20 km)
	Max. Slope	Approx. 10%
	Traversable Terrain	Asphalt/flat pavement; obstacles < 0.4 in (1 cm); gaps < 1.2 in (3 cm)
	Operating Temperature	14–104°F (-10–40°C)
Battery	Storage Temperature	14–122°F (-10–50°C)
	IP Rating	IPX5
	Duration of Charging	Approx. 3.5 h
	Nominal Voltage	36 V ===
	Max. Charging Voltage	42 V ===
	Charging Temperature	32–104°F (0–40°C)
	Nominal Capacity	5100 mAh
	Nominal Energy	183 Wh
Motors	Battery Management System	Over-heating, short circuit, over-current, over-discharge and over-charge protection
	Nominal Power	0.3 kW, 300 W
Charger	Output Power	0.07 kW, 70 W
	Input Voltage	100–240 V~
	Max. Output Voltage	42 V ===
	Rated Output	41 V ===, 1.7 A
Features	Brake Light	LED Rear Light
	Riding Modes	Energy saving mode, Standard mode and Sport mode
Tire	Tire Pressure	45 psi
	Tires	Hollow tires. Material: NR + SBR + SILICA. Size: 8" 2.0. Without nozzle

[1] Typical Range: tested while riding under full power, 165 lbs (75 kg) load, 77°F (25°C), 60% of max. speed on average on pavement.
 * Some of the factors that affect range include speed, number of starts and stops, ambient temperature, etc.

Item	Parameter	
Product	Name	Ninebot KickScooter
	Model	F30
	Length × Width × Height	Approx. 45 × 18.9 × 45.7 in (1143 × 480 × 1160 mm)
	Folded: Length × Width × Height	Approx. 45 × 18.9 × 19.5 in (1143 × 480 × 495 mm)
Rider	Net Weight	Approx. XX lbs (XX kg)
	Payload	66–265 lbs (30–120 kg)
Machine	Recommended Age	14+ years
	Required Height	3'11"–6'6" (120–200 cm)
	Max. Speed	Approx. 15.5 mph (25 km/h)
	Typical Range ^[1]	Approx. 18.6 miles (30 km)
	Max. Slope	Approx. 15%
	Traversable Terrain	Asphalt/flat pavement; obstacles < 0.4 in (1 cm); gaps < 1.2 in (3 cm)
	Operating Temperature	14–104°F (-10–40°C)
Battery	Storage Temperature	14–122°F (-10–50°C)
	IP Rating	IPX5
	Duration of Charging	Approx. 5 h
	Nominal Voltage	36 V ===
	Max. Charging Voltage	42 V ===
	Charging Temperature	32–104°F (0–40°C)
	Nominal Capacity	7650 mAh
	Nominal Energy	275 Wh
Motors	Battery Management System	Over-heating, short circuit, over-current, over-discharge and over-charge protection
	Nominal Power	0.3 kW, 300 W
Charger	Output Power	0.07 kW, 70 W
	Input Voltage	100–240 V~
	Max. Output Voltage	42 V ===
	Rated Output	41 V ===, 1.7 A
Features	Brake Light	LED Rear Light
	Riding Modes	Energy saving mode, Standard mode and Sport mode
Tire	Tire Pressure	45 psi
	Tires	Hollow tires. Material: NR + SBR + SILICA. Size: 8" 2.0. Without nozzle

[1] Typical Range: tested while riding under full power, 165 lbs (75 kg) load, 77°F (25°C), 60% of max. speed on average on pavement.
 * Some of the factors that affect range include speed, number of starts and stops, ambient temperature, etc.

3 Certifications

This product is certified to ANSI/CAN/UL-2272 by CSA. The battery complies with UN/DOT 38.3.

Federal Communications Commission (FCC) Compliance Statement for USA

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

Industry Canada (IC) Compliance Statement for Canada

This device complies with Industry Canada license-exempt RSS standard (s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

Cet équipement est conforme aux limites d'exposition aux radiations de la IC définies pour un environnement non contrôlé.

CAN ICES-3 (B)/NMB-3(B)

Neither Segway Inc. nor Ninebot is responsible for any changes or modifications not expressly approved by Segway Inc. or Ninebot. Such modifications could void the user's authority to operate the equipment.



POWERED BY
SEGWAY

EN The manufacturer reserves the right to make changes to the product, release firmware updates, and update this manual at any time. Visit www.segway.com or check the Segway-Ninebot app to download the latest user materials. You must install the app, activate your KickScooter, and obtain the latest updates and safety instructions.

FR Le fabricant se réserve le droit d'apporter des modifications au produit, de publier des mises à jour du microprogramme et de réviser ce manuel à tout moment. Visitez www.segway.com ou consultez l'application Segway-Ninebot pour télécharger les derniers contenus utilisateur. Vous devez installer l'application, activer votre KickScooter et obtenir les dernières mises à jour et consignes de sécurité.

ES El fabricante se reserva el derecho a realizar cambios en el producto, actualizaciones del firmware y modificaciones de este manual en cualquier momento. Visita www.segway.com o revisa la app para descargar los materiales de usuario más recientes. Debes instalar la aplicación Segway-Ninebot, activar tu KickScooter y obtener las actualizaciones e instrucciones de seguridad más recientes.

EN The pictures shown are for illustration purposes only. The actual product may vary.
FR La photo est pour référence seulement. Veuillez vous référer au produit réel pour plus de détails.
ES La imagen es solo de referencia. Remítase al producto en sí para ver más detalles.