



# RF EXPOSURE EVALUATION REPORT

**APPLICANT** : Shenzhen Renqing Excellent Investment Co.,Ltd  
**PRODUCT NAME** : Mudo Bluetooth Earphone, EB40 True Wireless Stereo Earphone  
**MODEL NAME** : RAU0577, RAU0581  
**BRAND NAME** : ROCK, rock space  
**FCC ID** : 2ALT3-RQZY0804  
**STANDARD(S)** : 47CFR 2.1093  
KDB 447498 D01 General RF Exposure Guidance v06  
**ISSUE DATE** : 2017-11-03

Tested by:   
Peng Fuwei (Test engineer)

Approved by:   
Peng Huarui (Supervisor)

**NOTE:** This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.





**DIRECTORY**

**1. Technical Information..... 3**

**1.1.Applicant and Manufacturer Information..... 3**

**1.2.Equipment Under Test (EUT) Description..... 3**

**1.3.Photographs of the EUT..... 4**

**1.4.Applied Reference Documents..... 4**

**2. DEVICE CATEGORY AND RF EXPOSURE LIMIT ..... 5**

**3. MEASUREMENT OF CONDUCTED PEAK OUTPUT POWER..... 6**

**4. RF EXPOSURE EVALUATION ..... 7**

**ANNEX A GENERAL INFORMATION..... 8**

<b>Change History</b>		
<b>Issue</b>	<b>Date</b>	<b>Reason for change</b>
1.0	2017-11-03	First edition



# 1. Technical Information

**Note:** Provide by manufacturer.

## 1.1. Applicant and Manufacturer Information

<b>Applicant:</b>	Shenzhen Renqing Excellent Investment Co.,Ltd
<b>Applicant Address:</b>	3/F,Block A7 Nanshan iPark,NO.1001 Xueyuan Road,Nanshan District,Shenzhen
<b>Manufacturer:</b>	DONGGUAN ZHAOYANG INDUSTRIAL CO.,LTD.
<b>Manufacturer Address:</b>	Jiuwei Industrial Zone,Qishi Town,Dongguan City,Guangdong Province,China

## 1.2. Equipment Under Test (EUT) Description

<b>EUT Type:</b>	Mudo Bluetooth Earphone, EB40 True Wireless Stereo Earphone
<b>Brand Name:</b>	ROCK , rock space
<b>Hardware Version:</b>	V1.0
<b>Software Version:</b>	V1.0
<b>Frequency Bands:</b>	Bluetooth 4.2 + EDR
<b>Antenna type:</b>	PCB Antenna
<b>Antenna Gain:</b>	0 dBi

**Note:**

According to the certificate holder, Shenzhen Renqing Excellent Investment Co.,Ltd, we hereby declare that the Mudo Bluetooth Earphone RAU0577 and EB40 True Wireless Stereo Earphone RAU0581 are accordant in both hardware platform and software.

Followings are the highlighted items which are same between these products

1. The number of PCB used in the product.
2. All PCB layout.
3. Bluetooth module.
4. Power supply mode
5. Operating voltage

The detail difference between these products ,application is as below:

- 1.The appearance are different
- 2.The color of plastic enclosure has been changed.

### 1.3. Photographs of the EUT

1. EUT view



#### 1.3.1. Identification of all used EUT

The EUT identity consists of numerical and letter characters, the letter character indicates the test sample, and the following two numerical characters indicate the software version of the test sample.

EUT Identity	Hardware Version	Software Version
1#	V1.0	V1.0

#### 1.4. Applied Reference Documents

Leading reference documents for testing:

No.	Identity	Document Title
1	<b>47 CFR§2.1093</b>	Radiofrequency Radiation Exposure Evaluation: portable devices
2	<b>KDB 447498 D01v06</b>	General RF Exposure Guidance



## 2.DEVICE CATEGORY AND RF EXPOSURE LIMIT

Per user manual, this device is a Game pad. Based on 47CFR 2.1093, this device belongs to portable device category with General Population/Uncontrolled exposure.

### **Portable Devices:**

47CFR 2.1093(b)

For purposes of this section, a portable device is defined as a transmitting device designed to be used so that the radiating structure(s) of the device is/are within 20 centimeters of the body of the user.

### **GENERAL POPULATION / UNCONTROLLED EXPOSURE**

47CFR 2.1093(d) (2)

Limits for General Population/Uncontrolled exposure: 0.08 W/kg as averaged over the whole-body and spatial peak SAR not exceeding 1.6 W/kg as averaged over any 1 gram of tissue (defined as a tissue volume in the shape of a cube). Exceptions are the hands, wrists, feet and ankles where the spatial peak SAR shall not exceed 4 W/kg, as averaged over any 10 grams of tissue (defined as a tissue volume in the shape of a cube). General Population/Uncontrolled limits apply when the general public may be exposed, or when persons that are exposed as a consequence of their employment may not be fully aware of the potential for exposure or do not exercise control over their exposure. Warning labels placed on consumer devices such as cellular telephones will not be sufficient reason to allow these devices to be evaluated subject to limits for occupational/controlled exposure in paragraph (d)(1) of this section.



# 3. MEASUREMENT OF CONDUCTED PEAK OUTPUT POWER

## 1. 2.4G Wifi average output power

Band	Channel	Frequency (MHz)	Output Power(dBm)		
			GFSK	$\pi/4$ -DQPSK	8-DPSK
Bluetooth 4.2 + EDR	0	2402	-1.22	-1.08	-0.97
	39	2441	-2.39	-1.98	-2.05
	78	2480	-2.98	-2.87	-2.85



## 4. RF EXPOSURE EVALUATION

The device only incorporates a Bluetooth Earphone, so standalone SAR evaluation is required for Bluetooth and simultaneous SAR is not required.

Standalone transmission SAR evaluation

According to KDB 447498 section 4.3.1, the 1-g SAR test exclusion thresholds at test separation Distances  $\leq 50$  mm are determined by:

$[(\text{max. power of channel, including tune-up tolerance, mW})/(\text{min. test separation distance, mm})] \cdot [\sqrt{f(\text{GHz})}] \leq 3.0$

The maximum tune-up limit power is **0.80mW @ 2.402GHz**

When Bluetooth Earphone is used on the hand, so use **5mm** as the most conservative minimum test separation distance,

$[(\text{max. power of channel, including tune-up tolerance, mW})/(\text{min. test separation distance, mm})] \cdot [\sqrt{f(\text{GHz})}] = 0.25 \leq 3.0$

So SAR evaluation is not required for this device.



## Annex A General Information

### 1. Identification of the Responsible Testing Laboratory

Company Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Department:	Morlab Laboratory
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, Guangdong Province, P. R. China
Responsible Test Lab Manager:	Mr. Su Feng
Telephone:	+86 755 36698555
Facsimile:	+86 755 36698525

### 2. Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd. Morlab Laboratory
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, Guangdong Province, P. R. China

————— END OF REPORT —————