


Manual

Supplier Authorized Signature/					
Status:	Product name/	HV Wireless Node Controller with NEMA Interface			
Draft/	Model	MSDK6349			
[√]	Project	A7005			
Released/	Version	A0			
Teorem Seul	Prepared		Date		
	Marketing		Date		
	Quality		Date		
	Approved		Date		

Customer Authorized Signature/				
Quality		Approved		

1 INTERFACE



BOTTOM VIEW

- PIN Li: Live line input;
- PIN Lo: Live line output ;
- PIN N: Neutral line input ;
- PIN +: CH1 Dim+;
- PIN -: CH1 Dim-;
- PIN 3: CH2 Dim+ or Sensor input (Optional)/;
- PIN 4: CH2 Dim- or Sensor output (Optional)/;
- The Rubber Ring makes installation ingress protection can reach IP65;
- Complies with ANSI C136.41-2013.


2 APPLICATIONS

2.1 RECEPTACLE

Use with TWIST-LOCK PHOTOCONTROL RECEPTACLE. (Conforms ANSI C136.41)




EXAMPLE RECEPTACLE ILLUSTRATIONS




Install on the receptacles


2.2 TYPICAL APPLICATIONS



For two LED driver application



For turnable white LED driver application



For LED driver with sensor application

FCC Statement:

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

FCC Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator your body.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- —Increase the separation between the equipment and receiver.
- —Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- —Consult the dealer or an experienced radio/TV technician for help.