

**APPENDIX A – TEST DATA OF CONDUCTED EMISSION**

**NR Band7**

**1 RF Power Output**

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	2502.5	500500	5	15kHz	Inner_1RB_Left	21.41
					Inner_1RB_Right	21.47
					Inner_Full	21.49
	2535	507000			Inner_1RB_Left	23.08
					Inner_1RB_Right	23.04
					Inner_Full	23.05
	2567.5	513500			Inner_1RB_Left	23.27
					Inner_1RB_Right	23.17
					Inner_Full	23.24
DFT-16QAM	2502.5	500500	5	15kHz	Inner_1RB_Left	20.91
					Inner_1RB_Right	21.20
					Inner_Full	21.04
	2535	507000			Inner_1RB_Left	21.93
					Inner_1RB_Right	21.75
					Inner_Full	22.03
	2567.5	513500			Inner_1RB_Left	22.06
					Inner_1RB_Right	21.88
					Inner_Full	22.19
DFT-64QAM	2502.5	500500	5	15kHz	Inner_1RB_Left	19.77
					Inner_1RB_Right	19.78
					Inner_Full	19.50
	2535	507000			Inner_1RB_Left	20.59
					Inner_1RB_Right	20.21
					Inner_Full	20.48
	2567.5	513500			Inner_1RB_Left	20.46
					Inner_1RB_Right	20.56
					Inner_Full	20.56
DFT-256QAM	2502.5	500500	5	15kHz	Inner_1RB_Left	19.78
					Inner_1RB_Right	19.44
					Inner_Full	19.50
	2535	507000			Inner_1RB_Left	20.61
					Inner_1RB_Right	20.24
					Inner_Full	20.45
	2567.5	513500			Inner_1RB_Left	20.45
					Inner_1RB_Right	20.41
					Inner_Full	20.63

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2502.5	500500	5	15kHz	Inner_1RB_Left	21.47
					Inner_1RB_Right	21.38
					Inner_Full	21.38
	2535	507000			Inner_1RB_Left	23.12
					Inner_1RB_Right	23.04
					Inner_Full	22.95
	2567.5	513500			Inner_1RB_Left	23.21
					Inner_1RB_Right	23.12
					Inner_Full	23.13
CP-16QAM	2502.5	500500	5	15kHz	Inner_1RB_Left	21.20
					Inner_1RB_Right	20.86
					Inner_Full	21.05
	2535	507000			Inner_1RB_Left	21.83
					Inner_1RB_Right	21.69
					Inner_Full	21.76
	2567.5	513500			Inner_1RB_Left	21.95
					Inner_1RB_Right	21.91
					Inner_Full	21.90
CP-64QAM	2502.5	500500	5	15kHz	Inner_1RB_Left	19.41
					Inner_1RB_Right	19.32
					Inner_Full	19.53
	2535	507000			Inner_1RB_Left	20.34
					Inner_1RB_Right	20.24
					Inner_Full	20.23
	2567.5	513500			Inner_1RB_Left	20.73
					Inner_1RB_Right	20.63
					Inner_Full	20.41
CP-256QAM	2502.5	500500	5	15kHz	Inner_1RB_Left	19.41
					Inner_1RB_Right	19.78
					Inner_Full	19.53
	2535	507000			Inner_1RB_Left	20.59
					Inner_1RB_Right	20.50
					Inner_Full	20.43
	2567.5	513500			Inner_1RB_Left	20.43
					Inner_1RB_Right	20.37
					Inner_Full	20.60

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	2505	501000	10	15kHz	Inner_1RB_Left	22.71
					Inner_1RB_Right	22.79
					Inner_Full	22.82
	2535	507000			Inner_1RB_Left	22.90
					Inner_1RB_Right	22.97
					Inner_Full	22.85
	2565	513000			Inner_1RB_Left	21.50
					Inner_1RB_Right	21.52
					Inner_Full	21.46
DFT-16QAM	2505	501000	10	15kHz	Inner_1RB_Left	21.55
					Inner_1RB_Right	21.58
					Inner_Full	21.68
	2535	507000			Inner_1RB_Left	21.65
					Inner_1RB_Right	21.65
					Inner_Full	21.79
	2565	513000			Inner_1RB_Left	21.30
					Inner_1RB_Right	21.02
					Inner_Full	20.92
DFT-64QAM	2505	501000	10	15kHz	Inner_1RB_Left	20.20
					Inner_1RB_Right	20.02
					Inner_Full	20.27
	2535	507000			Inner_1RB_Left	20.13
					Inner_1RB_Right	20.37
					Inner_Full	20.34
	2565	513000			Inner_1RB_Left	19.50
					Inner_1RB_Right	20.01
					Inner_Full	19.41
DFT-256QAM	2505	501000	10	15kHz	Inner_1RB_Left	20.21
					Inner_1RB_Right	20.26
					Inner_Full	20.23
	2535	507000			Inner_1RB_Left	20.37
					Inner_1RB_Right	20.08
					Inner_Full	20.31
	2565	513000			Inner_1RB_Left	19.77
					Inner_1RB_Right	19.59
					Inner_Full	19.56

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2505	501000	10	15kHz	Inner_1RB_Left	22.79
					Inner_1RB_Right	22.82
					Inner_Full	22.83
	2535	507000			Inner_1RB_Left	22.91
					Inner_1RB_Right	22.91
					Inner_Full	22.94
	2565	513000			Inner_1RB_Left	21.57
					Inner_1RB_Right	21.72
					Inner_Full	21.50
CP-16QAM	2505	501000	10	15kHz	Inner_1RB_Left	21.61
					Inner_1RB_Right	21.51
					Inner_Full	21.58
	2535	507000			Inner_1RB_Left	21.66
					Inner_1RB_Right	21.67
					Inner_Full	21.62
	2565	513000			Inner_1RB_Left	20.95
					Inner_1RB_Right	21.29
					Inner_Full	21.03
CP-64QAM	2505	501000	10	15kHz	Inner_1RB_Left	20.22
					Inner_1RB_Right	20.28
					Inner_Full	20.02
	2535	507000			Inner_1RB_Left	20.34
					Inner_1RB_Right	20.40
					Inner_Full	20.16
	2565	513000			Inner_1RB_Left	19.48
					Inner_1RB_Right	20.00
					Inner_Full	19.44
CP-256QAM	2505	501000	10	15kHz	Inner_1RB_Left	20.01
					Inner_1RB_Right	20.27
					Inner_Full	20.27
	2535	507000			Inner_1RB_Left	20.32
					Inner_1RB_Right	20.14
					Inner_Full	20.38
	2565	513000			Inner_1RB_Left	19.48
					Inner_1RB_Right	19.57
					Inner_Full	19.47

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	2507.5	501500	15	15kHz	Inner_1RB_Left	21.30
					Inner_1RB_Right	21.47
					Inner_Full	21.29
	2535	507000			Inner_1RB_Left	22.88
					Inner_1RB_Right	22.90
					Inner_Full	22.91
	2562.5	512500			Inner_1RB_Left	21.41
					Inner_1RB_Right	21.76
					Inner_Full	21.52
DFT-16QAM	2507.5	501500	15	15kHz	Inner_1RB_Left	20.75
					Inner_1RB_Right	20.83
					Inner_Full	20.83
	2535	507000			Inner_1RB_Left	21.56
					Inner_1RB_Right	21.69
					Inner_Full	21.78
	2562.5	512500			Inner_1RB_Left	20.82
					Inner_1RB_Right	21.37
					Inner_Full	21.06
DFT-64QAM	2507.5	501500	15	15kHz	Inner_1RB_Left	19.56
					Inner_1RB_Right	19.34
					Inner_Full	19.26
	2535	507000			Inner_1RB_Left	20.36
					Inner_1RB_Right	20.35
					Inner_Full	20.31
	2562.5	512500			Inner_1RB_Left	19.64
					Inner_1RB_Right	19.66
					Inner_Full	19.47
DFT-256QAM	2507.5	501500	15	15kHz	Inner_1RB_Left	19.56
					Inner_1RB_Right	19.72
					Inner_Full	19.22
	2535	507000			Inner_1RB_Left	20.36
					Inner_1RB_Right	20.35
					Inner_Full	20.39
	2562.5	512500			Inner_1RB_Left	19.37
					Inner_1RB_Right	20.04
					Inner_Full	19.47

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2507.5	501500	15	15kHz	Inner_1RB_Left	21.31
					Inner_1RB_Right	21.53
					Inner_Full	21.30
	2535	507000			Inner_1RB_Left	22.87
					Inner_1RB_Right	22.94
					Inner_Full	22.96
	2562.5	512500			Inner_1RB_Left	21.47
					Inner_1RB_Right	21.73
					Inner_Full	21.56
CP-16QAM	2507.5	501500	15	15kHz	Inner_1RB_Left	20.77
					Inner_1RB_Right	20.81
					Inner_Full	20.83
	2535	507000			Inner_1RB_Left	21.69
					Inner_1RB_Right	21.70
					Inner_Full	21.60
	2562.5	512500			Inner_1RB_Left	20.85
					Inner_1RB_Right	21.10
					Inner_Full	21.06
CP-64QAM	2507.5	501500	15	15kHz	Inner_1RB_Left	19.24
					Inner_1RB_Right	19.72
					Inner_Full	19.25
	2535	507000			Inner_1RB_Left	20.33
					Inner_1RB_Right	20.41
					Inner_Full	20.34
	2562.5	512500			Inner_1RB_Left	19.65
					Inner_1RB_Right	19.65
					Inner_Full	19.58
CP-256QAM	2507.5	501500	15	15kHz	Inner_1RB_Left	19.64
					Inner_1RB_Right	19.33
					Inner_Full	19.29
	2535	507000			Inner_1RB_Left	20.11
					Inner_1RB_Right	20.34
					Inner_Full	20.34
	2562.5	512500			Inner_1RB_Left	19.70
					Inner_1RB_Right	20.03
					Inner_Full	19.49

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	2510	502000	20	15kHz	Inner_1RB_Left	21.14
					Inner_1RB_Right	21.33
					Inner_Full	21.32
	2535	507000			Inner_1RB_Left	22.74
					Inner_1RB_Right	22.75
					Inner_Full	22.90
	2560	512000			Inner_1RB_Left	22.74
					Inner_1RB_Right	23.05
					Inner_Full	23.22
DFT-16QAM	2510	502000	20	15kHz	Inner_1RB_Left	20.87
					Inner_1RB_Right	20.60
					Inner_Full	20.80
	2535	507000			Inner_1RB_Left	21.96
					Inner_1RB_Right	21.90
					Inner_Full	21.88
	2560	512000			Inner_1RB_Left	21.98
					Inner_1RB_Right	22.25
					Inner_Full	22.24
DFT-64QAM	2510	502000	20	15kHz	Inner_1RB_Left	19.41
					Inner_1RB_Right	19.21
					Inner_Full	19.32
	2535	507000			Inner_1RB_Left	20.21
					Inner_1RB_Right	20.21
					Inner_Full	20.32
	2560	512000			Inner_1RB_Left	20.13
					Inner_1RB_Right	20.46
					Inner_Full	20.60
DFT-256QAM	2510	502000	20	15kHz	Inner_1RB_Left	19.41
					Inner_1RB_Right	19.59
					Inner_Full	19.30
	2535	507000			Inner_1RB_Left	20.21
					Inner_1RB_Right	19.99
					Inner_Full	20.30
	2560	512000			Inner_1RB_Left	20.13
					Inner_1RB_Right	20.44
					Inner_Full	20.59

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2510	502000	20	15kHz	Inner_1RB_Left	21.14
					Inner_1RB_Right	21.32
					Inner_Full	21.27
	2535	507000			Inner_1RB_Left	22.73
					Inner_1RB_Right	22.70
					Inner_Full	22.70
	2560	512000			Inner_1RB_Left	22.74
					Inner_1RB_Right	23.06
					Inner_Full	23.00
CP-16QAM	2510	502000	20	15kHz	Inner_1RB_Left	20.87
					Inner_1RB_Right	20.67
					Inner_Full	20.85
	2535	507000			Inner_1RB_Left	21.40
					Inner_1RB_Right	21.40
					Inner_Full	21.89
	2560	512000			Inner_1RB_Left	21.89
					Inner_1RB_Right	22.29
					Inner_Full	22.25
CP-64QAM	2510	502000	20	15kHz	Inner_1RB_Left	19.39
					Inner_1RB_Right	19.22
					Inner_Full	19.32
	2535	507000			Inner_1RB_Left	20.27
					Inner_1RB_Right	20.00
					Inner_Full	20.19
	2560	512000			Inner_1RB_Left	20.12
					Inner_1RB_Right	20.48
					Inner_Full	20.45
CP-256QAM	2510	502000	20	15kHz	Inner_1RB_Left	19.50
					Inner_1RB_Right	19.24
					Inner_Full	19.32
	2535	507000			Inner_1RB_Left	19.99
					Inner_1RB_Right	20.18
					Inner_Full	20.20
	2560	512000			Inner_1RB_Left	20.15
					Inner_1RB_Right	20.46
					Inner_Full	20.46



Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	2512.5	502500	25	15kHz	Inner_1RB_Left	22.29
					Inner_1RB_Right	22.46
					Inner_Full	22.36
	2535	507000			Inner_1RB_Left	19.44
					Inner_1RB_Right	22.23
					Inner_Full	22.49
	2557.5	511500			Inner_1RB_Left	22.03
					Inner_1RB_Right	22.58
					Inner_Full	22.29
DFT-16QAM	2512.5	502500	25	15kHz	Inner_1RB_Left	21.28
					Inner_1RB_Right	21.53
					Inner_Full	21.38
	2535	507000			Inner_1RB_Left	21.18
					Inner_1RB_Right	21.13
					Inner_Full	21.46
	2557.5	511500			Inner_1RB_Left	21.01
					Inner_1RB_Right	21.56
					Inner_Full	21.31
DFT-64QAM	2512.5	502500	25	15kHz	Inner_1RB_Left	19.66
					Inner_1RB_Right	19.86
					Inner_Full	19.84
	2535	507000			Inner_1RB_Left	19.65
					Inner_1RB_Right	19.61
					Inner_Full	19.96
	2557.5	511500			Inner_1RB_Left	19.39
					Inner_1RB_Right	19.97
					Inner_Full	19.77
DFT-256QAM	2512.5	502500	25	15kHz	Inner_1RB_Left	17.70
					Inner_1RB_Right	17.85
					Inner_Full	17.80
	2535	507000			Inner_1RB_Left	17.67
					Inner_1RB_Right	17.63
					Inner_Full	17.93
	2557.5	511500			Inner_1RB_Left	17.59
					Inner_1RB_Right	18.15
					Inner_Full	17.76

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2512.5	502500	25	15kHz	Inner_1RB_Left	20.80
					Inner_1RB_Right	20.92
					Inner_Full	20.81
	2535	507000			Inner_1RB_Left	20.67
					Inner_1RB_Right	20.74
					Inner_Full	20.91
	2557.5	511500			Inner_1RB_Left	20.53
					Inner_1RB_Right	21.01
					Inner_Full	20.79
CP-16QAM	2512.5	502500	25	15kHz	Inner_1RB_Left	20.25
					Inner_1RB_Right	20.35
					Inner_Full	20.31
	2535	507000			Inner_1RB_Left	20.28
					Inner_1RB_Right	20.23
					Inner_Full	20.39
	2557.5	511500			Inner_1RB_Left	20.01
					Inner_1RB_Right	20.65
					Inner_Full	20.29
CP-64QAM	2512.5	502500	25	15kHz	Inner_1RB_Left	18.81
					Inner_1RB_Right	18.98
					Inner_Full	18.86
	2535	507000			Inner_1RB_Left	18.71
					Inner_1RB_Right	18.62
					Inner_Full	18.95
	2557.5	511500			Inner_1RB_Left	18.58
					Inner_1RB_Right	19.11
					Inner_Full	18.81
CP-256QAM	2512.5	502500	25	15kHz	Inner_1RB_Left	16.05
					Inner_1RB_Right	16.27
					Inner_Full	15.89
	2535	507000			Inner_1RB_Left	16.01
					Inner_1RB_Right	15.94
					Inner_Full	16.00
	2557.5	511500			Inner_1RB_Left	15.82
					Inner_1RB_Right	16.42
					Inner_Full	15.89

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	2515	503000	30	15kHz	Inner_1RB_Left	22.61
					Inner_1RB_Right	22.54
					Inner_Full	22.83
	2535	507000			Inner_1RB_Left	22.76
					Inner_1RB_Right	22.68
					Inner_Full	22.92
	2555	511000			Inner_1RB_Left	21.18
					Inner_1RB_Right	21.42
					Inner_Full	21.43
DFT-16QAM	2515	503000	30	15kHz	Inner_1RB_Left	21.67
					Inner_1RB_Right	21.66
					Inner_Full	21.85
	2535	507000			Inner_1RB_Left	22.05
					Inner_1RB_Right	21.90
					Inner_Full	21.97
	2555	511000			Inner_1RB_Left	20.66
					Inner_1RB_Right	20.88
					Inner_Full	20.92
DFT-64QAM	2515	503000	30	15kHz	Inner_1RB_Left	20.02
					Inner_1RB_Right	19.91
					Inner_Full	20.33
	2535	507000			Inner_1RB_Left	20.21
					Inner_1RB_Right	20.10
					Inner_Full	20.42
	2555	511000			Inner_1RB_Left	19.26
					Inner_1RB_Right	19.60
					Inner_Full	19.43
DFT-256QAM	2515	503000	30	15kHz	Inner_1RB_Left	19.99
					Inner_1RB_Right	19.97
					Inner_Full	20.34
	2535	507000			Inner_1RB_Left	20.17
					Inner_1RB_Right	20.08
					Inner_Full	20.41
	2555	511000			Inner_1RB_Left	19.29
					Inner_1RB_Right	19.54
					Inner_Full	19.42

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2515	503000	30	15kHz	Inner_1RB_Left	22.65
					Inner_1RB_Right	22.59
					Inner_Full	22.82
	2535	507000			Inner_1RB_Left	22.82
					Inner_1RB_Right	22.66
					Inner_Full	22.96
	2555	511000			Inner_1RB_Left	21.12
					Inner_1RB_Right	21.34
					Inner_Full	21.41
CP-16QAM	2515	503000	30	15kHz	Inner_1RB_Left	21.71
					Inner_1RB_Right	21.66
					Inner_Full	21.84
	2535	507000			Inner_1RB_Left	21.94
					Inner_1RB_Right	21.80
					Inner_Full	21.96
	2555	511000			Inner_1RB_Left	20.70
					Inner_1RB_Right	21.00
					Inner_Full	20.96
CP-64QAM	2515	503000	30	15kHz	Inner_1RB_Left	20.02
					Inner_1RB_Right	19.98
					Inner_Full	20.34
	2535	507000			Inner_1RB_Left	20.22
					Inner_1RB_Right	20.08
					Inner_Full	20.40
	2555	511000			Inner_1RB_Left	19.33
					Inner_1RB_Right	19.53
					Inner_Full	19.44
CP-256QAM	2515	503000	30	15kHz	Inner_1RB_Left	19.97
					Inner_1RB_Right	19.94
					Inner_Full	20.33
	2535	507000			Inner_1RB_Left	20.17
					Inner_1RB_Right	20.11
					Inner_Full	20.43
	2555	511000			Inner_1RB_Left	19.23
					Inner_1RB_Right	19.66
					Inner_Full	19.43

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	2520	504000	40	15kHz	Inner_1RB_Left	21.28
					Inner_1RB_Right	21.20
					Inner_Full	21.71
	2535	507000			Inner_1RB_Left	22.66
					Inner_1RB_Right	22.60
					Inner_Full	22.88
	2550	510000			Inner_1RB_Left	20.98
					Inner_1RB_Right	21.29
					Inner_Full	21.26
DFT-16QAM	2520	504000	40	15kHz	Inner_1RB_Left	19.94
					Inner_1RB_Right	19.85
					Inner_Full	20.21
	2535	507000			Inner_1RB_Left	21.42
					Inner_1RB_Right	21.40
					Inner_Full	21.82
	2550	510000			Inner_1RB_Left	20.28
					Inner_1RB_Right	20.94
					Inner_Full	20.70
DFT-64QAM	2520	504000	40	15kHz	Inner_1RB_Left	17.38
					Inner_1RB_Right	17.26
					Inner_Full	18.11
	2535	507000			Inner_1RB_Left	19.96
					Inner_1RB_Right	19.94
					Inner_Full	20.32
	2550	510000			Inner_1RB_Left	19.10
					Inner_1RB_Right	18.92
					Inner_Full	19.20
DFT-256QAM	2520	504000	40	15kHz	Inner_1RB_Left	17.38
					Inner_1RB_Right	17.21
					Inner_Full	18.08
	2535	507000			Inner_1RB_Left	19.85
					Inner_1RB_Right	19.93
					Inner_Full	20.29
	2550	510000			Inner_1RB_Left	18.60
					Inner_1RB_Right	19.41
					Inner_Full	19.18

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2520	504000	40	15kHz	Inner_1RB_Left	21.57
					Inner_1RB_Right	21.27
					Inner_Full	21.75
	2535	507000			Inner_1RB_Left	22.59
					Inner_1RB_Right	22.62
					Inner_Full	22.88
	2550	510000			Inner_1RB_Left	21.00
					Inner_1RB_Right	21.19
					Inner_Full	21.25
CP-16QAM	2520	504000	40	15kHz	Inner_1RB_Left	19.52
					Inner_1RB_Right	19.45
					Inner_Full	20.20
	2535	507000			Inner_1RB_Left	21.58
					Inner_1RB_Right	21.42
					Inner_Full	21.86
	2550	510000			Inner_1RB_Left	20.21
					Inner_1RB_Right	20.94
					Inner_Full	20.68
CP-64QAM	2520	504000	40	15kHz	Inner_1RB_Left	17.40
					Inner_1RB_Right	17.25
					Inner_Full	18.11
	2535	507000			Inner_1RB_Left	19.87
					Inner_1RB_Right	19.84
					Inner_Full	20.31
	2550	510000			Inner_1RB_Left	18.58
					Inner_1RB_Right	19.36
					Inner_Full	19.22
CP-256QAM	2520	504000	40	15kHz	Inner_1RB_Left	17.35
					Inner_1RB_Right	17.26
					Inner_Full	18.07
	2535	507000			Inner_1RB_Left	19.98
					Inner_1RB_Right	19.92
					Inner_Full	20.34
	2550	510000			Inner_1RB_Left	18.58
					Inner_1RB_Right	18.84
					Inner_Full	19.27

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	2525	505000	50	15kHz	Inner_1RB_Left	21.15
					Inner_1RB_Right	21.15
					Inner_Full	21.27
	2535	507000			Inner_1RB_Left	22.82
					Inner_1RB_Right	22.98
					Inner_Full	23.02
	2545	509000			Inner_1RB_Left	22.79
					Inner_1RB_Right	22.96
					Inner_Full	22.96
DFT-16QAM	2525	505000	50	15kHz	Inner_1RB_Left	20.33
					Inner_1RB_Right	20.41
					Inner_Full	20.86
	2535	507000			Inner_1RB_Left	21.54
					Inner_1RB_Right	22.04
					Inner_Full	22.01
	2545	509000			Inner_1RB_Left	21.50
					Inner_1RB_Right	21.72
					Inner_Full	21.96
DFT-64QAM	2525	505000	50	15kHz	Inner_1RB_Left	19.28
					Inner_1RB_Right	18.66
					Inner_Full	19.28
	2535	507000			Inner_1RB_Left	20.22
					Inner_1RB_Right	20.19
					Inner_Full	20.49
	2545	509000			Inner_1RB_Left	20.02
					Inner_1RB_Right	20.34
					Inner_Full	20.37
DFT-256QAM	2525	505000	50	15kHz	Inner_1RB_Left	19.27
					Inner_1RB_Right	18.64
					Inner_Full	19.27
	2535	507000			Inner_1RB_Left	20.22
					Inner_1RB_Right	20.20
					Inner_Full	20.42
	2545	509000			Inner_1RB_Left	20.12
					Inner_1RB_Right	20.20
					Inner_Full	20.40

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2525	505000	50	15kHz	Inner_1RB_Left	21.12
					Inner_1RB_Right	21.15
					Inner_Full	21.26
	2535	507000			Inner_1RB_Left	22.85
					Inner_1RB_Right	23.06
					Inner_Full	22.93
	2545	509000			Inner_1RB_Left	22.79
					Inner_1RB_Right	22.85
					Inner_Full	22.92
CP-16QAM	2525	505000	50	15kHz	Inner_1RB_Left	20.49
					Inner_1RB_Right	20.46
					Inner_Full	20.79
	2535	507000			Inner_1RB_Left	21.88
					Inner_1RB_Right	22.05
					Inner_Full	21.97
	2545	509000			Inner_1RB_Left	21.49
					Inner_1RB_Right	21.78
					Inner_Full	21.91
CP-64QAM	2525	505000	50	15kHz	Inner_1RB_Left	18.84
					Inner_1RB_Right	19.20
					Inner_Full	19.21
	2535	507000			Inner_1RB_Left	20.06
					Inner_1RB_Right	20.33
					Inner_Full	20.37
	2545	509000			Inner_1RB_Left	20.00
					Inner_1RB_Right	20.30
					Inner_Full	20.38
CP-256QAM	2525	505000	50	15kHz	Inner_1RB_Left	18.82
					Inner_1RB_Right	18.66
					Inner_Full	19.27
	2535	507000			Inner_1RB_Left	20.21
					Inner_1RB_Right	20.33
					Inner_Full	20.40
	2545	509000			Inner_1RB_Left	20.01
					Inner_1RB_Right	20.30
					Inner_Full	20.39



Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	2505	501000	10	30kHz	Inner_1RB_Left	22.61
					Inner_1RB_Right	22.69
					Inner_Full	22.57
	2535	507000			Inner_1RB_Left	22.54
					Inner_1RB_Right	22.66
					Inner_Full	22.66
	2565	513000			Inner_1RB_Left	22.62
					Inner_1RB_Right	22.83
					Inner_Full	21.62
DFT-16QAM	2505	501000	10	30kHz	Inner_1RB_Left	21.60
					Inner_1RB_Right	21.84
					Inner_Full	21.73
	2535	507000			Inner_1RB_Left	21.69
					Inner_1RB_Right	21.60
					Inner_Full	21.80
	2565	513000			Inner_1RB_Left	21.73
					Inner_1RB_Right	21.80
					Inner_Full	19.89
DFT-64QAM	2505	501000	10	30kHz	Inner_1RB_Left	19.95
					Inner_1RB_Right	20.33
					Inner_Full	20.19
	2535	507000			Inner_1RB_Left	20.20
					Inner_1RB_Right	20.20
					Inner_Full	20.24
	2565	513000			Inner_1RB_Left	20.30
					Inner_1RB_Right	20.33
					Inner_Full	18.50
DFT-256QAM	2505	501000	10	30kHz	Inner_1RB_Left	18.54
					Inner_1RB_Right	18.36
					Inner_Full	18.43
	2535	507000			Inner_1RB_Left	18.35
					Inner_1RB_Right	18.32
					Inner_Full	18.44
	2565	513000			Inner_1RB_Left	18.40
					Inner_1RB_Right	18.26
					Inner_Full	22.61

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2505	501000	10	30kHz	Inner_1RB_Left	21.11
					Inner_1RB_Right	21.19
					Inner_Full	21.22
	2535	507000			Inner_1RB_Left	21.30
					Inner_1RB_Right	21.23
					Inner_Full	21.17
	2565	513000			Inner_1RB_Left	21.38
					Inner_1RB_Right	21.33
					Inner_Full	21.33
CP-16QAM	2505	501000	Inner_1RB_Left	20.70		
			Inner_1RB_Right	20.74		
			Inner_Full	20.76		
	2535	507000	Inner_1RB_Left	20.75		
			Inner_1RB_Right	20.68		
			Inner_Full	20.62		
	2565	513000	Inner_1RB_Left	20.89		
			Inner_1RB_Right	20.94		
			Inner_Full	20.72		
CP-64QAM	2505	501000	Inner_1RB_Left	18.77		
			Inner_1RB_Right	18.75		
			Inner_Full	19.34		
	2535	507000	Inner_1RB_Left	19.03		
			Inner_1RB_Right	19.02		
			Inner_Full	19.16		
	2565	513000	Inner_1RB_Left	19.14		
			Inner_1RB_Right	19.19		
			Inner_Full	19.28		
CP-256QAM	2505	501000	Inner_1RB_Left	16.40		
			Inner_1RB_Right	16.45		
			Inner_Full	16.30		
	2535	507000	Inner_1RB_Left	16.43		
			Inner_1RB_Right	16.46		
			Inner_Full	16.15		
	2565	513000	Inner_1RB_Left	16.59		
			Inner_1RB_Right	16.61		
			Inner_Full	16.35		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	2507.5	501500	15	30kHz	Inner_1RB_Left	22.60
					Inner_1RB_Right	22.60
					Inner_Full	22.78
	2535	507000			Inner_1RB_Left	22.54
					Inner_1RB_Right	22.48
					Inner_Full	22.60
	2562.5	512500			Inner_1RB_Left	22.75
					Inner_1RB_Right	22.74
					Inner_Full	22.89
DFT-16QAM	2507.5	501500	15	30kHz	Inner_1RB_Left	21.69
					Inner_1RB_Right	21.75
					Inner_Full	21.87
	2535	507000			Inner_1RB_Left	21.56
					Inner_1RB_Right	21.53
					Inner_Full	21.74
	2562.5	512500			Inner_1RB_Left	21.75
					Inner_1RB_Right	21.78
					Inner_Full	21.97
DFT-64QAM	2507.5	501500	15	30kHz	Inner_1RB_Left	20.18
					Inner_1RB_Right	20.23
					Inner_Full	20.23
	2535	507000			Inner_1RB_Left	19.90
					Inner_1RB_Right	19.92
					Inner_Full	20.08
	2562.5	512500			Inner_1RB_Left	20.16
					Inner_1RB_Right	20.20
					Inner_Full	20.38
DFT-256QAM	2507.5	501500	15	30kHz	Inner_1RB_Left	18.50
					Inner_1RB_Right	18.56
					Inner_Full	18.31
	2535	507000			Inner_1RB_Left	18.52
					Inner_1RB_Right	18.51
					Inner_Full	18.22
	2562.5	512500			Inner_1RB_Left	18.59
					Inner_1RB_Right	18.67
					Inner_Full	18.30

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2507.5	501500	15	30kHz	Inner_1RB_Left	21.22
					Inner_1RB_Right	21.31
					Inner_Full	21.32
	2535	507000			Inner_1RB_Left	21.14
					Inner_1RB_Right	21.14
					Inner_Full	21.26
	2562.5	512500			Inner_1RB_Left	21.34
					Inner_1RB_Right	21.36
					Inner_Full	21.55
CP-16QAM	2507.5	501500	15	30kHz	Inner_1RB_Left	20.64
					Inner_1RB_Right	20.81
					Inner_Full	20.76
	2535	507000			Inner_1RB_Left	20.72
					Inner_1RB_Right	20.65
					Inner_Full	20.55
	2562.5	512500			Inner_1RB_Left	20.86
					Inner_1RB_Right	20.86
					Inner_Full	20.86
CP-64QAM	2507.5	501500	15	30kHz	Inner_1RB_Left	18.85
					Inner_1RB_Right	18.81
					Inner_Full	19.19
	2535	507000			Inner_1RB_Left	18.78
					Inner_1RB_Right	18.72
					Inner_Full	19.14
	2562.5	512500			Inner_1RB_Left	18.85
					Inner_1RB_Right	19.05
					Inner_Full	19.36
CP-256QAM	2507.5	501500	15	30kHz	Inner_1RB_Left	16.42
					Inner_1RB_Right	16.40
					Inner_Full	16.36
	2535	507000			Inner_1RB_Left	16.38
					Inner_1RB_Right	16.38
					Inner_Full	16.23
	2562.5	512500			Inner_1RB_Left	16.68
					Inner_1RB_Right	16.68
					Inner_Full	16.55

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	2510	502000	20	30kHz	Inner_1RB_Left	22.57
					Inner_1RB_Right	22.61
					Inner_Full	22.79
	2535	507000			Inner_1RB_Left	22.53
					Inner_1RB_Right	22.40
					Inner_Full	22.66
	2560	512000			Inner_1RB_Left	22.55
					Inner_1RB_Right	22.63
					Inner_Full	22.86
DFT-16QAM	2510	502000			Inner_1RB_Left	21.74
					Inner_1RB_Right	21.78
					Inner_Full	21.83
	2535	507000			Inner_1RB_Left	21.60
					Inner_1RB_Right	21.63
					Inner_Full	21.63
	2560	512000			Inner_1RB_Left	21.81
					Inner_1RB_Right	21.68
					Inner_Full	21.92
DFT-64QAM	2510	502000			Inner_1RB_Left	20.22
					Inner_1RB_Right	20.26
					Inner_Full	20.36
	2535	507000			Inner_1RB_Left	20.14
					Inner_1RB_Right	20.06
					Inner_Full	20.16
	2560	512000			Inner_1RB_Left	19.99
					Inner_1RB_Right	20.03
					Inner_Full	20.35
DFT-256QAM	2510	502000	Inner_1RB_Left	18.57		
			Inner_1RB_Right	18.45		
			Inner_Full	18.47		
	2535	507000	Inner_1RB_Left	18.43		
			Inner_1RB_Right	18.40		
			Inner_Full	18.26		
	2560	512000	Inner_1RB_Left	18.59		
			Inner_1RB_Right	18.52		
			Inner_Full	18.27		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2510	502000	20	30kHz	Inner_1RB_Left	21.21
					Inner_1RB_Right	21.33
					Inner_Full	21.29
	2535	507000			Inner_1RB_Left	21.15
					Inner_1RB_Right	21.14
					Inner_Full	21.17
	2560	512000			Inner_1RB_Left	21.28
					Inner_1RB_Right	21.28
					Inner_Full	21.34
CP-16QAM	2510	502000	20	30kHz	Inner_1RB_Left	20.88
					Inner_1RB_Right	20.88
					Inner_Full	20.77
	2535	507000			Inner_1RB_Left	20.80
					Inner_1RB_Right	20.74
					Inner_Full	20.68
	2560	512000			Inner_1RB_Left	20.74
					Inner_1RB_Right	20.79
					Inner_Full	20.86
CP-64QAM	2510	502000	20	30kHz	Inner_1RB_Left	19.07
					Inner_1RB_Right	19.10
					Inner_Full	19.26
	2535	507000			Inner_1RB_Left	19.01
					Inner_1RB_Right	18.95
					Inner_Full	19.19
	2560	512000			Inner_1RB_Left	18.76
					Inner_1RB_Right	18.91
					Inner_Full	19.36
CP-256QAM	2510	502000	20	30kHz	Inner_1RB_Left	16.51
					Inner_1RB_Right	16.47
					Inner_Full	16.40
	2535	507000			Inner_1RB_Left	16.38
					Inner_1RB_Right	16.38
					Inner_Full	16.19
	2560	512000			Inner_1RB_Left	16.46
					Inner_1RB_Right	16.56
					Inner_Full	16.44

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	2512.5	502500	25	30kHz	Inner_1RB_Left	22.75
					Inner_1RB_Right	22.76
					Inner_Full	22.63
	2535	507000			Inner_1RB_Left	22.93
					Inner_1RB_Right	23.00
					Inner_Full	22.96
	2557.5	511500			Inner_1RB_Left	21.76
					Inner_1RB_Right	21.77
					Inner_Full	21.78
DFT-16QAM	2512.5	502500	25	30kHz	Inner_1RB_Left	21.71
					Inner_1RB_Right	21.72
					Inner_Full	21.69
	2535	507000			Inner_1RB_Left	21.86
					Inner_1RB_Right	22.03
					Inner_Full	21.96
	2557.5	511500			Inner_1RB_Left	20.21
					Inner_1RB_Right	20.32
					Inner_Full	20.27
DFT-64QAM	2512.5	502500	25	30kHz	Inner_1RB_Left	20.14
					Inner_1RB_Right	20.16
					Inner_Full	20.15
	2535	507000			Inner_1RB_Left	20.34
					Inner_1RB_Right	20.43
					Inner_Full	20.45
	2557.5	511500			Inner_1RB_Left	18.17
					Inner_1RB_Right	18.29
					Inner_Full	18.39
DFT-256QAM	2512.5	502500	25	30kHz	Inner_1RB_Left	18.18
					Inner_1RB_Right	18.14
					Inner_Full	18.24
	2535	507000			Inner_1RB_Left	18.18
					Inner_1RB_Right	18.24
					Inner_Full	18.39
	2557.5	511500			Inner_1RB_Left	21.28
					Inner_1RB_Right	21.27
					Inner_Full	21.27

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2512.5	502500	25	30kHz	Inner_1RB_Left	21.28
					Inner_1RB_Right	21.19
					Inner_Full	21.14
	2535	507000			Inner_1RB_Left	21.40
					Inner_1RB_Right	21.40
					Inner_Full	21.41
	2557.5	511500			Inner_1RB_Left	20.79
					Inner_1RB_Right	20.81
					Inner_Full	20.74
CP-16QAM	2512.5	502500	25	30kHz	Inner_1RB_Left	20.76
					Inner_1RB_Right	20.72
					Inner_Full	20.63
	2535	507000			Inner_1RB_Left	20.94
					Inner_1RB_Right	20.91
					Inner_Full	20.88
	2557.5	511500			Inner_1RB_Left	19.06
					Inner_1RB_Right	19.13
					Inner_Full	19.18
CP-64QAM	2512.5	502500	25	30kHz	Inner_1RB_Left	19.09
					Inner_1RB_Right	19.04
					Inner_Full	19.06
	2535	507000			Inner_1RB_Left	19.24
					Inner_1RB_Right	19.27
					Inner_Full	19.32
	2557.5	511500			Inner_1RB_Left	16.26
					Inner_1RB_Right	16.30
					Inner_Full	16.37
CP-256QAM	2512.5	502500	25	30kHz	Inner_1RB_Left	16.23
					Inner_1RB_Right	16.18
					Inner_Full	16.26
	2535	507000			Inner_1RB_Left	16.38
					Inner_1RB_Right	16.46
					Inner_Full	16.53
	2557.5	511500			Inner_1RB_Left	22.75
					Inner_1RB_Right	22.76
					Inner_Full	22.63



Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	2515	503000	30	30kHz	Inner_1RB_Left	22.38
					Inner_1RB_Right	22.55
					Inner_Full	22.66
	2535	507000			Inner_1RB_Left	22.29
					Inner_1RB_Right	22.36
					Inner_Full	22.54
	2555	511000			Inner_1RB_Left	22.27
					Inner_1RB_Right	22.51
					Inner_Full	22.66
DFT-16QAM	2515	503000	30	30kHz	Inner_1RB_Left	21.37
					Inner_1RB_Right	21.55
					Inner_Full	21.70
	2535	507000			Inner_1RB_Left	21.50
					Inner_1RB_Right	21.52
					Inner_Full	21.60
	2555	511000			Inner_1RB_Left	21.44
					Inner_1RB_Right	21.66
					Inner_Full	21.67
DFT-64QAM	2515	503000	30	30kHz	Inner_1RB_Left	19.74
					Inner_1RB_Right	19.84
					Inner_Full	20.12
	2535	507000			Inner_1RB_Left	19.94
					Inner_1RB_Right	20.01
					Inner_Full	20.03
	2555	511000			Inner_1RB_Left	19.90
					Inner_1RB_Right	20.24
					Inner_Full	20.17
DFT-256QAM	2515	503000	30	30kHz	Inner_1RB_Left	18.36
					Inner_1RB_Right	18.46
					Inner_Full	18.18
	2535	507000			Inner_1RB_Left	18.20
					Inner_1RB_Right	18.31
					Inner_Full	18.11
	2555	511000			Inner_1RB_Left	18.18
					Inner_1RB_Right	18.43
					Inner_Full	18.22

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2515	503000	30	30kHz	Inner_1RB_Left	20.98
					Inner_1RB_Right	21.16
					Inner_Full	21.11
	2535	507000			Inner_1RB_Left	21.04
					Inner_1RB_Right	21.09
					Inner_Full	21.08
	2555	511000			Inner_1RB_Left	21.07
					Inner_1RB_Right	21.21
					Inner_Full	21.18
CP-16QAM	2515	503000	30	30kHz	Inner_1RB_Left	20.48
					Inner_1RB_Right	20.70
					Inner_Full	20.67
	2535	507000			Inner_1RB_Left	20.53
					Inner_1RB_Right	20.63
					Inner_Full	20.57
	2555	511000			Inner_1RB_Left	20.60
					Inner_1RB_Right	20.83
					Inner_Full	20.62
CP-64QAM	2515	503000	30	30kHz	Inner_1RB_Left	18.61
					Inner_1RB_Right	18.70
					Inner_Full	19.17
	2535	507000			Inner_1RB_Left	18.79
					Inner_1RB_Right	18.84
					Inner_Full	19.02
	2555	511000			Inner_1RB_Left	18.82
					Inner_1RB_Right	18.98
					Inner_Full	19.14
CP-256QAM	2515	503000	30	30kHz	Inner_1RB_Left	16.21
					Inner_1RB_Right	16.37
					Inner_Full	16.24
	2535	507000			Inner_1RB_Left	16.19
					Inner_1RB_Right	16.32
					Inner_Full	16.15
	2555	511000			Inner_1RB_Left	16.26
					Inner_1RB_Right	16.40
					Inner_Full	16.26

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	2520	504000	40	30kHz	Inner_1RB_Left	22.22
					Inner_1RB_Right	22.30
					Inner_Full	22.62
	2535	507000			Inner_1RB_Left	22.05
					Inner_1RB_Right	22.25
					Inner_Full	22.56
	2550	510000			Inner_1RB_Left	22.25
					Inner_1RB_Right	22.32
					Inner_Full	22.77
DFT-16QAM	2520	504000	40	30kHz	Inner_1RB_Left	21.23
					Inner_1RB_Right	21.34
					Inner_Full	21.62
	2535	507000			Inner_1RB_Left	21.07
					Inner_1RB_Right	21.25
					Inner_Full	21.48
	2550	510000			Inner_1RB_Left	21.37
					Inner_1RB_Right	21.53
					Inner_Full	21.72
DFT-64QAM	2520	504000	40	30kHz	Inner_1RB_Left	19.55
					Inner_1RB_Right	19.61
					Inner_Full	20.19
	2535	507000			Inner_1RB_Left	19.42
					Inner_1RB_Right	19.63
					Inner_Full	20.04
	2550	510000			Inner_1RB_Left	19.89
					Inner_1RB_Right	20.06
					Inner_Full	20.25
DFT-256QAM	2520	504000	40	30kHz	Inner_1RB_Left	18.22
					Inner_1RB_Right	18.23
					Inner_Full	18.24
	2535	507000			Inner_1RB_Left	17.96
					Inner_1RB_Right	18.21
					Inner_Full	18.18
	2550	510000			Inner_1RB_Left	18.20
					Inner_1RB_Right	18.27
					Inner_Full	18.29

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2520	504000	40	30kHz	Inner_1RB_Left	20.71
					Inner_1RB_Right	20.98
					Inner_Full	21.05
	2535	507000			Inner_1RB_Left	20.76
					Inner_1RB_Right	21.02
					Inner_Full	20.97
	2550	510000			Inner_1RB_Left	20.92
					Inner_1RB_Right	21.09
					Inner_Full	21.20
CP-16QAM	2520	504000	40	30kHz	Inner_1RB_Left	20.36
					Inner_1RB_Right	20.49
					Inner_Full	20.63
	2535	507000			Inner_1RB_Left	20.31
					Inner_1RB_Right	20.48
					Inner_Full	20.47
	2550	510000			Inner_1RB_Left	20.50
					Inner_1RB_Right	20.70
					Inner_Full	20.65
CP-64QAM	2520	504000	40	30kHz	Inner_1RB_Left	18.40
					Inner_1RB_Right	18.44
					Inner_Full	19.10
	2535	507000			Inner_1RB_Left	18.50
					Inner_1RB_Right	18.73
					Inner_Full	19.06
	2550	510000			Inner_1RB_Left	18.76
					Inner_1RB_Right	18.91
					Inner_Full	19.25
CP-256QAM	2520	504000	40	30kHz	Inner_1RB_Left	16.04
					Inner_1RB_Right	16.14
					Inner_Full	16.19
	2535	507000			Inner_1RB_Left	15.97
					Inner_1RB_Right	16.15
					Inner_Full	16.10
	2550	510000			Inner_1RB_Left	16.13
					Inner_1RB_Right	16.35
					Inner_Full	16.31

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	2525	505000	50	30kHz	Inner_1RB_Left	22.35
					Inner_1RB_Right	22.42
					Inner_Full	22.56
	2535	507000			Inner_1RB_Left	22.33
					Inner_1RB_Right	22.52
					Inner_Full	22.60
	2545	509000			Inner_1RB_Left	22.41
					Inner_1RB_Right	22.55
					Inner_Full	22.62
DFT-16QAM	2525	505000	50	30kHz	Inner_1RB_Left	21.47
					Inner_1RB_Right	21.54
					Inner_Full	21.62
	2535	507000			Inner_1RB_Left	21.35
					Inner_1RB_Right	21.54
					Inner_Full	21.63
	2545	509000			Inner_1RB_Left	21.57
					Inner_1RB_Right	21.62
					Inner_Full	21.68
DFT-64QAM	2525	505000	50	30kHz	Inner_1RB_Left	19.62
					Inner_1RB_Right	19.80
					Inner_Full	20.02
	2535	507000			Inner_1RB_Left	19.58
					Inner_1RB_Right	19.88
					Inner_Full	19.98
	2545	509000			Inner_1RB_Left	19.98
					Inner_1RB_Right	20.22
					Inner_Full	20.08
DFT-256QAM	2525	505000	50	30kHz	Inner_1RB_Left	18.31
					Inner_1RB_Right	18.47
					Inner_Full	18.22
	2535	507000			Inner_1RB_Left	18.30
					Inner_1RB_Right	18.53
					Inner_Full	18.23
	2545	509000			Inner_1RB_Left	18.38
					Inner_1RB_Right	18.45
					Inner_Full	18.22

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2525	505000	50	30kHz	Inner_1RB_Left	20.85
					Inner_1RB_Right	21.12
					Inner_Full	21.07
	2535	507000			Inner_1RB_Left	20.88
					Inner_1RB_Right	21.17
					Inner_Full	21.06
	2545	509000			Inner_1RB_Left	21.11
					Inner_1RB_Right	21.22
					Inner_Full	21.13
CP-16QAM	2525	505000	50	30kHz	Inner_1RB_Left	20.40
					Inner_1RB_Right	20.63
					Inner_Full	20.54
	2535	507000			Inner_1RB_Left	20.40
					Inner_1RB_Right	20.68
					Inner_Full	20.53
	2545	509000			Inner_1RB_Left	20.69
					Inner_1RB_Right	20.89
					Inner_Full	20.63
CP-64QAM	2525	505000	50	30kHz	Inner_1RB_Left	18.53
					Inner_1RB_Right	18.63
					Inner_Full	19.01
	2535	507000			Inner_1RB_Left	18.67
					Inner_1RB_Right	18.93
					Inner_Full	18.99
	2545	509000			Inner_1RB_Left	18.85
					Inner_1RB_Right	19.06
					Inner_Full	19.06
CP-256QAM	2525	505000	50	30kHz	Inner_1RB_Left	16.22
					Inner_1RB_Right	16.37
					Inner_Full	16.12
	2535	507000			Inner_1RB_Left	16.21
					Inner_1RB_Right	16.47
					Inner_Full	16.07
	2545	509000			Inner_1RB_Left	16.37
					Inner_1RB_Right	16.55
					Inner_Full	16.16

## 2 Occupied Bandwidth

Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of 99% Power (MHz)							
					DFT-QPSK		DFT-16QAM		DFT-64QAM		DFT-256QAM	
N7	Mid	5	15	Outer_Full	4.810	Fig.1	4.845	Fig.2	4.832	Fig.3	4.792	Fig.4
	Mid	10		Outer_Full	9.480	Fig.9	9.440	Fig.10	9.505	Fig.11	9.518	Fig.12
	Mid	15		Outer_Full	14.08	Fig.17	14.10	Fig.18	14.02	Fig.19	14.06	Fig.20
	Mid	20		Outer_Full	19.05	Fig.25	19.05	Fig.26	19.04	Fig.27	18.81	Fig.28
	Mid	25		Outer_Full	24.42	Fig.33	24.46	Fig.34	24.11	Fig.35	24.43	Fig.36
	Mid	30		Outer_Full	29.67	Fig.41	29.66	Fig.42	29.32	Fig.43	29.88	Fig.44
	Mid	40		Outer_Full	39.80	Fig.49	39.75	Fig.50	39.79	Fig.51	39.77	Fig.52
	Mid	50		Outer_Full	49.82	Fig.57	49.58	Fig.58	49.43	Fig.59	49.70	Fig.60
Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of 99% Power (MHz)							
					CP-QPSK		CP-16QAM		CP-64QAM		CP-256QAM	
N7	Mid	5	15	Outer_Full	5.044	Fig.5	5.031	Fig.6	4.830	Fig.7	4.787	Fig.8
	Mid	10		Outer_Full	10.09	Fig.13	9.883	Fig.14	9.807	Fig.15	9.838	Fig.16
	Mid	15		Outer_Full	15.05	Fig.21	14.77	Fig.22	14.75	Fig.23	14.81	Fig.24
	Mid	20		Outer_Full	19.87	Fig.29	19.90	Fig.30	19.83	Fig.31	19.86	Fig.32
	Mid	25		Outer_Full	25.18	Fig.37	25.09	Fig.38	25.05	Fig.39	24.95	Fig.40
	Mid	30		Outer_Full	29.69	Fig.45	29.75	Fig.46	29.35	Fig.47	29.28	Fig.48
	Mid	40		Outer_Full	39.85	Fig.53	39.67	Fig.54	39.88	Fig.55	39.79	Fig.56
	Mid	50		Outer_Full	49.67	Fig.61	49.66	Fig.62	49.59	Fig.63	49.53	Fig.64

Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of -26dB transmitter power (MHz)							
					DFT-QPSK		DFT-16QAM		DFT-64QAM		DFT-256QAM	
N7	Mid	5	15	Outer_Full	4.4634	Fig.1	4.4671	Fig.2	4.4832	Fig.3	4.4693	Fig.4
	Mid	10		Outer_Full	8.9141	Fig.9	8.9108	Fig.10	8.9187	Fig.11	8.9377	Fig.12
	Mid	15		Outer_Full	13.387	Fig.17	13.380	Fig.18	13.381	Fig.19	13.399	Fig.20
	Mid	20		Outer_Full	17.844	Fig.25	17.845	Fig.26	17.885	Fig.27	17.866	Fig.28
	Mid	25		Outer_Full	22.802	Fig.33	22.826	Fig.34	22.853	Fig.35	22.814	Fig.36
	Mid	30		Outer_Full	28.499	Fig.41	28.529	Fig.42	28.638	Fig.43	28.559	Fig.44
	Mid	40		Outer_Full	38.744	Fig.49	38.820	Fig.50	38.551	Fig.51	38.776	Fig.52
	Mid	50		Outer_Full	48.595	Fig.57	48.536	Fig.58	48.573	Fig.59	48.615	Fig.60
Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of -26dB transmitter power (MHz)							
					CP-QPSK		CP-16QAM		CP-64QAM		CP-256QAM	
N7	Mid	5	15	Outer_Full	4.4645	Fig.5	4.4570	Fig.6	4.4713	Fig.7	4.4627	Fig.8
	Mid	10		Outer_Full	9.2843	Fig.13	9.2910	Fig.14	9.2580	Fig.15	9.2783	Fig.16
	Mid	15		Outer_Full	14.089	Fig.21	14.080	Fig.22	14.092	Fig.23	14.076	Fig.24
	Mid	20		Outer_Full	19.059	Fig.29	18.870	Fig.30	18.898	Fig.31	18.906	Fig.32
	Mid	25		Outer_Full	23.678	Fig.37	23.687	Fig.38	23.697	Fig.39	23.679	Fig.40
	Mid	30		Outer_Full	28.659	Fig.45	28.477	Fig.46	28.507	Fig.47	28.302	Fig.48
	Mid	40		Outer_Full	38.886	Fig.53	38.852	Fig.54	38.405	Fig.55	38.756	Fig.56
	Mid	50		Outer_Full	48.674	Fig.61	48.113	Fig.62	48.555	Fig.63	48.517	Fig.64




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6






Fig.7




Fig.8




Fig.9



Fig.10




Fig.11




Fig.12



Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28



Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35



Fig.36




Fig.37




Fig.38



Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54






Fig.55




Fig.56



Fig.57




Fig.58




Fig.59



Fig.60



Fig.61



Fig.62



Fig.63




Fig.64

### 3 Peak-Average Ratio

Band	Carrier frequency (MHz)	Channel	BW (MHz)	SCS	RB Config	DFT-QPSK	CP-QPSK
N7	2535	507000	20	15kHz	Outer_Full	Fig.1	Fig.2




Fig.1




Fig.2

#### 4 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	SCS	RB Size	RB Offset	Conducted Spurious Plot
							DFT-QPSK
N7	2510	502000	20	15kHz	1	0	Fig.1
	2535	507000			1	0	Fig.2
	2560	512000			1	0	Fig.3




Fig.1




Fig.2




Fig.3

## 5 Band Edges Compliance

Band	Carrier frequency (MHz)	Channel	BW	SCS	RB Config	Band Edges Plot	
						DFT-QPSK	CP-QPSK
N7	2502.5	500500	5	15kHz	1RB_Left	Fig.1	Fig.5
					Outer_Full	Fig.2	Fig.6
	2567.5	513500			1RB_Right	Fig.3	Fig.7
					Outer_Full	Fig.4	Fig.8
	2505	501000	10		1RB_Left	Fig.9	Fig.13
					Outer_Full	Fig.10	Fig.14
	2565	513000			1RB_Right	Fig.11	Fig.15
					Outer_Full	Fig.12	Fig.16
	2507.5	501500	15		1RB_Left	Fig.17	Fig.21
					Outer_Full	Fig.18	Fig.22
	2562.5	512500			1RB_Right	Fig.19	Fig.23
					Outer_Full	Fig.20	Fig.24
	2510	502000	20		1RB_Left	Fig.25	Fig.29
					Outer_Full	Fig.26	Fig.30
	2560	512000			1RB_Right	Fig.27	Fig.31
					Outer_Full	Fig.28	Fig.32
	2512.5	502500	25		1RB_Left	Fig.33	Fig.37
					Outer_Full	Fig.34	Fig.38
	2557.5	511500			1RB_Right	Fig.35	Fig.39
					Outer_Full	Fig.36	Fig.40
2515	503000	30	1RB_Left	Fig.41	Fig.45		
			Outer_Full	Fig.42	Fig.46		
2555	511000		1RB_Right	Fig.43	Fig.47		
			Outer_Full	Fig.44	Fig.48		
2520	504000	40	1RB_Left	Fig.49	Fig.53		
			Outer_Full	Fig.50	Fig.54		
2550	510000		1RB_Right	Fig.51	Fig.55		
			Outer_Full	Fig.52	Fig.56		
2525	505000	50	1RB_Left	Fig.57	Fig.61		
			Outer_Full	Fig.58	Fig.62		
2545	509000		1RB_Right	Fig.59	Fig.63		
			Outer_Full	Fig.60	Fig.64		






Fig.1




Fig.2



Fig.3



Fig.4




Fig.5




Fig.6



Fig.7



Fig.8




Fig.9



Fig.10




Fig.11



Fig.12




Fig. 13



Fig. 14




Fig. 15



Fig. 16




Fig. 17



Fig. 18



Fig.19



Fig.20




Fig.21



Fig.22



Fig.23



Fig.24




Fig.25



Fig.26




Fig.27



Fig.28




Fig.29



Fig.30




Fig.31



Fig.32




Fig.33



Fig.34




Fig.35



Fig.36




Fig.37



Fig.38




Fig.39



Fig.40



Fig.41



Fig.42




Fig.43



Fig.44




Fig.45



Fig.46




Fig.47



Fig.48





Fig.49



Fig.50



Fig.51



Fig.52



Fig.53



Fig.54



Fig.55



Fig.56



Fig.57



Fig.58



Fig.59



Fig.60



Fig.61



Fig.62



Fig.63



Fig.64

## 6 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) N7 Low Channel DFT-QPSK							
		5M	10M	15M	20M	25M	30M	40M	50M
-30	NV	---	---	---	---	---	---	---	0.00
-20	NV	---	---	---	---	---	---	---	0.00
-10	NV	---	---	---	---	---	---	---	0.00
0	NV	---	---	---	---	---	---	---	0.00
+10	NV	---	---	---	---	---	---	---	0.00
+20	NV	---	---	---	---	---	---	---	0.00
+30	NV	---	---	---	---	---	---	---	0.00
+40	NV	---	---	---	---	---	---	---	0.00
+50	NV	---	---	---	---	---	---	---	0.00
+20	LV	---	---	---	---	---	---	---	0.00
+20	HV	---	---	---	---	---	---	---	0.00

Temperature(°C)	Voltage	Test Result (ppm) N7 High Channel DFT-QPSK							
		5M	10M	15M	20M	25M	30M	40M	50M
-30	NV	---	---	---	---	---	---	---	0.00
-20	NV	---	---	---	---	---	---	---	0.00
-10	NV	---	---	---	---	---	---	---	0.00
0	NV	---	---	---	---	---	---	---	0.00
+10	NV	---	---	---	---	---	---	---	0.00
+20	NV	---	---	---	---	---	---	---	0.00
+30	NV	---	---	---	---	---	---	---	0.00
+40	NV	---	---	---	---	---	---	---	0.00
+50	NV	---	---	---	---	---	---	---	0.00
+20	LV	---	---	---	---	---	---	---	0.00
+20	HV	---	---	---	---	---	---	---	0.00

### 7 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	2502.5	500500	5	15kHz	Inner_1RB_Left	21.41	22.48	0.177
					Inner_1RB_Right	21.47	22.54	0.179
					Inner_Full	21.49	22.56	0.180
	2535	507000			Inner_1RB_Left	23.08	24.15	0.260
					Inner_1RB_Right	23.04	24.11	0.258
					Inner_Full	23.05	24.12	0.258
	2567.5	513500			Inner_1RB_Left	23.27	24.34	0.272
					Inner_1RB_Right	23.17	24.24	0.265
					Inner_Full	23.24	24.31	0.270
DFT-16QAM	2502.5	500500	Inner_1RB_Left	20.91	21.98	0.158		
			Inner_1RB_Right	21.20	22.27	0.169		
			Inner_Full	21.04	22.11	0.163		
	2535	507000	Inner_1RB_Left	21.93	23	0.200		
			Inner_1RB_Right	21.75	22.82	0.191		
			Inner_Full	22.03	23.1	0.204		
	2567.5	513500	Inner_1RB_Left	22.06	23.13	0.206		
			Inner_1RB_Right	21.88	22.95	0.197		
			Inner_Full	22.19	23.26	0.212		
DFT-64QAM	2502.5	500500	Inner_1RB_Left	19.77	20.84	0.121		
			Inner_1RB_Right	19.78	20.85	0.122		
			Inner_Full	19.50	20.57	0.114		
	2535	507000	Inner_1RB_Left	20.59	21.66	0.147		
			Inner_1RB_Right	20.21	21.28	0.134		
			Inner_Full	20.48	21.55	0.143		
	2567.5	513500	Inner_1RB_Left	20.46	21.53	0.142		
			Inner_1RB_Right	20.56	21.63	0.146		
			Inner_Full	20.56	21.63	0.146		
DFT-256QAM	2502.5	500500	Inner_1RB_Left	19.78	20.85	0.122		
			Inner_1RB_Right	19.44	20.51	0.112		
			Inner_Full	19.50	20.57	0.114		
	2535	507000	Inner_1RB_Left	20.61	21.68	0.147		
			Inner_1RB_Right	20.24	21.31	0.135		
			Inner_Full	20.45	21.52	0.142		
	2567.5	513500	Inner_1RB_Left	20.45	21.52	0.142		
			Inner_1RB_Right	20.41	21.48	0.141		
			Inner_Full	20.63	21.7	0.148		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2502.5	500500	5	15kHz	Inner_1RB_Left	21.47	22.54	0.179
					Inner_1RB_Right	21.38	22.45	0.176
					Inner_Full	21.38	22.45	0.176
	2535	507000			Inner_1RB_Left	23.12	24.19	0.262
					Inner_1RB_Right	23.04	24.11	0.258
					Inner_Full	22.95	24.02	0.252
	2567.5	513500			Inner_1RB_Left	23.21	24.28	0.268
					Inner_1RB_Right	23.12	24.19	0.262
					Inner_Full	23.13	24.2	0.263
CP-16QAM	2502.5	500500	5	15kHz	Inner_1RB_Left	21.20	22.27	0.169
					Inner_1RB_Right	20.86	21.93	0.156
					Inner_Full	21.05	22.12	0.163
	2535	507000			Inner_1RB_Left	21.83	22.9	0.195
					Inner_1RB_Right	21.69	22.76	0.189
					Inner_Full	21.76	22.83	0.192
	2567.5	513500			Inner_1RB_Left	21.95	23.02	0.200
					Inner_1RB_Right	21.91	22.98	0.199
					Inner_Full	21.90	22.97	0.198
CP-64QAM	2502.5	500500	5	15kHz	Inner_1RB_Left	19.41	20.48	0.112
					Inner_1RB_Right	19.32	20.39	0.109
					Inner_Full	19.53	20.6	0.115
	2535	507000			Inner_1RB_Left	20.34	21.41	0.138
					Inner_1RB_Right	20.24	21.31	0.135
					Inner_Full	20.23	21.3	0.135
	2567.5	513500			Inner_1RB_Left	20.73	21.8	0.151
					Inner_1RB_Right	20.63	21.7	0.148
					Inner_Full	20.41	21.48	0.141
CP-256QAM	2502.5	500500	5	15kHz	Inner_1RB_Left	19.41	20.48	0.112
					Inner_1RB_Right	19.78	20.85	0.122
					Inner_Full	19.53	20.6	0.115
	2535	507000			Inner_1RB_Left	20.59	21.66	0.147
					Inner_1RB_Right	20.50	21.57	0.144
					Inner_Full	20.43	21.5	0.141
	2567.5	513500			Inner_1RB_Left	20.43	21.5	0.141
					Inner_1RB_Right	20.37	21.44	0.139
					Inner_Full	20.60	21.67	0.147

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	2505	501000	10	15kHz	Inner_1RB_Left	22.71	23.78	0.239
					Inner_1RB_Right	22.79	23.86	0.243
					Inner_Full	22.82	23.89	0.245
	2535	507000			Inner_1RB_Left	22.90	23.97	0.249
					Inner_1RB_Right	22.97	24.04	0.254
					Inner_Full	22.85	23.92	0.247
	2565	513000			Inner_1RB_Left	21.50	22.57	0.181
					Inner_1RB_Right	21.52	22.59	0.182
					Inner_Full	21.46	22.53	0.179
DFT-16QAM	2505	501000	Inner_1RB_Left	21.55	22.62	0.183		
			Inner_1RB_Right	21.58	22.65	0.184		
			Inner_Full	21.68	22.75	0.188		
	2535	507000	Inner_1RB_Left	21.65	22.72	0.187		
			Inner_1RB_Right	21.65	22.72	0.187		
			Inner_Full	21.79	22.86	0.193		
	2565	513000	Inner_1RB_Left	21.30	22.37	0.173		
			Inner_1RB_Right	21.02	22.09	0.162		
			Inner_Full	20.92	21.99	0.158		
DFT-64QAM	2505	501000	Inner_1RB_Left	20.20	21.27	0.134		
			Inner_1RB_Right	20.02	21.09	0.129		
			Inner_Full	20.27	21.34	0.136		
	2535	507000	Inner_1RB_Left	20.13	21.2	0.132		
			Inner_1RB_Right	20.37	21.44	0.139		
			Inner_Full	20.34	21.41	0.138		
	2565	513000	Inner_1RB_Left	19.50	20.57	0.114		
			Inner_1RB_Right	20.01	21.08	0.128		
			Inner_Full	19.41	20.48	0.112		
DFT-256QAM	2505	501000	Inner_1RB_Left	20.21	21.28	0.134		
			Inner_1RB_Right	20.26	21.33	0.136		
			Inner_Full	20.23	21.3	0.135		
	2535	507000	Inner_1RB_Left	20.37	21.44	0.139		
			Inner_1RB_Right	20.08	21.15	0.130		
			Inner_Full	20.31	21.38	0.137		
	2565	513000	Inner_1RB_Left	19.77	20.84	0.121		
			Inner_1RB_Right	19.59	20.66	0.116		
			Inner_Full	19.56	20.63	0.116		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2505	501000	10	15kHz	Inner_1RB_Left	22.79	23.86	0.243
					Inner_1RB_Right	22.82	23.89	0.245
					Inner_Full	22.83	23.9	0.245
	2535	507000			Inner_1RB_Left	22.91	23.98	0.250
					Inner_1RB_Right	22.91	23.98	0.250
					Inner_Full	22.94	24.01	0.252
	2565	513000			Inner_1RB_Left	21.57	22.64	0.184
					Inner_1RB_Right	21.72	22.79	0.190
					Inner_Full	21.50	22.57	0.181
CP-16QAM	2505	501000	Inner_1RB_Left	21.61	22.68	0.185		
			Inner_1RB_Right	21.51	22.58	0.181		
			Inner_Full	21.58	22.65	0.184		
	2535	507000	Inner_1RB_Left	21.66	22.73	0.187		
			Inner_1RB_Right	21.67	22.74	0.188		
			Inner_Full	21.62	22.69	0.186		
	2565	513000	Inner_1RB_Left	20.95	22.02	0.159		
			Inner_1RB_Right	21.29	22.36	0.172		
			Inner_Full	21.03	22.1	0.162		
CP-64QAM	2505	501000	Inner_1RB_Left	20.22	21.29	0.135		
			Inner_1RB_Right	20.28	21.35	0.136		
			Inner_Full	20.02	21.09	0.129		
	2535	507000	Inner_1RB_Left	20.34	21.41	0.138		
			Inner_1RB_Right	20.40	21.47	0.140		
			Inner_Full	20.16	21.23	0.133		
	2565	513000	Inner_1RB_Left	19.48	20.55	0.114		
			Inner_1RB_Right	20.00	21.07	0.128		
			Inner_Full	19.44	20.51	0.112		
CP-256QAM	2505	501000	Inner_1RB_Left	20.01	21.08	0.128		
			Inner_1RB_Right	20.27	21.34	0.136		
			Inner_Full	20.27	21.34	0.136		
	2535	507000	Inner_1RB_Left	20.32	21.39	0.138		
			Inner_1RB_Right	20.14	21.21	0.132		
			Inner_Full	20.38	21.45	0.140		
	2565	513000	Inner_1RB_Left	19.48	20.55	0.114		
			Inner_1RB_Right	19.57	20.64	0.116		
			Inner_Full	19.47	20.54	0.113		



Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	2507.5	501500	15	15kHz	Inner_1RB_Left	21.30	22.37	0.173
					Inner_1RB_Right	21.47	22.54	0.179
					Inner_Full	21.29	22.36	0.172
	2535	507000			Inner_1RB_Left	22.88	23.95	0.248
					Inner_1RB_Right	22.90	23.97	0.249
					Inner_Full	22.91	23.98	0.250
	2562.5	512500			Inner_1RB_Left	21.41	22.48	0.177
					Inner_1RB_Right	21.76	22.83	0.192
					Inner_Full	21.52	22.59	0.182
DFT-16QAM	2507.5	501500	Inner_1RB_Left	20.75	21.82	0.152		
			Inner_1RB_Right	20.83	21.9	0.155		
			Inner_Full	20.83	21.9	0.155		
	2535	507000	Inner_1RB_Left	21.56	22.63	0.183		
			Inner_1RB_Right	21.69	22.76	0.189		
			Inner_Full	21.78	22.85	0.193		
	2562.5	512500	Inner_1RB_Left	20.82	21.89	0.155		
			Inner_1RB_Right	21.37	22.44	0.175		
			Inner_Full	21.06	22.13	0.163		
DFT-64QAM	2507.5	501500	Inner_1RB_Left	19.56	20.63	0.116		
			Inner_1RB_Right	19.34	20.41	0.110		
			Inner_Full	19.26	20.33	0.108		
	2535	507000	Inner_1RB_Left	20.36	21.43	0.139		
			Inner_1RB_Right	20.35	21.42	0.139		
			Inner_Full	20.31	21.38	0.137		
	2562.5	512500	Inner_1RB_Left	19.64	20.71	0.118		
			Inner_1RB_Right	19.66	20.73	0.118		
			Inner_Full	19.47	20.54	0.113		
DFT-256QAM	2507.5	501500	Inner_1RB_Left	19.56	20.63	0.116		
			Inner_1RB_Right	19.72	20.79	0.120		
			Inner_Full	19.22	20.29	0.107		
	2535	507000	Inner_1RB_Left	20.36	21.43	0.139		
			Inner_1RB_Right	20.35	21.42	0.139		
			Inner_Full	20.39	21.46	0.140		
	2562.5	512500	Inner_1RB_Left	19.37	20.44	0.111		
			Inner_1RB_Right	20.04	21.11	0.129		
			Inner_Full	19.47	20.54	0.113		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2507.5	501500	15	15kHz	Inner_1RB_Left	21.31	22.38	0.173
					Inner_1RB_Right	21.53	22.6	0.182
					Inner_Full	21.30	22.37	0.173
	2535	507000			Inner_1RB_Left	22.87	23.94	0.248
					Inner_1RB_Right	22.94	24.01	0.252
					Inner_Full	22.96	24.03	0.253
	2562.5	512500			Inner_1RB_Left	21.47	22.54	0.179
					Inner_1RB_Right	21.73	22.8	0.191
					Inner_Full	21.56	22.63	0.183
CP-16QAM	2507.5	501500	15	15kHz	Inner_1RB_Left	20.77	21.84	0.153
					Inner_1RB_Right	20.81	21.88	0.154
					Inner_Full	20.83	21.9	0.155
	2535	507000			Inner_1RB_Left	21.69	22.76	0.189
					Inner_1RB_Right	21.70	22.77	0.189
					Inner_Full	21.60	22.67	0.185
	2562.5	512500			Inner_1RB_Left	20.85	21.92	0.156
					Inner_1RB_Right	21.10	22.17	0.165
					Inner_Full	21.06	22.13	0.163
CP-64QAM	2507.5	501500	15	15kHz	Inner_1RB_Left	19.24	20.31	0.107
					Inner_1RB_Right	19.72	20.79	0.120
					Inner_Full	19.25	20.32	0.108
	2535	507000			Inner_1RB_Left	20.33	21.4	0.138
					Inner_1RB_Right	20.41	21.48	0.141
					Inner_Full	20.34	21.41	0.138
	2562.5	512500			Inner_1RB_Left	19.65	20.72	0.118
					Inner_1RB_Right	19.65	20.72	0.118
					Inner_Full	19.58	20.65	0.116
CP-256QAM	2507.5	501500	15	15kHz	Inner_1RB_Left	19.64	20.71	0.118
					Inner_1RB_Right	19.33	20.4	0.110
					Inner_Full	19.29	20.36	0.109
	2535	507000			Inner_1RB_Left	20.11	21.18	0.131
					Inner_1RB_Right	20.34	21.41	0.138
					Inner_Full	20.34	21.41	0.138
	2562.5	512500			Inner_1RB_Left	19.70	20.77	0.119
					Inner_1RB_Right	20.03	21.1	0.129
					Inner_Full	19.49	20.56	0.114

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	2510	502000	20	15kHz	Inner_1RB_Left	21.14	22.21	0.166
					Inner_1RB_Right	21.33	22.4	0.174
					Inner_Full	21.32	22.39	0.173
	2535	507000			Inner_1RB_Left	22.74	23.81	0.240
					Inner_1RB_Right	22.75	23.82	0.241
					Inner_Full	22.90	23.97	0.249
	2560	512000			Inner_1RB_Left	22.74	23.81	0.240
					Inner_1RB_Right	23.05	24.12	0.258
					Inner_Full	23.22	24.29	0.269
DFT-16QAM	2510	502000	Inner_1RB_Left	20.87	21.94	0.156		
			Inner_1RB_Right	20.60	21.67	0.147		
			Inner_Full	20.80	21.87	0.154		
	2535	507000	Inner_1RB_Left	21.96	23.03	0.201		
			Inner_1RB_Right	21.90	22.97	0.198		
			Inner_Full	21.88	22.95	0.197		
	2560	512000	Inner_1RB_Left	21.98	23.05	0.202		
			Inner_1RB_Right	22.25	23.32	0.215		
			Inner_Full	22.24	23.31	0.214		
DFT-64QAM	2510	502000	Inner_1RB_Left	19.41	20.48	0.112		
			Inner_1RB_Right	19.21	20.28	0.107		
			Inner_Full	19.32	20.39	0.109		
	2535	507000	Inner_1RB_Left	20.21	21.28	0.134		
			Inner_1RB_Right	20.21	21.28	0.134		
			Inner_Full	20.32	21.39	0.138		
	2560	512000	Inner_1RB_Left	20.13	21.2	0.132		
			Inner_1RB_Right	20.46	21.53	0.142		
			Inner_Full	20.60	21.67	0.147		
DFT-256QAM	2510	502000	Inner_1RB_Left	19.41	20.48	0.112		
			Inner_1RB_Right	19.59	20.66	0.116		
			Inner_Full	19.30	20.37	0.109		
	2535	507000	Inner_1RB_Left	20.21	21.28	0.134		
			Inner_1RB_Right	19.99	21.06	0.128		
			Inner_Full	20.30	21.37	0.137		
	2560	512000	Inner_1RB_Left	20.13	21.2	0.132		
			Inner_1RB_Right	20.44	21.51	0.142		
			Inner_Full	20.59	21.66	0.147		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2510	502000	20	15kHz	Inner_1RB_Left	21.14	22.21	0.166
					Inner_1RB_Right	21.32	22.39	0.173
					Inner_Full	21.27	22.34	0.171
	2535	507000			Inner_1RB_Left	22.73	23.8	0.240
					Inner_1RB_Right	22.70	23.77	0.238
					Inner_Full	22.70	23.77	0.238
	2560	512000			Inner_1RB_Left	22.74	23.81	0.240
					Inner_1RB_Right	23.06	24.13	0.259
					Inner_Full	23.00	24.07	0.255
CP-16QAM	2510	502000			Inner_1RB_Left	20.87	21.94	0.156
					Inner_1RB_Right	20.67	21.74	0.149
					Inner_Full	20.85	21.92	0.156
	2535	507000			Inner_1RB_Left	21.40	22.47	0.177
					Inner_1RB_Right	21.40	22.47	0.177
					Inner_Full	21.89	22.96	0.198
	2560	512000			Inner_1RB_Left	21.89	22.96	0.198
					Inner_1RB_Right	22.29	23.36	0.217
					Inner_Full	22.25	23.32	0.215
CP-64QAM	2510	502000			Inner_1RB_Left	19.39	20.46	0.111
					Inner_1RB_Right	19.22	20.29	0.107
					Inner_Full	19.32	20.39	0.109
	2535	507000			Inner_1RB_Left	20.27	21.34	0.136
					Inner_1RB_Right	20.00	21.07	0.128
					Inner_Full	20.19	21.26	0.134
	2560	512000			Inner_1RB_Left	20.12	21.19	0.132
					Inner_1RB_Right	20.48	21.55	0.143
					Inner_Full	20.45	21.52	0.142
CP-256QAM	2510	502000	Inner_1RB_Left	19.50	20.57	0.114		
			Inner_1RB_Right	19.24	20.31	0.107		
			Inner_Full	19.32	20.39	0.109		
	2535	507000	Inner_1RB_Left	19.99	21.06	0.128		
			Inner_1RB_Right	20.18	21.25	0.133		
			Inner_Full	20.20	21.27	0.134		
	2560	512000	Inner_1RB_Left	20.15	21.22	0.132		
			Inner_1RB_Right	20.46	21.53	0.142		
			Inner_Full	20.46	21.53	0.142		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	2512.5	502500	25	15kHz	Inner_1RB_Left	22.29	23.36	0.217
					Inner_1RB_Right	22.46	23.53	0.225
					Inner_Full	22.36	23.43	0.220
	2535	507000			Inner_1RB_Left	19.44	20.51	0.112
					Inner_1RB_Right	22.23	23.3	0.214
					Inner_Full	22.49	23.56	0.227
	2557.5	511500			Inner_1RB_Left	22.03	23.1	0.204
					Inner_1RB_Right	22.58	23.65	0.232
					Inner_Full	22.29	23.36	0.217
DFT-16QAM	2512.5	502500	Inner_1RB_Left	21.28	22.35	0.172		
			Inner_1RB_Right	21.53	22.6	0.182		
			Inner_Full	21.38	22.45	0.176		
	2535	507000	Inner_1RB_Left	21.18	22.25	0.168		
			Inner_1RB_Right	21.13	22.2	0.166		
			Inner_Full	21.46	22.53	0.179		
	2557.5	511500	Inner_1RB_Left	21.01	22.08	0.161		
			Inner_1RB_Right	21.56	22.63	0.183		
			Inner_Full	21.31	22.38	0.173		
DFT-64QAM	2512.5	502500	Inner_1RB_Left	19.66	20.73	0.118		
			Inner_1RB_Right	19.86	20.93	0.124		
			Inner_Full	19.84	20.91	0.123		
	2535	507000	Inner_1RB_Left	19.65	20.72	0.118		
			Inner_1RB_Right	19.61	20.68	0.117		
			Inner_Full	19.96	21.03	0.127		
	2557.5	511500	Inner_1RB_Left	19.39	20.46	0.111		
			Inner_1RB_Right	19.97	21.04	0.127		
			Inner_Full	19.77	20.84	0.121		
DFT-256QAM	2512.5	502500	Inner_1RB_Left	17.70	18.77	0.075		
			Inner_1RB_Right	17.85	18.92	0.078		
			Inner_Full	17.80	18.87	0.077		
	2535	507000	Inner_1RB_Left	17.67	18.74	0.075		
			Inner_1RB_Right	17.63	18.7	0.074		
			Inner_Full	17.93	19	0.079		
	2557.5	511500	Inner_1RB_Left	17.59	18.66	0.073		
			Inner_1RB_Right	18.15	19.22	0.084		
			Inner_Full	17.76	18.83	0.076		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2512.5	502500	25	15kHz	Inner_1RB_Left	20.80	21.87	0.154
					Inner_1RB_Right	20.92	21.99	0.158
					Inner_Full	20.81	21.88	0.154
	2535	507000			Inner_1RB_Left	20.67	21.74	0.149
					Inner_1RB_Right	20.74	21.81	0.152
					Inner_Full	20.91	21.98	0.158
	2557.5	511500			Inner_1RB_Left	20.53	21.6	0.145
					Inner_1RB_Right	21.01	22.08	0.161
					Inner_Full	20.79	21.86	0.153
CP-16QAM	2512.5	502500	25	15kHz	Inner_1RB_Left	20.25	21.32	0.136
					Inner_1RB_Right	20.35	21.42	0.139
					Inner_Full	20.31	21.38	0.137
	2535	507000			Inner_1RB_Left	20.28	21.35	0.136
					Inner_1RB_Right	20.23	21.3	0.135
					Inner_Full	20.39	21.46	0.140
	2557.5	511500			Inner_1RB_Left	20.01	21.08	0.128
					Inner_1RB_Right	20.65	21.72	0.149
					Inner_Full	20.29	21.36	0.137
CP-64QAM	2512.5	502500	25	15kHz	Inner_1RB_Left	18.81	19.88	0.097
					Inner_1RB_Right	18.98	20.05	0.101
					Inner_Full	18.86	19.93	0.098
	2535	507000			Inner_1RB_Left	18.71	19.78	0.095
					Inner_1RB_Right	18.62	19.69	0.093
					Inner_Full	18.95	20.02	0.100
	2557.5	511500			Inner_1RB_Left	18.58	19.65	0.092
					Inner_1RB_Right	19.11	20.18	0.104
					Inner_Full	18.81	19.88	0.097
CP-256QAM	2512.5	502500	25	15kHz	Inner_1RB_Left	16.05	17.12	0.052
					Inner_1RB_Right	16.27	17.34	0.054
					Inner_Full	15.89	16.96	0.050
	2535	507000			Inner_1RB_Left	16.01	17.08	0.051
					Inner_1RB_Right	15.94	17.01	0.050
					Inner_Full	16.00	17.07	0.051
	2557.5	511500			Inner_1RB_Left	15.82	16.89	0.049
					Inner_1RB_Right	16.42	17.49	0.056
					Inner_Full	15.89	16.96	0.050

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	2515	503000	30	15kHz	Inner_1RB_Left	22.61	23.68	0.233
					Inner_1RB_Right	22.54	23.61	0.230
					Inner_Full	22.83	23.9	0.245
	2535	507000			Inner_1RB_Left	22.76	23.83	0.242
					Inner_1RB_Right	22.68	23.75	0.237
					Inner_Full	22.92	23.99	0.251
	2555	511000			Inner_1RB_Left	21.18	22.25	0.168
					Inner_1RB_Right	21.42	22.49	0.177
					Inner_Full	21.43	22.5	0.178
DFT-16QAM	2515	503000	Inner_1RB_Left	21.67	22.74	0.188		
			Inner_1RB_Right	21.66	22.73	0.187		
			Inner_Full	21.85	22.92	0.196		
	2535	507000	Inner_1RB_Left	22.05	23.12	0.205		
			Inner_1RB_Right	21.90	22.97	0.198		
			Inner_Full	21.97	23.04	0.201		
	2555	511000	Inner_1RB_Left	20.66	21.73	0.149		
			Inner_1RB_Right	20.88	21.95	0.157		
			Inner_Full	20.92	21.99	0.158		
DFT-64QAM	2515	503000	Inner_1RB_Left	20.02	21.09	0.129		
			Inner_1RB_Right	19.91	20.98	0.125		
			Inner_Full	20.33	21.4	0.138		
	2535	507000	Inner_1RB_Left	20.21	21.28	0.134		
			Inner_1RB_Right	20.10	21.17	0.131		
			Inner_Full	20.42	21.49	0.141		
	2555	511000	Inner_1RB_Left	19.26	20.33	0.108		
			Inner_1RB_Right	19.60	20.67	0.117		
			Inner_Full	19.43	20.5	0.112		
DFT-256QAM	2515	503000	Inner_1RB_Left	19.99	21.06	0.128		
			Inner_1RB_Right	19.97	21.04	0.127		
			Inner_Full	20.34	21.41	0.138		
	2535	507000	Inner_1RB_Left	20.17	21.24	0.133		
			Inner_1RB_Right	20.08	21.15	0.130		
			Inner_Full	20.41	21.48	0.141		
	2555	511000	Inner_1RB_Left	19.29	20.36	0.109		
			Inner_1RB_Right	19.54	20.61	0.115		
			Inner_Full	19.42	20.49	0.112		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2515	503000	30	15kHz	Inner_1RB_Left	22.65	23.72	0.236
					Inner_1RB_Right	22.59	23.66	0.232
					Inner_Full	22.82	23.89	0.245
	2535	507000			Inner_1RB_Left	22.82	23.89	0.245
					Inner_1RB_Right	22.66	23.73	0.236
					Inner_Full	22.96	24.03	0.253
	2555	511000			Inner_1RB_Left	21.12	22.19	0.166
					Inner_1RB_Right	21.34	22.41	0.174
					Inner_Full	21.41	22.48	0.177
CP-16QAM	2515	503000			Inner_1RB_Left	21.71	22.78	0.190
					Inner_1RB_Right	21.66	22.73	0.187
					Inner_Full	21.84	22.91	0.195
	2535	507000			Inner_1RB_Left	21.94	23.01	0.200
					Inner_1RB_Right	21.80	22.87	0.194
					Inner_Full	21.96	23.03	0.201
	2555	511000			Inner_1RB_Left	20.70	21.77	0.150
					Inner_1RB_Right	21.00	22.07	0.161
					Inner_Full	20.96	22.03	0.160
CP-64QAM	2515	503000			Inner_1RB_Left	20.02	21.09	0.129
					Inner_1RB_Right	19.98	21.05	0.127
					Inner_Full	20.34	21.41	0.138
	2535	507000			Inner_1RB_Left	20.22	21.29	0.135
					Inner_1RB_Right	20.08	21.15	0.130
					Inner_Full	20.40	21.47	0.140
	2555	511000			Inner_1RB_Left	19.33	20.4	0.110
					Inner_1RB_Right	19.53	20.6	0.115
					Inner_Full	19.44	20.51	0.112
CP-256QAM	2515	503000	Inner_1RB_Left	19.97	21.04	0.127		
			Inner_1RB_Right	19.94	21.01	0.126		
			Inner_Full	20.33	21.4	0.138		
	2535	507000	Inner_1RB_Left	20.17	21.24	0.133		
			Inner_1RB_Right	20.11	21.18	0.131		
			Inner_Full	20.43	21.5	0.141		
	2555	511000	Inner_1RB_Left	19.23	20.3	0.107		
			Inner_1RB_Right	19.66	20.73	0.118		
			Inner_Full	19.43	20.5	0.112		



Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	2520	504000	40	15kHz	Inner_1RB_Left	21.28	22.35	0.172
					Inner_1RB_Right	21.20	22.27	0.169
					Inner_Full	21.71	22.78	0.190
	2535	507000			Inner_1RB_Left	22.66	23.73	0.236
					Inner_1RB_Right	22.60	23.67	0.233
					Inner_Full	22.88	23.95	0.248
	2550	510000			Inner_1RB_Left	20.98	22.05	0.160
					Inner_1RB_Right	21.29	22.36	0.172
					Inner_Full	21.26	22.33	0.171
DFT-16QAM	2520	504000	Inner_1RB_Left	19.94	21.01	0.126		
			Inner_1RB_Right	19.85	20.92	0.124		
			Inner_Full	20.21	21.28	0.134		
	2535	507000	Inner_1RB_Left	21.42	22.49	0.177		
			Inner_1RB_Right	21.40	22.47	0.177		
			Inner_Full	21.82	22.89	0.195		
	2550	510000	Inner_1RB_Left	20.28	21.35	0.136		
			Inner_1RB_Right	20.94	22.01	0.159		
			Inner_Full	20.70	21.77	0.150		
DFT-64QAM	2520	504000	Inner_1RB_Left	17.38	18.45	0.070		
			Inner_1RB_Right	17.26	18.33	0.068		
			Inner_Full	18.11	19.18	0.083		
	2535	507000	Inner_1RB_Left	19.96	21.03	0.127		
			Inner_1RB_Right	19.94	21.01	0.126		
			Inner_Full	20.32	21.39	0.138		
	2550	510000	Inner_1RB_Left	19.10	20.17	0.104		
			Inner_1RB_Right	18.92	19.99	0.100		
			Inner_Full	19.20	20.27	0.106		
DFT-256QAM	2520	504000	Inner_1RB_Left	17.38	18.45	0.070		
			Inner_1RB_Right	17.21	18.28	0.067		
			Inner_Full	18.08	19.15	0.082		
	2535	507000	Inner_1RB_Left	19.85	20.92	0.124		
			Inner_1RB_Right	19.93	21	0.126		
			Inner_Full	20.29	21.36	0.137		
	2550	510000	Inner_1RB_Left	18.60	19.67	0.093		
			Inner_1RB_Right	19.41	20.48	0.112		
			Inner_Full	19.18	20.25	0.106		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2520	504000	40	15kHz	Inner_1RB_Left	21.57	22.64	0.184
					Inner_1RB_Right	21.27	22.34	0.171
					Inner_Full	21.75	22.82	0.191
	2535	507000			Inner_1RB_Left	22.59	23.66	0.232
					Inner_1RB_Right	22.62	23.69	0.234
					Inner_Full	22.88	23.95	0.248
	2550	510000			Inner_1RB_Left	21.00	22.07	0.161
					Inner_1RB_Right	21.19	22.26	0.168
					Inner_Full	21.25	22.32	0.171
CP-16QAM	2520	504000	40	15kHz	Inner_1RB_Left	19.52	20.59	0.115
					Inner_1RB_Right	19.45	20.52	0.113
					Inner_Full	20.20	21.27	0.134
	2535	507000			Inner_1RB_Left	21.58	22.65	0.184
					Inner_1RB_Right	21.42	22.49	0.177
					Inner_Full	21.86	22.93	0.196
	2550	510000			Inner_1RB_Left	20.21	21.28	0.134
					Inner_1RB_Right	20.94	22.01	0.159
					Inner_Full	20.68	21.75	0.150
CP-64QAM	2520	504000	40	15kHz	Inner_1RB_Left	17.40	18.47	0.070
					Inner_1RB_Right	17.25	18.32	0.068
					Inner_Full	18.11	19.18	0.083
	2535	507000			Inner_1RB_Left	19.87	20.94	0.124
					Inner_1RB_Right	19.84	20.91	0.123
					Inner_Full	20.31	21.38	0.137
	2550	510000			Inner_1RB_Left	18.58	19.65	0.092
					Inner_1RB_Right	19.36	20.43	0.110
					Inner_Full	19.22	20.29	0.107
CP-256QAM	2520	504000	40	15kHz	Inner_1RB_Left	17.35	18.42	0.070
					Inner_1RB_Right	17.26	18.33	0.068
					Inner_Full	18.07	19.14	0.082
	2535	507000			Inner_1RB_Left	19.98	21.05	0.127
					Inner_1RB_Right	19.92	20.99	0.126
					Inner_Full	20.34	21.41	0.138
	2550	510000			Inner_1RB_Left	18.58	19.65	0.092
					Inner_1RB_Right	18.84	19.91	0.098
					Inner_Full	19.27	20.34	0.108

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	2525	505000	50	15kHz	Inner_1RB_Left	21.15	22.22	0.167
					Inner_1RB_Right	21.15	22.22	0.167
					Inner_Full	21.27	22.34	0.171
	2535	507000			Inner_1RB_Left	22.82	23.89	0.245
					Inner_1RB_Right	22.98	24.05	0.254
					Inner_Full	23.02	24.09	0.256
	2545	509000			Inner_1RB_Left	22.79	23.86	0.243
					Inner_1RB_Right	22.96	24.03	0.253
					Inner_Full	22.96	24.03	0.253
DFT-16QAM	2525	505000	Inner_1RB_Left	20.33	21.4	0.138		
			Inner_1RB_Right	20.41	21.48	0.141		
			Inner_Full	20.86	21.93	0.156		
	2535	507000	Inner_1RB_Left	21.54	22.61	0.182		
			Inner_1RB_Right	22.04	23.11	0.205		
			Inner_Full	22.01	23.08	0.203		
	2545	509000	Inner_1RB_Left	21.50	22.57	0.181		
			Inner_1RB_Right	21.72	22.79	0.190		
			Inner_Full	21.96	23.03	0.201		
DFT-64QAM	2525	505000	Inner_1RB_Left	19.28	20.35	0.108		
			Inner_1RB_Right	18.66	19.73	0.094		
			Inner_Full	19.28	20.35	0.108		
	2535	507000	Inner_1RB_Left	20.22	21.29	0.135		
			Inner_1RB_Right	20.19	21.26	0.134		
			Inner_Full	20.49	21.56	0.143		
	2545	509000	Inner_1RB_Left	20.02	21.09	0.129		
			Inner_1RB_Right	20.34	21.41	0.138		
			Inner_Full	20.37	21.44	0.139		
DFT-256QAM	2525	505000	Inner_1RB_Left	19.27	20.34	0.108		
			Inner_1RB_Right	18.64	19.71	0.094		
			Inner_Full	19.27	20.34	0.108		
	2535	507000	Inner_1RB_Left	20.22	21.29	0.135		
			Inner_1RB_Right	20.20	21.27	0.134		
			Inner_Full	20.42	21.49	0.141		
	2545	509000	Inner_1RB_Left	20.12	21.19	0.132		
			Inner_1RB_Right	20.20	21.27	0.134		
			Inner_Full	20.40	21.47	0.140		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2525	505000	50	15kHz	Inner_1RB_Left	21.12	22.19	0.166
					Inner_1RB_Right	21.15	22.22	0.167
					Inner_Full	21.26	22.33	0.171
	2535	507000			Inner_1RB_Left	22.85	23.92	0.247
					Inner_1RB_Right	23.06	24.13	0.259
					Inner_Full	22.93	24	0.251
	2545	509000			Inner_1RB_Left	22.79	23.86	0.243
					Inner_1RB_Right	22.85	23.92	0.247
					Inner_Full	22.92	23.99	0.251
CP-16QAM	2525	505000	50	15kHz	Inner_1RB_Left	20.49	21.56	0.143
					Inner_1RB_Right	20.46	21.53	0.142
					Inner_Full	20.79	21.86	0.153
	2535	507000			Inner_1RB_Left	21.88	22.95	0.197
					Inner_1RB_Right	22.05	23.12	0.205
					Inner_Full	21.97	23.04	0.201
	2545	509000			Inner_1RB_Left	21.49	22.56	0.180
					Inner_1RB_Right	21.78	22.85	0.193
					Inner_Full	21.91	22.98	0.199
CP-64QAM	2525	505000	50	15kHz	Inner_1RB_Left	18.84	19.91	0.098
					Inner_1RB_Right	19.20	20.27	0.106
					Inner_Full	19.21	20.28	0.107
	2535	507000			Inner_1RB_Left	20.06	21.13	0.130
					Inner_1RB_Right	20.33	21.4	0.138
					Inner_Full	20.37	21.44	0.139
	2545	509000			Inner_1RB_Left	20.00	21.07	0.128
					Inner_1RB_Right	20.30	21.37	0.137
					Inner_Full	20.38	21.45	0.140
CP-256QAM	2525	505000	50	15kHz	Inner_1RB_Left	18.82	19.89	0.097
					Inner_1RB_Right	18.66	19.73	0.094
					Inner_Full	19.27	20.34	0.108
	2535	507000			Inner_1RB_Left	20.21	21.28	0.134
					Inner_1RB_Right	20.33	21.4	0.138
					Inner_Full	20.40	21.47	0.140
	2545	509000			Inner_1RB_Left	20.01	21.08	0.128
					Inner_1RB_Right	20.30	21.37	0.137
					Inner_Full	20.39	21.46	0.140

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	2505	501000	10	30kHz	Inner_1RB_Left			
					Inner_1RB_Right	22.61	23.68	0.233
					Inner_Full	22.69	23.76	0.238
	2535	507000			Inner_1RB_Left	22.57	23.64	0.231
					Inner_1RB_Right	22.54	23.61	0.230
					Inner_Full	22.66	23.73	0.236
	2565	513000			Inner_1RB_Left	22.66	23.73	0.236
					Inner_1RB_Right	22.62	23.69	0.234
					Inner_Full	22.83	23.9	0.245
DFT-16QAM	2505	501000	Inner_1RB_Left	21.62	22.69	0.186		
			Inner_1RB_Right	21.60	22.67	0.185		
			Inner_Full	21.84	22.91	0.195		
	2535	507000	Inner_1RB_Left	21.73	22.8	0.191		
			Inner_1RB_Right	21.69	22.76	0.189		
			Inner_Full	21.60	22.67	0.185		
	2565	513000	Inner_1RB_Left	21.80	22.87	0.194		
			Inner_1RB_Right	21.73	22.8	0.191		
			Inner_Full	21.80	22.87	0.194		
DFT-64QAM	2505	501000	Inner_1RB_Left	19.89	20.96	0.125		
			Inner_1RB_Right	19.95	21.02	0.126		
			Inner_Full	20.33	21.4	0.138		
	2535	507000	Inner_1RB_Left	20.19	21.26	0.134		
			Inner_1RB_Right	20.20	21.27	0.134		
			Inner_Full	20.20	21.27	0.134		
	2565	513000	Inner_1RB_Left	20.24	21.31	0.135		
			Inner_1RB_Right	20.30	21.37	0.137		
			Inner_Full	20.33	21.4	0.138		
DFT-256QAM	2505	501000	Inner_1RB_Left	18.50	19.57	0.091		
			Inner_1RB_Right	18.54	19.61	0.091		
			Inner_Full	18.36	19.43	0.088		
	2535	507000	Inner_1RB_Left	18.43	19.5	0.089		
			Inner_1RB_Right	18.35	19.42	0.087		
			Inner_Full	18.32	19.39	0.087		
	2565	513000	Inner_1RB_Left	18.44	19.51	0.089		
			Inner_1RB_Right	18.40	19.47	0.089		
			Inner_Full	18.26	19.33	0.086		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2505	501000	10	30kHz	Inner_1RB_Left	21.11	22.18	0.165
					Inner_1RB_Right	21.19	22.26	0.168
					Inner_Full	21.22	22.29	0.169
	2535	507000			Inner_1RB_Left	21.30	22.37	0.173
					Inner_1RB_Right	21.23	22.3	0.170
					Inner_Full	21.17	22.24	0.167
	2565	513000			Inner_1RB_Left	21.38	22.45	0.176
					Inner_1RB_Right	21.33	22.4	0.174
					Inner_Full	21.33	22.4	0.174
CP-16QAM	2505	501000	10	30kHz	Inner_1RB_Left	20.70	21.77	0.150
					Inner_1RB_Right	20.74	21.81	0.152
					Inner_Full	20.76	21.83	0.152
	2535	507000			Inner_1RB_Left	20.75	21.82	0.152
					Inner_1RB_Right	20.68	21.75	0.150
					Inner_Full	20.62	21.69	0.148
	2565	513000			Inner_1RB_Left	20.89	21.96	0.157
					Inner_1RB_Right	20.94	22.01	0.159
					Inner_Full	20.72	21.79	0.151
CP-64QAM	2505	501000	10	30kHz	Inner_1RB_Left	18.77	19.84	0.096
					Inner_1RB_Right	18.75	19.82	0.096
					Inner_Full	19.34	20.41	0.110
	2535	507000			Inner_1RB_Left	19.03	20.1	0.102
					Inner_1RB_Right	19.02	20.09	0.102
					Inner_Full	19.16	20.23	0.105
	2565	513000			Inner_1RB_Left	19.14	20.21	0.105
					Inner_1RB_Right	19.19	20.26	0.106
					Inner_Full	19.28	20.35	0.108
CP-256QAM	2505	501000	10	30kHz	Inner_1RB_Left	16.40	17.47	0.056
					Inner_1RB_Right	16.45	17.52	0.056
					Inner_Full	16.30	17.37	0.055
	2535	507000			Inner_1RB_Left	16.43	17.5	0.056
					Inner_1RB_Right	16.46	17.53	0.057
					Inner_Full	16.15	17.22	0.053
	2565	513000			Inner_1RB_Left	16.59	17.66	0.058
					Inner_1RB_Right	16.61	17.68	0.059
					Inner_Full	16.35	17.42	0.055

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	2507.5	501500	15	30kHz	Inner_1RB_Left	22.60	23.67	0.233
					Inner_1RB_Right	22.60	23.67	0.233
					Inner_Full	22.78	23.85	0.243
	2535	507000			Inner_1RB_Left	22.54	23.61	0.230
					Inner_1RB_Right	22.48	23.55	0.226
					Inner_Full	22.60	23.67	0.233
	2562.5	512500			Inner_1RB_Left	22.75	23.82	0.241
					Inner_1RB_Right	22.74	23.81	0.240
					Inner_Full	22.89	23.96	0.249
DFT-16QAM	2507.5	501500	Inner_1RB_Left	21.69	22.76	0.189		
			Inner_1RB_Right	21.75	22.82	0.191		
			Inner_Full	21.87	22.94	0.197		
	2535	507000	Inner_1RB_Left	21.56	22.63	0.183		
			Inner_1RB_Right	21.53	22.6	0.182		
			Inner_Full	21.74	22.81	0.191		
	2562.5	512500	Inner_1RB_Left	21.75	22.82	0.191		
			Inner_1RB_Right	21.78	22.85	0.193		
			Inner_Full	21.97	23.04	0.201		
DFT-64QAM	2507.5	501500	Inner_1RB_Left	20.18	21.25	0.133		
			Inner_1RB_Right	20.23	21.3	0.135		
			Inner_Full	20.23	21.3	0.135		
	2535	507000	Inner_1RB_Left	19.90	20.97	0.125		
			Inner_1RB_Right	19.92	20.99	0.126		
			Inner_Full	20.08	21.15	0.130		
	2562.5	512500	Inner_1RB_Left	20.16	21.23	0.133		
			Inner_1RB_Right	20.20	21.27	0.134		
			Inner_Full	20.38	21.45	0.140		
DFT-256QAM	2507.5	501500	Inner_1RB_Left	18.50	19.57	0.091		
			Inner_1RB_Right	18.56	19.63	0.092		
			Inner_Full	18.31	19.38	0.087		
	2535	507000	Inner_1RB_Left	18.52	19.59	0.091		
			Inner_1RB_Right	18.51	19.58	0.091		
			Inner_Full	18.22	19.29	0.085		
	2562.5	512500	Inner_1RB_Left	18.59	19.66	0.092		
			Inner_1RB_Right	18.67	19.74	0.094		
			Inner_Full	18.30	19.37	0.086		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2507.5	501500	15	30kHz	Inner_1RB_Left	21.22	22.29	0.169
					Inner_1RB_Right	21.31	22.38	0.173
					Inner_Full	21.32	22.39	0.173
	2535	507000			Inner_1RB_Left	21.14	22.21	0.166
					Inner_1RB_Right	21.14	22.21	0.166
					Inner_Full	21.26	22.33	0.171
	2562.5	512500			Inner_1RB_Left	21.34	22.41	0.174
					Inner_1RB_Right	21.36	22.43	0.175
					Inner_Full	21.55	22.62	0.183
CP-16QAM	2507.5	501500	Inner_1RB_Left	20.64	21.71	0.148		
			Inner_1RB_Right	20.81	21.88	0.154		
			Inner_Full	20.76	21.83	0.152		
	2535	507000	Inner_1RB_Left	20.72	21.79	0.151		
			Inner_1RB_Right	20.65	21.72	0.149		
			Inner_Full	20.55	21.62	0.145		
	2562.5	512500	Inner_1RB_Left	20.86	21.93	0.156		
			Inner_1RB_Right	20.86	21.93	0.156		
			Inner_Full	20.86	21.93	0.156		
CP-64QAM	2507.5	501500	Inner_1RB_Left	18.85	19.92	0.098		
			Inner_1RB_Right	18.81	19.88	0.097		
			Inner_Full	19.19	20.26	0.106		
	2535	507000	Inner_1RB_Left	18.78	19.85	0.097		
			Inner_1RB_Right	18.72	19.79	0.095		
			Inner_Full	19.14	20.21	0.105		
	2562.5	512500	Inner_1RB_Left	18.85	19.92	0.098		
			Inner_1RB_Right	19.05	20.12	0.103		
			Inner_Full	19.36	20.43	0.110		
CP-256QAM	2507.5	501500	Inner_1RB_Left	16.42	17.49	0.056		
			Inner_1RB_Right	16.40	17.47	0.056		
			Inner_Full	16.36	17.43	0.055		
	2535	507000	Inner_1RB_Left	16.38	17.45	0.056		
			Inner_1RB_Right	16.38	17.45	0.056		
			Inner_Full	16.23	17.3	0.054		
	2562.5	512500	Inner_1RB_Left	16.68	17.75	0.060		
			Inner_1RB_Right	16.68	17.75	0.060		
			Inner_Full	16.55	17.62	0.058		



Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	2510	502000	20	30kHz	Inner_1RB_Left	22.57	23.64	0.231
					Inner_1RB_Right	22.61	23.68	0.233
					Inner_Full	22.79	23.86	0.243
	2535	507000			Inner_1RB_Left	22.53	23.6	0.229
					Inner_1RB_Right	22.40	23.47	0.222
					Inner_Full	22.66	23.73	0.236
	2560	512000			Inner_1RB_Left	22.55	23.62	0.230
					Inner_1RB_Right	22.63	23.7	0.234
					Inner_Full	22.86	23.93	0.247
DFT-16QAM	2510	502000	Inner_1RB_Left	21.74	22.81	0.191		
			Inner_1RB_Right	21.78	22.85	0.193		
			Inner_Full	21.83	22.9	0.195		
	2535	507000	Inner_1RB_Left	21.60	22.67	0.185		
			Inner_1RB_Right	21.63	22.7	0.186		
			Inner_Full	21.63	22.7	0.186		
	2560	512000	Inner_1RB_Left	21.81	22.88	0.194		
			Inner_1RB_Right	21.68	22.75	0.188		
			Inner_Full	21.92	22.99	0.199		
DFT-64QAM	2510	502000	Inner_1RB_Left	20.22	21.29	0.135		
			Inner_1RB_Right	20.26	21.33	0.136		
			Inner_Full	20.36	21.43	0.139		
	2535	507000	Inner_1RB_Left	20.14	21.21	0.132		
			Inner_1RB_Right	20.06	21.13	0.130		
			Inner_Full	20.16	21.23	0.133		
	2560	512000	Inner_1RB_Left	19.99	21.06	0.128		
			Inner_1RB_Right	20.03	21.1	0.129		
			Inner_Full	20.35	21.42	0.139		
DFT-256QAM	2510	502000	Inner_1RB_Left	18.57	19.64	0.092		
			Inner_1RB_Right	18.45	19.52	0.090		
			Inner_Full	18.47	19.54	0.090		
	2535	507000	Inner_1RB_Left	18.43	19.5	0.089		
			Inner_1RB_Right	18.40	19.47	0.089		
			Inner_Full	18.26	19.33	0.086		
	2560	512000	Inner_1RB_Left	18.59	19.66	0.092		
			Inner_1RB_Right	18.52	19.59	0.091		
			Inner_Full	18.27	19.34	0.086		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2510	502000	20	30kHz	Inner_1RB_Left	21.21	22.28	0.169
					Inner_1RB_Right	21.33	22.4	0.174
					Inner_Full	21.29	22.36	0.172
	2535	507000			Inner_1RB_Left	21.15	22.22	0.167
					Inner_1RB_Right	21.14	22.21	0.166
					Inner_Full	21.17	22.24	0.167
	2560	512000			Inner_1RB_Left	21.28	22.35	0.172
					Inner_1RB_Right	21.28	22.35	0.172
					Inner_Full	21.34	22.41	0.174
CP-16QAM	2510	502000			Inner_1RB_Left	20.88	21.95	0.157
					Inner_1RB_Right	20.88	21.95	0.157
					Inner_Full	20.77	21.84	0.153
	2535	507000			Inner_1RB_Left	20.80	21.87	0.154
					Inner_1RB_Right	20.74	21.81	0.152
					Inner_Full	20.68	21.75	0.150
	2560	512000			Inner_1RB_Left	20.74	21.81	0.152
					Inner_1RB_Right	20.79	21.86	0.153
					Inner_Full	20.86	21.93	0.156
CP-64QAM	2510	502000			Inner_1RB_Left	19.07	20.14	0.103
					Inner_1RB_Right	19.10	20.17	0.104
					Inner_Full	19.26	20.33	0.108
	2535	507000			Inner_1RB_Left	19.01	20.08	0.102
					Inner_1RB_Right	18.95	20.02	0.100
					Inner_Full	19.19	20.26	0.106
	2560	512000			Inner_1RB_Left	18.76	19.83	0.096
					Inner_1RB_Right	18.91	19.98	0.100
					Inner_Full	19.36	20.43	0.110
CP-256QAM	2510	502000	Inner_1RB_Left	16.51	17.58	0.057		
			Inner_1RB_Right	16.47	17.54	0.057		
			Inner_Full	16.40	17.47	0.056		
	2535	507000	Inner_1RB_Left	16.38	17.45	0.056		
			Inner_1RB_Right	16.38	17.45	0.056		
			Inner_Full	16.19	17.26	0.053		
	2560	512000	Inner_1RB_Left	16.46	17.53	0.057		
			Inner_1RB_Right	16.56	17.63	0.058		
			Inner_Full	16.44	17.51	0.056		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	2512.5	502500	25	30kHz	Inner_1RB_Left	22.75	23.82	0.241
					Inner_1RB_Right	22.76	23.83	0.242
					Inner_Full	22.63	23.7	0.234
	2535	507000			Inner_1RB_Left	22.93	24	0.251
					Inner_1RB_Right	23.00	24.07	0.255
					Inner_Full	22.96	24.03	0.253
	2557.5	511500			Inner_1RB_Left	21.76	22.83	0.192
					Inner_1RB_Right	21.77	22.84	0.192
					Inner_Full	21.78	22.85	0.193
DFT-16QAM	2512.5	502500	Inner_1RB_Left	21.71	22.78	0.190		
			Inner_1RB_Right	21.72	22.79	0.190		
			Inner_Full	21.69	22.76	0.189		
	2535	507000	Inner_1RB_Left	21.86	22.93	0.196		
			Inner_1RB_Right	22.03	23.1	0.204		
			Inner_Full	21.96	23.03	0.201		
	2557.5	511500	Inner_1RB_Left	20.21	21.28	0.134		
			Inner_1RB_Right	20.32	21.39	0.138		
			Inner_Full	20.27	21.34	0.136		
DFT-64QAM	2512.5	502500	Inner_1RB_Left	20.14	21.21	0.132		
			Inner_1RB_Right	20.16	21.23	0.133		
			Inner_Full	20.15	21.22	0.132		
	2535	507000	Inner_1RB_Left	20.34	21.41	0.138		
			Inner_1RB_Right	20.43	21.5	0.141		
			Inner_Full	20.45	21.52	0.142		
	2557.5	511500	Inner_1RB_Left	18.17	19.24	0.084		
			Inner_1RB_Right	18.29	19.36	0.086		
			Inner_Full	18.39	19.46	0.088		
DFT-256QAM	2512.5	502500	Inner_1RB_Left	18.18	19.25	0.084		
			Inner_1RB_Right	18.14	19.21	0.083		
			Inner_Full	18.24	19.31	0.085		
	2535	507000	Inner_1RB_Left	18.18	19.25	0.084		
			Inner_1RB_Right	18.24	19.31	0.085		
			Inner_Full	18.39	19.46	0.088		
	2557.5	511500	Inner_1RB_Left	21.28	22.35	0.172		
			Inner_1RB_Right	21.27	22.34	0.171		
			Inner_Full	21.27	22.34	0.171		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2512.5	502500	25	30kHz	Inner_1RB_Left	21.28	22.35	0.172
					Inner_1RB_Right	21.19	22.26	0.168
					Inner_Full	21.14	22.21	0.166
	2535	507000			Inner_1RB_Left	21.40	22.47	0.177
					Inner_1RB_Right	21.40	22.47	0.177
					Inner_Full	21.41	22.48	0.177
	2557.5	511500			Inner_1RB_Left	20.79	21.86	0.153
					Inner_1RB_Right	20.81	21.88	0.154
					Inner_Full	20.74	21.81	0.152
CP-16QAM	2512.5	502500			Inner_1RB_Left	20.76	21.83	0.152
					Inner_1RB_Right	20.72	21.79	0.151
					Inner_Full	20.63	21.7	0.148
	2535	507000			Inner_1RB_Left	20.94	22.01	0.159
					Inner_1RB_Right	20.91	21.98	0.158
					Inner_Full	20.88	21.95	0.157
	2557.5	511500			Inner_1RB_Left	19.06	20.13	0.103
					Inner_1RB_Right	19.13	20.2	0.105
					Inner_Full	19.18	20.25	0.106
CP-64QAM	2512.5	502500			Inner_1RB_Left	19.09	20.16	0.104
					Inner_1RB_Right	19.04	20.11	0.103
					Inner_Full	19.06	20.13	0.103
	2535	507000			Inner_1RB_Left	19.24	20.31	0.107
					Inner_1RB_Right	19.27	20.34	0.108
					Inner_Full	19.32	20.39	0.109
	2557.5	511500			Inner_1RB_Left	16.26	17.33	0.054
					Inner_1RB_Right	16.30	17.37	0.055
					Inner_Full	16.37	17.44	0.055
CP-256QAM	2512.5	502500	Inner_1RB_Left	16.23	17.3	0.054		
			Inner_1RB_Right	16.18	17.25	0.053		
			Inner_Full	16.26	17.33	0.054		
	2535	507000	Inner_1RB_Left	16.38	17.45	0.056		
			Inner_1RB_Right	16.46	17.53	0.057		
			Inner_Full	16.53	17.6	0.058		
	2557.5	511500	Inner_1RB_Left	22.75	23.82	0.241		
			Inner_1RB_Right	22.76	23.83	0.242		
			Inner_Full	22.63	23.7	0.234		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	2515	503000	30	30kHz	Inner_1RB_Left	22.38	23.45	0.221
					Inner_1RB_Right	22.55	23.62	0.230
					Inner_Full	22.66	23.73	0.236
	2535	507000			Inner_1RB_Left	22.29	23.36	0.217
					Inner_1RB_Right	22.36	23.43	0.220
					Inner_Full	22.54	23.61	0.230
	2555	511000			Inner_1RB_Left	22.27	23.34	0.216
					Inner_1RB_Right	22.51	23.58	0.228
					Inner_Full	22.66	23.73	0.236
DFT-16QAM	2515	503000	Inner_1RB_Left	21.37	22.44	0.175		
			Inner_1RB_Right	21.55	22.62	0.183		
			Inner_Full	21.70	22.77	0.189		
	2535	507000	Inner_1RB_Left	21.50	22.57	0.181		
			Inner_1RB_Right	21.52	22.59	0.182		
			Inner_Full	21.60	22.67	0.185		
	2555	511000	Inner_1RB_Left	21.44	22.51	0.178		
			Inner_1RB_Right	21.66	22.73	0.187		
			Inner_Full	21.67	22.74	0.188		
DFT-64QAM	2515	503000	Inner_1RB_Left	19.74	20.81	0.121		
			Inner_1RB_Right	19.84	20.91	0.123		
			Inner_Full	20.12	21.19	0.132		
	2535	507000	Inner_1RB_Left	19.94	21.01	0.126		
			Inner_1RB_Right	20.01	21.08	0.128		
			Inner_Full	20.03	21.1	0.129		
	2555	511000	Inner_1RB_Left	19.90	20.97	0.125		
			Inner_1RB_Right	20.24	21.31	0.135		
			Inner_Full	20.17	21.24	0.133		
DFT-256QAM	2515	503000	Inner_1RB_Left	18.36	19.43	0.088		
			Inner_1RB_Right	18.46	19.53	0.090		
			Inner_Full	18.18	19.25	0.084		
	2535	507000	Inner_1RB_Left	18.20	19.27	0.085		
			Inner_1RB_Right	18.31	19.38	0.087		
			Inner_Full	18.11	19.18	0.083		
	2555	511000	Inner_1RB_Left	18.18	19.25	0.084		
			Inner_1RB_Right	18.43	19.5	0.089		
			Inner_Full	18.22	19.29	0.085		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2515	503000	30	30kHz	Inner_1RB_Left	20.98	22.05	0.160
					Inner_1RB_Right	21.16	22.23	0.167
					Inner_Full	21.11	22.18	0.165
	2535	507000			Inner_1RB_Left	21.04	22.11	0.163
					Inner_1RB_Right	21.09	22.16	0.164
					Inner_Full	21.08	22.15	0.164
	2555	511000			Inner_1RB_Left	21.07	22.14	0.164
					Inner_1RB_Right	21.21	22.28	0.169
					Inner_Full	21.18	22.25	0.168
CP-16QAM	2515	503000	30	30kHz	Inner_1RB_Left	20.48	21.55	0.143
					Inner_1RB_Right	20.70	21.77	0.150
					Inner_Full	20.67	21.74	0.149
	2535	507000			Inner_1RB_Left	20.53	21.6	0.145
					Inner_1RB_Right	20.63	21.7	0.148
					Inner_Full	20.57	21.64	0.146
	2555	511000			Inner_1RB_Left	20.60	21.67	0.147
					Inner_1RB_Right	20.83	21.9	0.155
					Inner_Full	20.62	21.69	0.148
CP-64QAM	2515	503000	30	30kHz	Inner_1RB_Left	18.61	19.68	0.093
					Inner_1RB_Right	18.70	19.77	0.095
					Inner_Full	19.17	20.24	0.106
	2535	507000			Inner_1RB_Left	18.79	19.86	0.097
					Inner_1RB_Right	18.84	19.91	0.098
					Inner_Full	19.02	20.09	0.102
	2555	511000			Inner_1RB_Left	18.82	19.89	0.097
					Inner_1RB_Right	18.98	20.05	0.101
					Inner_Full	19.14	20.21	0.105
CP-256QAM	2515	503000	30	30kHz	Inner_1RB_Left	16.21	17.28	0.053
					Inner_1RB_Right	16.37	17.44	0.055
					Inner_Full	16.24	17.31	0.054
	2535	507000			Inner_1RB_Left	16.19	17.26	0.053
					Inner_1RB_Right	16.32	17.39	0.055
					Inner_Full	16.15	17.22	0.053
	2555	511000			Inner_1RB_Left	16.26	17.33	0.054
					Inner_1RB_Right	16.40	17.47	0.056
					Inner_Full	16.26	17.33	0.054

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	2520	504000	40	30kHz	Inner_1RB_Left	22.22	23.29	0.213
					Inner_1RB_Right	22.30	23.37	0.217
					Inner_Full	22.62	23.69	0.234
	2535	507000			Inner_1RB_Left	22.05	23.12	0.205
					Inner_1RB_Right	22.25	23.32	0.215
					Inner_Full	22.56	23.63	0.231
	2550	510000			Inner_1RB_Left	22.25	23.32	0.215
					Inner_1RB_Right	22.32	23.39	0.218
					Inner_Full	22.77	23.84	0.242
DFT-16QAM	2520	504000	Inner_1RB_Left	21.23	22.3	0.170		
			Inner_1RB_Right	21.34	22.41	0.174		
			Inner_Full	21.62	22.69	0.186		
	2535	507000	Inner_1RB_Left	21.07	22.14	0.164		
			Inner_1RB_Right	21.25	22.32	0.171		
			Inner_Full	21.48	22.55	0.180		
	2550	510000	Inner_1RB_Left	21.37	22.44	0.175		
			Inner_1RB_Right	21.53	22.6	0.182		
			Inner_Full	21.72	22.79	0.190		
DFT-64QAM	2520	504000	Inner_1RB_Left	19.55	20.62	0.115		
			Inner_1RB_Right	19.61	20.68	0.117		
			Inner_Full	20.19	21.26	0.134		
	2535	507000	Inner_1RB_Left	19.42	20.49	0.112		
			Inner_1RB_Right	19.63	20.7	0.117		
			Inner_Full	20.04	21.11	0.129		
	2550	510000	Inner_1RB_Left	19.89	20.96	0.125		
			Inner_1RB_Right	20.06	21.13	0.130		
			Inner_Full	20.25	21.32	0.136		
DFT-256QAM	2520	504000	Inner_1RB_Left	18.22	19.29	0.085		
			Inner_1RB_Right	18.23	19.3	0.085		
			Inner_Full	18.24	19.31	0.085		
	2535	507000	Inner_1RB_Left	17.96	19.03	0.080		
			Inner_1RB_Right	18.21	19.28	0.085		
			Inner_Full	18.18	19.25	0.084		
	2550	510000	Inner_1RB_Left	18.20	19.27	0.085		
			Inner_1RB_Right	18.27	19.34	0.086		
			Inner_Full	18.29	19.36	0.086		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2520	504000	40	30kHz	Inner_1RB_Left	20.71	21.78	0.151
					Inner_1RB_Right	20.98	22.05	0.160
					Inner_Full	21.05	22.12	0.163
	2535	507000			Inner_1RB_Left	20.76	21.83	0.152
					Inner_1RB_Right	21.02	22.09	0.162
					Inner_Full	20.97	22.04	0.160
	2550	510000			Inner_1RB_Left	20.92	21.99	0.158
					Inner_1RB_Right	21.09	22.16	0.164
					Inner_Full	21.20	22.27	0.169
CP-16QAM	2520	504000			Inner_1RB_Left	20.36	21.43	0.139
					Inner_1RB_Right	20.49	21.56	0.143
					Inner_Full	20.63	21.7	0.148
	2535	507000			Inner_1RB_Left	20.31	21.38	0.137
					Inner_1RB_Right	20.48	21.55	0.143
					Inner_Full	20.47	21.54	0.143
	2550	510000			Inner_1RB_Left	20.50	21.57	0.144
					Inner_1RB_Right	20.70	21.77	0.150
					Inner_Full	20.65	21.72	0.149
CP-64QAM	2520	504000			Inner_1RB_Left	18.40	19.47	0.089
					Inner_1RB_Right	18.44	19.51	0.089
					Inner_Full	19.10	20.17	0.104
	2535	507000			Inner_1RB_Left	18.50	19.57	0.091
					Inner_1RB_Right	18.73	19.8	0.095
					Inner_Full	19.06	20.13	0.103
	2550	510000			Inner_1RB_Left	18.76	19.83	0.096
					Inner_1RB_Right	18.91	19.98	0.100
					Inner_Full	19.25	20.32	0.108
CP-256QAM	2520	504000	Inner_1RB_Left	16.04	17.11	0.051		
			Inner_1RB_Right	16.14	17.21	0.053		
			Inner_Full	16.19	17.26	0.053		
	2535	507000	Inner_1RB_Left	15.97	17.04	0.051		
			Inner_1RB_Right	16.15	17.22	0.053		
			Inner_Full	16.10	17.17	0.052		
	2550	510000	Inner_1RB_Left	16.13	17.2	0.052		
			Inner_1RB_Right	16.35	17.42	0.055		
			Inner_Full	16.31	17.38	0.055		



Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	2525	505000	50	30kHz	Inner_1RB_Left	22.35	23.42	0.220
					Inner_1RB_Right	22.42	23.49	0.223
					Inner_Full	22.56	23.63	0.231
	2535	507000			Inner_1RB_Left	22.33	23.4	0.219
					Inner_1RB_Right	22.52	23.59	0.229
					Inner_Full	22.60	23.67	0.233
	2545	509000			Inner_1RB_Left	22.41	23.48	0.223
					Inner_1RB_Right	22.55	23.62	0.230
					Inner_Full	22.62	23.69	0.234
DFT-16QAM	2525	505000	Inner_1RB_Left	21.47	22.54	0.179		
			Inner_1RB_Right	21.54	22.61	0.182		
			Inner_Full	21.62	22.69	0.186		
	2535	507000	Inner_1RB_Left	21.35	22.42	0.175		
			Inner_1RB_Right	21.54	22.61	0.182		
			Inner_Full	21.63	22.7	0.186		
	2545	509000	Inner_1RB_Left	21.57	22.64	0.184		
			Inner_1RB_Right	21.62	22.69	0.186		
			Inner_Full	21.68	22.75	0.188		
DFT-64QAM	2525	505000	Inner_1RB_Left	19.62	20.69	0.117		
			Inner_1RB_Right	19.80	20.87	0.122		
			Inner_Full	20.02	21.09	0.129		
	2535	507000	Inner_1RB_Left	19.58	20.65	0.116		
			Inner_1RB_Right	19.88	20.95	0.124		
			Inner_Full	19.98	21.05	0.127		
	2545	509000	Inner_1RB_Left	19.98	21.05	0.127		
			Inner_1RB_Right	20.22	21.29	0.135		
			Inner_Full	20.08	21.15	0.130		
DFT-256QAM	2525	505000	Inner_1RB_Left	18.31	19.38	0.087		
			Inner_1RB_Right	18.47	19.54	0.090		
			Inner_Full	18.22	19.29	0.085		
	2535	507000	Inner_1RB_Left	18.30	19.37	0.086		
			Inner_1RB_Right	18.53	19.6	0.091		
			Inner_Full	18.23	19.3	0.085		
	2545	509000	Inner_1RB_Left	18.38	19.45	0.088		
			Inner_1RB_Right	18.45	19.52	0.090		
			Inner_Full	18.22	19.29	0.085		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2525	505000	50	30kHz	Inner_1RB_Left	20.85	21.92	0.156
					Inner_1RB_Right	21.12	22.19	0.166
					Inner_Full	21.07	22.14	0.164
	2535	507000			Inner_1RB_Left	20.88	21.95	0.157
					Inner_1RB_Right	21.17	22.24	0.167
					Inner_Full	21.06	22.13	0.163
	2545	509000			Inner_1RB_Left	21.11	22.18	0.165
					Inner_1RB_Right	21.22	22.29	0.169
					Inner_Full	21.13	22.2	0.166
CP-16QAM	2525	505000	50	30kHz	Inner_1RB_Left	20.40	21.47	0.140
					Inner_1RB_Right	20.63	21.7	0.148
					Inner_Full	20.54	21.61	0.145
	2535	507000			Inner_1RB_Left	20.40	21.47	0.140
					Inner_1RB_Right	20.68	21.75	0.150
					Inner_Full	20.53	21.6	0.145
	2545	509000			Inner_1RB_Left	20.69	21.76	0.150
					Inner_1RB_Right	20.89	21.96	0.157
					Inner_Full	20.63	21.7	0.148
CP-64QAM	2525	505000	50	30kHz	Inner_1RB_Left	18.53	19.6	0.091
					Inner_1RB_Right	18.63	19.7	0.093
					Inner_Full	19.01	20.08	0.102
	2535	507000			Inner_1RB_Left	18.67	19.74	0.094
					Inner_1RB_Right	18.93	20	0.100
					Inner_Full	18.99	20.06	0.101
	2545	509000			Inner_1RB_Left	18.85	19.92	0.098
					Inner_1RB_Right	19.06	20.13	0.103
					Inner_Full	19.06	20.13	0.103
CP-256QAM	2525	505000	50	30kHz	Inner_1RB_Left	16.22	17.29	0.054
					Inner_1RB_Right	16.37	17.44	0.055
					Inner_Full	16.12	17.19	0.052
	2535	507000			Inner_1RB_Left	16.21	17.28	0.053
					Inner_1RB_Right	16.47	17.54	0.057
					Inner_Full	16.07	17.14	0.052
	2545	509000			Inner_1RB_Left	16.37	17.44	0.055
					Inner_1RB_Right	16.55	17.62	0.058
					Inner_Full	16.16	17.23	0.053