

**APPENDIX A – TEST DATA OF CONDUCTED EMISSION**

**NR Band14**

**1 RF Power Output**

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	790.5	158100	5	15kHz	Inner_1RB_Left	21.64
					Inner_1RB_Right	21.67
					Inner_Full	21.73
	793	158600			Inner_1RB_Left	23.28
					Inner_1RB_Right	23.01
					Inner_Full	23.15
	795.5	159100			Inner_1RB_Left	21.64
					Inner_1RB_Right	21.45
					Inner_Full	21.69
DFT-16QAM	790.5	158100	5	15kHz	Inner_1RB_Left	21.20
					Inner_1RB_Right	21.24
					Inner_Full	21.27
	793	158600			Inner_1RB_Left	22.10
					Inner_1RB_Right	21.97
					Inner_Full	22.16
	795.5	159100			Inner_1RB_Left	21.05
					Inner_1RB_Right	21.18
					Inner_Full	21.19
DFT-64QAM	790.5	158100	5	15kHz	Inner_1RB_Left	19.95
					Inner_1RB_Right	20.08
					Inner_Full	19.83
	793	158600			Inner_1RB_Left	20.77
					Inner_1RB_Right	20.42
					Inner_Full	20.78
	795.5	159100			Inner_1RB_Left	19.78
					Inner_1RB_Right	20.10
					Inner_Full	19.81
DFT-256QAM	790.5	158100	5	15kHz	Inner_1RB_Left	20.30
					Inner_1RB_Right	20.09
					Inner_Full	19.91
	793	158600			Inner_1RB_Left	20.53
					Inner_1RB_Right	20.43
					Inner_Full	20.76
	795.5	159100			Inner_1RB_Left	20.07
					Inner_1RB_Right	20.03
					Inner_Full	19.89

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	790.5	158100	5	15kHz	Inner_1RB_Left	21.71
					Inner_1RB_Right	21.69
					Inner_Full	21.73
	793	158600			Inner_1RB_Left	23.26
					Inner_1RB_Right	23.17
					Inner_Full	23.17
	795.5	159100			Inner_1RB_Left	21.53
					Inner_1RB_Right	21.46
					Inner_Full	21.54
CP-16QAM	790.5	158100	5	15kHz	Inner_1RB_Left	21.22
					Inner_1RB_Right	21.38
					Inner_Full	21.40
	793	158600			Inner_1RB_Left	22.13
					Inner_1RB_Right	21.98
					Inner_Full	21.94
	795.5	159100			Inner_1RB_Left	21.13
					Inner_1RB_Right	21.16
					Inner_Full	21.22
CP-64QAM	790.5	158100	5	15kHz	Inner_1RB_Left	20.27
					Inner_1RB_Right	19.75
					Inner_Full	19.87
	793	158600			Inner_1RB_Left	20.50
					Inner_1RB_Right	20.65
					Inner_Full	20.61
	795.5	159100			Inner_1RB_Left	20.05
					Inner_1RB_Right	19.70
					Inner_Full	19.83
CP-256QAM	790.5	158100	5	15kHz	Inner_1RB_Left	20.30
					Inner_1RB_Right	19.74
					Inner_Full	19.89
	793	158600			Inner_1RB_Left	20.49
					Inner_1RB_Right	20.67
					Inner_Full	20.39
	795.5	159100			Inner_1RB_Left	20.04
					Inner_1RB_Right	20.01
					Inner_Full	19.81

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	793	158600	10	15kHz	Inner_1RB_Left	22.87
					Inner_1RB_Right	23.20
					Inner_Full	23.06
	793	158600			Inner_1RB_Left	22.97
					Inner_1RB_Right	23.17
					Inner_Full	23.03
	793	158600			Inner_1RB_Left	22.97
					Inner_1RB_Right	23.14
					Inner_Full	23.04
DFT-16QAM	793	158600	10	15kHz	Inner_1RB_Left	21.82
					Inner_1RB_Right	21.98
					Inner_Full	22.04
	793	158600			Inner_1RB_Left	21.83
					Inner_1RB_Right	21.92
					Inner_Full	22.02
	793	158600			Inner_1RB_Left	21.85
					Inner_1RB_Right	22.01
					Inner_Full	22.04
DFT-64QAM	793	158600	10	15kHz	Inner_1RB_Left	20.53
					Inner_1RB_Right	20.53
					Inner_Full	20.60
	793	158600			Inner_1RB_Left	20.53
					Inner_1RB_Right	20.51
					Inner_Full	20.59
	793	158600			Inner_1RB_Left	20.53
					Inner_1RB_Right	20.77
					Inner_Full	20.61
DFT-256QAM	793	158600	10	15kHz	Inner_1RB_Left	20.36
					Inner_1RB_Right	20.74
					Inner_Full	20.61
	793	158600			Inner_1RB_Left	20.53
					Inner_1RB_Right	20.47
					Inner_Full	20.58
	793	158600			Inner_1RB_Left	20.58
					Inner_1RB_Right	20.48
					Inner_Full	20.61

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	793	158600	10	15kHz	Inner_1RB_Left	22.99
					Inner_1RB_Right	23.20
					Inner_Full	23.19
	793	158600			Inner_1RB_Left	22.99
					Inner_1RB_Right	23.18
					Inner_Full	23.15
	793	158600			Inner_1RB_Left	23.00
					Inner_1RB_Right	23.19
					Inner_Full	23.15
CP-16QAM	793	158600	10	15kHz	Inner_1RB_Left	21.86
					Inner_1RB_Right	22.03
					Inner_Full	21.98
	793	158600			Inner_1RB_Left	21.84
					Inner_1RB_Right	22.01
					Inner_Full	22.01
	793	158600			Inner_1RB_Left	21.80
					Inner_1RB_Right	22.01
					Inner_Full	21.95
CP-64QAM	793	158600	10	15kHz	Inner_1RB_Left	20.54
					Inner_1RB_Right	20.70
					Inner_Full	20.73
	793	158600			Inner_1RB_Left	20.39
					Inner_1RB_Right	20.50
					Inner_Full	20.77
	793	158600			Inner_1RB_Left	20.35
					Inner_1RB_Right	20.53
					Inner_Full	20.69
CP-256QAM	793	158600	10	15kHz	Inner_1RB_Left	20.55
					Inner_1RB_Right	20.49
					Inner_Full	20.69
	793	158600			Inner_1RB_Left	20.33
					Inner_1RB_Right	20.69
					Inner_Full	20.56
	793	158600			Inner_1RB_Left	20.57
					Inner_1RB_Right	20.54
					Inner_Full	20.75

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	793	158600	10	30kHz	Inner_1RB_Left	22.23
					Inner_1RB_Right	22.45
					Inner_Full	21.23
	793	158600			Inner_1RB_Left	22.03
					Inner_1RB_Right	22.23
					Inner_Full	22.41
	793	158600			Inner_1RB_Left	23.02
					Inner_1RB_Right	22.31
					Inner_Full	23.13
DFT-16QAM	793	158600	10	30kHz	Inner_1RB_Left	22.41
					Inner_1RB_Right	21.72
					Inner_Full	22.12
	793	158600			Inner_1RB_Left	21.09
					Inner_1RB_Right	21.19
					Inner_Full	22.07
	793	158600			Inner_1RB_Left	21.23
					Inner_1RB_Right	21.04
					Inner_Full	22.55
DFT-64QAM	793	158600	10	30kHz	Inner_1RB_Left	20.9
					Inner_1RB_Right	21.11
					Inner_Full	21.55
	793	158600			Inner_1RB_Left	21.54
					Inner_1RB_Right	21.77
					Inner_Full	21.88
	793	158600			Inner_1RB_Left	21.55
					Inner_1RB_Right	21.75
					Inner_Full	21.87
DFT-256QAM	793	158600	10	30kHz	Inner_1RB_Left	18.83
					Inner_1RB_Right	19.05
					Inner_Full	19.32
	793	158600			Inner_1RB_Left	18.92
					Inner_1RB_Right	19.16
					Inner_Full	19.34
	793	158600			Inner_1RB_Left	18.81
					Inner_1RB_Right	18.88
					Inner_Full	19.32

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	793	158600	10	30kHz	Inner_1RB_Left	22.99
					Inner_1RB_Right	23.16
					Inner_Full	23.21
	793	158600			Inner_1RB_Left	23.07
					Inner_1RB_Right	23.26
					Inner_Full	22.98
	793	158600			Inner_1RB_Left	22.99
					Inner_1RB_Right	23.15
					Inner_Full	22.81
CP-16QAM	793	158600	10	30kHz	Inner_1RB_Left	21.37
					Inner_1RB_Right	21.55
					Inner_Full	22.49
	793	158600			Inner_1RB_Left	21.22
					Inner_1RB_Right	21.35
					Inner_Full	22.64
	793	158600			Inner_1RB_Left	21.33
					Inner_1RB_Right	21.5
					Inner_Full	22.52
CP-64QAM	793	158600	10	30kHz	Inner_1RB_Left	20.47
					Inner_1RB_Right	20.64
					Inner_Full	20.93
	793	158600			Inner_1RB_Left	20.36
					Inner_1RB_Right	20.51
					Inner_Full	21.01
	793	158600			Inner_1RB_Left	20.45
					Inner_1RB_Right	20.62
					Inner_Full	20.8
CP-256QAM	793	158600	10	30kHz	Inner_1RB_Left	17.29
					Inner_1RB_Right	17.27
					Inner_Full	18.22
	793	158600			Inner_1RB_Left	17.34
					Inner_1RB_Right	17.43
					Inner_Full	18.22
	793	158600			Inner_1RB_Left	17.45
					Inner_1RB_Right	17.54
					Inner_Full	18.02

## 2 Occupied Bandwidth

Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of 99% Power (MHz)							
					DFT-QPSK		DFT-16QAM		DFT-64QAM		DFT-256QAM	
N14	Mid	5	15	Outer_Full	4.67	Fig.1	4.65	Fig.2	4.65	Fig.3	4.64	Fig.4
	Mid	10		Outer_Full	9.32	Fig.9	9.26	Fig.10	9.23	Fig.11	9.25	Fig.12
Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of 99% Power (MHz)							
					CP-QPSK		CP-16QAM		CP-64QAM		CP-256QAM	
N14	Mid	5	15	Outer_Full	4.66	Fig.5	4.63	Fig.6	4.65	Fig.7	4.64	Fig.8
	Mid	10		Outer_Full	9.32	Fig.13	9.30	Fig.14	9.30	Fig.15	9.31	Fig.16

## 3 Emission Bandwidth

Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of -26dB transmitter power (MHz)							
					DFT-QPSK		DFT-16QAM		DFT-64QAM		DFT-256QAM	
N14	Mid	5	15	Outer_Full	4.48	Fig.1	4.45	Fig.2	4.48	Fig.3	4.48	Fig.4
	Mid	10		Outer_Full	8.98	Fig.9	8.98	Fig.10	8.96	Fig.11	8.99	Fig.12
Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of -26dB transmitter power (MHz)							
					CP-QPSK		CP-16QAM		CP-64QAM		CP-256QAM	
N14	Mid	5	15	Outer_Full	4.48	Fig.5	4.48	Fig.6	4.48	Fig.7	4.47	Fig.8
	Mid	10		Outer_Full	9.01	Fig.13	8.99	Fig.14	8.99	Fig.15	8.99	Fig.16




Fig.1



Fig.2



Fig.3



Fig.4




Fig.5




Fig.6






Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13



Fig.14




Fig.15



Fig.16

#### 4 Peak-Average Ratio

Band	Carrier frequency (MHz)	Channel	BW (MHz)	SCS	RB Config	DFT-QPSK	CP-QPSK
N14	793	158600	10	15kHz	Outer_Full	Fig.1	Fig.2




Fig.1




Fig.2

**5 Spurious Emissions at antenna terminal**

Band	Carrier frequency (MHz)	Channel	BW	SCS	RB Size	RB Offset	Conducted Spurious Plot
							DFT-QPSK
N14	793	158600	10	15kHz	1	0	Fig.1
	793	158600			1	0	Fig.2
	793	158600			1	0	Fig.3




Fig.1

Fig.2




Fig.3

**6 Band Edges Compliance**

Band	Carrier frequency (MHz)	Channel	BW	SCS	RB Config	Band Edges Plot	
						DFT-QPSK	CP-QPSK
N14	790.5	158100	5	15kHz	1RB_Left	Fig.1	Fig.5
					Outer_Full	Fig.2	Fig.6
	795.5	159100			1RB_Right	Fig.3	Fig.7
					Outer_Full	Fig.4	Fig.8
	793	158600	10		1RB_Left	Fig.9	Fig.13
					Outer_Full	Fig.10	Fig.14
	793	158600			1RB_Right	Fig.11	Fig.15
					Outer_Full	Fig.12	Fig.16






Fig.1



Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16

## 7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) N14 Low Channel DFT-QPSK	
		5M	10M
-30	NV	---	0.00
-20	NV	---	0.00
-10	NV	---	0.00
0	NV	---	0.00
+10	NV	---	0.00
+20	NV	---	0.00
+30	NV	---	0.00
+40	NV	---	0.00
+50	NV	---	0.00
+20	LV	---	0.00
+20	HV	---	0.00

Temperature(°C)	Voltage	Test Result (ppm) N14 High Channel DFT-QPSK	
		5M	10M
-30	NV	---	0.00
-20	NV	---	0.00
-10	NV	---	0.00
0	NV	---	0.00
+10	NV	---	0.00
+20	NV	---	0.01
+30	NV	---	0.00
+40	NV	---	0.00
+50	NV	---	0.00
+20	LV	---	0.00
+20	HV	---	0.00

**8 Effective Radiated Power and Effective Isotropic Radiated Power**

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	790.5	158100	5	15kHz	Inner_1RB_Left	21.64	21.68	0.147
					Inner_1RB_Right	21.67	21.71	0.148
					Inner_Full	21.73	21.77	0.150
	793	158600			Inner_1RB_Left	23.28	23.32	0.215
					Inner_1RB_Right	23.01	23.05	0.202
					Inner_Full	23.15	23.19	0.208
	795.5	159100			Inner_1RB_Left	21.64	21.68	0.147
					Inner_1RB_Right	21.45	21.49	0.141
					Inner_Full	21.69	21.73	0.149
DFT-16QAM	790.5	158100	Inner_1RB_Left	21.2	21.24	0.133		
			Inner_1RB_Right	21.24	21.28	0.134		
			Inner_Full	21.27	21.31	0.135		
	793	158600	Inner_1RB_Left	22.1	22.14	0.164		
			Inner_1RB_Right	21.97	22.01	0.159		
			Inner_Full	22.16	22.2	0.166		
	795.5	159100	Inner_1RB_Left	21.05	21.09	0.129		
			Inner_1RB_Right	21.18	21.22	0.132		
			Inner_Full	21.19	21.23	0.133		
DFT-64QAM	790.5	158100	Inner_1RB_Left	19.95	19.99	0.100		
			Inner_1RB_Right	20.08	20.12	0.103		
			Inner_Full	19.83	19.87	0.097		
	793	158600	Inner_1RB_Left	20.77	20.81	0.121		
			Inner_1RB_Right	20.42	20.46	0.111		
			Inner_Full	20.78	20.82	0.121		
	795.5	159100	Inner_1RB_Left	19.78	19.82	0.096		
			Inner_1RB_Right	20.1	20.14	0.103		
			Inner_Full	19.81	19.85	0.097		
DFT-256QAM	790.5	158100	Inner_1RB_Left	20.3	20.34	0.108		
			Inner_1RB_Right	20.09	20.13	0.103		
			Inner_Full	19.91	19.95	0.099		
	793	158600	Inner_1RB_Left	20.53	20.57	0.114		
			Inner_1RB_Right	20.43	20.47	0.111		
			Inner_Full	20.76	20.8	0.120		
	795.5	159100	Inner_1RB_Left	20.07	20.11	0.103		
			Inner_1RB_Right	20.03	20.07	0.102		
			Inner_Full	19.89	19.93	0.098		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	790.5	158100	5	15kHz	Inner_1RB_Left	21.71	21.75	0.150
					Inner_1RB_Right	21.69	21.73	0.149
					Inner_Full	21.73	21.77	0.150
	793	158600			Inner_1RB_Left	23.26	23.3	0.214
					Inner_1RB_Right	23.17	23.21	0.209
					Inner_Full	23.17	23.21	0.209
	795.5	159100			Inner_1RB_Left	21.53	21.57	0.144
					Inner_1RB_Right	21.46	21.5	0.141
					Inner_Full	21.54	21.58	0.144
CP-16QAM	790.5	158100	5	15kHz	Inner_1RB_Left	21.22	21.26	0.134
					Inner_1RB_Right	21.38	21.42	0.139
					Inner_Full	21.4	21.44	0.139
	793	158600			Inner_1RB_Left	22.13	22.17	0.165
					Inner_1RB_Right	21.98	22.02	0.159
					Inner_Full	21.94	21.98	0.158
	795.5	159100			Inner_1RB_Left	21.13	21.17	0.131
					Inner_1RB_Right	21.16	21.2	0.132
					Inner_Full	21.22	21.26	0.134
CP-64QAM	790.5	158100	5	15kHz	Inner_1RB_Left	20.27	20.31	0.107
					Inner_1RB_Right	19.75	19.79	0.095
					Inner_Full	19.87	19.91	0.098
	793	158600			Inner_1RB_Left	20.5	20.54	0.113
					Inner_1RB_Right	20.65	20.69	0.117
					Inner_Full	20.61	20.65	0.116
	795.5	159100			Inner_1RB_Left	20.05	20.09	0.102
					Inner_1RB_Right	19.7	19.74	0.094
					Inner_Full	19.83	19.87	0.097
CP-256QAM	790.5	158100	5	15kHz	Inner_1RB_Left	20.3	20.34	0.108
					Inner_1RB_Right	19.74	19.78	0.095
					Inner_Full	19.89	19.93	0.098
	793	158600			Inner_1RB_Left	20.49	20.53	0.113
					Inner_1RB_Right	20.67	20.71	0.118
					Inner_Full	20.39	20.43	0.110
	795.5	159100			Inner_1RB_Left	20.04	20.08	0.102
					Inner_1RB_Right	20.01	20.05	0.101
					Inner_Full	19.81	19.85	0.097

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	793	158600	10	15kHz	Inner_1RB_Left	22.87	22.91	0.195
					Inner_1RB_Right	23.2	23.24	0.211
					Inner_Full	23.06	23.1	0.204
	793	158600			Inner_1RB_Left	22.97	23.01	0.200
					Inner_1RB_Right	23.17	23.21	0.209
					Inner_Full	23.03	23.07	0.203
	793	158600			Inner_1RB_Left	22.97	23.01	0.200
					Inner_1RB_Right	23.14	23.18	0.208
					Inner_Full	23.04	23.08	0.203
DFT-16QAM	793	158600	10	15kHz	Inner_1RB_Left	21.82	21.86	0.153
					Inner_1RB_Right	21.98	22.02	0.159
					Inner_Full	22.04	22.08	0.161
	793	158600			Inner_1RB_Left	21.83	21.87	0.154
					Inner_1RB_Right	21.92	21.96	0.157
					Inner_Full	22.02	22.06	0.161
	793	158600			Inner_1RB_Left	21.85	21.89	0.155
					Inner_1RB_Right	22.01	22.05	0.160
					Inner_Full	22.04	22.08	0.161
DFT-64QAM	793	158600	10	15kHz	Inner_1RB_Left	20.53	20.57	0.114
					Inner_1RB_Right	20.53	20.57	0.114
					Inner_Full	20.6	20.64	0.116
	793	158600			Inner_1RB_Left	20.53	20.57	0.114
					Inner_1RB_Right	20.51	20.55	0.114
					Inner_Full	20.59	20.63	0.116
	793	158600			Inner_1RB_Left	20.53	20.57	0.114
					Inner_1RB_Right	20.77	20.81	0.121
					Inner_Full	20.61	20.65	0.116
DFT-256QAM	793	158600	10	15kHz	Inner_1RB_Left	20.36	20.4	0.110
					Inner_1RB_Right	20.74	20.78	0.120
					Inner_Full	20.61	20.65	0.116
	793	158600			Inner_1RB_Left	20.53	20.57	0.114
					Inner_1RB_Right	20.47	20.51	0.112
					Inner_Full	20.58	20.62	0.115
	793	158600			Inner_1RB_Left	20.58	20.62	0.115
					Inner_1RB_Right	20.48	20.52	0.113
					Inner_Full	20.61	20.65	0.116

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	793	158600	10	15kHz	Inner_1RB_Left	22.99	23.03	0.201
					Inner_1RB_Right	23.2	23.24	0.211
					Inner_Full	23.19	23.23	0.210
	793	158600			Inner_1RB_Left	22.99	23.03	0.201
					Inner_1RB_Right	23.18	23.22	0.210
					Inner_Full	23.15	23.19	0.208
	793	158600			Inner_1RB_Left	23	23.04	0.201
					Inner_1RB_Right	23.19	23.23	0.210
					Inner_Full	23.15	23.19	0.208
CP-16QAM	793	158600	10	15kHz	Inner_1RB_Left	21.86	21.9	0.155
					Inner_1RB_Right	22.03	22.07	0.161
					Inner_Full	21.98	22.02	0.159
	793	158600			Inner_1RB_Left	21.84	21.88	0.154
					Inner_1RB_Right	22.01	22.05	0.160
					Inner_Full	22.01	22.05	0.160
	793	158600			Inner_1RB_Left	21.8	21.84	0.153
					Inner_1RB_Right	22.01	22.05	0.160
					Inner_Full	21.95	21.99	0.158
CP-64QAM	793	158600	10	15kHz	Inner_1RB_Left	20.54	20.58	0.114
					Inner_1RB_Right	20.7	20.74	0.119
					Inner_Full	20.73	20.77	0.119
	793	158600			Inner_1RB_Left	20.39	20.43	0.110
					Inner_1RB_Right	20.5	20.54	0.113
					Inner_Full	20.77	20.81	0.121
	793	158600			Inner_1RB_Left	20.35	20.39	0.109
					Inner_1RB_Right	20.53	20.57	0.114
					Inner_Full	20.69	20.73	0.118
CP-256QAM	793	158600	10	15kHz	Inner_1RB_Left	20.55	20.59	0.115
					Inner_1RB_Right	20.49	20.53	0.113
					Inner_Full	20.69	20.73	0.118
	793	158600			Inner_1RB_Left	20.33	20.37	0.109
					Inner_1RB_Right	20.69	20.73	0.118
					Inner_Full	20.56	20.6	0.115
	793	158600			Inner_1RB_Left	20.57	20.61	0.115
					Inner_1RB_Right	20.54	20.58	0.114
					Inner_Full	20.75	20.79	0.120



Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
DFT-QPSK	793	158600	10	30kHz	Inner_1RB_Left	22.23	22.27	0.169
					Inner_1RB_Right	22.45	22.49	0.177
					Inner_Full	21.23	21.27	0.134
	793	158600			Inner_1RB_Left	22.03	22.07	0.161
					Inner_1RB_Right	22.23	22.27	0.169
					Inner_Full	22.41	22.45	0.176
	793	158600			Inner_1RB_Left	23.02	23.06	0.202
					Inner_1RB_Right	22.31	22.35	0.172
					Inner_Full	23.13	23.17	0.207
DFT-16QAM	793	158600	10	30kHz	Inner_1RB_Left	22.41	22.45	0.176
					Inner_1RB_Right	21.72	21.76	0.150
					Inner_Full	22.12	22.16	0.164
	793	158600			Inner_1RB_Left	21.09	21.13	0.130
					Inner_1RB_Right	21.19	21.23	0.133
					Inner_Full	22.07	22.11	0.163
	793	158600			Inner_1RB_Left	21.23	21.27	0.134
					Inner_1RB_Right	21.04	21.08	0.128
					Inner_Full	22.55	22.59	0.182
DFT-64QAM	793	158600	10	30kHz	Inner_1RB_Left	20.9	20.94	0.124
					Inner_1RB_Right	21.11	21.15	0.130
					Inner_Full	21.55	21.59	0.144
	793	158600			Inner_1RB_Left	21.54	21.58	0.144
					Inner_1RB_Right	21.77	21.81	0.152
					Inner_Full	21.88	21.92	0.156
	793	158600			Inner_1RB_Left	21.55	21.59	0.144
					Inner_1RB_Right	21.75	21.79	0.151
					Inner_Full	21.87	21.91	0.155
DFT-256QAM	793	158600	10	30kHz	Inner_1RB_Left	18.83	18.87	0.077
					Inner_1RB_Right	19.05	19.09	0.081
					Inner_Full	19.32	19.36	0.086
	793	158600			Inner_1RB_Left	18.92	18.96	0.079
					Inner_1RB_Right	19.16	19.2	0.083
					Inner_Full	19.34	19.38	0.087
	793	158600			Inner_1RB_Left	18.81	18.85	0.077
					Inner_1RB_Right	18.88	18.92	0.078
					Inner_Full	19.32	19.36	0.086

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	793	158600	10	30kHz	Inner_1RB_Left	22.99	23.03	0.201
					Inner_1RB_Right	23.16	23.2	0.209
					Inner_Full	23.21	23.25	0.211
	793	158600			Inner_1RB_Left	23.07	23.11	0.205
					Inner_1RB_Right	23.26	23.3	0.214
					Inner_Full	22.98	23.02	0.200
	793	158600			Inner_1RB_Left	22.99	23.03	0.201
					Inner_1RB_Right	23.15	23.19	0.208
					Inner_Full	22.81	22.85	0.193
CP-16QAM	793	158600	10	30kHz	Inner_1RB_Left	21.37	21.41	0.138
					Inner_1RB_Right	21.55	21.59	0.144
					Inner_Full	22.49	22.53	0.179
	793	158600			Inner_1RB_Left	21.22	21.26	0.134
					Inner_1RB_Right	21.35	21.39	0.138
					Inner_Full	22.64	22.68	0.185
	793	158600			Inner_1RB_Left	21.33	21.37	0.137
					Inner_1RB_Right	21.5	21.54	0.143
					Inner_Full	22.52	22.56	0.180
CP-64QAM	793	158600	10	30kHz	Inner_1RB_Left	20.47	20.51	0.112
					Inner_1RB_Right	20.64	20.68	0.117
					Inner_Full	20.93	20.97	0.125
	793	158600			Inner_1RB_Left	20.36	20.4	0.110
					Inner_1RB_Right	20.51	20.55	0.114
					Inner_Full	21.01	21.05	0.127
	793	158600			Inner_1RB_Left	20.45	20.49	0.112
					Inner_1RB_Right	20.62	20.66	0.116
					Inner_Full	20.8	20.84	0.121
CP-256QAM	793	158600	10	30kHz	Inner_1RB_Left	17.29	17.33	0.054
					Inner_1RB_Right	17.27	17.31	0.054
					Inner_Full	18.22	18.26	0.067
	793	158600			Inner_1RB_Left	17.34	17.38	0.055
					Inner_1RB_Right	17.43	17.47	0.056
					Inner_Full	18.22	18.26	0.067
	793	158600			Inner_1RB_Left	17.45	17.49	0.056
					Inner_1RB_Right	17.54	17.58	0.057
					Inner_Full	18.02	18.06	0.064

The End