

**APPENDIX A – TEST DATA OF CONDUCTED EMISSION**

**NR Band30**

**1 RF Power Output**

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	2307.5	461500	5	15kHz	Inner_1RB_Left	20.67
					Inner_1RB_Right	21.44
					Inner_Full	21.32
	2310	462000			Inner_1RB_Left	21.27
					Inner_1RB_Right	20.76
					Inner_Full	21.04
	2312.5	462500			Inner_1RB_Left	21.45
					Inner_1RB_Right	22.08
					Inner_Full	22.01
DFT-16QAM	2307.5	461500	5	15kHz	Inner_1RB_Left	20.01
					Inner_1RB_Right	19.81
					Inner_Full	19.80
	2310	462000			Inner_1RB_Left	20.90
					Inner_1RB_Right	20.46
					Inner_Full	20.61
	2312.5	462500			Inner_1RB_Left	20.77
					Inner_1RB_Right	21.20
					Inner_Full	20.89
DFT-64QAM	2307.5	461500	5	15kHz	Inner_1RB_Left	17.47
					Inner_1RB_Right	17.33
					Inner_Full	17.96
	2310	462000			Inner_1RB_Left	19.48
					Inner_1RB_Right	19.12
					Inner_Full	19.21
	2312.5	462500			Inner_1RB_Left	20.39
					Inner_1RB_Right	19.93
					Inner_Full	20.26
DFT-256QAM	2307.5	461500	5	15kHz	Inner_1RB_Left	16.91
					Inner_1RB_Right	17.82
					Inner_Full	18.02
	2310	462000			Inner_1RB_Left	19.48
					Inner_1RB_Right	19.14
					Inner_Full	19.20
	2312.5	462500			Inner_1RB_Left	20.44
					Inner_1RB_Right	19.62
					Inner_Full	20.06

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2307.5	461500	5	15kHz	Inner_1RB_Left	21.30
					Inner_1RB_Right	21.18
					Inner_Full	21.42
	2310	462000			Inner_1RB_Left	21.21
					Inner_1RB_Right	20.74
					Inner_Full	21.05
	2312.5	462500			Inner_1RB_Left	21.77
					Inner_1RB_Right	22.11
					Inner_Full	22.01
CP-16QAM	2307.5	461500	5	15kHz	Inner_1RB_Left	20.08
					Inner_1RB_Right	20.31
					Inner_Full	19.83
	2310	462000			Inner_1RB_Left	20.91
					Inner_1RB_Right	20.50
					Inner_Full	20.66
	2312.5	462500			Inner_1RB_Left	20.87
					Inner_1RB_Right	21.19
					Inner_Full	21.16
CP-64QAM	2307.5	461500	5	15kHz	Inner_1RB_Left	16.92
					Inner_1RB_Right	17.90
					Inner_Full	17.81
	2310	462000			Inner_1RB_Left	19.43
					Inner_1RB_Right	18.85
					Inner_Full	19.25
	2312.5	462500			Inner_1RB_Left	20.20
					Inner_1RB_Right	19.65
					Inner_Full	19.66
CP-256QAM	2307.5	461500	5	15kHz	Inner_1RB_Left	17.01
					Inner_1RB_Right	17.90
					Inner_Full	17.89
	2310	462000			Inner_1RB_Left	19.77
					Inner_1RB_Right	18.84
					Inner_Full	19.29
	2312.5	462500			Inner_1RB_Left	20.20
					Inner_1RB_Right	19.63
					Inner_Full	19.66

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	2310	462000	10	15kHz	Inner_1RB_Left	21.90
					Inner_1RB_Right	21.75
					Inner_Full	19.10
	2310	462000			Inner_1RB_Left	22.02
					Inner_1RB_Right	21.69
					Inner_Full	19.12
	2310	462000			Inner_1RB_Left	22.02
					Inner_1RB_Right	21.76
					Inner_Full	19.11
DFT-16QAM	2310	462000			Inner_1RB_Left	20.99
					Inner_1RB_Right	20.39
					Inner_Full	18.08
	2310	462000			Inner_1RB_Left	20.68
					Inner_1RB_Right	20.41
					Inner_Full	18.11
	2310	462000			Inner_1RB_Left	21.02
					Inner_1RB_Right	20.72
					Inner_Full	18.13
DFT-64QAM	2310	462000			Inner_1RB_Left	19.18
					Inner_1RB_Right	18.95
					Inner_Full	16.75
	2310	462000			Inner_1RB_Left	19.25
					Inner_1RB_Right	19
					Inner_Full	16.64
	2310	462000			Inner_1RB_Left	19.23
					Inner_1RB_Right	19.03
					Inner_Full	16.63
DFT-256QAM	2310	462000	Inner_1RB_Left	19.17		
			Inner_1RB_Right	18.97		
			Inner_Full	16.76		
	2310	462000	Inner_1RB_Left	19.23		
			Inner_1RB_Right	19.02		
			Inner_Full	16.76		
	2310	462000	Inner_1RB_Left	19.25		
			Inner_1RB_Right	19		
			Inner_Full	16.67		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2310	462000	10	15kHz	Inner_1RB_Left	22.06
					Inner_1RB_Right	21.76
					Inner_Full	18.76
	2310	462000			Inner_1RB_Left	22.01
					Inner_1RB_Right	21.79
					Inner_Full	18.70
	2310	462000			Inner_1RB_Left	22.02
					Inner_1RB_Right	21.7
					Inner_Full	18.78
CP-16QAM	2310	462000	10	15kHz	Inner_1RB_Left	20.96
					Inner_1RB_Right	20.43
					Inner_Full	17.70
	2310	462000			Inner_1RB_Left	21
					Inner_1RB_Right	20.48
					Inner_Full	17.41
	2310	462000			Inner_1RB_Left	20.74
					Inner_1RB_Right	20.72
					Inner_Full	17.75
CP-64QAM	2310	462000	10	15kHz	Inner_1RB_Left	19.22
					Inner_1RB_Right	19.04
					Inner_Full	15.94
	2310	462000			Inner_1RB_Left	19.22
					Inner_1RB_Right	18.99
					Inner_Full	15.97
	2310	462000			Inner_1RB_Left	19.19
					Inner_1RB_Right	18.97
					Inner_Full	15.95
CP-256QAM	2310	462000	10	15kHz	Inner_1RB_Left	19.22
					Inner_1RB_Right	19.01
					Inner_Full	15.94
	2310	462000			Inner_1RB_Left	19.23
					Inner_1RB_Right	18.98
					Inner_Full	16.03
	2310	462000			Inner_1RB_Left	19.24
					Inner_1RB_Right	19.01
					Inner_Full	15.95

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	2310	462000	10	30kHz	Inner_1RB_Left	22.19
					Inner_1RB_Right	22.04
					Inner_Full	19.06
	2310	462000			Inner_1RB_Left	21.88
					Inner_1RB_Right	21.84
					Inner_Full	19.16
	2310	462000			Inner_1RB_Left	22.15
					Inner_1RB_Right	22.07
					Inner_Full	19.08
DFT-16QAM	2310	462000			Inner_1RB_Left	20.75
					Inner_1RB_Right	20.72
					Inner_Full	18.16
	2310	462000			Inner_1RB_Left	20.65
					Inner_1RB_Right	20.63
					Inner_Full	18.36
	2310	462000			Inner_1RB_Left	20.73
					Inner_1RB_Right	20.72
					Inner_Full	18.13
DFT-64QAM	2310	462000			Inner_1RB_Left	19.36
					Inner_1RB_Right	19.34
					Inner_Full	16.55
	2310	462000			Inner_1RB_Left	19.36
					Inner_1RB_Right	19.39
					Inner_Full	16.50
	2310	462000			Inner_1RB_Left	19.35
					Inner_1RB_Right	19.36
					Inner_Full	16.53
DFT-256QAM	2310	462000	Inner_1RB_Left	17.38		
			Inner_1RB_Right	17.41		
			Inner_Full	14.89		
	2310	462000	Inner_1RB_Left	17.26		
			Inner_1RB_Right	17.24		
			Inner_Full	14.95		
	2310	462000	Inner_1RB_Left	17.43		
			Inner_1RB_Right	17.38		
			Inner_Full	14.86		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2310	462000	10	30kHz	Inner_1RB_Left	20.26
					Inner_1RB_Right	20.24
					Inner_Full	17.54
	2310	462000			Inner_1RB_Left	20.31
					Inner_1RB_Right	20.31
					Inner_Full	17.65
	2310	462000			Inner_1RB_Left	20.24
					Inner_1RB_Right	20.26
					Inner_Full	17.54
CP-16QAM	2310	462000	10	30kHz	Inner_1RB_Left	19.41
					Inner_1RB_Right	19.38
					Inner_Full	17.08
	2310	462000			Inner_1RB_Left	19.43
					Inner_1RB_Right	19.37
					Inner_Full	17.05
	2310	462000			Inner_1RB_Left	19.53
					Inner_1RB_Right	19.43
					Inner_Full	17.15
CP-64QAM	2310	462000	10	30kHz	Inner_1RB_Left	18.5
					Inner_1RB_Right	18.45
					Inner_Full	15.89
	2310	462000			Inner_1RB_Left	18.52
					Inner_1RB_Right	18.42
					Inner_Full	15.89
	2310	462000			Inner_1RB_Left	18.38
					Inner_1RB_Right	18.35
					Inner_Full	15.75
CP-256QAM	2310	462000	10	30kHz	Inner_1RB_Left	15.32
					Inner_1RB_Right	15.29
					Inner_Full	12.64
	2310	462000			Inner_1RB_Left	15.27
					Inner_1RB_Right	15.42
					Inner_Full	12.65
	2310	462000			Inner_1RB_Left	15.43
					Inner_1RB_Right	15.39
					Inner_Full	12.73

Note: The worst case EIRP shown in this section is found with operating only using 1RB. As such, the EIRP/10MHz and full channel EIRP values will be identical since 1RB is fully contained within all available channel bandwidths for Band 30 (i.e. 5, 10MHz)

## 2 Occupied Bandwidth

Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of 99% Power (MHz)							
					DFT-QPSK		DFT-16QAM		DFT-64QAM		DFT-256QAM	
N30	Mid	5	15	Outer_Full	4.94	Fig.1	4.85	Fig.2	4.92	Fig.3	4.93	Fig.4
	Mid	10		Outer_Full	9.57	Fig.9	9.77	Fig.10	9.55	Fig.11	9.58	Fig.12
Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of 99% Power (MHz)							
					CP-QPSK		CP-16QAM		CP-64QAM		CP-256QAM	
N30	Mid	5	15	Outer_Full	4.97	Fig.5	4.82	Fig.6	4.90	Fig.7	4.93	Fig.8
	Mid	10		Outer_Full	9.73	Fig.13	9.57	Fig.14	9.63	Fig.15	9.61	Fig.16

## 3 Emission Bandwidth

Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of -26dB transmitter power (MHz)							
					DFT-QPSK		DFT-16QAM		DFT-64QAM		DFT-256QAM	
N30	Mid	5	15	Outer_Full	4.47	Fig.1	4.46	Fig.2	4.47	Fig.3	4.46	Fig.4
	Mid	10		Outer_Full	8.91	Fig.9	8.91	Fig.10	8.90	Fig.11	8.88	Fig.12
Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of -26dB transmitter power (MHz)							
					CP-QPSK		CP-16QAM		CP-64QAM		CP-256QAM	
N30	Mid	5	15	Outer_Full	4.46	Fig.5	4.46	Fig.6	4.47	Fig.7	4.496	Fig.8
	Mid	10		Outer_Full	8.90	Fig.13	8.91	Fig.14	8.90	Fig.15	8.91	Fig.16




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6






Fig.7




Fig.8




Fig.9




Fig.10



Fig.11




Fig.12




Fig.13



Fig.14




Fig.15




Fig.16

**4 Peak-Average Ratio**

Band	Carrier frequency (MHz)	Channel	BW (MHz)	SCS	RB Config	DFT-QPSK	CP-QPSK
N30	2310	462000	10	15kHz	Outer_Full	Fig.1	Fig.2




Fig.1



Fig.2

**5 Spurious Emissions at antenna terminal**

Band	Carrier frequency (MHz)	Channel	BW	SCS	RB Size	RB Offset	Conducted Spurious Plot
							DFT-QPSK
N30	2310	462000	10	15kHz	1	0	Fig.1
	2310	462000			1	0	Fig.2
	2310	462000			1	0	Fig.3




Fig.1




Fig.2




Fig.3

**6 Band Edges Compliance**

Band	Carrier frequency (MHz)	Channel	BW	SCS	RB Config	Band Edges Plot	
						DFT-QPSK	CP-QPSK
N30	2307.5	461500	5	15kHz	1RB_Left	Fig.1	Fig.5
		Outer_Full			Fig.2	Fig.6	
	2312.5	462500	1RB_Right		Fig.3	Fig.7	
		Outer_Full	Fig.4		Fig.8		
	2310	462000	10		1RB_Left	Fig.9	Fig.13
					Outer_Full	Fig.10	Fig.14
	2310	462000	1RB_Right		Fig.11	Fig.15	
			Outer_Full		Fig.12	Fig.16	






Fig.1



Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7



Fig.8




Fig.9




Fig.10




Fig.11



Fig.12



Fig.13




Fig.14




Fig.15



Fig.16

## 7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) N30 Low Channel DFT-QPSK	
		5M	10M
-30	NV	---	0.00
-20	NV	---	0.00
-10	NV	---	0.00
0	NV	---	0.00
+10	NV	---	0.00
+20	NV	---	0.00
+30	NV	---	0.00
+40	NV	---	0.00
+50	NV	---	0.00
+20	LV	---	0.00
+20	HV	---	0.00

Temperature(°C)	Voltage	Test Result (ppm) N30 High Channel DFT-QPSK	
		5M	10M
-30	NV	---	0.00
-20	NV	---	0.00
-10	NV	---	0.00
0	NV	---	0.00
+10	NV	---	0.00
+20	NV	---	0.00
+30	NV	---	0.00
+40	NV	---	0.00
+50	NV	---	0.00
+20	LV	---	0.00
+20	HV	---	0.00

**8 Effective Radiated Power and Effective Isotropic Radiated Power**

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	2307.5	461500	5	15kHz	Inner_1RB_Left	20.67	20.89	0.123
					Inner_1RB_Right	21.44	21.66	0.147
					Inner_Full	21.32	21.54	0.143
	2310	462000			Inner_1RB_Left	21.27	21.49	0.141
					Inner_1RB_Right	20.76	20.98	0.125
					Inner_Full	21.04	21.26	0.134
	2312.5	462500			Inner_1RB_Left	21.45	21.67	0.147
					Inner_1RB_Right	22.08	22.3	0.170
					Inner_Full	22.01	22.23	0.167
DFT-16QAM	2307.5	461500	Inner_1RB_Left	20.01	20.23	0.105		
			Inner_1RB_Right	19.81	20.03	0.101		
			Inner_Full	19.8	20.02	0.100		
	2310	462000	Inner_1RB_Left	20.9	21.12	0.129		
			Inner_1RB_Right	20.46	20.68	0.117		
			Inner_Full	20.61	20.83	0.121		
	2312.5	462500	Inner_1RB_Left	20.77	20.99	0.126		
			Inner_1RB_Right	21.2	21.42	0.139		
			Inner_Full	20.89	21.11	0.129		
DFT-64QAM	2307.5	461500	Inner_1RB_Left	17.47	17.69	0.059		
			Inner_1RB_Right	17.33	17.55	0.057		
			Inner_Full	17.96	18.18	0.066		
	2310	462000	Inner_1RB_Left	19.48	19.7	0.093		
			Inner_1RB_Right	19.12	19.34	0.086		
			Inner_Full	19.21	19.43	0.088		
	2312.5	462500	Inner_1RB_Left	20.39	20.61	0.115		
			Inner_1RB_Right	19.93	20.15	0.104		
			Inner_Full	20.26	20.48	0.112		
DFT-256QAM	2307.5	461500	Inner_1RB_Left	16.91	17.13	0.052		
			Inner_1RB_Right	17.82	18.04	0.064		
			Inner_Full	18.02	18.24	0.067		
	2310	462000	Inner_1RB_Left	19.48	19.7	0.093		
			Inner_1RB_Right	19.14	19.36	0.086		
			Inner_Full	19.2	19.42	0.087		
	2312.5	462500	Inner_1RB_Left	20.44	20.66	0.116		
			Inner_1RB_Right	19.62	19.84	0.096		
			Inner_Full	20.06	20.28	0.107		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	2307.5	461500	5	15kHz	Inner_1RB_Left	21.3	21.52	0.142
					Inner_1RB_Right	21.18	21.4	0.138
					Inner_Full	21.42	21.64	0.146
	2310	462000			Inner_1RB_Left	21.21	21.43	0.139
					Inner_1RB_Right	20.74	20.96	0.125
					Inner_Full	21.05	21.27	0.134
	2312.5	462500			Inner_1RB_Left	21.77	21.99	0.158
					Inner_1RB_Right	22.11	22.33	0.171
					Inner_Full	22.01	22.23	0.167
CP-16QAM	2307.5	461500	5	15kHz	Inner_1RB_Left	20.08	20.3	0.107
					Inner_1RB_Right	20.31	20.53	0.113
					Inner_Full	19.83	20.05	0.101
	2310	462000			Inner_1RB_Left	20.91	21.13	0.130
					Inner_1RB_Right	20.5	20.72	0.118
					Inner_Full	20.66	20.88	0.122
	2312.5	462500			Inner_1RB_Left	20.87	21.09	0.129
					Inner_1RB_Right	21.19	21.41	0.138
					Inner_Full	21.16	21.38	0.137
CP-64QAM	2307.5	461500	5	15kHz	Inner_1RB_Left	16.92	17.14	0.052
					Inner_1RB_Right	17.9	18.12	0.065
					Inner_Full	17.81	18.03	0.064
	2310	462000			Inner_1RB_Left	19.43	19.65	0.092
					Inner_1RB_Right	18.85	19.07	0.081
					Inner_Full	19.25	19.47	0.089
	2312.5	462500			Inner_1RB_Left	20.2	20.42	0.110
					Inner_1RB_Right	19.65	19.87	0.097
					Inner_Full	19.66	19.88	0.097
CP-256QAM	2307.5	461500	5	15kHz	Inner_1RB_Left	17.01	17.23	0.053
					Inner_1RB_Right	17.9	18.12	0.065
					Inner_Full	17.89	18.11	0.065
	2310	462000			Inner_1RB_Left	19.77	19.99	0.100
					Inner_1RB_Right	18.84	19.06	0.081
					Inner_Full	19.29	19.51	0.089
	2312.5	462500			Inner_1RB_Left	20.2	20.42	0.110
					Inner_1RB_Right	19.63	19.85	0.097
					Inner_Full	19.66	19.88	0.097

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	2310	462000	10	15kHz	Inner_1RB_Left	21.90	22.12	0.163
					Inner_1RB_Right	21.75	21.97	0.157
					Inner_Full	19.10	19.32	0.086
	2310	462000			Inner_1RB_Left	22.02	22.24	0.167
					Inner_1RB_Right	21.69	21.91	0.155
					Inner_Full	19.12	19.34	0.086
	2310	462000			Inner_1RB_Left	22.02	22.24	0.167
					Inner_1RB_Right	21.76	21.98	0.158
					Inner_Full	19.11	19.33	0.086
DFT-16QAM	2310	462000	10	15kHz	Inner_1RB_Left	20.99	21.21	0.132
					Inner_1RB_Right	20.39	20.61	0.115
					Inner_Full	18.08	18.3	0.068
	2310	462000			Inner_1RB_Left	20.68	20.9	0.123
					Inner_1RB_Right	20.41	20.63	0.116
					Inner_Full	18.11	18.33	0.068
	2310	462000			Inner_1RB_Left	21.02	21.24	0.133
					Inner_1RB_Right	20.72	20.94	0.124
					Inner_Full	18.13	18.35	0.068
DFT-64QAM	2310	462000	10	15kHz	Inner_1RB_Left	19.18	19.4	0.087
					Inner_1RB_Right	18.95	19.17	0.083
					Inner_Full	16.75	16.97	0.050
	2310	462000			Inner_1RB_Left	19.25	19.47	0.089
					Inner_1RB_Right	19	19.22	0.084
					Inner_Full	16.64	16.86	0.049
	2310	462000			Inner_1RB_Left	19.23	19.45	0.088
					Inner_1RB_Right	19.03	19.25	0.084
					Inner_Full	16.63	16.85	0.048
DFT-256QAM	2310	462000	10	15kHz	Inner_1RB_Left	19.17	19.39	0.087
					Inner_1RB_Right	18.97	19.19	0.083
					Inner_Full	16.76	16.98	0.050
	2310	462000			Inner_1RB_Left	19.23	19.45	0.088
					Inner_1RB_Right	19.02	19.24	0.084
					Inner_Full	16.76	16.98	0.050
	2310	462000			Inner_1RB_Left	19.25	19.47	0.089
					Inner_1RB_Right	19	19.22	0.084
					Inner_Full	16.67	16.89	0.049

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2310	462000	10	15kHz	Inner_1RB_Left	22.06	22.28	0.169
					Inner_1RB_Right	21.76	21.98	0.158
					Inner_Full	18.76	18.98	0.079
	2310	462000			Inner_1RB_Left	22.01	22.23	0.167
					Inner_1RB_Right	21.79	22.01	0.159
					Inner_Full	18.70	18.92	0.078
	2310	462000			Inner_1RB_Left	22.02	22.24	0.167
					Inner_1RB_Right	21.7	21.92	0.156
					Inner_Full	18.78	19	0.079
CP-16QAM	2310	462000	10	15kHz	Inner_1RB_Left	20.96	21.18	0.131
					Inner_1RB_Right	20.43	20.65	0.116
					Inner_Full	17.70	17.92	0.062
	2310	462000			Inner_1RB_Left	21	21.22	0.132
					Inner_1RB_Right	20.48	20.7	0.117
					Inner_Full	17.41	17.63	0.058
	2310	462000			Inner_1RB_Left	20.74	20.96	0.125
					Inner_1RB_Right	20.72	20.94	0.124
					Inner_Full	17.75	17.97	0.063
CP-64QAM	2310	462000	10	15kHz	Inner_1RB_Left	19.22	19.44	0.088
					Inner_1RB_Right	19.04	19.26	0.084
					Inner_Full	15.94	16.16	0.041
	2310	462000			Inner_1RB_Left	19.22	19.44	0.088
					Inner_1RB_Right	18.99	19.21	0.083
					Inner_Full	15.97	16.19	0.042
	2310	462000			Inner_1RB_Left	19.19	19.41	0.087
					Inner_1RB_Right	18.97	19.19	0.083
					Inner_Full	15.95	16.17	0.041
CP-256QAM	2310	462000	10	15kHz	Inner_1RB_Left	19.22	19.44	0.088
					Inner_1RB_Right	19.01	19.23	0.084
					Inner_Full	15.94	16.16	0.041
	2310	462000			Inner_1RB_Left	19.23	19.45	0.088
					Inner_1RB_Right	18.98	19.2	0.083
					Inner_Full	16.03	16.25	0.042
	2310	462000			Inner_1RB_Left	19.24	19.46	0.088
					Inner_1RB_Right	19.01	19.23	0.084
					Inner_Full	15.95	16.17	0.041



Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-QPSK	2310	462000	10	30kHz	Inner_1RB_Left	22.19	22.41	0.174
					Inner_1RB_Right	22.04	22.26	0.168
					Inner_Full	19.06	19.28	0.085
	2310	462000			Inner_1RB_Left	21.88	22.1	0.162
					Inner_1RB_Right	21.84	22.06	0.161
					Inner_Full	19.16	19.38	0.087
	2310	462000			Inner_1RB_Left	22.15	22.37	0.173
					Inner_1RB_Right	22.07	22.29	0.169
					Inner_Full	19.08	19.3	0.085
DFT-16QAM	2310	462000	10	30kHz	Inner_1RB_Left	20.75	20.97	0.125
					Inner_1RB_Right	20.72	20.94	0.124
					Inner_Full	18.16	18.38	0.069
	2310	462000			Inner_1RB_Left	20.65	20.87	0.122
					Inner_1RB_Right	20.63	20.85	0.122
					Inner_Full	18.36	18.58	0.072
	2310	462000			Inner_1RB_Left	20.73	20.95	0.124
					Inner_1RB_Right	20.72	20.94	0.124
					Inner_Full	18.13	18.35	0.068
DFT-64QAM	2310	462000	10	30kHz	Inner_1RB_Left	19.36	19.58	0.091
					Inner_1RB_Right	19.34	19.56	0.090
					Inner_Full	16.55	16.77	0.048
	2310	462000			Inner_1RB_Left	19.36	19.58	0.091
					Inner_1RB_Right	19.39	19.61	0.091
					Inner_Full	16.50	16.72	0.047
	2310	462000			Inner_1RB_Left	19.35	19.57	0.091
					Inner_1RB_Right	19.36	19.58	0.091
					Inner_Full	16.53	16.75	0.047
DFT-256QAM	2310	462000	10	30kHz	Inner_1RB_Left	17.38	17.6	0.058
					Inner_1RB_Right	17.41	17.63	0.058
					Inner_Full	14.89	15.11	0.032
	2310	462000			Inner_1RB_Left	17.26	17.48	0.056
					Inner_1RB_Right	17.24	17.46	0.056
					Inner_Full	14.95	15.17	0.033
	2310	462000			Inner_1RB_Left	17.43	17.65	0.058
					Inner_1RB_Right	17.38	17.6	0.058
					Inner_Full	14.86	15.08	0.032

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2310	462000	10	30kHz	Inner_1RB_Left	20.26	20.48	0.112
					Inner_1RB_Right	20.24	20.46	0.111
					Inner_Full	17.54	17.76	0.060
	2310	462000			Inner_1RB_Left	20.31	20.53	0.113
					Inner_1RB_Right	20.31	20.53	0.113
					Inner_Full	17.65	17.87	0.061
	2310	462000			Inner_1RB_Left	20.24	20.46	0.111
					Inner_1RB_Right	20.26	20.48	0.112
					Inner_Full	17.54	17.76	0.060
CP-16QAM	2310	462000	10	30kHz	Inner_1RB_Left	19.41	19.63	0.092
					Inner_1RB_Right	19.38	19.6	0.091
					Inner_Full	17.08	17.3	0.054
	2310	462000			Inner_1RB_Left	19.43	19.65	0.092
					Inner_1RB_Right	19.37	19.59	0.091
					Inner_Full	17.05	17.27	0.053
	2310	462000			Inner_1RB_Left	19.53	19.75	0.094
					Inner_1RB_Right	19.43	19.65	0.092
					Inner_Full	17.15	17.37	0.055
CP-64QAM	2310	462000	10	30kHz	Inner_1RB_Left	18.5	18.72	0.074
					Inner_1RB_Right	18.45	18.67	0.074
					Inner_Full	15.89	16.11	0.041
	2310	462000			Inner_1RB_Left	18.52	18.74	0.075
					Inner_1RB_Right	18.42	18.64	0.073
					Inner_Full	15.89	16.11	0.041
	2310	462000			Inner_1RB_Left	18.38	18.6	0.072
					Inner_1RB_Right	18.35	18.57	0.072
					Inner_Full	15.75	15.97	0.040
CP-256QAM	2310	462000	10	30kHz	Inner_1RB_Left	15.32	15.54	0.036
					Inner_1RB_Right	15.29	15.51	0.036
					Inner_Full	12.64	12.86	0.019
	2310	462000			Inner_1RB_Left	15.27	15.49	0.035
					Inner_1RB_Right	15.42	15.64	0.037
					Inner_Full	12.65	12.87	0.019
	2310	462000			Inner_1RB_Left	15.43	15.65	0.037
					Inner_1RB_Right	15.39	15.61	0.036
					Inner_Full	12.73	12.95	0.020

The End