

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

NR Band77

1 RF Power Output

3450-3550

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3457.5	630500	10	15kHz	Inner_1RB_Left	24.95
					Inner_1RB_Right	25.17
					Inner_Full	24.98
	3500.01	633334			Inner_1RB_Left	25.33
					Inner_1RB_Right	25.74
					Inner_Full	25.54
	3542.49	636166			Inner_1RB_Left	25.48
					Inner_1RB_Right	25.63
					Inner_Full	25.19
DFT-16QAM	3457.5	630500	10	15kHz	Inner_1RB_Left	23.78
					Inner_1RB_Right	24.39
					Inner_Full	24.47
	3500.01	633334			Inner_1RB_Left	24.01
					Inner_1RB_Right	24.09
					Inner_Full	23.96
	3542.49	636166			Inner_1RB_Left	23.46
					Inner_1RB_Right	23.79
					Inner_Full	23.62
DFT-64QAM	3457.5	630500	10	15kHz	Inner_1RB_Left	22.70
					Inner_1RB_Right	23.16
					Inner_Full	22.75
	3500.01	633334			Inner_1RB_Left	22.12
					Inner_1RB_Right	22.23
					Inner_Full	23.93
	3542.49	636166			Inner_1RB_Left	23.82
					Inner_1RB_Right	24.03
					Inner_Full	23.79
DFT-256QAM	3457.5	630500	10	15kHz	Inner_1RB_Left	24.08
					Inner_1RB_Right	22.08
					Inner_Full	21.79
	3500.01	633334			Inner_1RB_Left	23.98
					Inner_1RB_Right	23.92
					Inner_Full	22.02
	3542.49	636166			Inner_1RB_Left	23.50
					Inner_1RB_Right	23.98
					Inner_Full	23.96

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3457.5	630500	10	15kHz	Inner_1RB_Left	25.53
					Inner_1RB_Right	25.64
					Inner_Full	25.61
	3500.01	633334			Inner_1RB_Left	25.40
					Inner_1RB_Right	25.21
					Inner_Full	24.92
	3542.49	636166			Inner_1RB_Left	25.43
					Inner_1RB_Right	25.59
					Inner_Full	25.36
CP-16QAM	3457.5	630500	10	15kHz	Inner_1RB_Left	23.84
					Inner_1RB_Right	23.90
					Inner_Full	23.82
	3500.01	633334			Inner_1RB_Left	24.39
					Inner_1RB_Right	24.45
					Inner_Full	24.43
	3542.49	636166			Inner_1RB_Left	23.67
					Inner_1RB_Right	23.83
					Inner_Full	23.84
CP-64QAM	3457.5	630500	10	15kHz	Inner_1RB_Left	21.64
					Inner_1RB_Right	22.07
					Inner_Full	22.07
	3500.01	633334			Inner_1RB_Left	22.89
					Inner_1RB_Right	22.99
					Inner_Full	22.85
	3542.49	636166			Inner_1RB_Left	21.82
					Inner_1RB_Right	22.03
					Inner_Full	21.97
CP-256QAM	3457.5	630500	10	15kHz	Inner_1RB_Left	22.08
					Inner_1RB_Right	23.16
					Inner_Full	21.42
	3500.01	633334			Inner_1RB_Left	22.80
					Inner_1RB_Right	23.20
					Inner_Full	22.15
	3542.49	636166			Inner_1RB_Left	21.52
					Inner_1RB_Right	21.63
					Inner_Full	21.96

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3457.5	630500	15	15kHz	Inner_1RB_Left	22.76
					Inner_1RB_Right	22.76
					Inner_Full	21.78
	3500.01	633334			Inner_1RB_Left	25.27
					Inner_1RB_Right	25.17
					Inner_Full	25.03
	3542.49	636166			Inner_1RB_Left	26.26
					Inner_1RB_Right	26.34
					Inner_Full	26.35
DFT-16QAM	3457.5	630500	15	15kHz	Inner_1RB_Left	24.69
					Inner_1RB_Right	24.70
					Inner_Full	23.83
	3500.01	633334			Inner_1RB_Left	24.26
					Inner_1RB_Right	24.69
					Inner_Full	24.57
	3542.49	636166			Inner_1RB_Left	25.14
					Inner_1RB_Right	25.49
					Inner_Full	25.35
DFT-64QAM	3457.5	630500	15	15kHz	Inner_1RB_Left	23.78
					Inner_1RB_Right	22.70
					Inner_Full	23.78
	3500.01	633334			Inner_1RB_Left	22.95
					Inner_1RB_Right	23.11
					Inner_Full	22.90
	3542.49	636166			Inner_1RB_Left	23.65
					Inner_1RB_Right	23.78
					Inner_Full	23.59
DFT-256QAM	3457.5	630500	15	15kHz	Inner_1RB_Left	22.79
					Inner_1RB_Right	21.67
					Inner_Full	22.75
	3500.01	633334			Inner_1RB_Left	23.02
					Inner_1RB_Right	23.13
					Inner_Full	22.98
	3542.49	636166			Inner_1RB_Left	23.63
					Inner_1RB_Right	23.75
					Inner_Full	23.67

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3457.5	630500	15	15kHz	Inner_1RB_Left	22.77
					Inner_1RB_Right	22.72
					Inner_Full	22.73
	3500.01	633334			Inner_1RB_Left	25.26
					Inner_1RB_Right	25.28
					Inner_Full	25.03
	3542.49	636166			Inner_1RB_Left	26.30
					Inner_1RB_Right	26.37
					Inner_Full	26.42
CP-16QAM	3457.5	630500	15	15kHz	Inner_1RB_Left	24.73
					Inner_1RB_Right	24.73
					Inner_Full	24.78
	3500.01	633334			Inner_1RB_Left	24.22
					Inner_1RB_Right	24.41
					Inner_Full	24.54
	3542.49	636166			Inner_1RB_Left	25.41
					Inner_1RB_Right	25.50
					Inner_Full	25.25
CP-64QAM	3457.5	630500	15	15kHz	Inner_1RB_Left	25.76
					Inner_1RB_Right	24.63
					Inner_Full	24.68
	3500.01	633334			Inner_1RB_Left	22.93
					Inner_1RB_Right	23.08
					Inner_Full	22.99
	3542.49	636166			Inner_1RB_Left	23.63
					Inner_1RB_Right	23.58
					Inner_Full	23.76
CP-256QAM	3457.5	630500	15	15kHz	Inner_1RB_Left	22.82
					Inner_1RB_Right	22.78
					Inner_Full	21.77
	3500.01	633334			Inner_1RB_Left	22.91
					Inner_1RB_Right	22.99
					Inner_Full	22.97
	3542.49	636166			Inner_1RB_Left	23.62
					Inner_1RB_Right	23.56
					Inner_Full	23.56

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3460.02	630668	20	15kHz	Inner_1RB_Left	24.87
					Inner_1RB_Right	25.17
					Inner_Full	25.10
	3500.01	633334			Inner_1RB_Left	26.55
					Inner_1RB_Right	26.55
					Inner_Full	26.68
	3540	636000			Inner_1RB_Left	26.38
					Inner_1RB_Right	26.39
					Inner_Full	26.47
DFT-16QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	24.44
					Inner_1RB_Right	24.70
					Inner_Full	24.49
	3500.01	633334			Inner_1RB_Left	25.45
					Inner_1RB_Right	25.74
					Inner_Full	25.65
	3540	636000			Inner_1RB_Left	25.47
					Inner_1RB_Right	25.22
					Inner_Full	25.38
DFT-64QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	22.79
					Inner_1RB_Right	23.06
					Inner_Full	22.96
	3500.01	633334			Inner_1RB_Left	23.79
					Inner_1RB_Right	23.86
					Inner_Full	24.04
	3540	636000			Inner_1RB_Left	23.89
					Inner_1RB_Right	23.90
					Inner_Full	23.77
DFT-256QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	22.80
					Inner_1RB_Right	23.01
					Inner_Full	22.93
	3500.01	633334			Inner_1RB_Left	23.77
					Inner_1RB_Right	23.87
					Inner_Full	24.04
	3540	636000			Inner_1RB_Left	23.60
					Inner_1RB_Right	23.55
					Inner_Full	23.85

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3460.02	630668	20	15kHz	Inner_1RB_Left	25.15
					Inner_1RB_Right	25.21
					Inner_Full	25.01
	3500.01	633334			Inner_1RB_Left	26.62
					Inner_1RB_Right	26.52
					Inner_Full	26.47
	3540	636000			Inner_1RB_Left	26.42
					Inner_1RB_Right	26.40
					Inner_Full	26.35
CP-16QAM	3460.02	630668			Inner_1RB_Left	23.96
					Inner_1RB_Right	24.29
					Inner_Full	24.49
	3500.01	633334			Inner_1RB_Left	25.49
					Inner_1RB_Right	25.71
					Inner_Full	25.68
	3540	636000			Inner_1RB_Left	25.27
					Inner_1RB_Right	25.41
					Inner_Full	25.21
CP-64QAM	3460.02	630668			Inner_1RB_Left	22.75
					Inner_1RB_Right	23.03
					Inner_Full	22.89
	3500.01	633334			Inner_1RB_Left	23.79
					Inner_1RB_Right	24.12
					Inner_Full	23.86
	3540	636000			Inner_1RB_Left	23.57
					Inner_1RB_Right	23.60
					Inner_Full	23.89
CP-256QAM	3460.02	630668	Inner_1RB_Left	22.74		
			Inner_1RB_Right	23.06		
			Inner_Full	22.88		
	3500.01	633334	Inner_1RB_Left	24.16		
			Inner_1RB_Right	24.24		
			Inner_Full	23.84		
	3540	636000	Inner_1RB_Left	23.59		
			Inner_1RB_Right	23.52		
			Inner_Full	23.51		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3470.01	631334	40	15kHz	Inner_1RB_Left	26.08
					Inner_1RB_Right	26.33
					Inner_Full	26.70
	3500.01	633334			Inner_1RB_Left	24.03
					Inner_1RB_Right	24.04
					Inner_Full	24.02
	3530.01	635334			Inner_1RB_Left	24.97
					Inner_1RB_Right	24.46
					Inner_Full	24.82
DFT-16QAM	3470.01	631334			Inner_1RB_Left	25.29
					Inner_1RB_Right	25.43
					Inner_Full	25.69
	3500.01	633334			Inner_1RB_Left	24.02
					Inner_1RB_Right	24.03
					Inner_Full	24.01
	3530.01	635334			Inner_1RB_Left	24.41
					Inner_1RB_Right	23.46
					Inner_Full	24.29
DFT-64QAM	3470.01	631334			Inner_1RB_Left	23.32
					Inner_1RB_Right	23.56
					Inner_Full	24.12
	3500.01	633334			Inner_1RB_Left	24.03
					Inner_1RB_Right	24.03
					Inner_Full	24.06
	3530.01	635334			Inner_1RB_Left	22.67
					Inner_1RB_Right	22.19
					Inner_Full	22.68
DFT-256QAM	3470.01	631334	Inner_1RB_Left	23.63		
			Inner_1RB_Right	23.45		
			Inner_Full	24.16		
	3500.01	633334	Inner_1RB_Left	23.05		
			Inner_1RB_Right	24.05		
			Inner_Full	23.06		
	3530.01	635334	Inner_1RB_Left	22.67		
			Inner_1RB_Right	22.21		
			Inner_Full	22.67		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3470.01	631334	40	15kHz	Inner_1RB_Left	26.14
					Inner_1RB_Right	26.34
					Inner_Full	26.74
	3500.01	633334			Inner_1RB_Left	22.04
					Inner_1RB_Right	24.97
					Inner_Full	23.01
	3530.01	635334			Inner_1RB_Left	24.81
					Inner_1RB_Right	24.45
					Inner_Full	24.74
CP-16QAM	3470.01	631334	40	15kHz	Inner_1RB_Left	25.27
					Inner_1RB_Right	25.16
					Inner_Full	25.72
	3500.01	633334			Inner_1RB_Left	24.04
					Inner_1RB_Right	24.06
					Inner_Full	24.07
	3530.01	635334			Inner_1RB_Left	24.36
					Inner_1RB_Right	23.46
					Inner_Full	24.27
CP-64QAM	3470.01	631334	40	15kHz	Inner_1RB_Left	23.61
					Inner_1RB_Right	23.49
					Inner_Full	24.13
	3500.01	633334			Inner_1RB_Left	24.05
					Inner_1RB_Right	24.02
					Inner_Full	24.02
	3530.01	635334			Inner_1RB_Left	22.72
					Inner_1RB_Right	22.20
					Inner_Full	22.65
CP-256QAM	3470.01	631334	40	15kHz	Inner_1RB_Left	23.31
					Inner_1RB_Right	23.49
					Inner_Full	24.09
	3500.01	633334			Inner_1RB_Left	24.08
					Inner_1RB_Right	24.06
					Inner_Full	24.00
	3530.01	635334			Inner_1RB_Left	22.67
					Inner_1RB_Right	22.18
					Inner_Full	22.69

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3475.02	631668	50	15kHz	Inner_1RB_Left	25.12
					Inner_1RB_Right	24.91
					Inner_Full	25.15
	3500.01	633334			Inner_1RB_Left	26.45
					Inner_1RB_Right	26.14
					Inner_Full	26.56
	3525	635000			Inner_1RB_Left	26.05
					Inner_1RB_Right	25.88
					Inner_Full	26.42
DFT-16QAM	3475.02	631668			Inner_1RB_Left	24.39
					Inner_1RB_Right	23.80
					Inner_Full	24.61
	3500.01	633334			Inner_1RB_Left	25.36
					Inner_1RB_Right	25.28
					Inner_Full	25.48
	3525	635000			Inner_1RB_Left	25.31
					Inner_1RB_Right	25.06
					Inner_Full	25.38
DFT-64QAM	3475.02	631668			Inner_1RB_Left	22.80
					Inner_1RB_Right	22.63
					Inner_Full	23.00
	3500.01	633334			Inner_1RB_Left	23.69
					Inner_1RB_Right	23.35
					Inner_Full	23.98
	3525	635000			Inner_1RB_Left	23.36
					Inner_1RB_Right	23.14
					Inner_Full	23.80
DFT-256QAM	3475.02	631668	Inner_1RB_Left	22.81		
			Inner_1RB_Right	22.56		
			Inner_Full	23.02		
	3500.01	633334	Inner_1RB_Left	23.68		
			Inner_1RB_Right	23.72		
			Inner_Full	23.84		
	3525	635000	Inner_1RB_Left	23.57		
			Inner_1RB_Right	23.30		
			Inner_Full	23.77		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3475.02	631668	50	15kHz	Inner_1RB_Left	25.07
					Inner_1RB_Right	24.71
					Inner_Full	25.17
	3500.01	633334			Inner_1RB_Left	26.44
					Inner_1RB_Right	26.09
					Inner_Full	26.50
	3525	635000			Inner_1RB_Left	26.13
					Inner_1RB_Right	25.92
					Inner_Full	26.37
CP-16QAM	3475.02	631668	50	15kHz	Inner_1RB_Left	24.46
					Inner_1RB_Right	24.22
					Inner_Full	24.64
	3500.01	633334			Inner_1RB_Left	25.35
					Inner_1RB_Right	24.99
					Inner_Full	25.49
	3525	635000			Inner_1RB_Left	25.00
					Inner_1RB_Right	25.02
					Inner_Full	25.34
CP-64QAM	3475.02	631668	50	15kHz	Inner_1RB_Left	22.76
					Inner_1RB_Right	22.55
					Inner_Full	23.09
	3500.01	633334			Inner_1RB_Left	23.72
					Inner_1RB_Right	23.40
					Inner_Full	23.93
	3525	635000			Inner_1RB_Left	23.54
					Inner_1RB_Right	23.13
					Inner_Full	23.78
CP-256QAM	3475.02	631668	50	15kHz	Inner_1RB_Left	22.77
					Inner_1RB_Right	22.53
					Inner_Full	22.99
	3500.01	633334			Inner_1RB_Left	24.12
					Inner_1RB_Right	23.68
					Inner_Full	23.90
	3525	635000			Inner_1RB_Left	23.49
					Inner_1RB_Right	23.34
					Inner_Full	23.73

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3455.01	630334	10	30kHz	Inner_1RB_Left	23.07
					Inner_1RB_Right	25.19
					Inner_Full	26.17
	3500.01	633334			Inner_1RB_Left	26.30
					Inner_1RB_Right	26.33
					Inner_Full	26.32
	3545.01	636334			Inner_1RB_Left	26.18
					Inner_1RB_Right	26.12
					Inner_Full	26.16
DFT-16QAM	3455.01	630334			Inner_1RB_Left	25.26
					Inner_1RB_Right	25.18
					Inner_Full	25.12
	3500.01	633334			Inner_1RB_Left	25.37
					Inner_1RB_Right	25.39
					Inner_Full	25.23
	3545.01	636334			Inner_1RB_Left	25.33
					Inner_1RB_Right	25.20
					Inner_Full	25.13
DFT-64QAM	3455.01	630334			Inner_1RB_Left	23.84
					Inner_1RB_Right	23.79
					Inner_Full	23.73
	3500.01	633334			Inner_1RB_Left	23.91
					Inner_1RB_Right	20.72
					Inner_Full	23.81
	3545.01	636334			Inner_1RB_Left	23.83
					Inner_1RB_Right	23.74
					Inner_Full	23.72
DFT-256QAM	3455.01	630334	Inner_1RB_Left	22.00		
			Inner_1RB_Right	21.95		
			Inner_Full	21.64		
	3500.01	633334	Inner_1RB_Left	22.16		
			Inner_1RB_Right	22.13		
			Inner_Full	21.75		
	3545.01	636334	Inner_1RB_Left	21.96		
			Inner_1RB_Right	21.84		
			Inner_Full	21.72		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3455.01	630334	10	30kHz	Inner_1RB_Left	24.69
					Inner_1RB_Right	17.91
					Inner_Full	24.67
	3500.01	633334			Inner_1RB_Left	24.83
					Inner_1RB_Right	24.87
					Inner_Full	24.76
	3545.01	636334			Inner_1RB_Left	24.69
					Inner_1RB_Right	24.64
					Inner_Full	24.65
CP-16QAM	3455.01	630334	10	30kHz	Inner_1RB_Left	24.18
					Inner_1RB_Right	24.02
					Inner_Full	24.13
	3500.01	633334			Inner_1RB_Left	24.30
					Inner_1RB_Right	24.26
					Inner_Full	24.18
	3545.01	636334			Inner_1RB_Left	24.31
					Inner_1RB_Right	24.04
					Inner_Full	24.07
CP-64QAM	3455.01	630334	10	30kHz	Inner_1RB_Left	22.89
					Inner_1RB_Right	22.89
					Inner_Full	22.64
	3500.01	633334			Inner_1RB_Left	23.01
					Inner_1RB_Right	23.04
					Inner_Full	22.77
	3545.01	636334			Inner_1RB_Left	22.92
					Inner_1RB_Right	22.89
					Inner_Full	22.60
CP-256QAM	3455.01	630334	10	30kHz	Inner_1RB_Left	20.45
					Inner_1RB_Right	20.40
					Inner_Full	19.81
	3500.01	633334			Inner_1RB_Left	20.50
					Inner_1RB_Right	20.25
					Inner_Full	19.93
	3545.01	636334			Inner_1RB_Left	20.28
					Inner_1RB_Right	20.21
					Inner_Full	19.78

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3457.5	630500	15	30kHz	Inner_1RB_Left	26.05
					Inner_1RB_Right	26.02
					Inner_Full	26.15
	3500.01	633334			Inner_1RB_Left	26.27
					Inner_1RB_Right	26.45
					Inner_Full	26.31
	3542.49	636166			Inner_1RB_Left	26.12
					Inner_1RB_Right	26.04
					Inner_Full	26.20
DFT-16QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	25.14
					Inner_1RB_Right	25.06
					Inner_Full	25.13
	3500.01	633334			Inner_1RB_Left	25.26
					Inner_1RB_Right	25.22
					Inner_Full	25.24
	3542.49	636166			Inner_1RB_Left	25.20
					Inner_1RB_Right	25.40
					Inner_Full	25.16
DFT-64QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	23.72
					Inner_1RB_Right	23.67
					Inner_Full	23.61
	3500.01	633334			Inner_1RB_Left	23.78
					Inner_1RB_Right	23.70
					Inner_Full	23.76
	3542.49	636166			Inner_1RB_Left	23.63
					Inner_1RB_Right	23.50
					Inner_Full	23.68
DFT-256QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	21.92
					Inner_1RB_Right	21.86
					Inner_Full	21.53
	3500.01	633334			Inner_1RB_Left	22.10
					Inner_1RB_Right	22.01
					Inner_Full	21.64
	3542.49	636166			Inner_1RB_Left	21.81
					Inner_1RB_Right	21.87
					Inner_Full	21.55

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3457.5	630500	15	30kHz	Inner_1RB_Left	24.59
					Inner_1RB_Right	24.54
					Inner_Full	24.72
	3500.01	633334			Inner_1RB_Left	24.68
					Inner_1RB_Right	24.68
					Inner_Full	24.84
	3542.49	636166			Inner_1RB_Left	24.64
					Inner_1RB_Right	24.58
					Inner_Full	21.56
CP-16QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	21.03
					Inner_1RB_Right	23.96
					Inner_Full	24.20
	3500.01	633334			Inner_1RB_Left	24.14
					Inner_1RB_Right	24.08
					Inner_Full	24.30
	3542.49	636166			Inner_1RB_Left	24.10
					Inner_1RB_Right	23.94
					Inner_Full	24.21
CP-64QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	22.83
					Inner_1RB_Right	22.78
					Inner_Full	22.70
	3500.01	633334			Inner_1RB_Left	22.92
					Inner_1RB_Right	23.01
					Inner_Full	22.80
	3542.49	636166			Inner_1RB_Left	22.80
					Inner_1RB_Right	22.73
					Inner_Full	22.69
CP-256QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	20.17
					Inner_1RB_Right	21.78
					Inner_Full	19.74
	3500.01	633334			Inner_1RB_Left	20.40
					Inner_1RB_Right	20.40
					Inner_Full	19.85
	3542.49	636166			Inner_1RB_Left	20.23
					Inner_1RB_Right	20.19
					Inner_Full	19.75

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3460.02	630668	20	30kHz	Inner_1RB_Left	12.82
					Inner_1RB_Right	25.90
					Inner_Full	26.19
	3500.01	633334			Inner_1RB_Left	26.16
					Inner_1RB_Right	12.88
					Inner_Full	26.33
	3540	636000			Inner_1RB_Left	26.00
					Inner_1RB_Right	25.91
					Inner_Full	26.22
DFT-16QAM	3460.02	630668			Inner_1RB_Left	25.07
					Inner_1RB_Right	25.07
					Inner_Full	22.07
	3500.01	633334			Inner_1RB_Left	25.19
					Inner_1RB_Right	25.23
					Inner_Full	25.38
	3540	636000			Inner_1RB_Left	25.16
					Inner_1RB_Right	25.05
					Inner_Full	25.24
DFT-64QAM	3460.02	630668			Inner_1RB_Left	23.41
					Inner_1RB_Right	23.35
					Inner_Full	23.62
	3500.01	633334			Inner_1RB_Left	23.74
					Inner_1RB_Right	23.64
					Inner_Full	23.78
	3540	636000			Inner_1RB_Left	23.58
					Inner_1RB_Right	23.47
					Inner_Full	23.66
DFT-256QAM	3460.02	630668	Inner_1RB_Left	21.75		
			Inner_1RB_Right	21.82		
			Inner_Full	21.56		
	3500.01	633334	Inner_1RB_Left	21.90		
			Inner_1RB_Right	21.95		
			Inner_Full	21.77		
	3540	636000	Inner_1RB_Left	21.81		
			Inner_1RB_Right	21.73		
			Inner_Full	21.62		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3460.02	630668	20	30kHz	Inner_1RB_Left	24.54
					Inner_1RB_Right	24.54
					Inner_Full	11.72
	3500.01	633334			Inner_1RB_Left	24.64
					Inner_1RB_Right	25.26
					Inner_Full	24.82
	3540	636000			Inner_1RB_Left	24.50
					Inner_1RB_Right	24.50
					Inner_Full	23.28
CP-16QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	23.89
					Inner_1RB_Right	23.88
					Inner_Full	24.18
	3500.01	633334			Inner_1RB_Left	23.98
					Inner_1RB_Right	24.01
					Inner_Full	24.34
	3540	636000			Inner_1RB_Left	23.89
					Inner_1RB_Right	23.88
					Inner_Full	24.23
CP-64QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	22.83
					Inner_1RB_Right	22.78
					Inner_Full	22.57
	3500.01	633334			Inner_1RB_Left	22.79
					Inner_1RB_Right	22.88
					Inner_Full	22.74
	3540	636000			Inner_1RB_Left	22.69
					Inner_1RB_Right	22.72
					Inner_Full	22.63
CP-256QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	20.22
					Inner_1RB_Right	20.19
					Inner_Full	19.67
	3500.01	633334			Inner_1RB_Left	20.06
					Inner_1RB_Right	20.28
					Inner_Full	19.81
	3540	636000			Inner_1RB_Left	20.08
					Inner_1RB_Right	19.95
					Inner_Full	19.73

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3470.01	631334	40	30kHz	Inner_1RB_Left	25.74
					Inner_1RB_Right	25.97
					Inner_Full	26.19
	3500.01	633334			Inner_1RB_Left	22.76
					Inner_1RB_Right	25.98
					Inner_Full	21.00
	3530.01	635334			Inner_1RB_Left	25.76
					Inner_1RB_Right	19.47
					Inner_Full	26.27
DFT-16QAM	3470.01	631334			Inner_1RB_Left	24.80
					Inner_1RB_Right	25.02
					Inner_Full	25.19
	3500.01	633334			Inner_1RB_Left	24.96
					Inner_1RB_Right	24.96
					Inner_Full	25.33
	3530.01	635334			Inner_1RB_Left	24.77
					Inner_1RB_Right	24.79
					Inner_Full	25.23
DFT-64QAM	3470.01	631334			Inner_1RB_Left	23.40
					Inner_1RB_Right	23.34
					Inner_Full	23.66
	3500.01	633334			Inner_1RB_Left	23.46
					Inner_1RB_Right	23.45
					Inner_Full	23.82
	3530.01	635334			Inner_1RB_Left	23.41
					Inner_1RB_Right	23.30
					Inner_Full	23.74
DFT-256QAM	3470.01	631334	Inner_1RB_Left	21.68		
			Inner_1RB_Right	21.81		
			Inner_Full	21.56		
	3500.01	633334	Inner_1RB_Left	21.88		
			Inner_1RB_Right	21.74		
			Inner_Full	21.72		
	3530.01	635334	Inner_1RB_Left	21.64		
			Inner_1RB_Right	21.46		
			Inner_Full	21.65		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3470.01	631334	40	30kHz	Inner_1RB_Left	24.22
					Inner_1RB_Right	24.48
					Inner_Full	24.64
	3500.01	633334			Inner_1RB_Left	24.37
					Inner_1RB_Right	24.48
					Inner_Full	24.79
	3530.01	635334			Inner_1RB_Left	18.11
					Inner_1RB_Right	24.25
					Inner_Full	24.71
CP-16QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	23.60
					Inner_1RB_Right	23.81
					Inner_Full	24.13
	3500.01	633334			Inner_1RB_Left	23.79
					Inner_1RB_Right	23.82
					Inner_Full	24.27
	3530.01	635334			Inner_1RB_Left	23.63
					Inner_1RB_Right	23.66
					Inner_Full	24.14
CP-64QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	22.65
					Inner_1RB_Right	22.84
					Inner_Full	22.64
	3500.01	633334			Inner_1RB_Left	22.77
					Inner_1RB_Right	22.78
					Inner_Full	22.77
	3530.01	635334			Inner_1RB_Left	22.46
					Inner_1RB_Right	22.43
					Inner_Full	22.68
CP-256QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	19.99
					Inner_1RB_Right	20.11
					Inner_Full	19.71
	3500.01	633334			Inner_1RB_Left	20.02
					Inner_1RB_Right	20.06
					Inner_Full	19.86
	3530.01	635334			Inner_1RB_Left	19.95
					Inner_1RB_Right	19.95
					Inner_Full	19.75

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3475.02	631668	50	30kHz	Inner_1RB_Left	25.89
					Inner_1RB_Right	13.61
					Inner_Full	26.30
	3500.01	633334			Inner_1RB_Left	26.10
					Inner_1RB_Right	25.51
					Inner_Full	26.39
	3525	635000			Inner_1RB_Left	25.94
					Inner_1RB_Right	24.14
					Inner_Full	26.30
DFT-16QAM	3475.02	631668			Inner_1RB_Left	24.96
					Inner_1RB_Right	25.05
					Inner_Full	25.30
	3500.01	633334			Inner_1RB_Left	25.16
					Inner_1RB_Right	25.18
					Inner_Full	25.36
	3525	635000			Inner_1RB_Left	25.06
					Inner_1RB_Right	24.96
					Inner_Full	25.31
DFT-64QAM	3475.02	631668			Inner_1RB_Left	23.53
					Inner_1RB_Right	23.62
					Inner_Full	23.79
	3500.01	633334			Inner_1RB_Left	23.67
					Inner_1RB_Right	23.71
					Inner_Full	23.88
	3525	635000			Inner_1RB_Left	23.45
					Inner_1RB_Right	23.46
					Inner_Full	23.81
DFT-256QAM	3475.02	631668	Inner_1RB_Left	21.82		
			Inner_1RB_Right	21.69		
			Inner_Full	21.67		
	3500.01	633334	Inner_1RB_Left	21.93		
			Inner_1RB_Right	21.92		
			Inner_Full	21.78		
	3525	635000	Inner_1RB_Left	21.83		
			Inner_1RB_Right	21.75		
			Inner_Full	21.69		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3475.02	631668	50	30kHz	Inner_1RB_Left	24.45
					Inner_1RB_Right	18.48
					Inner_Full	24.75
	3500.01	633334			Inner_1RB_Left	24.64
					Inner_1RB_Right	18.65
					Inner_Full	24.84
	3525	635000			Inner_1RB_Left	24.43
					Inner_1RB_Right	24.51
					Inner_Full	24.73
CP-16QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	23.80
					Inner_1RB_Right	23.89
					Inner_Full	24.23
	3500.01	633334			Inner_1RB_Left	23.96
					Inner_1RB_Right	24.05
					Inner_Full	24.34
	3525	635000			Inner_1RB_Left	23.86
					Inner_1RB_Right	25.95
					Inner_Full	24.24
CP-64QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	22.64
					Inner_1RB_Right	22.65
					Inner_Full	22.73
	3500.01	633334			Inner_1RB_Left	22.73
					Inner_1RB_Right	22.83
					Inner_Full	22.79
	3525	635000			Inner_1RB_Left	22.61
					Inner_1RB_Right	22.66
					Inner_Full	22.70
CP-256QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	20.25
					Inner_1RB_Right	20.42
					Inner_Full	19.79
	3500.01	633334			Inner_1RB_Left	20.26
					Inner_1RB_Right	20.31
					Inner_Full	19.86
	3525	635000			Inner_1RB_Left	20.07
					Inner_1RB_Right	20.14
					Inner_Full	19.78

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3480	632000	60	30kHz	Inner_1RB_Left	26.05
					Inner_1RB_Right	26.09
					Inner_Full	26.27
	3500.01	633334			Inner_1RB_Left	26.15
					Inner_1RB_Right	20.11
					Inner_Full	26.37
	3519.99	634666			Inner_1RB_Left	26.16
					Inner_1RB_Right	26.02
					Inner_Full	26.29
DFT-16QAM	3480	632000			Inner_1RB_Left	22.97
					Inner_1RB_Right	25.03
					Inner_Full	25.23
	3500.01	633334			Inner_1RB_Left	25.25
					Inner_1RB_Right	25.25
					Inner_Full	25.33
	3519.99	634666			Inner_1RB_Left	25.25
					Inner_1RB_Right	25.09
					Inner_Full	25.25
DFT-64QAM	3480	632000			Inner_1RB_Left	23.46
					Inner_1RB_Right	23.51
					Inner_Full	23.70
	3500.01	633334			Inner_1RB_Left	23.76
					Inner_1RB_Right	23.73
					Inner_Full	23.82
	3519.99	634666			Inner_1RB_Left	23.66
					Inner_1RB_Right	23.58
					Inner_Full	23.75
DFT-256QAM	3480	632000	Inner_1RB_Left	21.76		
			Inner_1RB_Right	21.66		
			Inner_Full	22.93		
	3500.01	633334	Inner_1RB_Left	21.94		
			Inner_1RB_Right	21.96		
			Inner_Full	21.77		
	3519.99	634666	Inner_1RB_Left	21.87		
			Inner_1RB_Right	21.86		
			Inner_Full	21.68		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3480	632000	60	30kHz	Inner_1RB_Left	24.43
					Inner_1RB_Right	24.48
					Inner_Full	24.76
	3500.01	633334			Inner_1RB_Left	24.62
					Inner_1RB_Right	24.75
					Inner_Full	24.83
	3519.99	634666			Inner_1RB_Left	24.63
					Inner_1RB_Right	24.69
					Inner_Full	24.76
CP-16QAM	3480	632000			Inner_1RB_Left	23.83
					Inner_1RB_Right	24.02
					Inner_Full	24.26
	3500.01	633334			Inner_1RB_Left	22.16
					Inner_1RB_Right	24.12
					Inner_Full	24.31
	3519.99	634666			Inner_1RB_Left	23.96
					Inner_1RB_Right	23.97
					Inner_Full	24.24
CP-64QAM	3480	632000			Inner_1RB_Left	22.82
					Inner_1RB_Right	22.97
					Inner_Full	22.68
	3500.01	633334			Inner_1RB_Left	22.86
					Inner_1RB_Right	22.93
					Inner_Full	22.78
	3519.99	634666			Inner_1RB_Left	22.76
					Inner_1RB_Right	22.75
					Inner_Full	22.72
CP-256QAM	3480	632000	Inner_1RB_Left	20.08		
			Inner_1RB_Right	20.19		
			Inner_Full	19.76		
	3500.01	633334	Inner_1RB_Left	20.01		
			Inner_1RB_Right	20.50		
			Inner_Full	24.35		
	3519.99	634666	Inner_1RB_Left	20.26		
			Inner_1RB_Right	20.20		
			Inner_Full	19.77		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3485.01	632334	70	30kHz	Inner_1RB_Left	26.37
					Inner_1RB_Right	23.09
					Inner_Full	26.37
	3500.01	633334			Inner_1RB_Left	26.40
					Inner_1RB_Right	26.41
					Inner_Full	26.40
	3515.01	634334			Inner_1RB_Left	22.56
					Inner_1RB_Right	22.57
					Inner_Full	22.56
DFT-16QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	25.36
					Inner_1RB_Right	25.38
					Inner_Full	25.36
	3500.01	633334			Inner_1RB_Left	25.39
					Inner_1RB_Right	25.38
					Inner_Full	25.41
	3515.01	634334			Inner_1RB_Left	22.56
					Inner_1RB_Right	22.59
					Inner_Full	22.57
DFT-64QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	23.84
					Inner_1RB_Right	23.82
					Inner_Full	23.81
	3500.01	633334			Inner_1RB_Left	23.83
					Inner_1RB_Right	23.04
					Inner_Full	23.85
	3515.01	634334			Inner_1RB_Left	22.49
					Inner_1RB_Right	22.56
					Inner_Full	22.51
DFT-256QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	24.11
					Inner_1RB_Right	21.74
					Inner_Full	21.72
	3500.01	633334			Inner_1RB_Left	21.80
					Inner_1RB_Right	21.79
					Inner_Full	21.79
	3515.01	634334			Inner_1RB_Left	21.54
					Inner_1RB_Right	21.59
					Inner_Full	21.46

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3485.01	632334	70	30kHz	Inner_1RB_Left	24.80
					Inner_1RB_Right	21.02
					Inner_Full	24.82
	3500.01	633334			Inner_1RB_Left	24.88
					Inner_1RB_Right	24.88
					Inner_Full	24.87
	3515.01	634334			Inner_1RB_Left	22.62
					Inner_1RB_Right	22.65
					Inner_Full	22.65
CP-16QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	24.33
					Inner_1RB_Right	24.31
					Inner_Full	24.32
	3500.01	633334			Inner_1RB_Left	24.39
					Inner_1RB_Right	24.40
					Inner_Full	24.38
	3515.01	634334			Inner_1RB_Left	22.67
					Inner_1RB_Right	22.47
					Inner_Full	22.63
CP-64QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	22.76
					Inner_1RB_Right	22.76
					Inner_Full	22.76
	3500.01	633334			Inner_1RB_Left	22.81
					Inner_1RB_Right	22.82
					Inner_Full	22.82
	3515.01	634334			Inner_1RB_Left	22.62
					Inner_1RB_Right	22.75
					Inner_Full	22.68
CP-256QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	19.85
					Inner_1RB_Right	24.38
					Inner_Full	19.83
	3500.01	633334			Inner_1RB_Left	19.88
					Inner_1RB_Right	19.91
					Inner_Full	19.88
	3515.01	634334			Inner_1RB_Left	19.98
					Inner_1RB_Right	19.90
					Inner_Full	19.94

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3490.02	632668	80	30kHz	Inner_1RB_Left	25.88
					Inner_1RB_Right	24.03
					Inner_Full	26.39
	3500.01	633334			Inner_1RB_Left	25.89
					Inner_1RB_Right	24.06
					Inner_Full	26.45
	3510	634000			Inner_1RB_Left	25.92
					Inner_1RB_Right	24.02
					Inner_Full	26.44
DFT-16QAM	3490.02	632668			Inner_1RB_Left	24.95
					Inner_1RB_Right	24.96
					Inner_Full	25.38
	3500.01	633334			Inner_1RB_Left	24.88
					Inner_1RB_Right	25.02
					Inner_Full	25.45
	3510	634000			Inner_1RB_Left	25.00
					Inner_1RB_Right	24.94
					Inner_Full	25.41
DFT-64QAM	3490.02	632668			Inner_1RB_Left	23.54
					Inner_1RB_Right	23.84
					Inner_Full	23.85
	3500.01	633334			Inner_1RB_Left	23.50
					Inner_1RB_Right	23.67
					Inner_Full	23.92
	3510	634000			Inner_1RB_Left	23.16
					Inner_1RB_Right	23.51
					Inner_Full	23.88
DFT-256QAM	3490.02	632668	Inner_1RB_Left	21.26		
			Inner_1RB_Right	21.39		
			Inner_Full	21.81		
	3500.01	633334	Inner_1RB_Left	21.27		
			Inner_1RB_Right	21.50		
			Inner_Full	21.87		
	3510	634000	Inner_1RB_Left	21.40		
			Inner_1RB_Right	21.37		
			Inner_Full	21.85		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3490.02	632668	80	30kHz	Inner_1RB_Left	24.48
					Inner_1RB_Right	24.69
					Inner_Full	24.85
	3500.01	633334			Inner_1RB_Left	24.44
					Inner_1RB_Right	24.68
					Inner_Full	24.90
	3510	634000			Inner_1RB_Left	24.45
					Inner_1RB_Right	24.53
					Inner_Full	24.90
CP-16QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	23.90
					Inner_1RB_Right	24.05
					Inner_Full	24.35
	3500.01	633334			Inner_1RB_Left	23.89
					Inner_1RB_Right	24.02
					Inner_Full	24.40
	3510	634000			Inner_1RB_Left	23.99
					Inner_1RB_Right	23.99
					Inner_Full	24.36
CP-64QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	22.41
					Inner_1RB_Right	22.53
					Inner_Full	22.82
	3500.01	633334			Inner_1RB_Left	22.44
					Inner_1RB_Right	22.56
					Inner_Full	22.85
	3510	634000			Inner_1RB_Left	22.40
					Inner_1RB_Right	22.40
					Inner_Full	22.80
CP-256QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	19.86
					Inner_1RB_Right	19.99
					Inner_Full	19.93
	3500.01	633334			Inner_1RB_Left	19.81
					Inner_1RB_Right	19.94
					Inner_Full	20.05
	3510	634000			Inner_1RB_Left	19.72
					Inner_1RB_Right	19.74
					Inner_Full	19.96

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3495	633000	90	30kHz	Inner_1RB_Left	25.84
					Inner_1RB_Right	26.03
					Inner_Full	26.39
	3500.01	633334			Inner_1RB_Left	25.81
					Inner_1RB_Right	25.99
					Inner_Full	26.42
	3504.99	633666			Inner_1RB_Left	25.87
					Inner_1RB_Right	25.88
					Inner_Full	26.44
DFT-16QAM	3495	633000	90	30kHz	Inner_1RB_Left	24.93
					Inner_1RB_Right	25.10
					Inner_Full	25.38
	3500.01	633334			Inner_1RB_Left	24.82
					Inner_1RB_Right	24.96
					Inner_Full	25.42
	3504.99	633666			Inner_1RB_Left	24.83
					Inner_1RB_Right	24.87
					Inner_Full	25.41
DFT-64QAM	3495	633000	90	30kHz	Inner_1RB_Left	23.31
					Inner_1RB_Right	23.42
					Inner_Full	23.83
	3500.01	633334			Inner_1RB_Left	23.12
					Inner_1RB_Right	23.22
					Inner_Full	23.88
	3504.99	633666			Inner_1RB_Left	23.21
					Inner_1RB_Right	23.37
					Inner_Full	23.90
DFT-256QAM	3495	633000	90	30kHz	Inner_1RB_Left	21.24
					Inner_1RB_Right	21.35
					Inner_Full	21.80
	3500.01	633334			Inner_1RB_Left	21.17
					Inner_1RB_Right	21.22
					Inner_Full	21.85
	3504.99	633666			Inner_1RB_Left	21.31
					Inner_1RB_Right	21.31
					Inner_Full	21.85

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3495	633000	90	30kHz	Inner_1RB_Left	24.36
					Inner_1RB_Right	24.60
					Inner_Full	24.82
	3500.01	633334			Inner_1RB_Left	24.32
					Inner_1RB_Right	24.40
					Inner_Full	24.84
	3504.99	633666			Inner_1RB_Left	24.32
					Inner_1RB_Right	24.44
					Inner_Full	24.91
CP-16QAM	3495	633000	90	30kHz	Inner_1RB_Left	23.93
					Inner_1RB_Right	24.15
					Inner_Full	24.31
	3500.01	633334			Inner_1RB_Left	23.84
					Inner_1RB_Right	24.01
					Inner_Full	24.33
	3504.99	633666			Inner_1RB_Left	23.84
					Inner_1RB_Right	23.92
					Inner_Full	24.36
CP-64QAM	3495	633000	90	30kHz	Inner_1RB_Left	22.35
					Inner_1RB_Right	22.59
					Inner_Full	22.84
	3500.01	633334			Inner_1RB_Left	22.57
					Inner_1RB_Right	22.72
					Inner_Full	22.83
	3504.99	633666			Inner_1RB_Left	22.42
					Inner_1RB_Right	22.45
					Inner_Full	22.87
CP-256QAM	3495	633000	90	30kHz	Inner_1RB_Left	22.99
					Inner_1RB_Right	24.55
					Inner_Full	19.89
	3500.01	633334			Inner_1RB_Left	19.79
					Inner_1RB_Right	23.97
					Inner_Full	19.91
	3504.99	633666			Inner_1RB_Left	19.77
					Inner_1RB_Right	19.74
					Inner_Full	19.95

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3500.01	633334	100	30kHz	Inner_1RB_Left	25.64
					Inner_1RB_Right	14.02
					Inner_Full	26.43
DFT-16QAM	3500.01	633334			Inner_1RB_Left	24.61
					Inner_1RB_Right	24.68
					Inner_Full	25.40
DFT-64QAM	3500.01	633334			Inner_1RB_Left	23.59
					Inner_1RB_Right	23.63
					Inner_Full	23.87
DFT-256QAM	3500.01	633334			Inner_1RB_Left	20.83
					Inner_1RB_Right	24.83
					Inner_Full	21.82

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)		
CP -QPSK	3500.01	633334	100	30kHz	Inner_1RB_Left	24.20		
					Inner_1RB_Right	24.30		
					Inner_Full	24.88		
CP -16QAM					3500.01	633334	Inner_1RB_Left	23.70
							Inner_1RB_Right	23.72
							Inner_Full	24.36
CP -64QAM					3500.01	633334	Inner_1RB_Left	22.10
							Inner_1RB_Right	22.13
							Inner_Full	22.83
CP -256QAM					3500.01	633334	Inner_1RB_Left	19.48
							Inner_1RB_Right	19.53
							Inner_Full	19.92

MIMO:

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3455.01	630334	10	30kHz	Inner_1RB_Left	21.52	23.14	25.42
					Inner_1RB_Right	21.62	22.94	25.34
					Inner_Full	21.58	23.08	25.40
	3500.01	633334			Inner_1RB_Left	21.92	23.37	25.72
					Inner_1RB_Right	21.76	23.41	25.67
					Inner_Full	21.79	23.5	25.74
	3545.01	636334			Inner_1RB_Left	21.63	23.12	25.45
					Inner_1RB_Right	21.67	23.02	25.41
					Inner_Full	21.62	23.22	25.50
CP-16QAM	3455.01	630334	10	30kHz	Inner_1RB_Left	21.06	22.55	24.88
					Inner_1RB_Right	21.63	21.4	24.53
					Inner_Full	21.07	22.58	24.90
	3500.01	633334			Inner_1RB_Left	22.06	22.27	25.18
					Inner_1RB_Right	21.89	21.64	24.78
					Inner_Full	21.41	23.02	25.30
	3545.01	636334			Inner_1RB_Left	21.43	22.67	25.10
					Inner_1RB_Right	21.5	22.73	25.17
					Inner_Full	21.26	22.73	25.07
CP-64QAM	3455.01	630334	10	30kHz	Inner_1RB_Left	20.22	20.48	23.36
					Inner_1RB_Right	19.9	20.36	23.15
					Inner_Full	19.57	21	23.35
	3500.01	633334			Inner_1RB_Left	20.68	20.81	23.76
					Inner_1RB_Right	17.94	20.58	22.47
					Inner_Full	19.97	21.42	23.77
	3545.01	636334			Inner_1RB_Left	19.84	20.97	23.45
					Inner_1RB_Right	20.6	20.46	23.54
					Inner_Full	19.77	21.17	23.54
CP-256QAM	3455.01	630334	10	30kHz	Inner_1RB_Left	16.35	17.85	20.17
					Inner_1RB_Right	17.2	17.3	20.26
					Inner_Full	16.47	18.24	20.45
	3500.01	633334			Inner_1RB_Left	16.84	18.22	20.59
					Inner_1RB_Right	17.26	17.5	20.39
					Inner_Full	16.86	18.63	20.84
	3545.01	636334			Inner_1RB_Left	16.58	16.97	19.79
					Inner_1RB_Right	17.2	17.28	20.25
					Inner_Full	16.71	18.33	20.61

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3457.5	630500	15	30kHz	Inner_1RB_Left	21.5	22.94	25.29
					Inner_1RB_Right	21.51	22.97	25.31
					Inner_Full	21.66	23.19	25.50
	3500.01	633334			Inner_1RB_Left	21.85	23.34	25.67
					Inner_1RB_Right	21.7	23.25	25.55
					Inner_Full	21.81	23.49	25.74
	3542.49	636166			Inner_1RB_Left	21.74	23.2	25.54
					Inner_1RB_Right	21.77	23.25	25.58
					Inner_Full	21.8	23.37	25.67
CP-16QAM	3457.5	630500	Inner_1RB_Left	21.12	22.53	24.89		
			Inner_1RB_Right	21.24	22.59	24.98		
			Inner_Full	21.15	22.69	25.00		
	3500.01	633334	Inner_1RB_Left	21.59	22.91	25.31		
			Inner_1RB_Right	21.5	22.88	25.25		
			Inner_Full	21.47	23.03	25.33		
	3542.49	636166	Inner_1RB_Left	21.47	22.71	25.14		
			Inner_1RB_Right	21.54	22.76	25.20		
			Inner_Full	21.4	22.89	25.22		
CP-64QAM	3457.5	630500	Inner_1RB_Left	19.53	20.79	23.22		
			Inner_1RB_Right	20.2	20.56	23.39		
			Inner_Full	19.62	21.08	23.42		
	3500.01	633334	Inner_1RB_Left	20.06	21.24	23.70		
			Inner_1RB_Right	19.84	21.16	23.56		
			Inner_Full	20.4	20.87	23.65		
	3542.49	636166	Inner_1RB_Left	19.89	21.11	23.55		
			Inner_1RB_Right	20.67	20.56	23.63		
			Inner_Full	19.84	21.29	23.64		
CP-256QAM	3457.5	630500	Inner_1RB_Left	16.94	17.2	20.08		
			Inner_1RB_Right	16.97	17.33	20.16		
			Inner_Full	16.59	18.14	20.44		
	3500.01	633334	Inner_1RB_Left	16.8	18.27	20.61		
			Inner_1RB_Right	17.17	17.46	20.33		
			Inner_Full	16.87	18.51	20.78		
	3542.49	636166	Inner_1RB_Left	17.38	17.13	20.27		
			Inner_1RB_Right	17.38	17.39	20.40		
			Inner_Full	16.87	18.36	20.69		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3460.02	630668	20	30kHz	Inner_1RB_Left	21.51	22.96	25.31
					Inner_1RB_Right	21.88	22.39	25.15
					Inner_Full	21.69	23.18	25.51
	3500.01	633334			Inner_1RB_Left	21.84	23.34	25.66
					Inner_1RB_Right	21.63	23.3	25.56
					Inner_Full	21.84	23.47	25.74
	3540	636000			Inner_1RB_Left	21.69	23.06	25.44
					Inner_1RB_Right	21.68	23.08	25.45
					Inner_Full	21.72	23.3	25.59
CP-16QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	21.11	22.61	24.93
					Inner_1RB_Right	21.61	21.33	24.48
					Inner_Full	21.69	21.81	24.76
	3500.01	633334			Inner_1RB_Left	21.58	22.93	25.32
					Inner_1RB_Right	21.35	22.9	25.20
					Inner_Full	21.47	22.96	25.29
	3540	636000			Inner_1RB_Left	21.37	22.64	25.06
					Inner_1RB_Right	21.37	22.7	25.10
					Inner_Full	21.37	22.77	25.14
CP-64QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	19.49	20.88	23.25
					Inner_1RB_Right	19.57	19.86	22.73
					Inner_Full	20.17	20.71	23.46
	3500.01	633334			Inner_1RB_Left	19.93	21.2	23.62
					Inner_1RB_Right	19.8	21.23	23.58
					Inner_Full	20.47	20.81	23.65
	3540	636000			Inner_1RB_Left	19.85	21.05	23.50
					Inner_1RB_Right	20.49	20.51	23.51
					Inner_Full	19.85	21.28	23.63
CP-256QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	16.9	17.47	20.20
					Inner_1RB_Right	16.4	17.86	20.20
					Inner_Full	16.59	18.27	20.52
	3500.01	633334			Inner_1RB_Left	16.76	18.2	20.55
					Inner_1RB_Right	16.63	18.15	20.47
					Inner_Full	16.83	18.52	20.77
	3540	636000			Inner_1RB_Left	14.25	13.36	16.84
					Inner_1RB_Right	17.11	17.39	20.26
					Inner_Full	16.78	18.37	20.66

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3470.01	631334	40	30kHz	Inner_1RB_Left	21.32	22.81	21.32
					Inner_1RB_Right	21.4	22.92	21.4
					Inner_Full	21.59	23.32	21.59
	3500.01	633334			Inner_1RB_Left	21.32	23.02	21.32
					Inner_1RB_Right	21.5	23.03	21.5
					Inner_Full	21.84	23.48	21.84
	3530.01	635334			Inner_1RB_Left	21.26	22.89	21.26
					Inner_1RB_Right	21.45	22.87	21.45
					Inner_Full	21.79	23.36	21.79
CP-16QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	20.91	22.35	20.91
					Inner_1RB_Right	21.25	22.61	21.25
					Inner_Full	21.26	22.75	21.26
	3500.01	633334			Inner_1RB_Left	21.09	22.53	21.09
					Inner_1RB_Right	21.35	22.68	21.35
					Inner_Full	21.47	22.93	21.47
	3530.01	635334			Inner_1RB_Left	20.98	22.41	20.98
					Inner_1RB_Right	21.23	22.51	21.23
					Inner_Full	21.42	22.81	21.42
CP-64QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	19.32	20.66	19.32
					Inner_1RB_Right	20.11	20.47	20.11
					Inner_Full	19.72	21.27	19.72
	3500.01	633334			Inner_1RB_Left	19.52	20.88	19.52
					Inner_1RB_Right	20.25	20.35	20.25
					Inner_Full	19.96	21.44	19.96
	3530.01	635334			Inner_1RB_Left	19.5	20.79	19.5
					Inner_1RB_Right	19.62	20.9	19.62
					Inner_Full	20.31	20.6	20.31
CP-256QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	16.74	16.92	16.74
					Inner_1RB_Right	16.83	17.11	16.83
					Inner_Full	16.67	18.29	16.67
	3500.01	633334			Inner_1RB_Left	16.36	10.91	16.36
					Inner_1RB_Right	16.91	17.12	16.91
					Inner_Full	16.86	18.44	16.86
	3530.01	635334			Inner_1RB_Left	16.31	17.78	16.31
					Inner_1RB_Right	16.44	17.8	16.44
					Inner_Full	16.85	18.31	16.85

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3475.02	631668	50	30kHz	Inner_1RB_Left	21.71	23.08	25.46
					Inner_1RB_Right	21.68	23.26	25.55
					Inner_Full	21.71	23.58	25.76
	3500.01	633334			Inner_1RB_Left	21.51	22.25	24.91
					Inner_1RB_Right	22.35	22.56	25.47
					Inner_Full	21.87	23.51	25.78
	3525	635000			Inner_1RB_Left	21.52	22.87	25.26
					Inner_1RB_Right	21.64	23.06	25.42
					Inner_Full	21.66	23.31	25.57
CP-16QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	21.3	22.67	25.05
					Inner_1RB_Right	21.54	22.8	25.23
					Inner_Full	21.32	23.07	25.29
	3500.01	633334			Inner_1RB_Left	21.3	22.77	25.11
					Inner_1RB_Right	21.64	22.88	25.31
					Inner_Full	21.48	23.07	25.36
	3525	635000			Inner_1RB_Left	21.29	22.47	24.93
					Inner_1RB_Right	21.49	22.68	25.14
					Inner_Full	21.28	22.81	25.12
CP-64QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	19.68	20.96	23.38
					Inner_1RB_Right	20.49	20.54	23.53
					Inner_Full	19.83	21.43	23.71
	3500.01	633334			Inner_1RB_Left	19.72	20.97	23.40
					Inner_1RB_Right	20.02	21.2	23.66
					Inner_Full	19.98	21.44	23.78
	3525	635000			Inner_1RB_Left	19.71	20.8	23.30
					Inner_1RB_Right	19.9	18.79	22.39
					Inner_Full	19.82	21.18	23.56
CP-256QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	16.54	15.84	19.21
					Inner_1RB_Right	17.26	17.4	20.34
					Inner_Full	16.76	18.5	20.73
	3500.01	633334			Inner_1RB_Left	16.55	18.08	20.39
					Inner_1RB_Right	17.39	17.82	20.62
					Inner_Full	16.89	18.51	20.79
	3525	635000			Inner_1RB_Left	16.54	17.86	20.26
					Inner_1RB_Right	17.21	17.45	20.34
					Inner_Full	16.72	18.27	20.57

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3480	632000	60	30kHz	Inner_1RB_Left	21.64	23	25.38
					Inner_1RB_Right	21.61	23.25	25.52
					Inner_Full	21.62	23.43	25.63
	3500.01	633334			Inner_1RB_Left	21.47	23.04	25.34
					Inner_1RB_Right	21.86	23.21	25.60
					Inner_Full	21.85	23.52	25.78
	3519.99	634666			Inner_1RB_Left	21.83	23.17	25.56
					Inner_1RB_Right	21.82	23.28	25.62
					Inner_Full	21.81	23.55	25.78
CP-16QAM	3480	632000	60	30kHz	Inner_1RB_Left	21.21	22.6	24.97
					Inner_1RB_Right	21.49	22.77	25.19
					Inner_Full	21.27	22.91	25.18
	3500.01	633334			Inner_1RB_Left	21.34	22.62	25.04
					Inner_1RB_Right	21.75	22.81	25.32
					Inner_Full	21.47	22.95	25.28
	3519.99	634666			Inner_1RB_Left	21.55	22.76	25.21
					Inner_1RB_Right	21.74	22.71	25.26
					Inner_Full	21.5	23.03	25.34
CP-64QAM	3480	632000	60	30kHz	Inner_1RB_Left	19.63	20.83	23.28
					Inner_1RB_Right	20.29	20.51	23.41
					Inner_Full	19.79	21.37	23.66
	3500.01	633334			Inner_1RB_Left	19.79	20.95	23.42
					Inner_1RB_Right	20.56	20.75	23.67
					Inner_Full	19.96	21.47	23.79
	3519.99	634666			Inner_1RB_Left	20.04	21.15	23.64
					Inner_1RB_Right	20.62	20.49	23.57
					Inner_Full	19.98	21.49	23.81
CP-256QAM	3480	632000	60	30kHz	Inner_1RB_Left	16.89	17.37	20.15
					Inner_1RB_Right	17.16	17.63	20.41
					Inner_Full	16.74	18.42	20.67
	3500.01	633334			Inner_1RB_Left	16.57	11.1	17.65
					Inner_1RB_Right	17.46	17.77	20.63
					Inner_Full	16.91	18.49	20.78
	3519.99	634666			Inner_1RB_Left	17.27	17.32	20.31
					Inner_1RB_Right	17.55	17.69	20.63
					Inner_Full	16.95	18.52	20.82

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)		
CP-QPSK	3485.01	632334	70	30kHz	Inner_1RB_Left	21.08	22.58	24.90		
					Inner_1RB_Right	21.39	22.87	25.20		
					Inner_Full	20.2	21.78	24.07		
	3500.01	633334			Inner_1RB_Left	21.35	22.77	25.13		
					Inner_1RB_Right	21.48	22.84	25.22		
					Inner_Full	20.4	21.92	24.24		
					Inner_1RB_Left	21.23	22.81	25.10		
					Inner_1RB_Right	21.62	22.93	25.33		
					Inner_Full	20.39	21.85	24.19		
3515.01	634334	Inner_1RB_Left			20.92	22.21	24.62			
		Inner_1RB_Right			21.22	22.54	24.94			
		Inner_Full			20.23	21.75	24.07			
		3485.01			632334	Inner_1RB_Left	21.21	22.39	24.85	
						Inner_1RB_Right	21.39	22.5	24.99	
						Inner_Full	20.41	21.93	24.25	
		3500.01			633334	Inner_1RB_Left	21.1	22.52	24.88	
						Inner_1RB_Right	21.48	22.53	25.05	
						Inner_Full	20.37	21.86	24.19	
3515.01	634334					Inner_1RB_Left	19.36	20.38	22.91	
						Inner_1RB_Right	19.61	20.35	23.01	
						Inner_Full	19.7	21.24	23.55	
CP-64QAM	3500.01	633334			Inner_1RB_Left	19.65	20.59	23.16		
					Inner_1RB_Right	20.23	20.39	23.32		
					Inner_Full	19.84	21.42	23.71		
					3515.01	634334	Inner_1RB_Left	19.52	20.66	23.14
							Inner_1RB_Right	20.38	20.39	23.40
							Inner_Full	19.85	21.33	23.66
CP-256QAM	3485.01	632334	Inner_1RB_Left	16.24	17.59	19.98				
			Inner_1RB_Right	17.01	17.46	20.25				
			Inner_Full	16.99	17.31	20.16				
	3500.01	633334	Inner_1RB_Left	16.84	17.17	20.02				
			Inner_1RB_Right	16.95	17.23	20.10				
			Inner_Full	16.81	18.46	20.72				
			3515.01	634334	Inner_1RB_Left	16.87	17.11	20.00		
					Inner_1RB_Right	17.08	17.28	20.19		
					Inner_Full	16.79	18.39	20.67		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3490.02	632668	80	30kHz	Inner_1RB_Left	21.09	22.56	24.90
					Inner_1RB_Right	21.38	22.84	25.18
					Inner_Full	21.61	23.41	25.61
	3500.01	633334			Inner_1RB_Left	21.26	22.7	25.05
					Inner_1RB_Right	21.42	22.76	25.15
					Inner_Full	21.76	23.55	25.76
	3510	634000			Inner_1RB_Left	21.12	22.73	25.01
					Inner_1RB_Right	21.87	22.08	24.99
					Inner_Full	21.81	23.53	25.76
CP-16QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	20.94	22.15	24.60
					Inner_1RB_Right	21.35	22.48	24.96
					Inner_Full	21.32	22.88	25.18
	3500.01	633334			Inner_1RB_Left	21.41	21.6	24.52
					Inner_1RB_Right	21.4	22.41	24.94
					Inner_Full	21.47	23.01	25.32
	3510	634000			Inner_1RB_Left	21.06	22.3	24.73
					Inner_1RB_Right	21.35	21.47	24.42
					Inner_Full	21.52	22.98	25.32
CP-64QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	19.42	18.27	21.89
					Inner_1RB_Right	20.13	20.34	23.25
					Inner_Full	19.78	21.33	23.63
	3500.01	633334			Inner_1RB_Left	19.63	20.56	23.13
					Inner_1RB_Right	19.73	20.66	23.23
					Inner_Full	19.9	21.46	23.76
	3510	634000			Inner_1RB_Left	19.5	20.59	23.09
					Inner_1RB_Right	20.07	20.28	23.19
					Inner_Full	20.39	20.56	23.49
CP-256QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	16.65	17.11	19.90
					Inner_1RB_Right	16.89	17.32	20.12
					Inner_Full	16.7	18.35	20.61
	3500.01	633334			Inner_1RB_Left	16.36	17.75	20.12
					Inner_1RB_Right	16.91	17.19	20.06
					Inner_Full	16.91	18.5	20.79
	3510	634000			Inner_1RB_Left	16.75	17.06	19.92
					Inner_1RB_Right	16.99	17.3	20.16
					Inner_Full	16.89	18.52	20.79

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3495	633000	90	30kHz	Inner_1RB_Left	20.87	22.47	24.75
					Inner_1RB_Right	21.38	22.58	25.03
					Inner_Full	21.49	23.24	25.46
	3500.01	633334			Inner_1RB_Left	21.1	22.67	24.97
					Inner_1RB_Right	21.38	22.74	25.12
					Inner_Full	21.75	23.48	25.71
	3504.99	633666			Inner_1RB_Left	21.24	22.72	25.05
					Inner_1RB_Right	21.28	22.68	25.05
					Inner_Full	21.77	23.57	25.77
CP-16QAM	3495	633000	90	30kHz	Inner_1RB_Left	20.87	22	24.48
					Inner_1RB_Right	21.37	22.22	24.83
					Inner_Full	21.16	22.74	25.03
	3500.01	633334			Inner_1RB_Left	21.09	22.15	24.66
					Inner_1RB_Right	21.41	22.28	24.88
					Inner_Full	21.38	22.97	25.26
	3504.99	633666			Inner_1RB_Left	21.17	22.32	24.79
					Inner_1RB_Right	21.27	22.27	24.81
					Inner_Full	21.48	23.07	25.36
CP-64QAM	3495	633000	90	30kHz	Inner_1RB_Left	19.26	20.25	22.79
					Inner_1RB_Right	20.01	20.2	23.12
					Inner_Full	19.64	21.15	23.47
	3500.01	633334			Inner_1RB_Left	19.5	20.43	23.00
					Inner_1RB_Right	20.01	20.22	23.13
					Inner_Full	19.84	21.4	23.70
	3504.99	633666			Inner_1RB_Left	19.58	20.54	23.10
					Inner_1RB_Right	19.65	19.57	22.62
					Inner_Full	19.93	21.45	23.77
CP-256QAM	3495	633000	90	30kHz	Inner_1RB_Left	16.07	17.46	19.83
					Inner_1RB_Right	16.92	17.19	20.07
					Inner_Full	16.61	18.25	20.52
	3500.01	633334			Inner_1RB_Left	16.77	17.08	19.94
					Inner_1RB_Right	17.12	17.05	20.10
					Inner_Full	16.81	18.47	20.73
	3504.99	633666			Inner_1RB_Left	16.84	17.12	19.99
					Inner_1RB_Right	16.96	17.03	20.01
					Inner_Full	16.92	18.56	20.83

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3495	633000	100	30kHz	Inner_1RB_Left	20.87	22.48	24.76
					Inner_1RB_Right	21.17	22.55	24.92
					Inner_Full	21.76	23.51	25.73
	3500.01	633334			Inner_1RB_Left	20.87	22.45	24.74
					Inner_1RB_Right	21.14	22.5	24.88
					Inner_Full	21.76	23.52	25.74
	3504.99	633666			Inner_1RB_Left	20.85	22.55	24.79
					Inner_1RB_Right	21.17	22.66	24.99
					Inner_Full	21.74	23.59	25.77
CP-16QAM	3495	633000	Inner_1RB_Left	20.89	21.98	24.48		
			Inner_1RB_Right	21.23	22.17	24.74		
			Inner_Full	21.41	22.97	25.27		
	3500.01	633334	Inner_1RB_Left	20.82	21.97	24.44		
			Inner_1RB_Right	21.18	22.14	24.70		
			Inner_Full	21.4	22.96	25.26		
	3504.99	633666	Inner_1RB_Left	20.68	22.05	24.43		
			Inner_1RB_Right	21	22.25	24.68		
			Inner_Full	21.34	22.96	25.24		
CP-64QAM	3495	633000	Inner_1RB_Left	19.24	20.2	22.76		
			Inner_1RB_Right	20.16	20	23.09		
			Inner_Full	19.89	21.45	23.75		
	3500.01	633334	Inner_1RB_Left	19.14	20.39	22.82		
			Inner_1RB_Right	20.1	20.18	23.15		
			Inner_Full	19.89	21.45	23.75		
	3504.99	633666	Inner_1RB_Left	19.54	20.29	22.94		
			Inner_1RB_Right	19.35	20.61	23.04		
			Inner_Full	20.5	20.77	23.65		
CP-256QAM	3495	633000	Inner_1RB_Left	16.09	17.53	19.88		
			Inner_1RB_Right	16.96	17.14	20.06		
			Inner_Full	16.82	18.5	20.75		
	3500.01	633334	Inner_1RB_Left	16.45	16.99	19.74		
			Inner_1RB_Right	16.93	16.97	19.96		
			Inner_Full	16.76	18.49	20.72		
	3504.99	633666	Inner_1RB_Left	16.29	17.84	20.14		
			Inner_1RB_Right	16.97	17.04	20.02		
			Inner_Full	16.76	18.56	20.76		

3700-3980

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3705	647000	10	15kHz	Inner_1RB_Left	26.34
					Inner_1RB_Right	26.61
					Inner_Full	26.50
	3840	656000			Inner_1RB_Left	24.76
					Inner_1RB_Right	24.90
					Inner_Full	24.48
	3975	665000			Inner_1RB_Left	24.70
					Inner_1RB_Right	24.67
					Inner_Full	24.40
DFT-16QAM	3705	647000	10	15kHz	Inner_1RB_Left	25.16
					Inner_1RB_Right	25.67
					Inner_Full	25.41
	3840	656000			Inner_1RB_Left	24.12
					Inner_1RB_Right	23.75
					Inner_Full	24.01
	3975	665000			Inner_1RB_Left	23.54
					Inner_1RB_Right	23.74
					Inner_Full	23.91
DFT-64QAM	3705	647000	10	15kHz	Inner_1RB_Left	23.46
					Inner_1RB_Right	23.73
					Inner_Full	23.74
	3840	656000			Inner_1RB_Left	22.37
					Inner_1RB_Right	22.47
					Inner_Full	22.43
	3975	665000			Inner_1RB_Left	22.28
					Inner_1RB_Right	22.41
					Inner_Full	22.28
DFT-256QAM	3705	647000	10	15kHz	Inner_1RB_Left	23.44
					Inner_1RB_Right	23.75
					Inner_Full	23.78
	3840	656000			Inner_1RB_Left	22.28
					Inner_1RB_Right	22.45
					Inner_Full	22.42
	3975	665000			Inner_1RB_Left	22.26
					Inner_1RB_Right	22.46
					Inner_Full	22.28

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3705	647000	10	15kHz	Inner_1RB_Left	26.36
					Inner_1RB_Right	26.56
					Inner_Full	26.56
	3840	656000			Inner_1RB_Left	24.69
					Inner_1RB_Right	24.84
					Inner_Full	24.52
	3975	665000			Inner_1RB_Left	24.52
					Inner_1RB_Right	24.71
					Inner_Full	24.38
CP-16QAM	3705	647000	10	15kHz	Inner_1RB_Left	25.46
					Inner_1RB_Right	25.75
					Inner_Full	25.73
	3840	656000			Inner_1RB_Left	24.09
					Inner_1RB_Right	24.27
					Inner_Full	24.01
	3975	665000			Inner_1RB_Left	23.54
					Inner_1RB_Right	23.83
					Inner_Full	23.87
CP-64QAM	3705	647000	10	15kHz	Inner_1RB_Left	23.84
					Inner_1RB_Right	24.09
					Inner_Full	23.77
	3840	656000			Inner_1RB_Left	22.27
					Inner_1RB_Right	22.53
					Inner_Full	22.32
	3975	665000			Inner_1RB_Left	22.31
					Inner_1RB_Right	22.40
					Inner_Full	22.26
CP-256QAM	3705	647000	10	15kHz	Inner_1RB_Left	23.46
					Inner_1RB_Right	24.08
					Inner_Full	23.75
	3840	656000			Inner_1RB_Left	22.47
					Inner_1RB_Right	22.40
					Inner_Full	22.34
	3975	665000			Inner_1RB_Left	22.33
					Inner_1RB_Right	22.44
					Inner_Full	22.19

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3707.52	647168	15	15kHz	Inner_1RB_Left	26.38
					Inner_1RB_Right	26.76
					Inner_Full	26.70
	3840	656000			Inner_1RB_Left	26.20
					Inner_1RB_Right	26.32
					Inner_Full	26.33
	3972.48	664832			Inner_1RB_Left	25.93
					Inner_1RB_Right	26.11
					Inner_Full	26.23
DFT-16QAM	3707.52	647168	15	15kHz	Inner_1RB_Left	25.29
					Inner_1RB_Right	25.90
					Inner_Full	25.70
	3840	656000			Inner_1RB_Left	24.96
					Inner_1RB_Right	25.14
					Inner_Full	25.17
	3972.48	664832			Inner_1RB_Left	24.70
					Inner_1RB_Right	24.97
					Inner_Full	25.02
DFT-64QAM	3707.52	647168	15	15kHz	Inner_1RB_Left	23.63
					Inner_1RB_Right	23.89
					Inner_Full	23.96
	3840	656000			Inner_1RB_Left	23.29
					Inner_1RB_Right	23.48
					Inner_Full	23.63
	3972.48	664832			Inner_1RB_Left	23.24
					Inner_1RB_Right	23.22
					Inner_Full	23.44
DFT-256QAM	3707.52	647168	15	15kHz	Inner_1RB_Left	23.61
					Inner_1RB_Right	24.14
					Inner_Full	23.95
	3840	656000			Inner_1RB_Left	23.31
					Inner_1RB_Right	23.45
					Inner_Full	23.57
	3972.48	664832			Inner_1RB_Left	23.25
					Inner_1RB_Right	23.32
					Inner_Full	23.45

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3707.52	647168	15	15kHz	Inner_1RB_Left	26.47
					Inner_1RB_Right	26.79
					Inner_Full	26.79
	3840	656000			Inner_1RB_Left	26.18
					Inner_1RB_Right	26.25
					Inner_Full	26.37
	3972.48	664832			Inner_1RB_Left	25.91
					Inner_1RB_Right	26.16
					Inner_Full	26.15
CP-16QAM	3707.52	647168	15	15kHz	Inner_1RB_Left	25.31
					Inner_1RB_Right	25.90
					Inner_Full	25.88
	3840	656000			Inner_1RB_Left	25.30
					Inner_1RB_Right	25.46
					Inner_Full	25.12
	3972.48	664832			Inner_1RB_Left	25.00
					Inner_1RB_Right	25.34
					Inner_Full	25.29
CP-64QAM	3707.52	647168	15	15kHz	Inner_1RB_Left	23.59
					Inner_1RB_Right	23.93
					Inner_Full	24.04
	3840	656000			Inner_1RB_Left	23.72
					Inner_1RB_Right	23.45
					Inner_Full	23.53
	3972.48	664832			Inner_1RB_Left	23.26
					Inner_1RB_Right	23.32
					Inner_Full	23.48
CP-256QAM	3707.52	647168	15	15kHz	Inner_1RB_Left	23.54
					Inner_1RB_Right	23.95
					Inner_Full	24.13
	3840	656000			Inner_1RB_Left	23.23
					Inner_1RB_Right	23.47
					Inner_Full	23.84
	3972.48	664832			Inner_1RB_Left	23.07
					Inner_1RB_Right	23.30
					Inner_Full	23.45

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3710.01	647334	20	15kHz	Inner_1RB_Left	26.26
					Inner_1RB_Right	26.64
					Inner_Full	26.64
	3840	656000			Inner_1RB_Left	24.77
					Inner_1RB_Right	24.87
					Inner_Full	24.66
	3969.99	664666			Inner_1RB_Left	24.84
					Inner_1RB_Right	25.15
					Inner_Full	25.24
DFT-16QAM	3710.01	647334	20	15kHz	Inner_1RB_Left	25.11
					Inner_1RB_Right	25.73
					Inner_Full	25.62
	3840	656000			Inner_1RB_Left	23.78
					Inner_1RB_Right	23.81
					Inner_Full	24.11
	3969.99	664666			Inner_1RB_Left	23.31
					Inner_1RB_Right	23.61
					Inner_Full	23.51
DFT-64QAM	3710.01	647334	20	15kHz	Inner_1RB_Left	23.74
					Inner_1RB_Right	23.81
					Inner_Full	24.00
	3840	656000			Inner_1RB_Left	22.33
					Inner_1RB_Right	22.50
					Inner_Full	22.54
	3969.99	664666			Inner_1RB_Left	21.42
					Inner_1RB_Right	21.55
					Inner_Full	21.44
DFT-256QAM	3710.01	647334	20	15kHz	Inner_1RB_Left	23.38
					Inner_1RB_Right	24.16
					Inner_Full	23.97
	3840	656000			Inner_1RB_Left	22.33
					Inner_1RB_Right	22.60
					Inner_Full	22.55
	3969.99	664666			Inner_1RB_Left	20.96
					Inner_1RB_Right	21.26
					Inner_Full	21.43

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3710.01	647334	20	15kHz	Inner_1RB_Left	26.25
					Inner_1RB_Right	26.63
					Inner_Full	26.59
	3840	656000			Inner_1RB_Left	24.80
					Inner_1RB_Right	24.87
					Inner_Full	24.69
	3969.99	664666			Inner_1RB_Left	24.85
					Inner_1RB_Right	25.44
					Inner_Full	25.43
CP-16QAM	3710.01	647334	20	15kHz	Inner_1RB_Left	25.35
					Inner_1RB_Right	25.70
					Inner_Full	25.45
	3840	656000			Inner_1RB_Left	23.73
					Inner_1RB_Right	24.00
					Inner_Full	24.18
	3969.99	664666			Inner_1RB_Left	23.25
					Inner_1RB_Right	23.50
					Inner_Full	23.55
CP-64QAM	3710.01	647334	20	15kHz	Inner_1RB_Left	23.38
					Inner_1RB_Right	23.79
					Inner_Full	24.14
	3840	656000			Inner_1RB_Left	22.31
					Inner_1RB_Right	22.58
					Inner_Full	22.46
	3969.99	664666			Inner_1RB_Left	21.38
					Inner_1RB_Right	21.55
					Inner_Full	21.65
CP-256QAM	3710.01	647334	20	15kHz	Inner_1RB_Left	23.77
					Inner_1RB_Right	24.14
					Inner_Full	24.14
	3840	656000			Inner_1RB_Left	22.35
					Inner_1RB_Right	22.56
					Inner_Full	22.49
	3969.99	664666			Inner_1RB_Left	20.98
					Inner_1RB_Right	21.56
					Inner_Full	21.64

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3720	648000	40	15kHz	Inner_1RB_Left	22.84
					Inner_1RB_Right	22.83
					Inner_Full	22.82
	3840	656000			Inner_1RB_Left	24.42
					Inner_1RB_Right	24.64
					Inner_Full	24.67
	3960	664000			Inner_1RB_Left	25.39
					Inner_1RB_Right	25.81
					Inner_Full	26.00
DFT-16QAM	3720	648000			Inner_1RB_Left	22.81
					Inner_1RB_Right	22.83
					Inner_Full	23.82
	3840	656000			Inner_1RB_Left	23.39
					Inner_1RB_Right	23.62
					Inner_Full	24.12
	3960	664000			Inner_1RB_Left	24.43
					Inner_1RB_Right	24.98
					Inner_Full	24.98
DFT-64QAM	3720	648000			Inner_1RB_Left	22.79
					Inner_1RB_Right	22.80
					Inner_Full	22.83
	3840	656000			Inner_1RB_Left	22.00
					Inner_1RB_Right	22.21
					Inner_Full	22.61
	3960	664000			Inner_1RB_Left	22.45
					Inner_1RB_Right	22.94
					Inner_Full	23.34
DFT-256QAM	3720	648000	Inner_1RB_Left	22.79		
			Inner_1RB_Right	22.81		
			Inner_Full	22.85		
	3840	656000	Inner_1RB_Left	22.00		
			Inner_1RB_Right	22.21		
			Inner_Full	22.58		
	3960	664000	Inner_1RB_Left	22.52		
			Inner_1RB_Right	22.94		
			Inner_Full	23.36		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3720	648000	40	15kHz	Inner_1RB_Left	22.84
					Inner_1RB_Right	22.79
					Inner_Full	22.81
	3840	656000			Inner_1RB_Left	24.30
					Inner_1RB_Right	24.66
					Inner_Full	24.68
	3960	664000			Inner_1RB_Left	25.38
					Inner_1RB_Right	25.81
					Inner_Full	26.05
CP-16QAM	3720	648000			Inner_1RB_Left	22.82
					Inner_1RB_Right	22.86
					Inner_Full	22.81
	3840	656000			Inner_1RB_Left	23.45
					Inner_1RB_Right	23.65
					Inner_Full	24.11
	3960	664000			Inner_1RB_Left	24.22
					Inner_1RB_Right	24.98
					Inner_Full	25.02
CP-64QAM	3720	648000			Inner_1RB_Left	24.82
					Inner_1RB_Right	25.82
					Inner_Full	24.79
	3840	656000			Inner_1RB_Left	22.01
					Inner_1RB_Right	22.23
					Inner_Full	22.63
	3960	664000			Inner_1RB_Left	22.92
					Inner_1RB_Right	23.35
					Inner_Full	23.34
CP-256QAM	3720	648000	Inner_1RB_Left	22.85		
			Inner_1RB_Right	22.85		
			Inner_Full	22.81		
	3840	656000	Inner_1RB_Left	22.02		
			Inner_1RB_Right	22.21		
			Inner_Full	22.59		
	3960	664000	Inner_1RB_Left	22.91		
			Inner_1RB_Right	22.93		
			Inner_Full	23.37		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3725.01	648334	50	15kHz	Inner_1RB_Left	25.11
					Inner_1RB_Right	25.67
					Inner_Full	25.39
	3840	656000			Inner_1RB_Left	25.84
					Inner_1RB_Right	26.21
					Inner_Full	26.37
	3954.99	663666			Inner_1RB_Left	25.61
					Inner_1RB_Right	26.15
					Inner_Full	26.10
DFT-16QAM	3725.01	648334	50	15kHz	Inner_1RB_Left	23.98
					Inner_1RB_Right	24.77
					Inner_Full	24.93
	3840	656000			Inner_1RB_Left	24.97
					Inner_1RB_Right	25.03
					Inner_Full	25.31
	3954.99	663666			Inner_1RB_Left	24.55
					Inner_1RB_Right	25.26
					Inner_Full	25.05
DFT-64QAM	3725.01	648334	50	15kHz	Inner_1RB_Left	22.76
					Inner_1RB_Right	23.44
					Inner_Full	23.34
	3840	656000			Inner_1RB_Left	23.38
					Inner_1RB_Right	23.32
					Inner_Full	23.73
	3954.99	663666			Inner_1RB_Left	22.79
					Inner_1RB_Right	23.62
					Inner_Full	23.35
DFT-256QAM	3725.01	648334	50	15kHz	Inner_1RB_Left	22.69
					Inner_1RB_Right	23.43
					Inner_Full	23.34
	3840	656000			Inner_1RB_Left	22.99
					Inner_1RB_Right	23.31
					Inner_Full	23.70
	3954.99	663666			Inner_1RB_Left	23.24
					Inner_1RB_Right	23.20
					Inner_Full	23.43

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3725.01	648334	50	15kHz	Inner_1RB_Left	24.84
					Inner_1RB_Right	25.64
					Inner_Full	25.40
	3840	656000			Inner_1RB_Left	25.84
					Inner_1RB_Right	26.21
					Inner_Full	26.36
	3954.99	663666			Inner_1RB_Left	25.71
					Inner_1RB_Right	26.14
					Inner_Full	26.10
CP-16QAM	3725.01	648334	50	15kHz	Inner_1RB_Left	23.95
					Inner_1RB_Right	24.81
					Inner_Full	24.88
	3840	656000			Inner_1RB_Left	24.99
					Inner_1RB_Right	25.29
					Inner_Full	25.36
	3954.99	663666			Inner_1RB_Left	24.57
					Inner_1RB_Right	24.94
					Inner_Full	24.98
CP-64QAM	3725.01	648334	50	15kHz	Inner_1RB_Left	22.66
					Inner_1RB_Right	23.35
					Inner_Full	23.36
	3840	656000			Inner_1RB_Left	23.41
					Inner_1RB_Right	23.68
					Inner_Full	23.72
	3954.99	663666			Inner_1RB_Left	23.24
					Inner_1RB_Right	23.62
					Inner_Full	23.42
CP-256QAM	3725.01	648334	50	15kHz	Inner_1RB_Left	22.72
					Inner_1RB_Right	23.42
					Inner_Full	23.33
	3840	656000			Inner_1RB_Left	23.01
					Inner_1RB_Right	23.27
					Inner_Full	23.76
	3954.99	663666			Inner_1RB_Left	22.82
					Inner_1RB_Right	23.25
					Inner_Full	23.41

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3705	647000	10	30kHz	Inner_1RB_Left	23.13
					Inner_1RB_Right	23.49
					Inner_Full	23.38
	3840	656000			Inner_1RB_Left	23.42
					Inner_1RB_Right	23.49
					Inner_Full	23.49
	3975	665000			Inner_1RB_Left	23.27
					Inner_1RB_Right	23.44
					Inner_Full	23.33
DFT-16QAM	3705	647000			Inner_1RB_Left	22.07
					Inner_1RB_Right	22.22
					Inner_Full	22.37
	3840	656000			Inner_1RB_Left	22.24
					Inner_1RB_Right	22.25
					Inner_Full	22.37
	3975	665000			Inner_1RB_Left	22.01
					Inner_1RB_Right	22.16
					Inner_Full	22.25
DFT-64QAM	3705	647000			Inner_1RB_Left	20.80
					Inner_1RB_Right	20.90
					Inner_Full	20.80
	3840	656000			Inner_1RB_Left	20.88
					Inner_1RB_Right	20.87
					Inner_Full	20.84
	3975	665000			Inner_1RB_Left	20.77
					Inner_1RB_Right	20.99
					Inner_Full	20.73
DFT-256QAM	3705	647000	Inner_1RB_Left	19.20		
			Inner_1RB_Right	19.30		
			Inner_Full	18.91		
	3840	656000	Inner_1RB_Left	19.28		
			Inner_1RB_Right	19.32		
			Inner_Full	18.94		
	3975	665000	Inner_1RB_Left	19.15		
			Inner_1RB_Right	16.08		
			Inner_Full	18.87		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3705	647000	10	30kHz	Inner_1RB_Left	21.82
					Inner_1RB_Right	18.81
					Inner_Full	21.82
	3840	656000			Inner_1RB_Left	21.91
					Inner_1RB_Right	21.98
					Inner_Full	21.91
	3975	665000			Inner_1RB_Left	21.82
					Inner_1RB_Right	21.97
					Inner_Full	21.79
CP-16QAM	3705	647000			Inner_1RB_Left	21.16
					Inner_1RB_Right	21.34
					Inner_Full	21.35
	3840	656000			Inner_1RB_Left	21.20
					Inner_1RB_Right	21.26
					Inner_Full	21.38
	3975	665000			Inner_1RB_Left	21.03
					Inner_1RB_Right	21.21
					Inner_Full	21.26
CP-64QAM	3705	647000			Inner_1RB_Left	19.91
					Inner_1RB_Right	20.03
					Inner_Full	19.97
	3840	656000			Inner_1RB_Left	19.99
					Inner_1RB_Right	20.02
					Inner_Full	20.01
	3975	665000			Inner_1RB_Left	19.86
					Inner_1RB_Right	20.09
					Inner_Full	19.96
CP-256QAM	3705	647000	Inner_1RB_Left	17.14		
			Inner_1RB_Right	17.23		
			Inner_Full	16.87		
	3840	656000	Inner_1RB_Left	17.29		
			Inner_1RB_Right	17.25		
			Inner_Full	16.94		
	3975	665000	Inner_1RB_Left	17.21		
			Inner_1RB_Right	17.26		
			Inner_Full	16.85		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3707.52	647168	15	30kHz	Inner_1RB_Left	23.19
					Inner_1RB_Right	23.39
					Inner_Full	23.45
	3840	656000			Inner_1RB_Left	23.31
					Inner_1RB_Right	23.38
					Inner_Full	23.46
	3972.48	664832			Inner_1RB_Left	23.11
					Inner_1RB_Right	23.34
					Inner_Full	23.35
DFT-16QAM	3707.52	647168	15	30kHz	Inner_1RB_Left	21.96
					Inner_1RB_Right	22.16
					Inner_Full	22.38
	3840	656000			Inner_1RB_Left	22.21
					Inner_1RB_Right	22.18
					Inner_Full	22.38
	3972.48	664832			Inner_1RB_Left	21.79
					Inner_1RB_Right	22.13
					Inner_Full	22.27
DFT-64QAM	3707.52	647168	15	30kHz	Inner_1RB_Left	20.66
					Inner_1RB_Right	20.82
					Inner_Full	20.92
	3840	656000			Inner_1RB_Left	20.79
					Inner_1RB_Right	20.85
					Inner_Full	20.97
	3972.48	664832			Inner_1RB_Left	20.54
					Inner_1RB_Right	20.79
					Inner_Full	20.84
DFT-256QAM	3707.52	647168	15	30kHz	Inner_1RB_Left	19.09
					Inner_1RB_Right	19.25
					Inner_Full	18.98
	3840	656000			Inner_1RB_Left	19.15
					Inner_1RB_Right	19.24
					Inner_Full	19.00
	3972.48	664832			Inner_1RB_Left	19.02
					Inner_1RB_Right	19.23
					Inner_Full	18.92

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3707.52	647168	15	30kHz	Inner_1RB_Left	21.68
					Inner_1RB_Right	21.85
					Inner_Full	21.87
	3840	656000			Inner_1RB_Left	21.81
					Inner_1RB_Right	10.53
					Inner_Full	21.90
	3972.48	664832			Inner_1RB_Left	21.56
					Inner_1RB_Right	21.87
					Inner_Full	21.80
CP-16QAM	3707.52	647168	15	30kHz	Inner_1RB_Left	21.04
					Inner_1RB_Right	21.21
					Inner_Full	21.33
	3840	656000			Inner_1RB_Left	21.23
					Inner_1RB_Right	21.30
					Inner_Full	21.35
	3972.48	664832			Inner_1RB_Left	21.00
					Inner_1RB_Right	21.14
					Inner_Full	21.27
CP-64QAM	3707.52	647168	15	30kHz	Inner_1RB_Left	19.79
					Inner_1RB_Right	19.99
					Inner_Full	20.02
	3840	656000			Inner_1RB_Left	19.89
					Inner_1RB_Right	19.94
					Inner_Full	20.04
	3972.48	664832			Inner_1RB_Left	19.71
					Inner_1RB_Right	19.92
					Inner_Full	19.94
CP-256QAM	3707.52	647168	15	30kHz	Inner_1RB_Left	16.99
					Inner_1RB_Right	17.20
					Inner_Full	16.91
	3840	656000			Inner_1RB_Left	17.07
					Inner_1RB_Right	17.21
					Inner_Full	16.94
	3972.48	664832			Inner_1RB_Left	17.04
					Inner_1RB_Right	17.24
					Inner_Full	16.88

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3710.01	647334	20	30kHz	Inner_1RB_Left	23.10
					Inner_1RB_Right	23.22
					Inner_Full	23.49
	3840	656000			Inner_1RB_Left	23.23
					Inner_1RB_Right	23.31
					Inner_Full	23.46
	3969.99	664666			Inner_1RB_Left	23.02
					Inner_1RB_Right	23.27
					Inner_Full	23.34
DFT-16QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	21.97
					Inner_1RB_Right	22.08
					Inner_Full	22.47
	3840	656000			Inner_1RB_Left	21.98
					Inner_1RB_Right	21.99
					Inner_Full	22.42
	3969.99	664666			Inner_1RB_Left	21.75
					Inner_1RB_Right	21.97
					Inner_Full	22.28
DFT-64QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	20.55
					Inner_1RB_Right	20.73
					Inner_Full	20.91
	3840	656000			Inner_1RB_Left	20.74
					Inner_1RB_Right	20.75
					Inner_Full	20.87
	3969.99	664666			Inner_1RB_Left	20.56
					Inner_1RB_Right	20.76
					Inner_Full	20.77
DFT-256QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	18.97
					Inner_1RB_Right	19.08
					Inner_Full	19.08
	3840	656000			Inner_1RB_Left	19.15
					Inner_1RB_Right	19.17
					Inner_Full	19.02
	3969.99	664666			Inner_1RB_Left	18.90
					Inner_1RB_Right	19.12
					Inner_Full	18.89

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3710.01	647334	20	30kHz	Inner_1RB_Left	21.61
					Inner_1RB_Right	21.75
					Inner_Full	21.94
	3840	656000			Inner_1RB_Left	21.70
					Inner_1RB_Right	21.76
					Inner_Full	21.87
	3969.99	664666			Inner_1RB_Left	21.41
					Inner_1RB_Right	21.73
					Inner_Full	21.71
CP-16QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	20.88
					Inner_1RB_Right	21.07
					Inner_Full	21.39
	3840	656000			Inner_1RB_Left	21.04
					Inner_1RB_Right	21.16
					Inner_Full	21.34
	3969.99	664666			Inner_1RB_Left	20.79
					Inner_1RB_Right	21.08
					Inner_Full	21.21
CP-64QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	19.70
					Inner_1RB_Right	19.87
					Inner_Full	20.06
	3840	656000			Inner_1RB_Left	19.83
					Inner_1RB_Right	19.94
					Inner_Full	20.03
	3969.99	664666			Inner_1RB_Left	19.61
					Inner_1RB_Right	19.90
					Inner_Full	19.91
CP-256QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	19.53
					Inner_1RB_Right	17.12
					Inner_Full	17.05
	3840	656000			Inner_1RB_Left	17.07
					Inner_1RB_Right	17.13
					Inner_Full	16.97
	3969.99	664666			Inner_1RB_Left	16.89
					Inner_1RB_Right	17.12
					Inner_Full	16.82

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3720	648000	40	30kHz	Inner_1RB_Left	24.02
					Inner_1RB_Right	26.16
					Inner_Full	26.50
	3840	656000			Inner_1RB_Left	26.07
					Inner_1RB_Right	26.29
					Inner_Full	26.53
	3960	664000			Inner_1RB_Left	25.82
					Inner_1RB_Right	26.25
					Inner_Full	26.34
DFT-16QAM	3720	648000			Inner_1RB_Left	24.70
					Inner_1RB_Right	24.94
					Inner_Full	25.48
	3840	656000			Inner_1RB_Left	24.94
					Inner_1RB_Right	25.10
					Inner_Full	25.52
	3960	664000			Inner_1RB_Left	24.56
					Inner_1RB_Right	24.91
					Inner_Full	25.32
DFT-64QAM	3720	648000			Inner_1RB_Left	23.46
					Inner_1RB_Right	23.70
					Inner_Full	23.95
	3840	656000			Inner_1RB_Left	23.67
					Inner_1RB_Right	23.89
					Inner_Full	23.99
	3960	664000			Inner_1RB_Left	23.44
					Inner_1RB_Right	23.78
					Inner_Full	23.79
DFT-256QAM	3720	648000	Inner_1RB_Left	21.66		
			Inner_1RB_Right	22.87		
			Inner_Full	21.88		
	3840	656000	Inner_1RB_Left	21.88		
			Inner_1RB_Right	22.07		
			Inner_Full	21.95		
	3960	664000	Inner_1RB_Left	21.61		
			Inner_1RB_Right	21.35		
			Inner_Full	21.77		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3720	648000	40	30kHz	Inner_1RB_Left	24.38
					Inner_1RB_Right	24.58
					Inner_Full	24.90
	3840	656000			Inner_1RB_Left	24.53
					Inner_1RB_Right	24.72
					Inner_Full	22.26
	3960	664000			Inner_1RB_Left	24.23
					Inner_1RB_Right	24.60
					Inner_Full	24.76
CP-16QAM	3720	648000	40	30kHz	Inner_1RB_Left	23.76
					Inner_1RB_Right	23.91
					Inner_Full	24.44
	3840	656000			Inner_1RB_Left	23.93
					Inner_1RB_Right	24.10
					Inner_Full	24.50
	3960	664000			Inner_1RB_Left	23.68
					Inner_1RB_Right	24.07
					Inner_Full	24.29
CP-64QAM	3720	648000	40	30kHz	Inner_1RB_Left	22.11
					Inner_1RB_Right	22.50
					Inner_Full	22.83
	3840	656000			Inner_1RB_Left	22.46
					Inner_1RB_Right	22.63
					Inner_Full	22.94
	3960	664000			Inner_1RB_Left	22.24
					Inner_1RB_Right	22.58
					Inner_Full	22.76
CP-256QAM	3720	648000	40	30kHz	Inner_1RB_Left	19.75
					Inner_1RB_Right	20.02
					Inner_Full	19.94
	3840	656000			Inner_1RB_Left	20.13
					Inner_1RB_Right	20.37
					Inner_Full	20.00
	3960	664000			Inner_1RB_Left	19.89
					Inner_1RB_Right	20.29
					Inner_Full	19.81

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3725.01	648334	50	30kHz	Inner_1RB_Left	26.16
					Inner_1RB_Right	26.44
					Inner_Full	26.54
	3840	656000			Inner_1RB_Left	26.26
					Inner_1RB_Right	26.42
					Inner_Full	26.59
	3954.99	663666			Inner_1RB_Left	25.95
					Inner_1RB_Right	26.37
					Inner_Full	26.38
DFT-16QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	24.95
					Inner_1RB_Right	25.22
					Inner_Full	25.49
	3840	656000			Inner_1RB_Left	25.14
					Inner_1RB_Right	25.23
					Inner_Full	25.57
	3954.99	663666			Inner_1RB_Left	21.54
					Inner_1RB_Right	25.18
					Inner_Full	25.35
DFT-64QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	23.61
					Inner_1RB_Right	23.86
					Inner_Full	23.95
	3840	656000			Inner_1RB_Left	23.90
					Inner_1RB_Right	23.95
					Inner_Full	24.03
	3954.99	663666			Inner_1RB_Left	23.65
					Inner_1RB_Right	23.93
					Inner_Full	23.81
DFT-256QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	21.82
					Inner_1RB_Right	22.06
					Inner_Full	21.94
	3840	656000			Inner_1RB_Left	21.98
					Inner_1RB_Right	22.19
					Inner_Full	22.03
	3954.99	663666			Inner_1RB_Left	21.68
					Inner_1RB_Right	22.11
					Inner_Full	21.80

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3725.01	648334	50	30kHz	Inner_1RB_Left	24.59
					Inner_1RB_Right	24.76
					Inner_Full	24.92
	3840	656000			Inner_1RB_Left	24.67
					Inner_1RB_Right	0.68
					Inner_Full	24.98
	3954.99	663666			Inner_1RB_Left	24.41
					Inner_1RB_Right	24.90
					Inner_Full	24.79
CP-16QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	24.00
					Inner_1RB_Right	24.24
					Inner_Full	24.44
	3840	656000			Inner_1RB_Left	24.07
					Inner_1RB_Right	24.33
					Inner_Full	24.51
	3954.99	663666			Inner_1RB_Left	23.78
					Inner_1RB_Right	24.25
					Inner_Full	24.30
CP-64QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	22.33
					Inner_1RB_Right	22.62
					Inner_Full	22.89
	3840	656000			Inner_1RB_Left	22.62
					Inner_1RB_Right	22.80
					Inner_Full	22.98
	3954.99	663666			Inner_1RB_Left	22.39
					Inner_1RB_Right	22.75
					Inner_Full	22.78
CP-256QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	20.10
					Inner_1RB_Right	20.34
					Inner_Full	20.03
	3840	656000			Inner_1RB_Left	20.34
					Inner_1RB_Right	17.17
					Inner_Full	20.09
	3954.99	663666			Inner_1RB_Left	20.17
					Inner_1RB_Right	20.55
					Inner_Full	19.91

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3730.02	648668	60	30kHz	Inner_1RB_Left	26.24
					Inner_1RB_Right	26.23
					Inner_Full	26.54
	3840	656000			Inner_1RB_Left	26.26
					Inner_1RB_Right	26.47
					Inner_Full	26.57
	3949.98	663332			Inner_1RB_Left	25.95
					Inner_1RB_Right	26.29
					Inner_Full	26.36
DFT-16QAM	3730.02	648668			Inner_1RB_Left	24.93
					Inner_1RB_Right	24.97
					Inner_Full	25.55
	3840	656000			Inner_1RB_Left	24.94
					Inner_1RB_Right	25.12
					Inner_Full	25.57
	3949.98	663332			Inner_1RB_Left	24.90
					Inner_1RB_Right	25.28
					Inner_Full	25.35
DFT-64QAM	3730.02	648668			Inner_1RB_Left	23.70
					Inner_1RB_Right	23.74
					Inner_Full	23.34
	3840	656000			Inner_1RB_Left	23.77
					Inner_1RB_Right	24.02
					Inner_Full	24.02
	3949.98	663332			Inner_1RB_Left	23.55
					Inner_1RB_Right	23.82
					Inner_Full	23.81
DFT-256QAM	3730.02	648668	Inner_1RB_Left	21.91		
			Inner_1RB_Right	21.91		
			Inner_Full	21.94		
	3840	656000	Inner_1RB_Left	22.00		
			Inner_1RB_Right	22.19		
			Inner_Full	21.98		
	3949.98	663332	Inner_1RB_Left	21.73		
			Inner_1RB_Right	22.06		
			Inner_Full	21.73		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3730.02	648668	60	30kHz	Inner_1RB_Left	24.50
					Inner_1RB_Right	24.65
					Inner_Full	24.99
	3840	656000			Inner_1RB_Left	24.57
					Inner_1RB_Right	24.85
					Inner_Full	24.98
	3949.98	663332			Inner_1RB_Left	24.57
					Inner_1RB_Right	24.95
					Inner_Full	24.81
CP-16QAM	3730.02	648668	60	30kHz	Inner_1RB_Left	24.31
					Inner_1RB_Right	24.28
					Inner_Full	24.47
	3840	656000			Inner_1RB_Left	23.94
					Inner_1RB_Right	24.23
					Inner_Full	24.50
	3949.98	663332			Inner_1RB_Left	23.99
					Inner_1RB_Right	24.45
					Inner_Full	24.26
CP-64QAM	3730.02	648668	60	30kHz	Inner_1RB_Left	22.66
					Inner_1RB_Right	22.64
					Inner_Full	22.99
	3840	656000			Inner_1RB_Left	22.62
					Inner_1RB_Right	22.88
					Inner_Full	22.56
	3949.98	663332			Inner_1RB_Left	22.39
					Inner_1RB_Right	22.85
					Inner_Full	22.71
CP-256QAM	3730.02	648668	60	30kHz	Inner_1RB_Left	20.13
					Inner_1RB_Right	20.47
					Inner_Full	20.05
	3840	656000			Inner_1RB_Left	20.22
					Inner_1RB_Right	20.46
					Inner_Full	20.06
	3949.98	663332			Inner_1RB_Left	20.13
					Inner_1RB_Right	20.52
					Inner_Full	19.83

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3735	649000	70	30kHz	Inner_1RB_Left	26.60
					Inner_1RB_Right	26.61
					Inner_Full	26.63
	3840	656000			Inner_1RB_Left	26.53
					Inner_1RB_Right	26.53
					Inner_Full	26.58
	3945	663000			Inner_1RB_Left	26.31
					Inner_1RB_Right	26.31
					Inner_Full	26.32
DFT-16QAM	3735	649000	70	30kHz	Inner_1RB_Left	25.62
					Inner_1RB_Right	25.63
					Inner_Full	25.61
	3840	656000			Inner_1RB_Left	25.50
					Inner_1RB_Right	25.53
					Inner_Full	25.53
	3945	663000			Inner_1RB_Left	25.30
					Inner_1RB_Right	25.25
					Inner_Full	25.27
DFT-64QAM	3735	649000	70	30kHz	Inner_1RB_Left	24.04
					Inner_1RB_Right	0.48
					Inner_Full	24.09
	3840	656000			Inner_1RB_Left	24.00
					Inner_1RB_Right	20.67
					Inner_Full	23.97
	3945	663000			Inner_1RB_Left	23.74
					Inner_1RB_Right	23.75
					Inner_Full	23.73
DFT-256QAM	3735	649000	70	30kHz	Inner_1RB_Left	22.55
					Inner_1RB_Right	22.68
					Inner_Full	21.98
	3840	656000			Inner_1RB_Left	21.90
					Inner_1RB_Right	21.92
					Inner_Full	21.95
	3945	663000			Inner_1RB_Left	21.66
					Inner_1RB_Right	21.66
					Inner_Full	21.66

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3735	649000	70	30kHz	Inner_1RB_Left	25.00
					Inner_1RB_Right	25.00
					Inner_Full	25.01
	3840	656000			Inner_1RB_Left	24.92
					Inner_1RB_Right	24.94
					Inner_Full	24.96
	3945	663000			Inner_1RB_Left	24.71
					Inner_1RB_Right	24.00
					Inner_Full	24.68
CP-16QAM	3735	649000	70	30kHz	Inner_1RB_Left	24.52
					Inner_1RB_Right	24.52
					Inner_Full	24.52
	3840	656000			Inner_1RB_Left	24.47
					Inner_1RB_Right	24.48
					Inner_Full	24.49
	3945	663000			Inner_1RB_Left	24.23
					Inner_1RB_Right	24.23
					Inner_Full	24.23
CP-64QAM	3735	649000	70	30kHz	Inner_1RB_Left	23.01
					Inner_1RB_Right	23.00
					Inner_Full	22.96
	3840	656000			Inner_1RB_Left	22.93
					Inner_1RB_Right	22.94
					Inner_Full	22.95
	3945	663000			Inner_1RB_Left	22.64
					Inner_1RB_Right	22.65
					Inner_Full	22.65
CP-256QAM	3735	649000	70	30kHz	Inner_1RB_Left	20.10
					Inner_1RB_Right	20.10
					Inner_Full	20.10
	3840	656000			Inner_1RB_Left	20.05
					Inner_1RB_Right	20.06
					Inner_Full	20.06
	3945	663000			Inner_1RB_Left	19.79
					Inner_1RB_Right	19.81
					Inner_Full	19.82