

Fig.149




Fig.150




Fig.151




Fig.152




Fig.153




Fig.154




Fig.155




Fig.156




Fig.157




Fig.158




Fig.159




Fig.160




Fig.161




Fig.162




Fig.163




Fig.164




Fig.165




Fig.166




Fig.167




Fig.168




Fig.169




Fig.170




Fig.171




Fig.172




Fig.173




Fig.174




Fig.175




Fig.176

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) N78 Mid Channel DFT-QPSK											
		10M	15M	20M	25M	30M	40M	50M	60M	70M	80M	90M	100M
-30	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
-20	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
-10	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
0	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+10	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+20	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+30	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+40	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+50	NV	---	---	---	---	---	---	---	---	---	---	---	0.00
+20	LV	---	---	---	---	---	---	---	---	---	---	---	0.00
+20	HV	---	---	---	---	---	---	---	---	---	---	---	0.00

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3455.01	630334	10	15kHz	Inner_1RB_Left	26.79	24.7	0.295
					Inner_1RB_Right	26.77	24.68	0.294
					Inner_Full	26.80	24.71	0.296
	3500.01	633334			Inner_1RB_Left	25.45	23.36	0.217
					Inner_1RB_Right	25.44	23.35	0.216
					Inner_Full	25.32	23.23	0.210
	3545.01	636334			Inner_1RB_Left	24.94	22.85	0.193
					Inner_1RB_Right	25.38	23.29	0.213
					Inner_Full	25.15	23.06	0.202
DFT-16QAM	3455.01	630334	Inner_1RB_Left	25.93	23.84	0.242		
			Inner_1RB_Right	25.93	23.84	0.242		
			Inner_Full	25.83	23.74	0.237		
	3500.01	633334	Inner_1RB_Left	24.99	22.9	0.195		
			Inner_1RB_Right	24.99	22.9	0.195		
			Inner_Full	24.79	22.7	0.186		
	3545.01	636334	Inner_1RB_Left	24.61	22.52	0.179		
			Inner_1RB_Right	24.80	22.71	0.187		
			Inner_Full	24.56	22.47	0.177		
DFT-64QAM	3455.01	630334	Inner_1RB_Left	24.05	21.96	0.157		
			Inner_1RB_Right	24.06	21.97	0.157		
			Inner_Full	24.15	22.06	0.161		
	3500.01	633334	Inner_1RB_Left	23.41	21.32	0.136		
			Inner_1RB_Right	23.37	21.28	0.134		
			Inner_Full	23.26	21.17	0.131		
	3545.01	636334	Inner_1RB_Left	23.10	21.01	0.126		
			Inner_1RB_Right	23.17	21.08	0.128		
			Inner_Full	23.04	20.95	0.124		
DFT-256QAM	3455.01	630334	Inner_1RB_Left	23.98	21.89	0.155		
			Inner_1RB_Right	24.14	22.05	0.160		
			Inner_Full	24.15	22.06	0.161		
	3500.01	633334	Inner_1RB_Left	23.39	21.3	0.135		
			Inner_1RB_Right	23.30	21.21	0.132		
			Inner_Full	23.22	21.13	0.130		
	3545.01	636334	Inner_1RB_Left	23.22	21.13	0.130		
			Inner_1RB_Right	22.42	20.33	0.108		
			Inner_Full	21.91	19.82	0.096		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3455.01	630334	10	15kHz	Inner_1RB_Left	25.91	23.82	0.241
					Inner_1RB_Right	25.31	23.22	0.210
					Inner_Full	25.18	23.09	0.204
	3500.01	633334			Inner_1RB_Left	25.45	23.36	0.217
					Inner_1RB_Right	25.49	23.4	0.219
					Inner_Full	25.35	23.26	0.212
	3545.01	636334			Inner_1RB_Left	25.18	23.09	0.204
					Inner_1RB_Right	25.50	23.41	0.219
					Inner_Full	25.14	23.05	0.202
CP-16QAM	3455.01	630334	Inner_1RB_Left	24.52	22.43	0.175		
			Inner_1RB_Right	24.59	22.5	0.178		
			Inner_Full	24.62	22.53	0.179		
	3500.01	633334	Inner_1RB_Left	24.99	22.9	0.195		
			Inner_1RB_Right	24.74	22.65	0.184		
			Inner_Full	24.83	22.74	0.188		
	3545.01	636334	Inner_1RB_Left	24.45	22.36	0.172		
			Inner_1RB_Right	24.65	22.56	0.180		
			Inner_Full	24.56	22.47	0.177		
CP-64QAM	3455.01	630334	Inner_1RB_Left	23.08	20.99	0.126		
			Inner_1RB_Right	23.24	21.15	0.130		
			Inner_Full	23.09	21	0.126		
	3500.01	633334	Inner_1RB_Left	23.37	21.28	0.134		
			Inner_1RB_Right	23.41	21.32	0.136		
			Inner_Full	23.26	21.17	0.131		
	3545.01	636334	Inner_1RB_Left	23.00	20.91	0.123		
			Inner_1RB_Right	22.92	20.83	0.121		
			Inner_Full	22.43	20.34	0.108		
CP-256QAM	3455.01	630334	Inner_1RB_Left	23.00	20.91	0.123		
			Inner_1RB_Right	23.29	21.2	0.132		
			Inner_Full	23.06	20.97	0.125		
	3500.01	633334	Inner_1RB_Left	23.33	21.24	0.133		
			Inner_1RB_Right	23.32	21.23	0.133		
			Inner_Full	23.24	21.15	0.130		
	3545.01	636334	Inner_1RB_Left	22.55	20.46	0.111		
			Inner_1RB_Right	23.23	21.14	0.130		
			Inner_Full	22.27	20.18	0.104		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3457.5	630500	15	15kHz	Inner_1RB_Left	25.11	23.02	0.200
					Inner_1RB_Right	25.30	23.21	0.209
					Inner_Full	25.35	23.26	0.212
	3500.01	633334			Inner_1RB_Left	25.70	23.61	0.230
					Inner_1RB_Right	25.38	23.29	0.213
					Inner_Full	25.47	23.38	0.218
	3542.49	636166			Inner_1RB_Left	25.08	22.99	0.199
					Inner_1RB_Right	25.36	23.27	0.212
					Inner_Full	25.28	23.19	0.208
DFT-16QAM	3457.5	630500	Inner_1RB_Left	24.75	22.66	0.185		
			Inner_1RB_Right	24.92	22.83	0.192		
			Inner_Full	24.74	22.65	0.184		
	3500.01	633334	Inner_1RB_Left	25.06	22.97	0.198		
			Inner_1RB_Right	25.13	23.04	0.201		
			Inner_Full	24.89	22.8	0.191		
	3542.49	636166	Inner_1RB_Left	24.68	22.59	0.182		
			Inner_1RB_Right	25.03	22.94	0.197		
			Inner_Full	24.81	22.72	0.187		
DFT-64QAM	3457.5	630500	Inner_1RB_Left	24.84	22.75	0.188		
			Inner_1RB_Right	24.11	22.02	0.159		
			Inner_Full	25.04	22.95	0.197		
	3500.01	633334	Inner_1RB_Left	23.68	21.59	0.144		
			Inner_1RB_Right	23.59	21.5	0.141		
			Inner_Full	24.17	22.08	0.161		
	3542.49	636166	Inner_1RB_Left	23.28	21.19	0.132		
			Inner_1RB_Right	23.60	21.51	0.142		
			Inner_Full	24.24	22.15	0.164		
DFT-256QAM	3457.5	630500	Inner_1RB_Left	24.05	21.96	0.157		
			Inner_1RB_Right	22.45	20.36	0.109		
			Inner_Full	22.12	20.03	0.101		
	3500.01	633334	Inner_1RB_Left	24.18	22.09	0.162		
			Inner_1RB_Right	22.36	20.27	0.106		
			Inner_Full	22.15	20.06	0.101		
	3542.49	636166	Inner_1RB_Left	21.94	19.85	0.097		
			Inner_1RB_Right	23.45	21.36	0.137		
			Inner_Full	22.17	20.08	0.102		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3457.5	630500	15	15kHz	Inner_1RB_Left	25.66	23.57	0.228
					Inner_1RB_Right	25.75	23.66	0.232
					Inner_Full	25.75	23.66	0.232
	3500.01	633334			Inner_1RB_Left	25.79	23.7	0.234
					Inner_1RB_Right	25.67	23.58	0.228
					Inner_Full	25.47	23.38	0.218
	3542.49	636166			Inner_1RB_Left	25.69	23.6	0.229
					Inner_1RB_Right	25.57	23.48	0.223
					Inner_Full	25.31	23.22	0.210
CP-16QAM	3457.5	630500	Inner_1RB_Left	24.09	22	0.158		
			Inner_1RB_Right	24.23	22.14	0.164		
			Inner_Full	23.95	21.86	0.153		
	3500.01	633334	Inner_1RB_Left	25.16	23.07	0.203		
			Inner_1RB_Right	25.16	23.07	0.203		
			Inner_Full	24.97	22.88	0.194		
	3542.49	636166	Inner_1RB_Left	24.69	22.6	0.182		
			Inner_1RB_Right	25.05	22.96	0.198		
			Inner_Full	24.74	22.65	0.184		
CP-64QAM	3457.5	630500	Inner_1RB_Left	22.11	20.02	0.100		
			Inner_1RB_Right	23.64	21.55	0.143		
			Inner_Full	22.66	20.57	0.114		
	3500.01	633334	Inner_1RB_Left	23.48	21.39	0.138		
			Inner_1RB_Right	23.47	21.38	0.137		
			Inner_Full	23.39	21.3	0.135		
	3542.49	636166	Inner_1RB_Left	23.09	21	0.126		
			Inner_1RB_Right	23.41	21.32	0.136		
			Inner_Full	23.08	20.99	0.126		
CP-256QAM	3457.5	630500	Inner_1RB_Left	23.69	21.6	0.145		
			Inner_1RB_Right	23.36	21.27	0.134		
			Inner_Full	23.48	21.39	0.138		
	3500.01	633334	Inner_1RB_Left	23.47	21.38	0.137		
			Inner_1RB_Right	23.85	21.76	0.150		
			Inner_Full	23.40	21.31	0.135		
	3542.49	636166	Inner_1RB_Left	23.06	20.97	0.125		
			Inner_1RB_Right	23.54	21.45	0.140		
			Inner_Full	23.33	21.24	0.133		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3460.02	630668	20	15kHz	Inner_1RB_Left	26.70	24.61	0.289
					Inner_1RB_Right	26.01	23.92	0.247
					Inner_Full	26.97	24.88	0.308
	3500.01	633334			Inner_1RB_Left	25.57	23.48	0.223
					Inner_1RB_Right	25.40	23.31	0.214
					Inner_Full	25.42	23.33	0.215
	3540	636000			Inner_1RB_Left	25.19	23.1	0.204
					Inner_1RB_Right	25.40	23.31	0.214
					Inner_Full	25.25	23.16	0.207
DFT-16QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	25.88	23.79	0.239
					Inner_1RB_Right	25.91	23.82	0.241
					Inner_Full	25.92	23.83	0.242
	3500.01	633334			Inner_1RB_Left	24.92	22.83	0.192
					Inner_1RB_Right	24.85	22.76	0.189
					Inner_Full	24.89	22.8	0.191
	3540	636000			Inner_1RB_Left	24.63	22.54	0.179
					Inner_1RB_Right	24.71	22.62	0.183
					Inner_Full	24.71	22.62	0.183
DFT-64QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	23.90	21.81	0.152
					Inner_1RB_Right	24.10	22.01	0.159
					Inner_Full	24.41	22.32	0.171
	3500.01	633334			Inner_1RB_Left	23.35	21.26	0.134
					Inner_1RB_Right	23.23	21.14	0.130
					Inner_Full	23.24	21.15	0.130
	3540	636000			Inner_1RB_Left	23.11	21.02	0.126
					Inner_1RB_Right	23.31	21.22	0.132
					Inner_Full	23.04	20.95	0.124
DFT-256QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	23.93	21.84	0.153
					Inner_1RB_Right	24.11	22.02	0.159
					Inner_Full	24.25	22.16	0.164
	3500.01	633334			Inner_1RB_Left	23.34	21.25	0.133
					Inner_1RB_Right	23.21	21.12	0.129
					Inner_Full	23.33	21.24	0.133
	3540	636000			Inner_1RB_Left	23.05	20.96	0.125
					Inner_1RB_Right	23.25	21.16	0.131
					Inner_Full	23.19	21.1	0.129

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3460.02	630668	20	15kHz	Inner_1RB_Left	26.75	24.66	0.292
					Inner_1RB_Right	26.96	24.87	0.307
					Inner_Full	26.90	24.81	0.303
	3500.01	633334			Inner_1RB_Left	25.45	23.36	0.217
					Inner_1RB_Right	25.20	23.11	0.205
					Inner_Full	25.44	23.35	0.216
	3540	636000			Inner_1RB_Left	25.24	23.15	0.207
					Inner_1RB_Right	25.36	23.27	0.212
					Inner_Full	25.23	23.14	0.206
CP-16QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	25.86	23.77	0.238
					Inner_1RB_Right	26.03	23.94	0.248
					Inner_Full	25.92	23.83	0.242
	3500.01	633334			Inner_1RB_Left	24.84	22.75	0.188
					Inner_1RB_Right	24.83	22.74	0.188
					Inner_Full	24.93	22.84	0.192
	3540	636000			Inner_1RB_Left	24.63	22.54	0.179
					Inner_1RB_Right	24.88	22.79	0.190
					Inner_Full	24.68	22.59	0.182
CP-64QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	24.04	21.95	0.157
					Inner_1RB_Right	24.23	22.14	0.164
					Inner_Full	24.13	22.04	0.160
	3500.01	633334			Inner_1RB_Left	23.42	21.33	0.136
					Inner_1RB_Right	23.22	21.13	0.130
					Inner_Full	24.81	22.72	0.187
	3540	636000			Inner_1RB_Left	23.02	20.93	0.124
					Inner_1RB_Right	23.28	21.19	0.132
					Inner_Full	23.17	21.08	0.128
CP-256QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	24.04	21.95	0.157
					Inner_1RB_Right	24.22	22.13	0.163
					Inner_Full	24.19	22.1	0.162
	3500.01	633334			Inner_1RB_Left	24.85	22.76	0.189
					Inner_1RB_Right	24.09	22	0.158
					Inner_Full	24.08	21.99	0.158
	3540	636000			Inner_1RB_Left	23.07	20.98	0.125
					Inner_1RB_Right	23.25	21.16	0.131
					Inner_Full	23.15	21.06	0.128

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3462.51	630834	25	15kHz	Inner_1RB_Left	25.62	23.53	0.225
					Inner_1RB_Right	26.14	24.05	0.254
					Inner_Full	26.09	24	0.251
	3500.01	633334			Inner_1RB_Left	27.06	24.97	0.314
					Inner_1RB_Right	26.82	24.73	0.297
					Inner_Full	27.00	24.91	0.310
	3537.51	635834			Inner_1RB_Left	26.74	24.65	0.292
					Inner_1RB_Right	26.85	24.76	0.299
					Inner_Full	26.87	24.78	0.301
DFT-16QAM	3462.51	630834	Inner_1RB_Left	23.84	21.75	0.150		
			Inner_1RB_Right	24.29	22.2	0.166		
			Inner_Full	24.40	22.31	0.170		
	3500.01	633334	Inner_1RB_Left	26.00	23.91	0.246		
			Inner_1RB_Right	25.63	23.54	0.226		
			Inner_Full	25.98	23.89	0.245		
	3537.51	635834	Inner_1RB_Left	25.97	23.88	0.244		
			Inner_1RB_Right	26.02	23.93	0.247		
			Inner_Full	25.82	23.73	0.236		
DFT-64QAM	3462.51	630834	Inner_1RB_Left	22.05	19.96	0.099		
			Inner_1RB_Right	22.56	20.47	0.111		
			Inner_Full	22.26	20.17	0.104		
	3500.01	633334	Inner_1RB_Left	24.41	22.32	0.171		
			Inner_1RB_Right	23.74	21.65	0.146		
			Inner_Full	24.38	22.29	0.169		
	3537.51	635834	Inner_1RB_Left	23.74	21.65	0.146		
			Inner_1RB_Right	24.19	22.1	0.162		
			Inner_Full	24.28	22.19	0.166		
DFT-256QAM	3462.51	630834	Inner_1RB_Left	22.09	20	0.100		
			Inner_1RB_Right	22.30	20.21	0.105		
			Inner_Full	22.24	20.15	0.104		
	3500.01	633334	Inner_1RB_Left	24.43	22.34	0.171		
			Inner_1RB_Right	24.10	22.01	0.159		
			Inner_Full	24.41	22.32	0.171		
	3537.51	635834	Inner_1RB_Left	23.74	21.65	0.146		
			Inner_1RB_Right	23.84	21.75	0.150		
			Inner_Full	24.27	22.18	0.165		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)		
CP-QPSK	3462.51	630834	25	15kHz	Inner_1RB_Left	25.90	23.81	0.240		
					Inner_1RB_Right	25.79	23.7	0.234		
					Inner_Full	25.79	23.7	0.234		
	3500.01	633334			Inner_1RB_Left	27.12	25.03	0.318		
					Inner_1RB_Right	26.85	24.76	0.299		
					Inner_Full	26.85	24.76	0.299		
					3537.51	635834	Inner_1RB_Left	26.78	24.69	0.294
							Inner_1RB_Right	26.87	24.78	0.301
							Inner_Full	26.94	24.85	0.305
CP-16QAM	3462.51	630834			Inner_1RB_Left	24.04	21.95	0.157		
					Inner_1RB_Right	24.08	21.99	0.158		
					Inner_Full	24.13	22.04	0.160		
	3500.01	633334			Inner_1RB_Left	26.24	24.15	0.260		
					Inner_1RB_Right	25.96	23.87	0.244		
					Inner_Full	25.63	23.54	0.226		
					3537.51	635834	Inner_1RB_Left	25.96	23.87	0.244
							Inner_1RB_Right	25.75	23.66	0.232
							Inner_Full	26.03	23.94	0.248
CP-64QAM	3462.51	630834			Inner_1RB_Left	23.18	21.09	0.129		
					Inner_1RB_Right	23.45	21.36	0.137		
					Inner_Full	23.39	21.3	0.135		
	3500.01	633334			Inner_1RB_Left	24.35	22.26	0.168		
					Inner_1RB_Right	23.67	21.58	0.144		
					Inner_Full	24.06	21.97	0.157		
					3537.51	635834	Inner_1RB_Left	24.13	22.04	0.160
							Inner_1RB_Right	23.83	21.74	0.149
							Inner_Full	24.20	22.11	0.163
CP-256QAM	3462.51	630834	Inner_1RB_Left	24.09	22	0.158				
			Inner_1RB_Right	24.34	22.25	0.168				
			Inner_Full	24.31	22.22	0.167				
	3500.01	633334	Inner_1RB_Left	24.07	21.98	0.158				
			Inner_1RB_Right	23.76	21.67	0.147				
			Inner_Full	24.10	22.01	0.159				
			3537.51	635834	Inner_1RB_Left	23.77	21.68	0.147		
					Inner_1RB_Right	23.82	21.73	0.149		
					Inner_Full	23.83	21.74	0.149		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3465	631000	30	15kHz	Inner_1RB_Left	25.15	23.06	0.202
					Inner_1RB_Right	25.30	23.21	0.209
					Inner_Full	25.41	23.32	0.215
	3500.01	633334			Inner_1RB_Left	25.54	23.45	0.221
					Inner_1RB_Right	25.16	23.07	0.203
					Inner_Full	25.33	23.24	0.211
	3534.99	635666			Inner_1RB_Left	25.36	23.27	0.212
					Inner_1RB_Right	25.18	23.09	0.204
					Inner_Full	25.26	23.17	0.207
DFT-16QAM	3465	631000	Inner_1RB_Left	24.49	22.4	0.174		
			Inner_1RB_Right	24.69	22.6	0.182		
			Inner_Full	24.92	22.83	0.192		
	3500.01	633334	Inner_1RB_Left	25.04	22.95	0.197		
			Inner_1RB_Right	24.38	22.29	0.169		
			Inner_Full	24.75	22.66	0.185		
	3534.99	635666	Inner_1RB_Left	24.56	22.47	0.177		
			Inner_1RB_Right	24.72	22.63	0.183		
			Inner_Full	24.74	22.65	0.184		
DFT-64QAM	3465	631000	Inner_1RB_Left	23.13	21.04	0.127		
			Inner_1RB_Right	23.31	21.22	0.132		
			Inner_Full	24.40	22.31	0.170		
	3500.01	633334	Inner_1RB_Left	23.41	21.32	0.136		
			Inner_1RB_Right	22.90	20.81	0.121		
			Inner_Full	23.19	21.1	0.129		
	3534.99	635666	Inner_1RB_Left	23.08	20.99	0.126		
			Inner_1RB_Right	23.11	21.02	0.126		
			Inner_Full	23.18	21.09	0.129		
DFT-256QAM	3465	631000	Inner_1RB_Left	23.85	21.76	0.150		
			Inner_1RB_Right	24.05	21.96	0.157		
			Inner_Full	24.37	22.28	0.169		
	3500.01	633334	Inner_1RB_Left	23.44	21.35	0.136		
			Inner_1RB_Right	22.98	20.89	0.123		
			Inner_Full	23.29	21.2	0.132		
	3534.99	635666	Inner_1RB_Left	23.05	20.96	0.125		
			Inner_1RB_Right	23.12	21.03	0.127		
			Inner_Full	23.17	21.08	0.128		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3465	631000	30	15kHz	Inner_1RB_Left	26.71	24.62	0.290
					Inner_1RB_Right	26.99	24.9	0.309
					Inner_Full	27.03	24.94	0.312
	3500.01	633334			Inner_1RB_Left	25.57	23.48	0.223
					Inner_1RB_Right	25.00	22.91	0.195
					Inner_Full	25.31	23.22	0.210
	3534.99	635666			Inner_1RB_Left	25.30	23.21	0.209
					Inner_1RB_Right	25.16	23.07	0.203
					Inner_Full	25.23	23.14	0.206
CP-16QAM	3465	631000	30	15kHz	Inner_1RB_Left	25.73	23.64	0.231
					Inner_1RB_Right	26.11	24.02	0.252
					Inner_Full	25.92	23.83	0.242
	3500.01	633334			Inner_1RB_Left	25.05	22.96	0.198
					Inner_1RB_Right	24.36	22.27	0.169
					Inner_Full	24.80	22.71	0.187
	3534.99	635666			Inner_1RB_Left	24.55	22.46	0.176
					Inner_1RB_Right	24.50	22.41	0.174
					Inner_Full	24.69	22.6	0.182
CP-64QAM	3465	631000	30	15kHz	Inner_1RB_Left	23.95	21.86	0.153
					Inner_1RB_Right	24.18	22.09	0.162
					Inner_Full	24.41	22.32	0.171
	3500.01	633334			Inner_1RB_Left	23.48	21.39	0.138
					Inner_1RB_Right	22.90	20.81	0.121
					Inner_Full	23.50	21.41	0.138
	3534.99	635666			Inner_1RB_Left	23.16	21.07	0.128
					Inner_1RB_Right	23.03	20.94	0.124
					Inner_Full	23.22	21.13	0.130
CP-256QAM	3465	631000	30	15kHz	Inner_1RB_Left	23.82	21.73	0.149
					Inner_1RB_Right	24.21	22.12	0.163
					Inner_Full	24.36	22.27	0.169
	3500.01	633334			Inner_1RB_Left	23.50	21.41	0.138
					Inner_1RB_Right	23.55	21.46	0.140
					Inner_Full	24.30	22.21	0.166
	3534.99	635666			Inner_1RB_Left	23.18	21.09	0.129
					Inner_1RB_Right	23.09	21	0.126
					Inner_Full	23.15	21.06	0.128

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3470.01	631334	40	15kHz	Inner_1RB_Left	25.06	22.97	0.198
					Inner_1RB_Right	24.88	22.79	0.190
					Inner_Full	25.47	23.38	0.218
	3500.01	633334			Inner_1RB_Left	25.48	23.39	0.218
					Inner_1RB_Right	24.88	22.79	0.190
					Inner_Full	25.18	23.09	0.204
	3530.01	635334			Inner_1RB_Left	26.31	24.22	0.264
					Inner_1RB_Right	26.48	24.39	0.275
					Inner_Full	26.66	24.57	0.286
DFT-16QAM	3470.01	631334	Inner_1RB_Left	24.49	22.4	0.174		
			Inner_1RB_Right	24.34	22.25	0.168		
			Inner_Full	24.95	22.86	0.193		
	3500.01	633334	Inner_1RB_Left	24.97	22.88	0.194		
			Inner_1RB_Right	24.40	22.31	0.170		
			Inner_Full	24.68	22.59	0.182		
	3530.01	635334	Inner_1RB_Left	25.37	23.28	0.213		
			Inner_1RB_Right	25.45	23.36	0.217		
			Inner_Full	25.62	23.53	0.225		
DFT-64QAM	3470.01	631334	Inner_1RB_Left	22.89	20.8	0.120		
			Inner_1RB_Right	22.92	20.83	0.121		
			Inner_Full	23.30	21.21	0.132		
	3500.01	633334	Inner_1RB_Left	23.21	21.12	0.129		
			Inner_1RB_Right	22.82	20.73	0.118		
			Inner_Full	23.11	21.02	0.126		
	3530.01	635334	Inner_1RB_Left	23.64	21.55	0.143		
			Inner_1RB_Right	23.74	21.65	0.146		
			Inner_Full	24.07	21.98	0.158		
DFT-256QAM	3470.01	631334	Inner_1RB_Left	22.91	20.82	0.121		
			Inner_1RB_Right	22.90	20.81	0.121		
			Inner_Full	23.36	21.27	0.134		
	3500.01	633334	Inner_1RB_Left	23.43	21.34	0.136		
			Inner_1RB_Right	22.74	20.65	0.116		
			Inner_Full	23.10	21.01	0.126		
	3530.01	635334	Inner_1RB_Left	23.57	21.48	0.141		
			Inner_1RB_Right	23.77	21.68	0.147		
			Inner_Full	24.10	22.01	0.159		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3470.01	631334	40	15kHz	Inner_1RB_Left	24.87	22.78	0.190
					Inner_1RB_Right	24.93	22.84	0.192
					Inner_Full	25.46	23.37	0.217
	3500.01	633334			Inner_1RB_Left	25.43	23.34	0.216
					Inner_1RB_Right	24.87	22.78	0.190
					Inner_Full	25.21	23.12	0.205
	3530.01	635334			Inner_1RB_Left	26.30	24.21	0.264
					Inner_1RB_Right	26.44	24.35	0.272
					Inner_Full	26.71	24.62	0.290
CP-16QAM	3470.01	631334	Inner_1RB_Left	24.29	22.2	0.166		
			Inner_1RB_Right	24.33	22.24	0.167		
			Inner_Full	24.95	22.86	0.193		
	3500.01	633334	Inner_1RB_Left	24.79	22.7	0.186		
			Inner_1RB_Right	24.28	22.19	0.166		
			Inner_Full	24.69	22.6	0.182		
	3530.01	635334	Inner_1RB_Left	25.44	23.35	0.216		
			Inner_1RB_Right	25.46	23.37	0.217		
			Inner_Full	25.58	23.49	0.223		
CP-64QAM	3470.01	631334	Inner_1RB_Left	22.84	20.75	0.119		
			Inner_1RB_Right	22.91	20.82	0.121		
			Inner_Full	23.35	21.26	0.134		
	3500.01	633334	Inner_1RB_Left	23.37	21.28	0.134		
			Inner_1RB_Right	22.79	20.7	0.117		
			Inner_Full	23.07	20.98	0.125		
	3530.01	635334	Inner_1RB_Left	23.53	21.44	0.139		
			Inner_1RB_Right	23.70	21.61	0.145		
			Inner_Full	24.08	21.99	0.158		
CP-256QAM	3470.01	631334	Inner_1RB_Left	22.84	20.75	0.119		
			Inner_1RB_Right	22.90	20.81	0.121		
			Inner_Full	23.35	21.26	0.134		
	3500.01	633334	Inner_1RB_Left	23.18	21.09	0.129		
			Inner_1RB_Right	22.80	20.71	0.118		
			Inner_Full	23.14	21.05	0.127		
	3530.01	635334	Inner_1RB_Left	23.52	21.43	0.139		
			Inner_1RB_Right	23.68	21.59	0.144		
			Inner_Full	24.13	22.04	0.160		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3475.02	631668	50	15kHz	Inner_1RB_Left	26.67	24.58	0.287
					Inner_1RB_Right	26.36	24.27	0.267
					Inner_Full	27.06	24.97	0.314
	3500.01	633334			Inner_1RB_Left	25.37	23.28	0.213
					Inner_1RB_Right	24.82	22.73	0.187
					Inner_Full	25.20	23.11	0.205
	3525	635000			Inner_1RB_Left	26.67	24.58	0.287
					Inner_1RB_Right	26.71	24.62	0.290
					Inner_Full	26.95	24.86	0.306
DFT-16QAM	3475.02	631668	Inner_1RB_Left	25.86	23.77	0.238		
			Inner_1RB_Right	25.49	23.4	0.219		
			Inner_Full	26.03	23.94	0.248		
	3500.01	633334	Inner_1RB_Left	25.17	23.08	0.203		
			Inner_1RB_Right	24.57	22.48	0.177		
			Inner_Full	24.71	22.62	0.183		
	3525	635000	Inner_1RB_Left	25.54	23.45	0.221		
			Inner_1RB_Right	26.01	23.92	0.247		
			Inner_Full	25.96	23.87	0.244		
DFT-64QAM	3475.02	631668	Inner_1RB_Left	24.07	21.98	0.158		
			Inner_1RB_Right	23.62	21.53	0.142		
			Inner_Full	24.42	22.33	0.171		
	3500.01	633334	Inner_1RB_Left	23.38	21.29	0.135		
			Inner_1RB_Right	23.07	20.98	0.125		
			Inner_Full	23.18	21.09	0.129		
	3525	635000	Inner_1RB_Left	23.74	21.65	0.146		
			Inner_1RB_Right	24.14	22.05	0.160		
			Inner_Full	24.33	22.24	0.167		
DFT-256QAM	3475.02	631668	Inner_1RB_Left	24.07	21.98	0.158		
			Inner_1RB_Right	23.40	21.31	0.135		
			Inner_Full	24.39	22.3	0.170		
	3500.01	633334	Inner_1RB_Left	23.36	21.27	0.134		
			Inner_1RB_Right	23.05	20.96	0.125		
			Inner_Full	23.15	21.06	0.128		
	3525	635000	Inner_1RB_Left	23.73	21.64	0.146		
			Inner_1RB_Right	23.82	21.73	0.149		
			Inner_Full	24.33	22.24	0.167		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)		
CP-QPSK	3475.02	631668	50	15kHz	Inner_1RB_Left	26.74	24.65	0.292		
					Inner_1RB_Right	26.35	24.26	0.267		
					Inner_Full	27.09	25	0.316		
	3500.01	633334			Inner_1RB_Left	25.31	23.22	0.210		
					Inner_1RB_Right	24.86	22.77	0.189		
					Inner_Full	25.29	23.2	0.209		
					3525	635000	Inner_1RB_Left	26.39	24.3	0.269
							Inner_1RB_Right	26.73	24.64	0.291
							Inner_Full	26.81	24.72	0.296
CP-16QAM	3475.02	631668			Inner_1RB_Left	25.94	23.85	0.243		
					Inner_1RB_Right	25.51	23.42	0.220		
					Inner_Full	26.05	23.96	0.249		
	3500.01	633334			Inner_1RB_Left	25.01	22.92	0.196		
					Inner_1RB_Right	24.57	22.48	0.177		
					Inner_Full	24.75	22.66	0.185		
					3525	635000	Inner_1RB_Left	25.72	23.63	0.231
							Inner_1RB_Right	25.56	23.47	0.222
							Inner_Full	25.67	23.58	0.228
CP-64QAM	3475.02	631668			Inner_1RB_Left	23.84	21.75	0.150		
					Inner_1RB_Right	23.43	21.34	0.136		
					Inner_Full	24.38	22.29	0.169		
	3500.01	633334			Inner_1RB_Left	23.59	21.5	0.141		
					Inner_1RB_Right	22.85	20.76	0.119		
					Inner_Full	23.08	20.99	0.126		
					3525	635000	Inner_1RB_Left	23.21	21.12	0.129
							Inner_1RB_Right	23.67	21.58	0.144
							Inner_Full	24.06	21.97	0.157
CP-256QAM	3475.02	631668	Inner_1RB_Left	23.82	21.73	0.149				
			Inner_1RB_Right	23.63	21.54	0.143				
			Inner_Full	24.38	22.29	0.169				
	3500.01	633334	Inner_1RB_Left	23.38	21.29	0.135				
			Inner_1RB_Right	23.09	21	0.126				
			Inner_Full	23.09	21	0.126				
			3525	635000	Inner_1RB_Left	23.19	21.1	0.129		
					Inner_1RB_Right	23.38	21.29	0.135		
					Inner_Full	23.85	21.76	0.150		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3455.01	630334	10	30kHz	Inner_1RB_Left	25.57	23.48	0.223
					Inner_1RB_Right	25.47	23.38	0.218
					Inner_Full	25.64	23.55	0.226
	3500.01	633334			Inner_1RB_Left	26.76	24.67	0.293
					Inner_1RB_Right	26.58	24.49	0.281
					Inner_Full	26.78	24.69	0.294
	3545.01	636334			Inner_1RB_Left	26.71	24.62	0.290
					Inner_1RB_Right	25.64	23.55	0.226
					Inner_Full	26.67	24.58	0.287
DFT-16QAM	3455.01	630334	Inner_1RB_Left	23.99	21.9	0.155		
			Inner_1RB_Right	23.90	21.81	0.152		
			Inner_Full	24.03	21.94	0.156		
	3500.01	633334	Inner_1RB_Left	25.54	23.45	0.221		
			Inner_1RB_Right	25.46	23.37	0.217		
			Inner_Full	25.89	23.8	0.240		
	3545.01	636334	Inner_1RB_Left	24.64	22.55	0.180		
			Inner_1RB_Right	24.76	22.67	0.185		
			Inner_Full	24.65	22.56	0.180		
DFT-64QAM	3455.01	630334	Inner_1RB_Left	21.74	19.65	0.092		
			Inner_1RB_Right	21.77	19.68	0.093		
			Inner_Full	21.89	19.8	0.095		
	3500.01	633334	Inner_1RB_Left	24.38	22.29	0.169		
			Inner_1RB_Right	24.42	22.33	0.171		
			Inner_Full	24.19	22.1	0.162		
	3545.01	636334	Inner_1RB_Left	24.78	22.69	0.186		
			Inner_1RB_Right	24.79	22.7	0.186		
			Inner_Full	24.69	22.6	0.182		
DFT-256QAM	3455.01	630334	Inner_1RB_Left	21.77	19.68	0.093		
			Inner_1RB_Right	21.70	19.61	0.091		
			Inner_Full	21.83	19.74	0.094		
	3500.01	633334	Inner_1RB_Left	24.37	22.28	0.169		
			Inner_1RB_Right	24.42	22.33	0.171		
			Inner_Full	24.31	22.22	0.167		
	3545.01	636334	Inner_1RB_Left	24.75	22.66	0.185		
			Inner_1RB_Right	24.72	22.63	0.183		
			Inner_Full	24.73	22.64	0.184		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3455.01	630334	10	30kHz	Inner_1RB_Left	25.31	23.22	0.210
					Inner_1RB_Right	25.57	23.48	0.223
					Inner_Full	25.69	23.6	0.229
	3500.01	633334			Inner_1RB_Left	26.85	24.76	0.299
					Inner_1RB_Right	26.68	24.59	0.288
					Inner_Full	26.78	24.69	0.294
	3545.01	636334			Inner_1RB_Left	24.69	22.6	0.182
					Inner_1RB_Right	24.69	22.6	0.182
					Inner_Full	24.65	22.56	0.180
CP-16QAM	3455.01	630334	Inner_1RB_Left	24.00	21.91	0.155		
			Inner_1RB_Right	24.10	22.01	0.159		
			Inner_Full	24.02	21.93	0.156		
	3500.01	633334	Inner_1RB_Left	25.70	23.61	0.230		
			Inner_1RB_Right	25.46	23.37	0.217		
			Inner_Full	25.86	23.77	0.238		
	3545.01	636334	Inner_1RB_Left	-34.84	-36.93	0.000		
			Inner_1RB_Right	24.72	22.63	0.183		
			Inner_Full	24.70	22.61	0.182		
CP-64QAM	3455.01	630334	Inner_1RB_Left	21.75	19.66	0.092		
			Inner_1RB_Right	21.76	19.67	0.093		
			Inner_Full	21.79	19.7	0.093		
	3500.01	633334	Inner_1RB_Left	24.56	22.47	0.177		
			Inner_1RB_Right	24.40	22.31	0.170		
			Inner_Full	24.31	22.22	0.167		
	3545.01	636334	Inner_1RB_Left	24.76	22.67	0.185		
			Inner_1RB_Right	24.74	22.65	0.184		
			Inner_Full	24.78	22.69	0.186		
CP-256QAM	3455.01	630334	Inner_1RB_Left	21.82	19.73	0.094		
			Inner_1RB_Right	21.73	19.64	0.092		
			Inner_Full	21.89	19.8	0.095		
	3500.01	633334	Inner_1RB_Left	24.62	22.53	0.179		
			Inner_1RB_Right	24.37	22.28	0.169		
			Inner_Full	24.15	22.06	0.161		
	3545.01	636334	Inner_1RB_Left	24.68	22.59	0.182		
			Inner_1RB_Right	24.82	22.73	0.187		
			Inner_Full	24.81	22.72	0.187		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3457.5	630500	15	30kHz	Inner_1RB_Left	24.88	22.79	0.190
					Inner_1RB_Right	24.01	21.92	0.156
					Inner_Full	24.96	22.87	0.194
	3500.01	633334			Inner_1RB_Left	25.34	23.25	0.211
					Inner_1RB_Right	25.00	22.91	0.195
					Inner_Full	25.27	23.18	0.208
	3542.49	636166			Inner_1RB_Left	24.81	22.72	0.187
					Inner_1RB_Right	24.80	22.71	0.187
					Inner_Full	24.90	22.81	0.191
DFT-16QAM	3457.5	630500	Inner_1RB_Left	24.33	22.24	0.167		
			Inner_1RB_Right	24.25	22.16	0.164		
			Inner_Full	24.50	22.41	0.174		
	3500.01	633334	Inner_1RB_Left	24.69	22.6	0.182		
			Inner_1RB_Right	24.61	22.52	0.179		
			Inner_Full	24.67	22.58	0.181		
	3542.49	636166	Inner_1RB_Left	24.08	21.99	0.158		
			Inner_1RB_Right	24.34	22.25	0.168		
			Inner_Full	24.25	22.16	0.164		
DFT-64QAM	3457.5	630500	Inner_1RB_Left	22.61	20.52	0.113		
			Inner_1RB_Right	23.08	20.99	0.126		
			Inner_Full	22.71	20.62	0.115		
	3500.01	633334	Inner_1RB_Left	22.99	20.9	0.123		
			Inner_1RB_Right	22.83	20.74	0.119		
			Inner_Full	22.87	20.78	0.120		
	3542.49	636166	Inner_1RB_Left	22.33	20.24	0.106		
			Inner_1RB_Right	23.01	20.92	0.124		
			Inner_Full	22.59	20.5	0.112		
DFT-256QAM	3457.5	630500	Inner_1RB_Left	23.06	20.97	0.125		
			Inner_1RB_Right	23.05	20.96	0.125		
			Inner_Full	22.75	20.66	0.116		
	3500.01	633334	Inner_1RB_Left	23.36	21.27	0.134		
			Inner_1RB_Right	22.78	20.69	0.117		
			Inner_Full	23.08	20.99	0.126		
	3542.49	636166	Inner_1RB_Left	22.74	20.65	0.116		
			Inner_1RB_Right	22.60	20.51	0.112		
			Inner_Full	22.59	20.5	0.112		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3457.5	630500	15	30kHz	Inner_1RB_Left	24.74	22.65	0.184
					Inner_1RB_Right	25.08	22.99	0.199
					Inner_Full	24.97	22.88	0.194
	3500.01	633334			Inner_1RB_Left	25.17	23.08	0.203
					Inner_1RB_Right	24.98	22.89	0.195
					Inner_Full	25.19	23.1	0.204
	3542.49	636166			Inner_1RB_Left	24.63	22.54	0.179
					Inner_1RB_Right	24.74	22.65	0.184
					Inner_Full	24.82	22.73	0.187
CP-16QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	24.25	22.16	0.164
					Inner_1RB_Right	24.21	22.12	0.163
					Inner_Full	24.55	22.46	0.176
	3500.01	633334			Inner_1RB_Left	24.74	22.65	0.184
					Inner_1RB_Right	24.55	22.46	0.176
					Inner_Full	24.65	22.56	0.180
	3542.49	636166			Inner_1RB_Left	24.04	21.95	0.157
					Inner_1RB_Right	24.39	22.3	0.170
					Inner_Full	24.32	22.23	0.167
CP-64QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	22.58	20.49	0.112
					Inner_1RB_Right	23.12	21.03	0.127
					Inner_Full	22.89	20.8	0.120
	3500.01	633334			Inner_1RB_Left	23.39	21.3	0.135
					Inner_1RB_Right	23.22	21.13	0.130
					Inner_Full	23.02	20.93	0.124
	3542.49	636166			Inner_1RB_Left	22.81	20.72	0.118
					Inner_1RB_Right	23.06	20.97	0.125
					Inner_Full	22.85	20.76	0.119
CP-256QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	22.58	20.49	0.112
					Inner_1RB_Right	22.59	20.5	0.112
					Inner_Full	22.97	20.88	0.122
	3500.01	633334			Inner_1RB_Left	22.97	20.88	0.122
					Inner_1RB_Right	22.81	20.72	0.118
					Inner_Full	23.18	21.09	0.129
	3542.49	636166			Inner_1RB_Left	22.71	20.62	0.115
					Inner_1RB_Right	22.60	20.51	0.112
					Inner_Full	22.85	20.76	0.119

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3460.02	630668	20	30kHz	Inner_1RB_Left	26.29	24.2	0.263
					Inner_1RB_Right	26.39	24.3	0.269
					Inner_Full	26.57	24.48	0.281
	3500.01	633334			Inner_1RB_Left	25.16	23.07	0.203
					Inner_1RB_Right	24.97	22.88	0.194
					Inner_Full	25.10	23.01	0.200
	3540	636000			Inner_1RB_Left	26.01	23.92	0.247
					Inner_1RB_Right	26.21	24.12	0.258
					Inner_Full	26.34	24.25	0.266
DFT-16QAM	3460.02	630668	Inner_1RB_Left	25.20	23.11	0.205		
			Inner_1RB_Right	25.18	23.09	0.204		
			Inner_Full	25.48	23.39	0.218		
	3500.01	633334	Inner_1RB_Left	24.48	22.39	0.173		
			Inner_1RB_Right	24.19	22.1	0.162		
			Inner_Full	24.57	22.48	0.177		
	3540	636000	Inner_1RB_Left	24.83	22.74	0.188		
			Inner_1RB_Right	25.10	23.01	0.200		
			Inner_Full	25.33	23.24	0.211		
DFT-64QAM	3460.02	630668	Inner_1RB_Left	24.07	21.98	0.158		
			Inner_1RB_Right	24.06	21.97	0.157		
			Inner_Full	23.87	21.78	0.151		
	3500.01	633334	Inner_1RB_Left	22.77	20.68	0.117		
			Inner_1RB_Right	23.02	20.93	0.124		
			Inner_Full	23.04	20.95	0.124		
	3540	636000	Inner_1RB_Left	23.61	21.52	0.142		
			Inner_1RB_Right	23.79	21.7	0.148		
			Inner_Full	23.63	21.54	0.143		
DFT-256QAM	3460.02	630668	Inner_1RB_Left	24.17	22.08	0.161		
			Inner_1RB_Right	23.92	21.83	0.152		
			Inner_Full	23.91	21.82	0.152		
	3500.01	633334	Inner_1RB_Left	22.72	20.63	0.116		
			Inner_1RB_Right	22.99	20.9	0.123		
			Inner_Full	22.99	20.9	0.123		
	3540	636000	Inner_1RB_Left	23.82	21.73	0.149		
			Inner_1RB_Right	23.99	21.9	0.155		
			Inner_Full	23.64	21.55	0.143		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3460.02	630668	20	30kHz	Inner_1RB_Left	26.37	24.28	0.268
					Inner_1RB_Right	26.24	24.15	0.260
					Inner_Full	26.56	24.47	0.280
	3500.01	633334			Inner_1RB_Left	25.08	22.99	0.199
					Inner_1RB_Right	24.78	22.69	0.186
					Inner_Full	25.16	23.07	0.203
	3540	636000			Inner_1RB_Left	26.06	23.97	0.249
					Inner_1RB_Right	26.21	24.12	0.258
					Inner_Full	26.38	24.29	0.269
CP-16QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	25.22	23.13	0.206
					Inner_1RB_Right	25.21	23.12	0.205
					Inner_Full	25.45	23.36	0.217
	3500.01	633334			Inner_1RB_Left	24.42	22.33	0.171
					Inner_1RB_Right	24.38	22.29	0.169
					Inner_Full	24.67	22.58	0.181
	3540	636000			Inner_1RB_Left	24.90	22.81	0.191
					Inner_1RB_Right	25.13	23.04	0.201
					Inner_Full	25.31	23.22	0.210
CP-64QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	24.14	22.05	0.160
					Inner_1RB_Right	23.89	21.8	0.151
					Inner_Full	23.84	21.75	0.150
	3500.01	633334			Inner_1RB_Left	23.31	21.22	0.132
					Inner_1RB_Right	22.56	20.47	0.111
					Inner_Full	22.96	20.87	0.122
	3540	636000			Inner_1RB_Left	23.64	21.55	0.143
					Inner_1RB_Right	24.00	21.91	0.155
					Inner_Full	23.71	21.62	0.145
CP-256QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	24.10	22.01	0.159
					Inner_1RB_Right	24.06	21.97	0.157
					Inner_Full	23.87	21.78	0.151
	3500.01	633334			Inner_1RB_Left	22.79	20.7	0.117
					Inner_1RB_Right	22.98	20.89	0.123
					Inner_Full	23.05	20.96	0.125
	3540	636000			Inner_1RB_Left	23.80	21.71	0.148
					Inner_1RB_Right	24.04	21.95	0.157
					Inner_Full	23.69	21.6	0.145

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3462.51	630834	25	30kHz	Inner_1RB_Left	24.39	22.3	0.170
					Inner_1RB_Right	24.70	22.61	0.182
					Inner_Full	24.63	22.54	0.179
	3500.01	633334			Inner_1RB_Left	26.32	24.23	0.265
					Inner_1RB_Right	26.24	24.15	0.260
					Inner_Full	26.50	24.41	0.276
	3537.51	635834			Inner_1RB_Left	26.12	24.03	0.253
					Inner_1RB_Right	26.07	23.98	0.250
					Inner_Full	26.40	24.31	0.270
DFT-16QAM	3462.51	630834	Inner_1RB_Left	24.26	22.17	0.165		
			Inner_1RB_Right	24.02	21.93	0.156		
			Inner_Full	24.12	22.03	0.160		
	3500.01	633334	Inner_1RB_Left	25.30	23.21	0.209		
			Inner_1RB_Right	25.21	23.12	0.205		
			Inner_Full	22.34	20.25	0.106		
	3537.51	635834	Inner_1RB_Left	25.21	23.12	0.205		
			Inner_1RB_Right	25.23	23.14	0.206		
			Inner_Full	25.48	23.39	0.218		
DFT-64QAM	3462.51	630834	Inner_1RB_Left	22.70	20.61	0.115		
			Inner_1RB_Right	22.92	20.83	0.121		
			Inner_Full	22.57	20.48	0.112		
	3500.01	633334	Inner_1RB_Left	23.88	21.79	0.151		
			Inner_1RB_Right	23.80	21.71	0.148		
			Inner_Full	23.97	21.88	0.154		
	3537.51	635834	Inner_1RB_Left	23.43	21.34	0.136		
			Inner_1RB_Right	23.49	21.4	0.138		
			Inner_Full	23.91	21.82	0.152		
DFT-256QAM	3462.51	630834	Inner_1RB_Left	22.70	20.61	0.115		
			Inner_1RB_Right	22.87	20.78	0.120		
			Inner_Full	22.59	20.5	0.112		
	3500.01	633334	Inner_1RB_Left	21.85	19.76	0.095		
			Inner_1RB_Right	21.56	19.47	0.089		
			Inner_Full	21.92	19.83	0.096		
	3537.51	635834	Inner_1RB_Left	21.70	19.61	0.091		
			Inner_1RB_Right	21.47	19.38	0.087		
			Inner_Full	21.79	19.7	0.093		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3462.51	630834	25	30kHz	Inner_1RB_Left	24.43	22.34	0.171
					Inner_1RB_Right	24.61	22.52	0.179
					Inner_Full	24.69	22.6	0.182
	3500.01	633334			Inner_1RB_Left	24.86	22.77	0.189
					Inner_1RB_Right	25.65	23.56	0.227
					Inner_Full	24.94	22.85	0.193
	3537.51	635834			Inner_1RB_Left	24.61	22.52	0.179
					Inner_1RB_Right	24.69	22.6	0.182
					Inner_Full	25.69	23.6	0.229
CP-16QAM	3462.51	630834			Inner_1RB_Left	24.23	22.14	0.164
					Inner_1RB_Right	24.27	22.18	0.165
					Inner_Full	24.12	22.03	0.160
	3500.01	633334			Inner_1RB_Left	24.49	22.4	0.174
					Inner_1RB_Right	24.43	22.34	0.171
					Inner_Full	24.43	22.34	0.171
	3537.51	635834			Inner_1RB_Left	24.22	22.13	0.163
					Inner_1RB_Right	24.27	22.18	0.165
					Inner_Full	24.36	22.27	0.169
CP-64QAM	3462.51	630834			Inner_1RB_Left	22.67	20.58	0.114
					Inner_1RB_Right	23.05	20.96	0.125
					Inner_Full	22.59	20.5	0.112
	3500.01	633334			Inner_1RB_Left	22.89	20.8	0.120
					Inner_1RB_Right	22.80	20.71	0.118
					Inner_Full	22.90	20.81	0.121
	3537.51	635834			Inner_1RB_Left	22.63	20.54	0.113
					Inner_1RB_Right	22.69	20.6	0.115
					Inner_Full	22.80	20.71	0.118
CP-256QAM	3462.51	630834	Inner_1RB_Left	22.79	20.7	0.117		
			Inner_1RB_Right	22.87	20.78	0.120		
			Inner_Full	22.47	20.38	0.109		
	3500.01	633334	Inner_1RB_Left	22.06	19.97	0.099		
			Inner_1RB_Right	19.79	17.7	0.059		
			Inner_Full	20.05	17.96	0.063		
	3537.51	635834	Inner_1RB_Left	19.81	17.72	0.059		
			Inner_1RB_Right	19.77	17.68	0.059		
			Inner_Full	19.95	17.86	0.061		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3465	631000	30	30kHz	Inner_1RB_Left	26.32	24.23	0.265
					Inner_1RB_Right	26.37	24.28	0.268
					Inner_Full	26.59	24.5	0.282
	3500.01	633334			Inner_1RB_Left	25.19	23.1	0.204
					Inner_1RB_Right	24.88	22.79	0.190
					Inner_Full	25.10	23.01	0.200
	3534.99	635666			Inner_1RB_Left	24.90	22.81	0.191
					Inner_1RB_Right	24.85	22.76	0.189
					Inner_Full	24.98	22.89	0.195
DFT-16QAM	3465	631000	30	30kHz	Inner_1RB_Left	25.24	23.15	0.207
					Inner_1RB_Right	25.28	23.19	0.208
					Inner_Full	25.60	23.51	0.224
	3500.01	633334			Inner_1RB_Left	24.61	22.52	0.179
					Inner_1RB_Right	24.03	21.94	0.156
					Inner_Full	24.54	22.45	0.176
	3534.99	635666			Inner_1RB_Left	24.33	22.24	0.167
					Inner_1RB_Right	24.27	22.18	0.165
					Inner_Full	24.34	22.25	0.168
DFT-64QAM	3465	631000	30	30kHz	Inner_1RB_Left	23.86	21.77	0.150
					Inner_1RB_Right	24.15	22.06	0.161
					Inner_Full	23.99	21.9	0.155
	3500.01	633334			Inner_1RB_Left	23.00	20.91	0.123
					Inner_1RB_Right	22.37	20.28	0.107
					Inner_Full	22.87	20.78	0.120
	3534.99	635666			Inner_1RB_Left	22.93	20.84	0.121
					Inner_1RB_Right	23.02	20.93	0.124
					Inner_Full	22.80	20.71	0.118
DFT-256QAM	3465	631000	30	30kHz	Inner_1RB_Left	23.96	21.87	0.154
					Inner_1RB_Right	24.16	22.07	0.161
					Inner_Full	24.04	21.95	0.157
	3500.01	633334			Inner_1RB_Left	22.93	20.84	0.121
					Inner_1RB_Right	22.40	20.31	0.107
					Inner_Full	22.92	20.83	0.121
	3534.99	635666			Inner_1RB_Left	22.93	20.84	0.121
					Inner_1RB_Right	22.54	20.45	0.111
					Inner_Full	22.71	20.62	0.115

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3465	631000	30	30kHz	Inner_1RB_Left	26.39	24.3	0.269
					Inner_1RB_Right	26.38	24.29	0.269
					Inner_Full	26.39	24.3	0.269
	3500.01	633334			Inner_1RB_Left	25.32	23.23	0.210
					Inner_1RB_Right	24.87	22.78	0.190
					Inner_Full	25.06	22.97	0.198
	3534.99	635666			Inner_1RB_Left	24.71	22.62	0.183
					Inner_1RB_Right	24.73	22.64	0.184
					Inner_Full	24.90	22.81	0.191
CP-16QAM	3465	631000	30	30kHz	Inner_1RB_Left	25.18	23.09	0.204
					Inner_1RB_Right	25.25	23.16	0.207
					Inner_Full	25.30	23.21	0.209
	3500.01	633334			Inner_1RB_Left	24.78	22.69	0.186
					Inner_1RB_Right	24.23	22.14	0.164
					Inner_Full	24.45	22.36	0.172
	3534.99	635666			Inner_1RB_Left	24.25	22.16	0.164
					Inner_1RB_Right	24.20	22.11	0.163
					Inner_Full	24.26	22.17	0.165
CP-64QAM	3465	631000	30	30kHz	Inner_1RB_Left	23.96	21.87	0.154
					Inner_1RB_Right	23.96	21.87	0.154
					Inner_Full	23.95	21.86	0.153
	3500.01	633334			Inner_1RB_Left	22.98	20.89	0.123
					Inner_1RB_Right	22.87	20.78	0.120
					Inner_Full	22.98	20.89	0.123
	3534.99	635666			Inner_1RB_Left	22.91	20.82	0.121
					Inner_1RB_Right	22.99	20.9	0.123
					Inner_Full	22.73	20.64	0.116
CP-256QAM	3465	631000	30	30kHz	Inner_1RB_Left	23.95	21.86	0.153
					Inner_1RB_Right	24.19	22.1	0.162
					Inner_Full	23.99	21.9	0.155
	3500.01	633334			Inner_1RB_Left	23.40	21.31	0.135
					Inner_1RB_Right	22.40	20.31	0.107
					Inner_Full	22.92	20.83	0.121
	3534.99	635666			Inner_1RB_Left	22.91	20.82	0.121
					Inner_1RB_Right	22.99	20.9	0.123
					Inner_Full	22.83	20.74	0.119

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3470.01	631334	40	30kHz	Inner_1RB_Left	26.21	24.12	0.258
					Inner_1RB_Right	25.85	23.76	0.238
					Inner_Full	26.58	24.49	0.281
	3500.01	633334			Inner_1RB_Left	25.03	22.94	0.197
					Inner_1RB_Right	24.34	22.25	0.168
					Inner_Full	24.91	22.82	0.191
	3530.01	635334			Inner_1RB_Left	24.48	22.39	0.173
					Inner_1RB_Right	24.55	22.46	0.176
					Inner_Full	24.88	22.79	0.190
DFT-16QAM	3470.01	631334			Inner_1RB_Left	24.85	22.76	0.189
					Inner_1RB_Right	24.81	22.72	0.187
					Inner_Full	25.48	23.39	0.218
	3500.01	633334			Inner_1RB_Left	24.43	22.34	0.171
					Inner_1RB_Right	23.81	21.72	0.149
					Inner_Full	24.35	22.26	0.168
	3530.01	635334			Inner_1RB_Left	24.10	22.01	0.159
					Inner_1RB_Right	24.15	22.06	0.161
					Inner_Full	24.32	22.23	0.167
DFT-64QAM	3470.01	631334			Inner_1RB_Left	23.83	21.74	0.149
					Inner_1RB_Right	23.61	21.52	0.142
					Inner_Full	23.89	21.8	0.151
	3500.01	633334			Inner_1RB_Left	23.22	21.13	0.130
					Inner_1RB_Right	22.56	20.47	0.111
					Inner_Full	22.79	20.7	0.117
	3530.01	635334			Inner_1RB_Left	22.20	20.11	0.103
					Inner_1RB_Right	22.34	20.25	0.106
					Inner_Full	22.84	20.75	0.119
DFT-256QAM	3470.01	631334	Inner_1RB_Left	23.76	21.67	0.147		
			Inner_1RB_Right	23.56	21.47	0.140		
			Inner_Full	23.82	21.73	0.149		
	3500.01	633334	Inner_1RB_Left	22.75	20.66	0.116		
			Inner_1RB_Right	22.02	19.93	0.098		
			Inner_Full	22.73	20.64	0.116		
	3530.01	635334	Inner_1RB_Left	22.71	20.62	0.115		
			Inner_1RB_Right	22.75	20.66	0.116		
			Inner_Full	22.73	20.64	0.116		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3470.01	631334	40	30kHz	Inner_1RB_Left	26.11	24.02	0.252
					Inner_1RB_Right	25.83	23.74	0.237
					Inner_Full	25.86	23.77	0.238
	3500.01	633334			Inner_1RB_Left	24.99	22.9	0.195
					Inner_1RB_Right	24.39	22.3	0.170
					Inner_Full	24.87	22.78	0.190
	3530.01	635334			Inner_1RB_Left	24.58	22.49	0.177
					Inner_1RB_Right	24.72	22.63	0.183
					Inner_Full	24.84	22.75	0.188
CP-16QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	24.97	22.88	0.194
					Inner_1RB_Right	24.78	22.69	0.186
					Inner_Full	24.82	22.73	0.187
	3500.01	633334			Inner_1RB_Left	24.36	22.27	0.169
					Inner_1RB_Right	23.76	21.67	0.147
					Inner_Full	24.35	22.26	0.168
	3530.01	635334			Inner_1RB_Left	24.07	21.98	0.158
					Inner_1RB_Right	24.05	21.96	0.157
					Inner_Full	24.22	22.13	0.163
CP-64QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	23.98	21.89	0.155
					Inner_1RB_Right	23.70	21.61	0.145
					Inner_Full	23.74	21.65	0.146
	3500.01	633334			Inner_1RB_Left	22.72	20.63	0.116
					Inner_1RB_Right	22.65	20.56	0.114
					Inner_Full	22.75	20.66	0.116
	3530.01	635334			Inner_1RB_Left	22.28	20.19	0.104
					Inner_1RB_Right	22.35	20.26	0.106
					Inner_Full	22.70	20.61	0.115
CP-256QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	23.69	21.6	0.145
					Inner_1RB_Right	23.45	21.36	0.137
					Inner_Full	23.39	21.3	0.135
	3500.01	633334			Inner_1RB_Left	23.22	21.13	0.130
					Inner_1RB_Right	22.09	20	0.100
					Inner_Full	22.77	20.68	0.117
	3530.01	635334			Inner_1RB_Left	22.25	20.16	0.104
					Inner_1RB_Right	22.33	20.24	0.106
					Inner_Full	22.68	20.59	0.115

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3475.02	631668	50	30kHz	Inner_1RB_Left	26.26	24.17	0.261
					Inner_1RB_Right	25.97	23.88	0.244
					Inner_Full	26.87	24.78	0.301
	3500.01	633334			Inner_1RB_Left	25.12	23.03	0.201
					Inner_1RB_Right	24.52	22.43	0.175
					Inner_Full	24.91	22.82	0.191
	3525	635000			Inner_1RB_Left	24.70	22.61	0.182
					Inner_1RB_Right	24.80	22.71	0.187
					Inner_Full	25.03	22.94	0.197
DFT-16QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	25.20	23.11	0.205
					Inner_1RB_Right	24.71	22.62	0.183
					Inner_Full	25.80	23.71	0.235
	3500.01	633334			Inner_1RB_Left	24.39	22.3	0.170
					Inner_1RB_Right	23.92	21.83	0.152
					Inner_Full	24.40	22.31	0.170
	3525	635000			Inner_1RB_Left	24.29	22.2	0.166
					Inner_1RB_Right	24.22	22.13	0.163
					Inner_Full	24.47	22.38	0.173
DFT-64QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	23.89	21.8	0.151
					Inner_1RB_Right	23.75	21.66	0.147
					Inner_Full	24.17	22.08	0.161
	3500.01	633334			Inner_1RB_Left	22.91	20.82	0.121
					Inner_1RB_Right	22.17	20.08	0.102
					Inner_Full	22.74	20.65	0.116
	3525	635000			Inner_1RB_Left	22.40	20.31	0.107
					Inner_1RB_Right	22.56	20.47	0.111
					Inner_Full	22.83	20.74	0.119
DFT-256QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	23.79	21.7	0.148
					Inner_1RB_Right	23.73	21.64	0.146
					Inner_Full	24.20	22.11	0.163
	3500.01	633334			Inner_1RB_Left	22.89	20.8	0.120
					Inner_1RB_Right	22.16	20.07	0.102
					Inner_Full	22.71	20.62	0.115
	3525	635000			Inner_1RB_Left	22.83	20.74	0.119
					Inner_1RB_Right	23.02	20.93	0.124
					Inner_Full	22.84	20.75	0.119

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3475.02	631668	50	30kHz	Inner_1RB_Left	26.26	24.17	0.261
					Inner_1RB_Right	25.97	23.88	0.244
					Inner_Full	26.87	24.78	0.301
	3500.01	633334			Inner_1RB_Left	25.12	23.03	0.201
					Inner_1RB_Right	24.52	22.43	0.175
					Inner_Full	24.91	22.82	0.191
	3525	635000			Inner_1RB_Left	24.70	22.61	0.182
					Inner_1RB_Right	24.80	22.71	0.187
					Inner_Full	25.03	22.94	0.197
CP-16QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	25.20	23.11	0.205
					Inner_1RB_Right	24.71	22.62	0.183
					Inner_Full	25.80	23.71	0.235
	3500.01	633334			Inner_1RB_Left	24.39	22.3	0.170
					Inner_1RB_Right	23.92	21.83	0.152
					Inner_Full	24.40	22.31	0.170
	3525	635000			Inner_1RB_Left	24.29	22.2	0.166
					Inner_1RB_Right	24.22	22.13	0.163
					Inner_Full	24.47	22.38	0.173
CP-64QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	23.89	21.8	0.151
					Inner_1RB_Right	23.75	21.66	0.147
					Inner_Full	24.17	22.08	0.161
	3500.01	633334			Inner_1RB_Left	22.91	20.82	0.121
					Inner_1RB_Right	22.17	20.08	0.102
					Inner_Full	22.74	20.65	0.116
	3525	635000			Inner_1RB_Left	22.40	20.31	0.107
					Inner_1RB_Right	22.56	20.47	0.111
					Inner_Full	22.83	20.74	0.119
CP-256QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	23.79	21.7	0.148
					Inner_1RB_Right	23.73	21.64	0.146
					Inner_Full	24.20	22.11	0.163
	3500.01	633334			Inner_1RB_Left	22.89	20.8	0.120
					Inner_1RB_Right	22.16	20.07	0.102
					Inner_Full	22.71	20.62	0.115
	3525	635000			Inner_1RB_Left	22.83	20.74	0.119
					Inner_1RB_Right	23.02	20.93	0.124
					Inner_Full	22.84	20.75	0.119

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3480	632000	60	30kHz	Inner_1RB_Left	26.39	24.3	0.269
					Inner_1RB_Right	26.06	23.97	0.249
					Inner_Full	26.04	23.95	0.248
	3500.01	633334			Inner_1RB_Left	24.99	22.9	0.195
					Inner_1RB_Right	24.56	22.47	0.177
					Inner_Full	24.86	22.77	0.189
	3519.99	634666			Inner_1RB_Left	24.85	22.76	0.189
					Inner_1RB_Right	25.02	22.93	0.196
					Inner_Full	24.93	22.84	0.192
DFT-16QAM	3480	632000	60	30kHz	Inner_1RB_Left	25.19	23.1	0.204
					Inner_1RB_Right	24.90	22.81	0.191
					Inner_Full	24.89	22.8	0.191
	3500.01	633334			Inner_1RB_Left	24.38	22.29	0.169
					Inner_1RB_Right	24.24	22.15	0.164
					Inner_Full	24.27	22.18	0.165
	3519.99	634666			Inner_1RB_Left	24.30	22.21	0.166
					Inner_1RB_Right	24.30	22.21	0.166
					Inner_Full	24.37	22.28	0.169
DFT-64QAM	3480	632000	60	30kHz	Inner_1RB_Left	24.02	21.93	0.156
					Inner_1RB_Right	23.73	21.64	0.146
					Inner_Full	23.77	21.68	0.147
	3500.01	633334			Inner_1RB_Left	22.90	20.81	0.121
					Inner_1RB_Right	22.59	20.5	0.112
					Inner_Full	22.75	20.66	0.116
	3519.99	634666			Inner_1RB_Left	22.42	20.33	0.108
					Inner_1RB_Right	22.99	20.9	0.123
					Inner_Full	22.81	20.72	0.118
DFT-256QAM	3480	632000	60	30kHz	Inner_1RB_Left	24.08	21.99	0.158
					Inner_1RB_Right	23.69	21.6	0.145
					Inner_Full	23.55	21.46	0.140
	3500.01	633334			Inner_1RB_Left	22.91	20.82	0.121
					Inner_1RB_Right	22.17	20.08	0.102
					Inner_Full	22.80	20.71	0.118
	3519.99	634666			Inner_1RB_Left	22.91	20.82	0.121
					Inner_1RB_Right	22.97	20.88	0.122
					Inner_Full	22.79	20.7	0.117

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3480	632000	60	30kHz	Inner_1RB_Left	24.63	22.54	0.179
					Inner_1RB_Right	24.47	22.38	0.173
					Inner_Full	25.18	23.09	0.204
	3500.01	633334			Inner_1RB_Left	24.99	22.9	0.195
					Inner_1RB_Right	24.11	22.02	0.159
					Inner_Full	24.80	22.71	0.187
	3519.99	634666			Inner_1RB_Left	26.62	24.53	0.284
					Inner_1RB_Right	26.35	24.26	0.267
					Inner_Full	26.58	24.49	0.281
CP-16QAM	3480	632000	60	30kHz	Inner_1RB_Left	24.49	22.4	0.174
					Inner_1RB_Right	24.08	21.99	0.158
					Inner_Full	24.73	22.64	0.184
	3500.01	633334			Inner_1RB_Left	24.32	22.23	0.167
					Inner_1RB_Right	23.63	21.54	0.143
					Inner_Full	24.26	22.17	0.165
	3519.99	634666			Inner_1RB_Left	25.22	23.13	0.206
					Inner_1RB_Right	24.90	22.81	0.191
					Inner_Full	25.50	23.41	0.219
CP-64QAM	3480	632000	60	30kHz	Inner_1RB_Left	22.38	20.29	0.107
					Inner_1RB_Right	22.58	20.49	0.112
					Inner_Full	23.08	20.99	0.126
	3500.01	633334			Inner_1RB_Left	23.00	20.91	0.123
					Inner_1RB_Right	22.22	20.13	0.103
					Inner_Full	22.58	20.49	0.112
	3519.99	634666			Inner_1RB_Left	24.28	22.19	0.166
					Inner_1RB_Right	23.87	21.78	0.151
					Inner_Full	23.92	21.83	0.152
CP-256QAM	3480	632000	60	30kHz	Inner_1RB_Left	23.03	20.94	0.124
					Inner_1RB_Right	22.59	20.5	0.112
					Inner_Full	23.00	20.91	0.123
	3500.01	633334			Inner_1RB_Left	23.04	20.95	0.124
					Inner_1RB_Right	21.79	19.7	0.093
					Inner_Full	22.63	20.54	0.113
	3519.99	634666			Inner_1RB_Left	24.18	22.09	0.162
					Inner_1RB_Right	24.03	21.94	0.156
					Inner_Full	23.45	21.36	0.137

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3485.01	632334	70	30kHz	Inner_1RB_Left	24.58	22.49	0.177
					Inner_1RB_Right	24.46	22.37	0.173
					Inner_Full	25.17	23.08	0.203
	3500.01	633334			Inner_1RB_Left	24.82	22.73	0.187
					Inner_1RB_Right	24.15	22.06	0.161
					Inner_Full	24.80	22.71	0.187
	3515.01	634334			Inner_1RB_Left	25.38	23.29	0.213
					Inner_1RB_Right	25.24	23.15	0.207
					Inner_Full	25.45	23.36	0.217
DFT-16QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	24.07	21.98	0.158
					Inner_1RB_Right	24.06	21.97	0.157
					Inner_Full	24.69	22.6	0.182
	3500.01	633334			Inner_1RB_Left	24.23	22.14	0.164
					Inner_1RB_Right	23.69	21.6	0.145
					Inner_Full	24.23	22.14	0.164
	3515.01	634334			Inner_1RB_Left	24.07	21.98	0.158
					Inner_1RB_Right	23.80	21.71	0.148
					Inner_Full	23.98	21.89	0.155
DFT-64QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	22.37	20.28	0.107
					Inner_1RB_Right	22.49	20.4	0.110
					Inner_Full	23.04	20.95	0.124
	3500.01	633334			Inner_1RB_Left	23.09	21	0.126
					Inner_1RB_Right	21.78	19.69	0.093
					Inner_Full	22.61	20.52	0.113
	3515.01	634334			Inner_1RB_Left	21.70	19.61	0.091
					Inner_1RB_Right	21.65	19.56	0.090
					Inner_Full	21.82	19.73	0.094
DFT-256QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	22.91	20.82	0.121
					Inner_1RB_Right	21.96	19.87	0.097
					Inner_Full	23.03	20.94	0.124
	3500.01	633334			Inner_1RB_Left	22.53	20.44	0.111
					Inner_1RB_Right	22.28	20.19	0.104
					Inner_Full	22.59	20.5	0.112
	3515.01	634334			Inner_1RB_Left	21.75	19.66	0.092
					Inner_1RB_Right	21.65	19.56	0.090
					Inner_Full	21.78	19.69	0.093

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3485.01	632334	70	30kHz	Inner_1RB_Left	25.37	23.28	0.213
					Inner_1RB_Right	25.35	23.26	0.212
					Inner_Full	25.36	23.27	0.212
	3500.01	633334			Inner_1RB_Left	24.97	22.88	0.194
					Inner_1RB_Right	24.94	22.85	0.193
					Inner_Full	25.01	22.92	0.196
	3515.01	634334			Inner_1RB_Left	23.98	21.89	0.155
					Inner_1RB_Right	23.98	21.89	0.155
					Inner_Full	23.96	21.87	0.154
CP-16QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	24.31	22.22	0.167
					Inner_1RB_Right	24.31	22.22	0.167
					Inner_Full	24.29	22.2	0.166
	3500.01	633334			Inner_1RB_Left	23.96	21.87	0.154
					Inner_1RB_Right	23.89	21.8	0.151
					Inner_Full	23.94	21.85	0.153
	3515.01	634334			Inner_1RB_Left	23.38	21.29	0.135
					Inner_1RB_Right	23.48	21.39	0.138
					Inner_Full	23.46	21.37	0.137
CP-64QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	23.80	21.71	0.148
					Inner_1RB_Right	23.72	21.63	0.146
					Inner_Full	23.75	21.66	0.147
	3500.01	633334			Inner_1RB_Left	23.40	21.31	0.135
					Inner_1RB_Right	23.40	21.31	0.135
					Inner_Full	23.36	21.27	0.134
	3515.01	634334			Inner_1RB_Left	21.23	19.14	0.082
					Inner_1RB_Right	21.25	19.16	0.082
					Inner_Full	21.28	19.19	0.083
CP-256QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	23.76	21.67	0.147
					Inner_1RB_Right	23.73	21.64	0.146
					Inner_Full	23.76	21.67	0.147
	3500.01	633334			Inner_1RB_Left	23.40	21.31	0.135
					Inner_1RB_Right	23.40	21.31	0.135
					Inner_Full	23.35	21.26	0.134
	3515.01	634334			Inner_1RB_Left	21.26	19.17	0.083
					Inner_1RB_Right	21.26	19.17	0.083
					Inner_Full	21.30	19.21	0.083

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3490.02	632668	80	30kHz	Inner_1RB_Left	25.35	23.26	0.212
					Inner_1RB_Right	25.44	23.35	0.216
					Inner_Full	25.35	23.26	0.212
	3500.01	633334			Inner_1RB_Left	24.98	22.89	0.195
					Inner_1RB_Right	24.97	22.88	0.194
					Inner_Full	24.97	22.88	0.194
	3510	634000			Inner_1RB_Left	23.97	21.88	0.154
					Inner_1RB_Right	23.96	21.87	0.154
					Inner_Full	23.97	21.88	0.154
DFT-16QAM	3490.02	632668	Inner_1RB_Left	24.30	22.21	0.166		
			Inner_1RB_Right	24.32	22.23	0.167		
			Inner_Full	24.30	22.21	0.166		
	3500.01	633334	Inner_1RB_Left	23.92	21.83	0.152		
			Inner_1RB_Right	23.91	21.82	0.152		
			Inner_Full	23.91	21.82	0.152		
	3510	634000	Inner_1RB_Left	23.44	21.35	0.136		
			Inner_1RB_Right	23.43	21.34	0.136		
			Inner_Full	23.44	21.35	0.136		
DFT-64QAM	3490.02	632668	Inner_1RB_Left	23.70	21.61	0.145		
			Inner_1RB_Right	23.73	21.64	0.146		
			Inner_Full	23.73	21.64	0.146		
	3500.01	633334	Inner_1RB_Left	23.35	21.26	0.134		
			Inner_1RB_Right	23.27	21.18	0.131		
			Inner_Full	23.32	21.23	0.133		
	3510	634000	Inner_1RB_Left	21.26	19.17	0.083		
			Inner_1RB_Right	21.24	19.15	0.082		
			Inner_Full	21.27	19.18	0.083		
DFT-256QAM	3490.02	632668	Inner_1RB_Left	23.72	21.63	0.146		
			Inner_1RB_Right	23.71	21.62	0.145		
			Inner_Full	23.66	21.57	0.144		
	3500.01	633334	Inner_1RB_Left	23.39	21.3	0.135		
			Inner_1RB_Right	23.36	21.27	0.134		
			Inner_Full	23.38	21.29	0.135		
	3510	634000	Inner_1RB_Left	21.31	19.22	0.084		
			Inner_1RB_Right	21.25	19.16	0.082		
			Inner_Full	21.27	19.18	0.083		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3490.02	632668	80	30kHz	Inner_1RB_Left	25.26	23.17	0.207
					Inner_1RB_Right	24.62	22.53	0.179
					Inner_Full	25.04	22.95	0.197
	3500.01	633334			Inner_1RB_Left	26.03	23.94	0.248
					Inner_1RB_Right	25.44	23.35	0.216
					Inner_Full	25.84	23.75	0.237
	3510	634000			Inner_1RB_Left	25.97	23.88	0.244
					Inner_1RB_Right	25.74	23.65	0.232
					Inner_Full	25.68	23.59	0.229
CP-16QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	23.34	21.25	0.133
					Inner_1RB_Right	23.24	21.15	0.130
					Inner_Full	23.32	21.23	0.133
	3500.01	633334			Inner_1RB_Left	24.84	22.75	0.188
					Inner_1RB_Right	24.34	22.25	0.168
					Inner_Full	24.83	22.74	0.188
	3510	634000			Inner_1RB_Left	25.01	22.92	0.196
					Inner_1RB_Right	24.57	22.48	0.177
					Inner_Full	24.67	22.58	0.181
CP-64QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	21.24	19.15	0.082
					Inner_1RB_Right	20.58	18.49	0.071
					Inner_Full	21.16	19.07	0.081
	3500.01	633334			Inner_1RB_Left	23.27	21.18	0.131
					Inner_1RB_Right	22.74	20.65	0.116
					Inner_Full	23.18	21.09	0.129
	3510	634000			Inner_1RB_Left	23.72	21.63	0.146
					Inner_1RB_Right	22.98	20.89	0.123
					Inner_Full	22.97	20.88	0.122
CP-256QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	21.35	19.26	0.084
					Inner_1RB_Right	20.74	18.65	0.073
					Inner_Full	21.22	19.13	0.082
	3500.01	633334			Inner_1RB_Left	23.61	21.52	0.142
					Inner_1RB_Right	23.09	21	0.126
					Inner_Full	23.15	21.06	0.128
	3510	634000			Inner_1RB_Left	23.73	21.64	0.146
					Inner_1RB_Right	22.98	20.89	0.123
					Inner_Full	22.99	20.9	0.123

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3495	633000	90	30kHz	Inner_1RB_Left	25.19	23.1	0.204
					Inner_1RB_Right	24.64	22.55	0.180
					Inner_Full	24.61	22.52	0.179
	3500.01	633334			Inner_1RB_Left	25.96	23.87	0.244
					Inner_1RB_Right	25.46	23.37	0.217
					Inner_Full	25.45	23.36	0.217
	3504.99	633666			Inner_1RB_Left	26.00	23.91	0.246
					Inner_1RB_Right	25.66	23.57	0.228
					Inner_Full	25.76	23.67	0.233
DFT-16QAM	3495	633000	90	30kHz	Inner_1RB_Left	23.81	21.72	0.149
					Inner_1RB_Right	22.74	20.65	0.116
					Inner_Full	22.72	20.63	0.116
	3500.01	633334			Inner_1RB_Left	24.89	22.8	0.191
					Inner_1RB_Right	24.61	22.52	0.179
					Inner_Full	24.38	22.29	0.169
	3504.99	633666			Inner_1RB_Left	25.02	22.93	0.196
					Inner_1RB_Right	24.67	22.58	0.181
					Inner_Full	24.68	22.59	0.182
DFT-64QAM	3495	633000	90	30kHz	Inner_1RB_Left	21.35	19.26	0.084
					Inner_1RB_Right	20.65	18.56	0.072
					Inner_Full	20.66	18.57	0.072
	3500.01	633334			Inner_1RB_Left	23.23	21.14	0.130
					Inner_1RB_Right	23.10	21.01	0.126
					Inner_Full	23.12	21.03	0.127
	3504.99	633666			Inner_1RB_Left	23.32	21.23	0.133
					Inner_1RB_Right	23.04	20.95	0.124
					Inner_Full	23.38	21.29	0.135
DFT-256QAM	3495	633000	90	30kHz	Inner_1RB_Left	21.36	19.27	0.085
					Inner_1RB_Right	20.68	18.59	0.072
					Inner_Full	20.71	18.62	0.073
	3500.01	633334			Inner_1RB_Left	23.60	21.51	0.142
					Inner_1RB_Right	23.10	21.01	0.126
					Inner_Full	22.74	20.65	0.116
	3504.99	633666			Inner_1RB_Left	23.40	21.31	0.135
					Inner_1RB_Right	23.03	20.94	0.124
					Inner_Full	23.03	20.94	0.124

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3495	633000	90	30kHz	Inner_1RB_Left	24.22	22.13	0.163
					Inner_1RB_Right	23.94	21.85	0.153
					Inner_Full	24.63	22.54	0.179
	3500.01	633334			Inner_1RB_Left	25.78	23.69	0.234
					Inner_1RB_Right	25.46	23.37	0.217
					Inner_Full	25.82	23.73	0.236
	3504.99	633666			Inner_1RB_Left	24.19	22.1	0.162
					Inner_1RB_Right	24.04	21.95	0.157
					Inner_Full	24.21	22.12	0.163
CP-16QAM	3495	633000	90	30kHz	Inner_1RB_Left	23.59	21.5	0.141
					Inner_1RB_Right	23.87	21.78	0.151
					Inner_Full	24.10	22.01	0.159
	3500.01	633334			Inner_1RB_Left	24.68	22.59	0.182
					Inner_1RB_Right	24.32	22.23	0.167
					Inner_Full	24.78	22.69	0.186
	3504.99	633666			Inner_1RB_Left	23.67	21.58	0.144
					Inner_1RB_Right	23.63	21.54	0.143
					Inner_Full	23.62	21.53	0.142
CP-64QAM	3495	633000	90	30kHz	Inner_1RB_Left	22.01	19.92	0.098
					Inner_1RB_Right	21.58	19.49	0.089
					Inner_Full	22.48	20.39	0.109
	3500.01	633334			Inner_1RB_Left	23.12	21.03	0.127
					Inner_1RB_Right	22.74	20.65	0.116
					Inner_Full	23.24	21.15	0.130
	3504.99	633666			Inner_1RB_Left	21.88	19.79	0.095
					Inner_1RB_Right	22.35	20.26	0.106
					Inner_Full	22.13	20.04	0.101
CP-256QAM	3495	633000	90	30kHz	Inner_1RB_Left	21.92	19.83	0.096
					Inner_1RB_Right	21.60	19.51	0.089
					Inner_Full	22.43	20.34	0.108
	3500.01	633334			Inner_1RB_Left	23.49	21.4	0.138
					Inner_1RB_Right	23.11	21.02	0.126
					Inner_Full	23.26	21.17	0.131
	3504.99	633666			Inner_1RB_Left	22.43	20.34	0.108
					Inner_1RB_Right	22.29	20.2	0.105
					Inner_Full	22.09	20	0.100

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
DFT-QPSK	3500.01	633334	100	30kHz	Inner_1RB_Left	24.67	22.58	0.181
					Inner_1RB_Right	24.11	22.02	0.159
					Inner_Full	24.86	22.77	0.189
DFT-16QAM	3500.01	633334			Inner_1RB_Left	22.64	20.55	0.114
					Inner_1RB_Right	22.39	20.3	0.107
					Inner_Full	23.25	21.16	0.131
DFT-64QAM	3500.01	633334			Inner_1RB_Left	20.71	18.62	0.073
					Inner_1RB_Right	20.41	18.32	0.068
					Inner_Full	21.07	18.98	0.079
DFT-256QAM	3500.01	633334			Inner_1RB_Left	20.74	18.65	0.073
					Inner_1RB_Right	20.39	18.3	0.068
					Inner_Full	21.05	18.96	0.079
CP-QPSK	3500.01	633334			Inner_1RB_Left	24.72	22.63	0.183
					Inner_1RB_Right	24.44	22.35	0.172
					Inner_Full	24.45	22.36	0.172
CP-16QAM	3500.01	633334			Inner_1RB_Left	22.65	20.56	0.114
					Inner_1RB_Right	23.03	20.94	0.124
					Inner_Full	22.40	20.31	0.107
CP-64QAM	3500.01	633334			Inner_1RB_Left	20.80	18.71	0.074
					Inner_1RB_Right	20.53	18.44	0.070
					Inner_Full	20.46	18.37	0.069
CP-256QAM	3500.01	633334			Inner_1RB_Left	20.77	18.68	0.074
					Inner_1RB_Right	20.52	18.43	0.070
					Inner_Full	20.38	18.29	0.067

MIMO:

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3455.01	630334	10	30kHz	Inner_1RB_Left	21.47	23.13	25.39	23.3	0.214
					Inner_1RB_Right	21.65	23.13	25.46	23.37	0.217
					Inner_Full	21.53	23.31	25.52	23.43	0.220
	3500.01	633334			Inner_1RB_Left	21.99	23.62	25.89	23.8	0.240
					Inner_1RB_Right	21.91	23.56	25.82	23.73	0.236
					Inner_Full	21.93	23.83	25.99	23.9	0.245
	3545.01	636334			Inner_1RB_Left	21.79	23.26	25.60	23.51	0.224
					Inner_1RB_Right	21.8	23.28	25.61	23.52	0.225
					Inner_Full	21.81	23.28	25.62	23.53	0.225
CP-16QAM	3455.01	630334	10	30kHz	Inner_1RB_Left	21.16	22.52	24.90	22.81	0.191
					Inner_1RB_Right	21.32	22.56	24.99	22.9	0.195
					Inner_Full	21.17	22.7	25.01	22.92	0.196
	3500.01	633334			Inner_1RB_Left	21.72	23.07	25.46	23.37	0.217
					Inner_1RB_Right	21.71	23.03	25.43	23.34	0.216
					Inner_Full	21.59	23.18	25.47	23.38	0.218
	3545.01	636334			Inner_1RB_Left	21.5	22.67	25.13	23.04	0.201
					Inner_1RB_Right	21.56	22.7	25.18	23.09	0.204
					Inner_Full	21.41	22.84	25.19	23.1	0.204
CP-64QAM	3455.01	630334	10	30kHz	Inner_1RB_Left	19.81	20.49	23.17	21.08	0.128
					Inner_1RB_Right	19.65	21.43	23.64	21.55	0.143
					Inner_Full	20.07	20.6	23.35	21.26	0.134
	3500.01	633334			Inner_1RB_Left	20.03	21.82	24.03	21.94	0.156
					Inner_1RB_Right	20.02	21.84	24.03	21.94	0.156
					Inner_Full	20.43	20.72	23.59	21.5	0.141
	3545.01	636334			Inner_1RB_Left	19.79	21.48	23.73	21.64	0.146
					Inner_1RB_Right	19.84	21.59	23.81	21.72	0.149
					Inner_Full	19.76	21.27	23.59	21.5	0.141
CP-256QAM	3455.01	630334	10	30kHz	Inner_1RB_Left	16.4	18.19	20.40	18.31	0.068
					Inner_1RB_Right	17.01	17.36	20.20	18.11	0.065
					Inner_Full	16.61	18.29	20.54	18.45	0.070
	3500.01	633334			Inner_1RB_Left	16.82	18.76	20.91	18.82	0.076
					Inner_1RB_Right	17.24	17.5	20.38	18.29	0.067
					Inner_Full	16.99	18.8	21.00	18.91	0.078
	3545.01	636334			Inner_1RB_Left	17.11	17	20.07	17.98	0.063
					Inner_1RB_Right	17.24	17.08	20.17	18.08	0.064
					Inner_Full	17.11	17.08	20.11	18.02	0.063

Modulation	Carrier frequency (MHz)	UL Channel	B W	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3457.5	630500	15	30kHz	Inner_1RB_Left	21.55	23.14	25.43	23.34	0.216
					Inner_1RB_Right	21.62	23.22	25.50	23.41	0.219
					Inner_Full	21.62	23.31	25.56	23.47	0.222
	3500.01	633334			Inner_1RB_Left	21.95	23.57	25.85	23.76	0.238
					Inner_1RB_Right	21.85	23.55	25.79	23.7	0.234
					Inner_Full	21.88	23.71	25.90	23.81	0.240
	3542.49	636166			Inner_1RB_Left	21.91	23.47	25.77	23.68	0.233
					Inner_1RB_Right	21.91	23.43	25.75	23.66	0.232
					Inner_Full	20.47	22.04	24.34	22.25	0.168
CP-16QAM	3457.5	630500	Inner_1RB_Left	21.19	22.57	24.94	22.85	0.193		
			Inner_1RB_Right	21.39	22.65	25.08	22.99	0.199		
			Inner_Full	21.31	22.78	25.12	23.03	0.201		
	3500.01	633334	Inner_1RB_Left	21.8	23.04	25.47	23.38	0.218		
			Inner_1RB_Right	21.66	22.97	25.37	23.28	0.213		
			Inner_Full	21.57	23.17	25.45	23.36	0.217		
	3542.49	636166	Inner_1RB_Left	21.67	22.83	25.30	23.21	0.209		
			Inner_1RB_Right	21.66	22.88	25.32	23.23	0.210		
			Inner_Full	21.51	23.01	25.33	23.24	0.211		
CP-64QAM	3457.5	630500	Inner_1RB_Left	19.59	21.27	23.52	21.43	0.139		
			Inner_1RB_Right	19.7	21.42	23.65	21.56	0.143		
			Inner_Full	20.19	20.72	23.47	21.38	0.137		
	3500.01	633334	Inner_1RB_Left	20.04	21.83	24.04	21.95	0.157		
			Inner_1RB_Right	20.27	20.04	23.17	21.08	0.128		
			Inner_Full	20.1	21.59	23.92	21.83	0.152		
	3542.49	636166	Inner_1RB_Left	19.89	21.77	23.94	21.85	0.153		
			Inner_1RB_Right	19.9	21.71	23.91	21.82	0.152		
			Inner_Full	20.46	20.53	23.51	21.42	0.139		
CP-256QAM	3457.5	630500	Inner_1RB_Left	16.44	18.28	20.47	18.38	0.069		
			Inner_1RB_Right	16.5	18.39	20.56	18.47	0.070		
			Inner_Full	17.13	17.48	20.32	18.23	0.067		
	3500.01	633334	Inner_1RB_Left	16.87	18.79	20.95	18.86	0.077		
			Inner_1RB_Right	17.42	17.8	20.62	18.53	0.071		
			Inner_Full	17.05	18.76	21.00	18.91	0.078		
	3542.49	636166	Inner_1RB_Left	17.26	16.06	19.71	17.62	0.058		
			Inner_1RB_Right	17.39	17.42	20.42	18.33	0.068		
			Inner_Full	16.99	18.67	20.92	18.83	0.076		

Modulation	Carrier frequency (MHz)	UL Channel	B W	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	ERP /EIRP (dBm)	ERP /EIRP (W)
CP-QPSK	3460.02	630668	20	30kHz	Inner_1RB_Left	21.58	23.16	25.45	23.36	0.217
					Inner_1RB_Right	21.61	23.24	25.51	23.42	0.220
					Inner_Full	21.67	23.44	25.65	23.56	0.227
	3500.01	633334			Inner_1RB_Left	21.97	23.53	25.83	23.74	0.237
					Inner_1RB_Right	21.84	23.52	25.77	23.68	0.233
					Inner_Full	21.94	23.69	25.91	23.82	0.241
	3540	636000			Inner_1RB_Left	21.91	23.36	25.71	23.62	0.230
					Inner_1RB_Right	21.87	23.35	25.68	23.59	0.229
					Inner_Full	21.84	23.48	25.75	23.66	0.232
CP-16QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	21.28	22.58	24.99	22.9	0.195
					Inner_1RB_Right	21.32	22.65	25.05	22.96	0.198
					Inner_Full	21.32	22.81	25.14	23.05	0.202
	3500.01	633334			Inner_1RB_Left	21.61	22.95	25.34	23.25	0.211
					Inner_1RB_Right	21.48	22.89	25.25	23.16	0.207
					Inner_Full	21.55	23.13	25.42	23.33	0.215
	3540	636000			Inner_1RB_Left	21.63	22.83	25.28	23.19	0.208
					Inner_1RB_Right	21.52	22.83	25.23	23.14	0.206
					Inner_Full	21.41	22.96	25.26	23.17	0.207
CP-64QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	19.65	20.39	23.05	20.96	0.125
					Inner_1RB_Right	20.12	20.5	23.32	21.23	0.133
					Inner_Full	19.83	21.33	23.65	21.56	0.143
	3500.01	633334			Inner_1RB_Left	20.04	21.74	23.98	21.89	0.155
					Inner_1RB_Right	20.41	20.6	23.52	21.43	0.139
					Inner_Full	20.07	21.69	23.97	21.88	0.154
	3540	636000			Inner_1RB_Left	19.92	21.6	23.85	21.76	0.150
					Inner_1RB_Right	20.42	20.36	23.40	21.31	0.135
					Inner_Full	19.96	21.5	23.81	21.72	0.149
CP-256QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	16.98	16.5	19.76	17.67	0.058
					Inner_1RB_Right	16.9	17.34	20.14	18.05	0.064
					Inner_Full	16.73	18.44	20.68	18.59	0.072
	3500.01	633334			Inner_1RB_Left	17.46	16.22	19.89	17.8	0.060
					Inner_1RB_Right	17.2	17.49	20.36	18.27	0.067
					Inner_Full	16.95	18.74	20.95	18.86	0.077
	3540	636000			Inner_1RB_Left	16.67	18.51	20.70	18.61	0.073
					Inner_1RB_Right	17.23	17.26	20.26	18.17	0.066
					Inner_Full	16.88	18.56	20.81	18.72	0.074