

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

NR Band78-3700-3800

1 RF Power Output

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3705	647000	10	15kHz	Inner_1RB_Left	26.29
					Inner_1RB_Right	26.50
					Inner_Full	26.48
	3750	650000			Inner_1RB_Left	27.06
					Inner_1RB_Right	27.17
					Inner_Full	27.16
	3795	653000			Inner_1RB_Left	24.78
					Inner_1RB_Right	25.22
					Inner_Full	26.19
DFT-16QAM	3705	647000	10	15kHz	Inner_1RB_Left	25.35
					Inner_1RB_Right	25.36
					Inner_Full	25.40
	3750	650000			Inner_1RB_Left	26.12
					Inner_1RB_Right	25.98
					Inner_Full	26.07
	3795	653000			Inner_1RB_Left	26.28
					Inner_1RB_Right	26.22
					Inner_Full	25.16
DFT-64QAM	3705	647000	10	15kHz	Inner_1RB_Left	23.40
					Inner_1RB_Right	24.09
					Inner_Full	23.78
	3750	650000			Inner_1RB_Left	24.54
					Inner_1RB_Right	24.28
					Inner_Full	24.44
	3795	653000			Inner_1RB_Left	25.25
					Inner_1RB_Right	24.21
					Inner_Full	24.25
DFT-256QAM	3705	647000	10	15kHz	Inner_1RB_Left	23.40
					Inner_1RB_Right	24.05
					Inner_Full	23.73
	3750	650000			Inner_1RB_Left	24.19
					Inner_1RB_Right	24.66
					Inner_Full	24.46
	3795	653000			Inner_1RB_Left	24.19
					Inner_1RB_Right	25.23
					Inner_Full	26.19

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3705	647000	10	15kHz	Inner_1RB_Left	26.33
					Inner_1RB_Right	26.47
					Inner_Full	26.49
	3750	650000			Inner_1RB_Left	27.05
					Inner_1RB_Right	27.09
					Inner_Full	27.14
	3795	653000			Inner_1RB_Left	24.22
					Inner_1RB_Right	25.22
					Inner_Full	26.26
CP-16QAM	3705	647000	Inner_1RB_Left	25.16		
			Inner_1RB_Right	25.61		
			Inner_Full	25.71		
	3750	650000	Inner_1RB_Left	26.16		
			Inner_1RB_Right	26.01		
			Inner_Full	25.99		
	3795	653000	Inner_1RB_Left	24.23		
			Inner_1RB_Right	25.29		
			Inner_Full	24.19		
CP-64QAM	3705	647000	Inner_1RB_Left	23.80		
			Inner_1RB_Right	24.05		
			Inner_Full	23.71		
	3750	650000	Inner_1RB_Left	24.20		
			Inner_1RB_Right	24.35		
			Inner_Full	24.33		
	3795	653000	Inner_1RB_Left	25.30		
			Inner_1RB_Right	24.32		
			Inner_Full	24.28		
CP-256QAM	3705	647000	Inner_1RB_Left	23.44		
			Inner_1RB_Right	23.71		
			Inner_Full	24.07		
	3750	650000	Inner_1RB_Left	24.20		
			Inner_1RB_Right	24.71		
			Inner_Full	24.36		
	3795	653000	Inner_1RB_Left	25.20		
			Inner_1RB_Right	25.14		
			Inner_Full	25.23		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3707.52	647168	15	15kHz	Inner_1RB_Left	24.92
					Inner_1RB_Right	25.41
					Inner_Full	25.03
	3750	650000			Inner_1RB_Left	25.53
					Inner_1RB_Right	24.21
					Inner_Full	25.29
	3792.48	652832			Inner_1RB_Left	25.14
					Inner_1RB_Right	25.18
					Inner_Full	24.94
DFT-16QAM	3707.52	647168	15	15kHz	Inner_1RB_Left	24.45
					Inner_1RB_Right	24.72
					Inner_Full	24.51
	3750	650000			Inner_1RB_Left	25.33
					Inner_1RB_Right	24.19
					Inner_Full	24.27
	3792.48	652832			Inner_1RB_Left	24.04
					Inner_1RB_Right	24.13
					Inner_Full	24.43
DFT-64QAM	3707.52	647168	15	15kHz	Inner_1RB_Left	22.68
					Inner_1RB_Right	23.06
					Inner_Full	22.91
	3750	650000			Inner_1RB_Left	25.25
					Inner_1RB_Right	25.19
					Inner_Full	24.26
	3792.48	652832			Inner_1RB_Left	22.82
					Inner_1RB_Right	22.89
					Inner_Full	22.87
DFT-256QAM	3707.52	647168	15	15kHz	Inner_1RB_Left	22.71
					Inner_1RB_Right	23.08
					Inner_Full	22.88
	3750	650000			Inner_1RB_Left	25.25
					Inner_1RB_Right	25.37
					Inner_Full	24.27
	3792.48	652832			Inner_1RB_Left	22.80
					Inner_1RB_Right	22.89
					Inner_Full	22.88

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3707.52	647168	15	15kHz	Inner_1RB_Left	24.94
					Inner_1RB_Right	25.27
					Inner_Full	25.03
	3750	650000			Inner_1RB_Left	25.25
					Inner_1RB_Right	25.31
					Inner_Full	25.27
	3792.48	652832			Inner_1RB_Left	25.19
					Inner_1RB_Right	25.26
					Inner_Full	24.97
CP-16QAM	3707.52	647168	15	15kHz	Inner_1RB_Left	23.99
					Inner_1RB_Right	24.36
					Inner_Full	24.49
	3750	650000			Inner_1RB_Left	24.28
					Inner_1RB_Right	25.27
					Inner_Full	24.30
	3792.48	652832			Inner_1RB_Left	24.56
					Inner_1RB_Right	24.48
					Inner_Full	24.39
CP-64QAM	3707.52	647168	15	15kHz	Inner_1RB_Left	22.63
					Inner_1RB_Right	22.90
					Inner_Full	22.96
	3750	650000			Inner_1RB_Left	24.25
					Inner_1RB_Right	24.34
					Inner_Full	24.28
	3792.48	652832			Inner_1RB_Left	22.79
					Inner_1RB_Right	22.83
					Inner_Full	22.79
CP-256QAM	3707.52	647168	15	15kHz	Inner_1RB_Left	22.68
					Inner_1RB_Right	23.04
					Inner_Full	22.93
	3750	650000			Inner_1RB_Left	25.22
					Inner_1RB_Right	26.25
					Inner_Full	25.27
	3792.48	652832			Inner_1RB_Left	22.92
					Inner_1RB_Right	22.91
					Inner_Full	22.86

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3710.01	647334	20	15kHz	Inner_1RB_Left	26.36
					Inner_1RB_Right	26.73
					Inner_Full	26.81
	3750	650000			Inner_1RB_Left	26.88
					Inner_1RB_Right	27.07
					Inner_Full	27.27
	3789.99	652666			Inner_1RB_Left	24.79
					Inner_1RB_Right	26.27
					Inner_Full	26.30
DFT-16QAM	3710.01	647334	20	15kHz	Inner_1RB_Left	25.25
					Inner_1RB_Right	25.62
					Inner_Full	25.79
	3750	650000			Inner_1RB_Left	25.95
					Inner_1RB_Right	25.86
					Inner_Full	26.17
	3789.99	652666			Inner_1RB_Left	26.23
					Inner_1RB_Right	26.28
					Inner_Full	-36.21
DFT-64QAM	3710.01	647334	20	15kHz	Inner_1RB_Left	23.53
					Inner_1RB_Right	23.96
					Inner_Full	24.12
	3750	650000			Inner_1RB_Left	24.41
					Inner_1RB_Right	24.19
					Inner_Full	24.52
	3789.99	652666			Inner_1RB_Left	26.29
					Inner_1RB_Right	26.30
					Inner_Full	26.30
DFT-256QAM	3710.01	647334	20	15kHz	Inner_1RB_Left	23.52
					Inner_1RB_Right	23.94
					Inner_Full	24.17
	3750	650000			Inner_1RB_Left	24.38
					Inner_1RB_Right	24.12
					Inner_Full	24.48
	3789.99	652666			Inner_1RB_Left	26.27
					Inner_1RB_Right	26.25
					Inner_Full	26.26

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3710.01	647334	20	15kHz	Inner_1RB_Left	26.36
					Inner_1RB_Right	26.72
					Inner_Full	26.75
	3750	650000			Inner_1RB_Left	26.90
					Inner_1RB_Right	26.96
					Inner_Full	27.03
	3789.99	652666			Inner_1RB_Left	25.21
					Inner_1RB_Right	26.25
					Inner_Full	24.29
CP-16QAM	3710.01	647334	20	15kHz	Inner_1RB_Left	25.25
					Inner_1RB_Right	25.88
					Inner_Full	25.86
	3750	650000			Inner_1RB_Left	25.96
					Inner_1RB_Right	25.87
					Inner_Full	25.86
	3789.99	652666			Inner_1RB_Left	25.23
					Inner_1RB_Right	25.28
					Inner_Full	25.22
CP-64QAM	3710.01	647334	20	15kHz	Inner_1RB_Left	23.95
					Inner_1RB_Right	23.95
					Inner_Full	24.35
	3750	650000			Inner_1RB_Left	24.38
					Inner_1RB_Right	24.15
					Inner_Full	24.49
	3789.99	652666			Inner_1RB_Left	24.25
					Inner_1RB_Right	25.25
					Inner_Full	25.22
CP-256QAM	3710.01	647334	20	15kHz	Inner_1RB_Left	23.50
					Inner_1RB_Right	23.97
					Inner_Full	24.33
	3750	650000			Inner_1RB_Left	23.95
					Inner_1RB_Right	24.48
					Inner_Full	24.53
	3789.99	652666			Inner_1RB_Left	26.24
					Inner_1RB_Right	26.21
					Inner_Full	26.30

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3712.5	647500	25	15kHz	Inner_1RB_Left	24.83
					Inner_1RB_Right	25.27
					Inner_Full	25.09
	3750	650000			Inner_1RB_Left	25.39
					Inner_1RB_Right	-35.02
					Inner_Full	-35.03
	3787.5	652500			Inner_1RB_Left	25.27
					Inner_1RB_Right	24.92
					Inner_Full	24.93
DFT-16QAM	3712.5	647500	25	15kHz	Inner_1RB_Left	24.28
					Inner_1RB_Right	24.74
					Inner_Full	24.60
	3750	650000			Inner_1RB_Left	25.03
					Inner_1RB_Right	25.04
					Inner_Full	25.07
	3787.5	652500			Inner_1RB_Left	24.04
					Inner_1RB_Right	24.03
					Inner_Full	24.45
DFT-64QAM	3712.5	647500	25	15kHz	Inner_1RB_Left	22.62
					Inner_1RB_Right	23.02
					Inner_Full	23.04
	3750	650000			Inner_1RB_Left	25.05
					Inner_1RB_Right	25.08
					Inner_Full	25.09
	3787.5	652500			Inner_1RB_Left	22.88
					Inner_1RB_Right	22.73
					Inner_Full	22.89
DFT-256QAM	3712.5	647500	25	15kHz	Inner_1RB_Left	22.58
					Inner_1RB_Right	22.99
					Inner_Full	23.04
	3750	650000			Inner_1RB_Left	25.02
					Inner_1RB_Right	25.09
					Inner_Full	25.06
	3787.5	652500			Inner_1RB_Left	22.86
					Inner_1RB_Right	22.70
					Inner_Full	22.90

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3712.5	647500	25	15kHz	Inner_1RB_Left	24.85
					Inner_1RB_Right	25.25
					Inner_Full	25.10
	3750	650000			Inner_1RB_Left	25.08
					Inner_1RB_Right	25.03
					Inner_Full	25.09
	3787.5	652500			Inner_1RB_Left	25.08
					Inner_1RB_Right	24.94
					Inner_Full	25.00
CP-16QAM	3712.5	647500	25	15kHz	Inner_1RB_Left	24.25
					Inner_1RB_Right	24.27
					Inner_Full	24.55
	3750	650000			Inner_1RB_Left	25.04
					Inner_1RB_Right	25.07
					Inner_Full	25.05
	3787.5	652500			Inner_1RB_Left	24.04
					Inner_1RB_Right	24.05
					Inner_Full	24.41
CP-64QAM	3712.5	647500	25	15kHz	Inner_1RB_Left	22.52
					Inner_1RB_Right	23.09
					Inner_Full	22.95
	3750	650000			Inner_1RB_Left	25.07
					Inner_1RB_Right	25.05
					Inner_Full	25.04
	3787.5	652500			Inner_1RB_Left	22.84
					Inner_1RB_Right	22.69
					Inner_Full	22.79
CP-256QAM	3712.5	647500	25	15kHz	Inner_1RB_Left	22.69
					Inner_1RB_Right	23.04
					Inner_Full	22.98
	3750	650000			Inner_1RB_Left	25.05
					Inner_1RB_Right	25.12
					Inner_Full	25.04
	3787.5	652500			Inner_1RB_Left	22.87
					Inner_1RB_Right	22.78
					Inner_Full	22.79

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3715.02	647668	30	15kHz	Inner_1RB_Left	23.90
					Inner_1RB_Right	25.89
					Inner_Full	25.89
	3750	650000			Inner_1RB_Left	25.46
					Inner_1RB_Right	25.59
					Inner_Full	25.63
	3785.01	652334			Inner_1RB_Left	24.89
					Inner_1RB_Right	24.50
					Inner_Full	25.52
DFT-16QAM	3715.02	647668	30	15kHz	Inner_1RB_Left	24.85
					Inner_1RB_Right	24.87
					Inner_Full	23.91
	3750	650000			Inner_1RB_Left	24.81
					Inner_1RB_Right	24.60
					Inner_Full	25.09
	3785.01	652334			Inner_1RB_Left	24.46
					Inner_1RB_Right	24.48
					Inner_Full	24.47
DFT-64QAM	3715.02	647668	30	15kHz	Inner_1RB_Left	-33.93
					Inner_1RB_Right	23.91
					Inner_Full	23.93
	3750	650000			Inner_1RB_Left	23.23
					Inner_1RB_Right	23.31
					Inner_Full	23.49
	3785.01	652334			Inner_1RB_Left	24.45
					Inner_1RB_Right	24.49
					Inner_Full	24.43
DFT-256QAM	3715.02	647668	30	15kHz	Inner_1RB_Left	23.90
					Inner_1RB_Right	23.90
					Inner_Full	23.95
	3750	650000			Inner_1RB_Left	23.19
					Inner_1RB_Right	23.29
					Inner_Full	23.58
	3785.01	652334			Inner_1RB_Left	24.49
					Inner_1RB_Right	24.47
					Inner_Full	24.49

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3715.02	647668	30	15kHz	Inner_1RB_Left	24.91
					Inner_1RB_Right	23.91
					Inner_Full	23.90
	3750	650000			Inner_1RB_Left	25.48
					Inner_1RB_Right	25.59
					Inner_Full	25.64
	3785.01	652334			Inner_1RB_Left	24.50
					Inner_1RB_Right	24.50
					Inner_Full	24.50
CP-16QAM	3715.02	647668	30	15kHz	Inner_1RB_Left	23.93
					Inner_1RB_Right	23.91
					Inner_Full	23.90
	3750	650000			Inner_1RB_Left	24.39
					Inner_1RB_Right	24.55
					Inner_Full	25.09
	3785.01	652334			Inner_1RB_Left	24.49
					Inner_1RB_Right	-34.48
					Inner_Full	24.51
CP-64QAM	3715.02	647668	30	15kHz	Inner_1RB_Left	23.89
					Inner_1RB_Right	23.90
					Inner_Full	23.97
	3750	650000			Inner_1RB_Left	23.13
					Inner_1RB_Right	23.13
					Inner_Full	23.48
	3785.01	652334			Inner_1RB_Left	24.51
					Inner_1RB_Right	24.49
					Inner_Full	24.52
CP-256QAM	3715.02	647668	30	15kHz	Inner_1RB_Left	23.89
					Inner_1RB_Right	23.92
					Inner_Full	23.89
	3750	650000			Inner_1RB_Left	23.06
					Inner_1RB_Right	23.14
					Inner_Full	23.56
	3785.01	652334			Inner_1RB_Left	24.50
					Inner_1RB_Right	24.47
					Inner_Full	24.50

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3720	648000	40	15kHz	Inner_1RB_Left	24.53
					Inner_1RB_Right	25.29
					Inner_Full	25.22
	3750	650000			Inner_1RB_Left	25.35
					Inner_1RB_Right	25.47
					Inner_Full	26.05
	3780	652000			Inner_1RB_Left	24.25
					Inner_1RB_Right	25.74
					Inner_Full	26.27
DFT-16QAM	3720	648000			Inner_1RB_Left	23.55
					Inner_1RB_Right	24.59
					Inner_Full	24.65
	3750	650000			Inner_1RB_Left	23.96
					Inner_1RB_Right	24.19
					Inner_Full	24.47
	3780	652000			Inner_1RB_Left	25.03
					Inner_1RB_Right	24.75
					Inner_Full	25.23
DFT-64QAM	3720	648000			Inner_1RB_Left	22.36
					Inner_1RB_Right	22.91
					Inner_Full	23.04
	3750	650000			Inner_1RB_Left	24.00
					Inner_1RB_Right	24.01
					Inner_Full	24.19
	3780	652000			Inner_1RB_Left	23.57
					Inner_1RB_Right	23.32
					Inner_Full	23.65
DFT-256QAM	3720	648000	Inner_1RB_Left	22.29		
			Inner_1RB_Right	23.00		
			Inner_Full	23.03		
	3750	650000	Inner_1RB_Left	23.84		
			Inner_1RB_Right	23.83		
			Inner_Full	24.16		
	3780	652000	Inner_1RB_Left	23.60		
			Inner_1RB_Right	23.30		
			Inner_Full	23.58		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3720	648000	40	15kHz	Inner_1RB_Left	24.54
					Inner_1RB_Right	25.29
					Inner_Full	25.13
	3750	650000			Inner_1RB_Left	26.26
					Inner_1RB_Right	26.43
					Inner_Full	26.82
	3780	652000			Inner_1RB_Left	25.97
					Inner_1RB_Right	25.80
					Inner_Full	26.26
CP-16QAM	3720	648000	40	15kHz	Inner_1RB_Left	23.60
					Inner_1RB_Right	24.23
					Inner_Full	24.61
	3750	650000			Inner_1RB_Left	25.23
					Inner_1RB_Right	25.36
					Inner_Full	25.82
	3780	652000			Inner_1RB_Left	24.65
					Inner_1RB_Right	24.44
					Inner_Full	25.22
CP-64QAM	3720	648000	40	15kHz	Inner_1RB_Left	22.29
					Inner_1RB_Right	22.95
					Inner_Full	23.08
	3750	650000			Inner_1RB_Left	23.86
					Inner_1RB_Right	23.95
					Inner_Full	24.39
	3780	652000			Inner_1RB_Left	23.55
					Inner_1RB_Right	23.31
					Inner_Full	23.62
CP-256QAM	3720	648000	40	15kHz	Inner_1RB_Left	22.30
					Inner_1RB_Right	22.93
					Inner_Full	23.08
	3750	650000			Inner_1RB_Left	22.80
					Inner_1RB_Right	22.24
					Inner_Full	0.36
	3780	652000			Inner_1RB_Left	23.58
					Inner_1RB_Right	23.37
					Inner_Full	23.59

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3725.01	648334	50	15kHz	Inner_1RB_Left	24.49
					Inner_1RB_Right	25.09
					Inner_Full	25.03
	3750	650000			Inner_1RB_Left	24.63
					Inner_1RB_Right	26.55
					Inner_Full	26.94
	3774.99	651666			Inner_1RB_Left	24.60
					Inner_1RB_Right	24.48
					Inner_Full	24.70
DFT-16QAM	3725.01	648334	50	15kHz	Inner_1RB_Left	23.93
					Inner_1RB_Right	24.80
					Inner_Full	24.40
	3750	650000			Inner_1RB_Left	25.11
					Inner_1RB_Right	25.33
					Inner_Full	25.86
	3774.99	651666			Inner_1RB_Left	23.83
					Inner_1RB_Right	23.56
					Inner_Full	24.14
DFT-64QAM	3725.01	648334	50	15kHz	Inner_1RB_Left	22.28
					Inner_1RB_Right	23.11
					Inner_Full	23.98
	3750	650000			Inner_1RB_Left	24.01
					Inner_1RB_Right	24.22
					Inner_Full	24.27
	3774.99	651666			Inner_1RB_Left	22.19
					Inner_1RB_Right	21.80
					Inner_Full	22.52
DFT-256QAM	3725.01	648334	50	15kHz	Inner_1RB_Left	23.32
					Inner_1RB_Right	24.38
					Inner_Full	23.95
	3750	650000			Inner_1RB_Left	22.09
					Inner_1RB_Right	21.74
					Inner_Full	14.08
	3774.99	651666			Inner_1RB_Left	21.89
					Inner_1RB_Right	21.21
					Inner_Full	21.55

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3725.01	648334	50	15kHz	Inner_1RB_Left	25.89
					Inner_1RB_Right	26.69
					Inner_Full	26.57
	3750	650000			Inner_1RB_Left	25.30
					Inner_1RB_Right	25.48
					Inner_Full	25.89
	3774.99	651666			Inner_1RB_Left	25.16
					Inner_1RB_Right	25.17
					Inner_Full	25.26
CP-16QAM	3725.01	648334	50	15kHz	Inner_1RB_Left	24.59
					Inner_1RB_Right	25.39
					Inner_Full	25.53
	3750	650000			Inner_1RB_Left	23.90
					Inner_1RB_Right	24.19
					Inner_Full	24.27
	3774.99	651666			Inner_1RB_Left	23.74
					Inner_1RB_Right	23.42
					Inner_Full	23.65
CP-64QAM	3725.01	648334	50	15kHz	Inner_1RB_Left	23.46
					Inner_1RB_Right	24.28
					Inner_Full	24.18
	3750	650000			Inner_1RB_Left	23.00
					Inner_1RB_Right	22.54
					Inner_Full	22.18
	3774.99	651666			Inner_1RB_Left	22.10
					Inner_1RB_Right	21.84
					Inner_Full	23.13
CP-256QAM	3725.01	648334	50	15kHz	Inner_1RB_Left	24.80
					Inner_1RB_Right	22.60
					Inner_Full	23.08
	3750	650000			Inner_1RB_Left	22.81
					Inner_1RB_Right	-0.62
					Inner_Full	23.26
	3774.99	651666			Inner_1RB_Left	22.66
					Inner_1RB_Right	22.39
					Inner_Full	23.94

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3705	647000	10	30kHz	Inner_1RB_Left	26.59
					Inner_1RB_Right	26.86
					Inner_Full	26.57
	3750	650000			Inner_1RB_Left	27.13
					Inner_1RB_Right	27.02
					Inner_Full	27.06
	3795	653000			Inner_1RB_Left	23.53
					Inner_1RB_Right	26.73
					Inner_Full	26.66
DFT-16QAM	3705	647000	10	30kHz	Inner_1RB_Left	25.44
					Inner_1RB_Right	25.65
					Inner_Full	25.63
	3750	650000			Inner_1RB_Left	26.01
					Inner_1RB_Right	22.44
					Inner_Full	26.10
	3795	653000			Inner_1RB_Left	25.58
					Inner_1RB_Right	25.52
					Inner_Full	25.70
DFT-64QAM	3705	647000	10	30kHz	Inner_1RB_Left	23.77
					Inner_1RB_Right	23.97
					Inner_Full	24.09
	3750	650000			Inner_1RB_Left	24.58
					Inner_1RB_Right	24.36
					Inner_Full	24.55
	3795	653000			Inner_1RB_Left	23.99
					Inner_1RB_Right	23.95
					Inner_Full	24.15
DFT-256QAM	3705	647000	10	30kHz	Inner_1RB_Left	21.97
					Inner_1RB_Right	22.13
					Inner_Full	22.04
	3750	650000			Inner_1RB_Left	22.55
					Inner_1RB_Right	22.52
					Inner_Full	22.54
	3795	653000			Inner_1RB_Left	22.02
					Inner_1RB_Right	22.06
					Inner_Full	22.14

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3705	647000	10	30kHz	Inner_1RB_Left	24.95
					Inner_1RB_Right	25.19
					Inner_Full	25.13
	3750	650000			Inner_1RB_Left	25.52
					Inner_1RB_Right	25.51
					Inner_Full	25.58
	3795	653000			Inner_1RB_Left	25.07
					Inner_1RB_Right	25.08
					Inner_Full	25.15
CP-16QAM	3705	647000	10	30kHz	Inner_1RB_Left	24.51
					Inner_1RB_Right	24.71
					Inner_Full	24.59
	3750	650000			Inner_1RB_Left	25.06
					Inner_1RB_Right	25.01
					Inner_Full	25.09
	3795	653000			Inner_1RB_Left	24.68
					Inner_1RB_Right	24.68
					Inner_Full	24.66
CP-64QAM	3705	647000	10	30kHz	Inner_1RB_Left	23.06
					Inner_1RB_Right	23.25
					Inner_Full	23.12
	3750	650000			Inner_1RB_Left	23.64
					Inner_1RB_Right	23.55
					Inner_Full	23.58
	3795	653000			Inner_1RB_Left	23.24
					Inner_1RB_Right	23.22
					Inner_Full	23.19
CP-256QAM	3705	647000	10	30kHz	Inner_1RB_Left	20.28
					Inner_1RB_Right	20.52
					Inner_Full	20.16
	3750	650000			Inner_1RB_Left	20.91
					Inner_1RB_Right	20.73
					Inner_Full	20.65
	3795	653000			Inner_1RB_Left	20.44
					Inner_1RB_Right	20.34
					Inner_Full	20.24

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3710.01	647334	15	30kHz	Inner_1RB_Left	26.43
					Inner_1RB_Right	26.65
					Inner_Full	26.63
	3750	650000			Inner_1RB_Left	26.93
					Inner_1RB_Right	26.82
					Inner_Full	27.08
	3789.99	652666			Inner_1RB_Left	26.66
					Inner_1RB_Right	26.64
					Inner_Full	26.64
DFT-16QAM	3710.01	647334	15	30kHz	Inner_1RB_Left	25.29
					Inner_1RB_Right	25.56
					Inner_Full	25.64
	3750	650000			Inner_1RB_Left	26.03
					Inner_1RB_Right	25.89
					Inner_Full	26.12
	3789.99	652666			Inner_1RB_Left	25.53
					Inner_1RB_Right	25.48
					Inner_Full	25.66
DFT-64QAM	3710.01	647334	15	30kHz	Inner_1RB_Left	24.05
					Inner_1RB_Right	24.35
					Inner_Full	24.19
	3750	650000			Inner_1RB_Left	24.56
					Inner_1RB_Right	24.20
					Inner_Full	24.64
	3789.99	652666			Inner_1RB_Left	23.94
					Inner_1RB_Right	23.90
					Inner_Full	24.23
DFT-256QAM	3710.01	647334	15	30kHz	Inner_1RB_Left	21.77
					Inner_1RB_Right	9.37
					Inner_Full	21.99
	3750	650000			Inner_1RB_Left	22.45
					Inner_1RB_Right	22.22
					Inner_Full	22.42
	3789.99	652666			Inner_1RB_Left	21.96
					Inner_1RB_Right	21.86
					Inner_Full	22.02

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3710.01	647334	15	30kHz	Inner_1RB_Left	24.83
					Inner_1RB_Right	25.09
					Inner_Full	25.09
	3750	650000			Inner_1RB_Left	25.43
					Inner_1RB_Right	25.32
					Inner_Full	25.53
	3789.99	652666			Inner_1RB_Left	25.05
					Inner_1RB_Right	25.09
					Inner_Full	25.13
CP-16QAM	3710.01	647334	15	30kHz	Inner_1RB_Left	24.48
					Inner_1RB_Right	24.68
					Inner_Full	24.66
	3750	650000			Inner_1RB_Left	25.16
					Inner_1RB_Right	25.00
					Inner_Full	25.06
	3789.99	652666			Inner_1RB_Left	24.58
					Inner_1RB_Right	24.55
					Inner_Full	24.63
CP-64QAM	3710.01	647334	15	30kHz	Inner_1RB_Left	23.10
					Inner_1RB_Right	23.35
					Inner_Full	23.09
	3750	650000			Inner_1RB_Left	23.58
					Inner_1RB_Right	23.38
					Inner_Full	17.01
	3789.99	652666			Inner_1RB_Left	23.13
					Inner_1RB_Right	23.15
					Inner_Full	23.11
CP-256QAM	3710.01	647334	15	30kHz	Inner_1RB_Left	19.95
					Inner_1RB_Right	20.04
					Inner_Full	20.18
	3750	650000			Inner_1RB_Left	20.45
					Inner_1RB_Right	20.33
					Inner_Full	20.58
	3789.99	652666			Inner_1RB_Left	20.26
					Inner_1RB_Right	20.22
					Inner_Full	20.21

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3710.01	647334	20	30kHz	Inner_1RB_Left	26.42
					Inner_1RB_Right	26.62
					Inner_Full	26.71
	3750	650000			Inner_1RB_Left	26.92
					Inner_1RB_Right	26.72
					Inner_Full	27.13
	3789.99	652666			Inner_1RB_Left	26.41
					Inner_1RB_Right	26.35
					Inner_Full	26.68
DFT-16QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	25.27
					Inner_1RB_Right	25.44
					Inner_Full	25.67
	3750	650000			Inner_1RB_Left	25.84
					Inner_1RB_Right	25.64
					Inner_Full	26.03
	3789.99	652666			Inner_1RB_Left	25.32
					Inner_1RB_Right	25.31
					Inner_Full	25.60
DFT-64QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	23.61
					Inner_1RB_Right	23.75
					Inner_Full	24.16
	3750	650000			Inner_1RB_Left	24.15
					Inner_1RB_Right	24.04
					Inner_Full	24.56
	3789.99	652666			Inner_1RB_Left	23.99
					Inner_1RB_Right	23.92
					Inner_Full	24.13
DFT-256QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	21.80
					Inner_1RB_Right	21.87
					Inner_Full	22.05
	3750	650000			Inner_1RB_Left	22.40
					Inner_1RB_Right	21.98
					Inner_Full	22.48
	3789.99	652666			Inner_1RB_Left	21.82
					Inner_1RB_Right	21.79
					Inner_Full	22.05

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3710.01	647334	20	30kHz	Inner_1RB_Left	24.75
					Inner_1RB_Right	25.00
					Inner_Full	25.12
	3750	650000			Inner_1RB_Left	25.31
					Inner_1RB_Right	25.22
					Inner_Full	25.50
	3789.99	652666			Inner_1RB_Left	5.40
					Inner_1RB_Right	24.96
					Inner_Full	25.08
CP-16QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	24.29
					Inner_1RB_Right	24.53
					Inner_Full	24.64
	3750	650000			Inner_1RB_Left	24.95
					Inner_1RB_Right	24.88
					Inner_Full	25.08
	3789.99	652666			Inner_1RB_Left	24.43
					Inner_1RB_Right	24.45
					Inner_Full	24.63
CP-64QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	22.84
					Inner_1RB_Right	23.12
					Inner_Full	23.08
	3750	650000			Inner_1RB_Left	23.45
					Inner_1RB_Right	23.34
					Inner_Full	23.50
	3789.99	652666			Inner_1RB_Left	22.99
					Inner_1RB_Right	22.94
					Inner_Full	23.06
CP-256QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	20.09
					Inner_1RB_Right	20.31
					Inner_Full	20.21
	3750	650000			Inner_1RB_Left	20.70
					Inner_1RB_Right	20.45
					Inner_Full	20.61
	3789.99	652666			Inner_1RB_Left	20.15
					Inner_1RB_Right	20.19
					Inner_Full	20.19

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3712.5	647500	25	30kHz	Inner_1RB_Left	26.29
					Inner_1RB_Right	26.46
					Inner_Full	26.66
	3750	650000			Inner_1RB_Left	26.85
					Inner_1RB_Right	26.64
					Inner_Full	27.08
	3787.5	652500			Inner_1RB_Left	26.37
					Inner_1RB_Right	26.38
					Inner_Full	26.66
DFT-16QAM	3712.5	647500	25	30kHz	Inner_1RB_Left	25.24
					Inner_1RB_Right	25.42
					Inner_Full	25.72
	3750	650000			Inner_1RB_Left	25.75
					Inner_1RB_Right	25.54
					Inner_Full	26.14
	3787.5	652500			Inner_1RB_Left	25.23
					Inner_1RB_Right	25.21
					Inner_Full	25.73
DFT-64QAM	3712.5	647500	25	30kHz	Inner_1RB_Left	23.85
					Inner_1RB_Right	24.02
					Inner_Full	24.15
	3750	650000			Inner_1RB_Left	24.15
					Inner_1RB_Right	23.94
					Inner_Full	24.55
	3787.5	652500			Inner_1RB_Left	23.99
					Inner_1RB_Right	23.99
					Inner_Full	24.17
DFT-256QAM	3712.5	647500	25	30kHz	Inner_1RB_Left	21.76
					Inner_1RB_Right	15.82
					Inner_Full	22.08
	3750	650000			Inner_1RB_Left	22.34
					Inner_1RB_Right	21.88
					Inner_Full	22.50
	3787.5	652500			Inner_1RB_Left	21.81
					Inner_1RB_Right	3.53
					Inner_Full	22.11

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3712.5	647500	25	30kHz	Inner_1RB_Left	24.78
					Inner_1RB_Right	25.04
					Inner_Full	25.11
	3750	650000			Inner_1RB_Left	25.30
					Inner_1RB_Right	25.13
					Inner_Full	25.51
	3787.5	652500			Inner_1RB_Left	24.95
					Inner_1RB_Right	24.94
					Inner_Full	25.08
CP-16QAM	3712.5	647500	25	30kHz	Inner_1RB_Left	24.27
					Inner_1RB_Right	24.46
					Inner_Full	24.62
	3750	650000			Inner_1RB_Left	24.85
					Inner_1RB_Right	24.64
					Inner_Full	24.99
	3787.5	652500			Inner_1RB_Left	24.36
					Inner_1RB_Right	24.46
					Inner_Full	24.59
CP-64QAM	3712.5	647500	25	30kHz	Inner_1RB_Left	22.83
					Inner_1RB_Right	22.98
					Inner_Full	23.10
	3750	650000			Inner_1RB_Left	23.44
					Inner_1RB_Right	23.18
					Inner_Full	23.48
	3787.5	652500			Inner_1RB_Left	22.91
					Inner_1RB_Right	23.03
					Inner_Full	23.08
CP-256QAM	3712.5	647500	25	30kHz	Inner_1RB_Left	20.04
					Inner_1RB_Right	20.24
					Inner_Full	20.20
	3750	650000			Inner_1RB_Left	20.65
					Inner_1RB_Right	20.31
					Inner_Full	20.60
	3787.5	652500			Inner_1RB_Left	20.19
					Inner_1RB_Right	20.27
					Inner_Full	20.20

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3715.02	647668	30	30kHz	Inner_1RB_Left	26.21
					Inner_1RB_Right	26.43
					Inner_Full	26.71
	3750	650000			Inner_1RB_Left	26.70
					Inner_1RB_Right	26.57
					Inner_Full	27.06
	3785.01	652334			Inner_1RB_Left	26.17
					Inner_1RB_Right	26.34
					Inner_Full	26.66
DFT-16QAM	3715.02	647668	30	30kHz	Inner_1RB_Left	25.19
					Inner_1RB_Right	25.34
					Inner_Full	25.70
	3750	650000			Inner_1RB_Left	25.79
					Inner_1RB_Right	25.67
					Inner_Full	26.08
	3785.01	652334			Inner_1RB_Left	25.25
					Inner_1RB_Right	25.49
					Inner_Full	25.64
DFT-64QAM	3715.02	647668	30	30kHz	Inner_1RB_Left	23.48
					Inner_1RB_Right	23.71
					Inner_Full	24.22
	3750	650000			Inner_1RB_Left	23.98
					Inner_1RB_Right	23.88
					Inner_Full	24.55
	3785.01	652334			Inner_1RB_Left	23.42
					Inner_1RB_Right	23.65
					Inner_Full	20.97
DFT-256QAM	3715.02	647668	30	30kHz	Inner_1RB_Left	21.77
					Inner_1RB_Right	21.76
					Inner_Full	22.04
	3750	650000			Inner_1RB_Left	22.15
					Inner_1RB_Right	22.06
					Inner_Full	22.43
	3785.01	652334			Inner_1RB_Left	21.71
					Inner_1RB_Right	21.89
					Inner_Full	22.01

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3715.02	647668	30	30kHz	Inner_1RB_Left	24.70
					Inner_1RB_Right	24.95
					Inner_Full	25.17
	3750	650000			Inner_1RB_Left	25.21
					Inner_1RB_Right	25.18
					Inner_Full	25.54
	3785.01	652334			Inner_1RB_Left	24.70
					Inner_1RB_Right	24.92
					Inner_Full	25.22
CP-16QAM	3715.02	647668	30	30kHz	Inner_1RB_Left	24.22
					Inner_1RB_Right	24.46
					Inner_Full	24.61
	3750	650000			Inner_1RB_Left	24.88
					Inner_1RB_Right	24.84
					Inner_Full	24.97
	3785.01	652334			Inner_1RB_Left	24.38
					Inner_1RB_Right	24.65
					Inner_Full	24.57
CP-64QAM	3715.02	647668	30	30kHz	Inner_1RB_Left	22.79
					Inner_1RB_Right	22.99
					Inner_Full	23.15
	3750	650000			Inner_1RB_Left	23.23
					Inner_1RB_Right	23.24
					Inner_Full	23.51
	3785.01	652334			Inner_1RB_Left	22.77
					Inner_1RB_Right	22.96
					Inner_Full	23.14
CP-256QAM	3715.02	647668	30	30kHz	Inner_1RB_Left	20.03
					Inner_1RB_Right	20.28
					Inner_Full	20.20
	3750	650000			Inner_1RB_Left	20.39
					Inner_1RB_Right	20.21
					Inner_Full	20.58
	3785.01	652334			Inner_1RB_Left	19.78
					Inner_1RB_Right	19.96
					Inner_Full	20.18

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3720	648000	40	30kHz	Inner_1RB_Left	26.00
					Inner_1RB_Right	26.20
					Inner_Full	26.66
	3750	650000			Inner_1RB_Left	26.55
					Inner_1RB_Right	26.49
					Inner_Full	27.05
	3780	652000			Inner_1RB_Left	26.08
					Inner_1RB_Right	26.29
					Inner_Full	26.72
DFT-16QAM	3720	648000	40	30kHz	Inner_1RB_Left	25.01
					Inner_1RB_Right	25.15
					Inner_Full	25.69
	3750	650000			Inner_1RB_Left	13.13
					Inner_1RB_Right	25.46
					Inner_Full	26.04
	3780	652000			Inner_1RB_Left	24.97
					Inner_1RB_Right	25.31
					Inner_Full	25.73
DFT-64QAM	3720	648000	40	30kHz	Inner_1RB_Left	23.63
					Inner_1RB_Right	23.56
					Inner_Full	24.14
	3750	650000			Inner_1RB_Left	23.97
					Inner_1RB_Right	23.83
					Inner_Full	24.50
	3780	652000			Inner_1RB_Left	20.13
					Inner_1RB_Right	23.63
					Inner_Full	24.17
DFT-256QAM	3720	648000	40	30kHz	Inner_1RB_Left	21.39
					Inner_1RB_Right	21.69
					Inner_Full	10.32
	3750	650000			Inner_1RB_Left	21.98
					Inner_1RB_Right	21.91
					Inner_Full	22.46
	3780	652000			Inner_1RB_Left	21.56
					Inner_1RB_Right	21.86
					Inner_Full	22.12

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3720	648000	40	30kHz	Inner_1RB_Left	24.55
					Inner_1RB_Right	24.87
					Inner_Full	25.14
	3750	650000			Inner_1RB_Left	25.02
					Inner_1RB_Right	18.82
					Inner_Full	25.52
	3780	652000			Inner_1RB_Left	24.55
					Inner_1RB_Right	18.62
					Inner_Full	25.21
CP-16QAM	3720	648000	40	30kHz	Inner_1RB_Left	24.05
					Inner_1RB_Right	24.20
					Inner_Full	24.55
	3750	650000			Inner_1RB_Left	24.58
					Inner_1RB_Right	24.46
					Inner_Full	24.92
	3780	652000			Inner_1RB_Left	24.11
					Inner_1RB_Right	24.33
					Inner_Full	24.59
CP-64QAM	3720	648000	40	30kHz	Inner_1RB_Left	22.56
					Inner_1RB_Right	22.74
					Inner_Full	23.07
	3750	650000			Inner_1RB_Left	23.06
					Inner_1RB_Right	22.98
					Inner_Full	23.43
	3780	652000			Inner_1RB_Left	22.65
					Inner_1RB_Right	22.91
					Inner_Full	23.12
CP-256QAM	3720	648000	40	30kHz	Inner_1RB_Left	19.80
					Inner_1RB_Right	20.10
					Inner_Full	20.12
	3750	650000			Inner_1RB_Left	20.28
					Inner_1RB_Right	20.16
					Inner_Full	20.49
	3780	652000			Inner_1RB_Left	19.89
					Inner_1RB_Right	20.10
					Inner_Full	20.18

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3725.01	648334	50	30kHz	Inner_1RB_Left	26.22
					Inner_1RB_Right	26.43
					Inner_Full	26.68
	3750	650000			Inner_1RB_Left	26.72
					Inner_1RB_Right	26.73
					Inner_Full	27.07
	3774.99	651666			Inner_1RB_Left	26.48
					Inner_1RB_Right	26.44
					Inner_Full	26.72
DFT-16QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	25.17
					Inner_1RB_Right	25.44
					Inner_Full	25.66
	3750	650000			Inner_1RB_Left	25.67
					Inner_1RB_Right	25.69
					Inner_Full	26.09
	3774.99	651666			Inner_1RB_Left	25.35
					Inner_1RB_Right	25.35
					Inner_Full	25.67
DFT-64QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	23.48
					Inner_1RB_Right	23.70
					Inner_Full	24.17
	3750	650000			Inner_1RB_Left	24.02
					Inner_1RB_Right	24.01
					Inner_Full	24.52
	3774.99	651666			Inner_1RB_Left	23.72
					Inner_1RB_Right	23.76
					Inner_Full	24.14
DFT-256QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	21.64
					Inner_1RB_Right	21.99
					Inner_Full	22.09
	3750	650000			Inner_1RB_Left	22.17
					Inner_1RB_Right	22.12
					Inner_Full	22.47
	3774.99	651666			Inner_1RB_Left	22.03
					Inner_1RB_Right	21.63
					Inner_Full	22.09

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3725.01	648334	50	30kHz	Inner_1RB_Left	24.71
					Inner_1RB_Right	24.96
					Inner_Full	25.08
	3750	650000			Inner_1RB_Left	25.19
					Inner_1RB_Right	25.25
					Inner_Full	25.46
	3774.99	651666			Inner_1RB_Left	24.99
					Inner_1RB_Right	25.04
					Inner_Full	25.07
CP-16QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	24.55
					Inner_1RB_Right	24.79
					Inner_Full	24.60
	3750	650000			Inner_1RB_Left	24.71
					Inner_1RB_Right	24.71
					Inner_Full	25.01
	3774.99	651666			Inner_1RB_Left	24.45
					Inner_1RB_Right	24.47
					Inner_Full	24.61
CP-64QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	22.99
					Inner_1RB_Right	23.23
					Inner_Full	23.11
	3750	650000			Inner_1RB_Left	23.32
					Inner_1RB_Right	23.39
					Inner_Full	23.49
	3774.99	651666			Inner_1RB_Left	23.01
					Inner_1RB_Right	23.01
					Inner_Full	23.10
CP-256QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	20.05
					Inner_1RB_Right	20.26
					Inner_Full	20.19
	3750	650000			Inner_1RB_Left	20.65
					Inner_1RB_Right	20.42
					Inner_Full	20.56
	3774.99	651666			Inner_1RB_Left	20.36
					Inner_1RB_Right	20.33
					Inner_Full	20.18

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3730.02	648668	60	30kHz	Inner_1RB_Left	26.30
					Inner_1RB_Right	26.28
					Inner_Full	26.69
	3750	650000			Inner_1RB_Left	27.10
					Inner_1RB_Right	27.14
					Inner_Full	27.00
	3769.98	651332			Inner_1RB_Left	26.55
					Inner_1RB_Right	26.78
					Inner_Full	26.66
DFT-16QAM	3730.02	648668	60	30kHz	Inner_1RB_Left	25.31
					Inner_1RB_Right	25.25
					Inner_Full	25.68
	3750	650000			Inner_1RB_Left	25.82
					Inner_1RB_Right	25.86
					Inner_Full	26.01
	3769.98	651332			Inner_1RB_Left	25.73
					Inner_1RB_Right	25.56
					Inner_Full	25.66
DFT-64QAM	3730.02	648668	60	30kHz	Inner_1RB_Left	23.78
					Inner_1RB_Right	23.83
					Inner_Full	6.33
	3750	650000			Inner_1RB_Left	24.09
					Inner_1RB_Right	24.08
					Inner_Full	24.47
	3769.98	651332			Inner_1RB_Left	24.18
					Inner_1RB_Right	23.98
					Inner_Full	24.11
DFT-256QAM	3730.02	648668	60	30kHz	Inner_1RB_Left	21.86
					Inner_1RB_Right	10.43
					Inner_Full	22.08
	3750	650000			Inner_1RB_Left	22.37
					Inner_1RB_Right	22.42
					Inner_Full	22.44
	3769.98	651332			Inner_1RB_Left	21.78
					Inner_1RB_Right	21.59
					Inner_Full	22.10

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3730.02	648668	60	30kHz	Inner_1RB_Left	24.71
					Inner_1RB_Right	24.80
					Inner_Full	25.10
	3750	650000			Inner_1RB_Left	25.26
					Inner_1RB_Right	25.34
					Inner_Full	25.43
	3769.98	651332			Inner_1RB_Left	25.09
					Inner_1RB_Right	24.98
					Inner_Full	25.08
CP-16QAM	3730.02	648668	60	30kHz	Inner_1RB_Left	24.39
					Inner_1RB_Right	24.35
					Inner_Full	24.61
	3750	650000			Inner_1RB_Left	24.99
					Inner_1RB_Right	25.03
					Inner_Full	24.91
	3769.98	651332			Inner_1RB_Left	24.80
					Inner_1RB_Right	24.71
					Inner_Full	24.58
CP-64QAM	3730.02	648668	60	30kHz	Inner_1RB_Left	22.82
					Inner_1RB_Right	22.88
					Inner_Full	23.07
	3750	650000			Inner_1RB_Left	23.39
					Inner_1RB_Right	23.33
					Inner_Full	5.96
	3769.98	651332			Inner_1RB_Left	23.22
					Inner_1RB_Right	23.13
					Inner_Full	23.06
CP-256QAM	3730.02	648668	60	30kHz	Inner_1RB_Left	20.16
					Inner_1RB_Right	14.52
					Inner_Full	3.59
	3750	650000			Inner_1RB_Left	14.88
					Inner_1RB_Right	20.45
					Inner_Full	20.52
	3769.98	651332			Inner_1RB_Left	20.24
					Inner_1RB_Right	20.10
					Inner_Full	20.19

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3735	649000	70	30kHz	Inner_1RB_Left	26.75
					Inner_1RB_Right	26.76
					Inner_Full	26.75
	3750	65000			Inner_1RB_Left	27.14
					Inner_1RB_Right	27.15
					Inner_Full	27.14
	3765	651000			Inner_1RB_Left	26.75
					Inner_1RB_Right	26.75
					Inner_Full	26.75
DFT-16QAM	3735	649000	70	30kHz	Inner_1RB_Left	25.74
					Inner_1RB_Right	25.78
					Inner_Full	25.76
	3750	65000			Inner_1RB_Left	26.12
					Inner_1RB_Right	26.10
					Inner_Full	26.11
	3765	651000			Inner_1RB_Left	25.74
					Inner_1RB_Right	25.75
					Inner_Full	25.73
DFT-64QAM	3735	649000	70	30kHz	Inner_1RB_Left	0.70
					Inner_1RB_Right	18.31
					Inner_Full	24.15
	3750	65000			Inner_1RB_Left	24.58
					Inner_1RB_Right	24.55
					Inner_Full	24.55
	3765	651000			Inner_1RB_Left	24.21
					Inner_1RB_Right	24.22
					Inner_Full	24.21
DFT-256QAM	3735	649000	70	30kHz	Inner_1RB_Left	22.17
					Inner_1RB_Right	22.21
					Inner_Full	22.19
	3750	65000			Inner_1RB_Left	22.57
					Inner_1RB_Right	22.55
					Inner_Full	22.56
	3765	651000			Inner_1RB_Left	22.18
					Inner_1RB_Right	22.20
					Inner_Full	22.22

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3735	649000	70	30kHz	Inner_1RB_Left	25.13
					Inner_1RB_Right	25.13
					Inner_Full	25.13
	3750	65000			Inner_1RB_Left	25.50
					Inner_1RB_Right	19.55
					Inner_Full	25.48
	3765	651000			Inner_1RB_Left	25.14
					Inner_1RB_Right	1.96
					Inner_Full	25.14
CP-16QAM	3735	649000	70	30kHz	Inner_1RB_Left	24.69
					Inner_1RB_Right	24.65
					Inner_Full	24.68
	3750	65000			Inner_1RB_Left	25.06
					Inner_1RB_Right	25.05
					Inner_Full	25.06
	3765	651000			Inner_1RB_Left	24.69
					Inner_1RB_Right	24.69
					Inner_Full	24.69
CP-64QAM	3735	649000	70	30kHz	Inner_1RB_Left	23.13
					Inner_1RB_Right	23.11
					Inner_Full	23.10
	3750	65000			Inner_1RB_Left	23.50
					Inner_1RB_Right	23.49
					Inner_Full	23.51
	3765	651000			Inner_1RB_Left	23.14
					Inner_1RB_Right	23.15
					Inner_Full	23.13
CP-256QAM	3735	649000	70	30kHz	Inner_1RB_Left	20.27
					Inner_1RB_Right	20.27
					Inner_Full	20.27
	3750	65000			Inner_1RB_Left	20.65
					Inner_1RB_Right	20.66
					Inner_Full	15.19
	3765	651000			Inner_1RB_Left	20.30
					Inner_1RB_Right	20.31
					Inner_Full	20.30

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3740.01	649334	80	30kHz	Inner_1RB_Left	26.43
					Inner_1RB_Right	26.51
					Inner_Full	27.04
	3750	650000			Inner_1RB_Left	26.62
					Inner_1RB_Right	26.67
					Inner_Full	27.02
	3759.99	650666			Inner_1RB_Left	26.77
					Inner_1RB_Right	26.72
					Inner_Full	27.06
DFT-16QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	25.41
					Inner_1RB_Right	25.54
					Inner_Full	25.99
	3750	650000			Inner_1RB_Left	25.56
					Inner_1RB_Right	25.41
					Inner_Full	26.03
	3759.99	650666			Inner_1RB_Left	25.63
					Inner_1RB_Right	25.54
					Inner_Full	26.05
DFT-64QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	23.97
					Inner_1RB_Right	23.85
					Inner_Full	24.50
	3750	650000			Inner_1RB_Left	24.55
					Inner_1RB_Right	24.55
					Inner_Full	24.46
	3759.99	650666			Inner_1RB_Left	24.00
					Inner_1RB_Right	23.89
					Inner_Full	24.52
DFT-256QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	5.32
					Inner_1RB_Right	21.79
					Inner_Full	22.42
	3750	650000			Inner_1RB_Left	16.32
					Inner_1RB_Right	22.03
					Inner_Full	22.43
	3759.99	650666			Inner_1RB_Left	22.05
					Inner_1RB_Right	22.07
					Inner_Full	22.48

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3740.01	649334	80	30kHz	Inner_1RB_Left	24.88
					Inner_1RB_Right	25.03
					Inner_Full	25.45
	3750	650000			Inner_1RB_Left	7.50
					Inner_1RB_Right	25.27
					Inner_Full	25.48
	3759.99	650666			Inner_1RB_Left	25.13
					Inner_1RB_Right	25.13
					Inner_Full	25.51
CP-16QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	24.40
					Inner_1RB_Right	24.54
					Inner_Full	24.97
	3750	650000			Inner_1RB_Left	24.57
					Inner_1RB_Right	24.69
					Inner_Full	24.98
	3759.99	650666			Inner_1RB_Left	24.63
					Inner_1RB_Right	24.62
					Inner_Full	25.02
CP-64QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	22.96
					Inner_1RB_Right	19.56
					Inner_Full	23.41
	3750	650000			Inner_1RB_Left	17.65
					Inner_1RB_Right	23.43
					Inner_Full	23.43
	3759.99	650666			Inner_1RB_Left	17.68
					Inner_1RB_Right	23.35
					Inner_Full	23.48
CP-256QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	20.36
					Inner_1RB_Right	20.51
					Inner_Full	20.56
	3750	650000			Inner_1RB_Left	20.54
					Inner_1RB_Right	20.61
					Inner_Full	25.13
	3759.99	650666			Inner_1RB_Left	20.45
					Inner_1RB_Right	20.51
					Inner_Full	20.57

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3745.02	649668	90	30kHz	Inner_1RB_Left	26.32
					Inner_1RB_Right	26.52
					Inner_Full	27.00
	3750	650000			Inner_1RB_Left	26.48
					Inner_1RB_Right	26.60
					Inner_Full	27.01
	3754.98	650332			Inner_1RB_Left	26.54
					Inner_1RB_Right	26.56
					Inner_Full	27.03
DFT-16QAM	3745.02	649668	90	30kHz	Inner_1RB_Left	25.27
					Inner_1RB_Right	25.58
					Inner_Full	25.94
	3750	650000			Inner_1RB_Left	19.61
					Inner_1RB_Right	25.61
					Inner_Full	25.96
	3754.98	650332			Inner_1RB_Left	25.44
					Inner_1RB_Right	25.43
					Inner_Full	25.98
DFT-64QAM	3745.02	649668	90	30kHz	Inner_1RB_Left	18.29
					Inner_1RB_Right	24.38
					Inner_Full	24.42
	3750	650000			Inner_1RB_Left	23.85
					Inner_1RB_Right	23.90
					Inner_Full	24.45
	3754.98	650332			Inner_1RB_Left	24.14
					Inner_1RB_Right	24.03
					Inner_Full	24.14
DFT-256QAM	3745.02	649668	90	30kHz	Inner_1RB_Left	21.73
					Inner_1RB_Right	26.46
					Inner_Full	25.77
	3750	650000			Inner_1RB_Left	21.84
					Inner_1RB_Right	22.03
					Inner_Full	22.40
	3754.98	650332			Inner_1RB_Left	21.93
					Inner_1RB_Right	21.98
					Inner_Full	22.41

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3745.02	649668	90	30kHz	Inner_1RB_Left	24.84
					Inner_1RB_Right	25.14
					Inner_Full	25.40
	3750	650000			Inner_1RB_Left	24.93
					Inner_1RB_Right	23.51
					Inner_Full	25.43
	3754.98	650332			Inner_1RB_Left	25.06
					Inner_1RB_Right	25.12
					Inner_Full	25.45
CP-16QAM	3745.02	649668	Inner_1RB_Left	24.38		
			Inner_1RB_Right	24.70		
			Inner_Full	24.84		
	3750	650000	Inner_1RB_Left	24.38		
			Inner_1RB_Right	24.61		
			Inner_Full	24.92		
	3754.98	650332	Inner_1RB_Left	24.50		
			Inner_1RB_Right	24.59		
			Inner_Full	27.61		
CP-64QAM	3745.02	649668	Inner_1RB_Left	23.00		
			Inner_1RB_Right	23.30		
			Inner_Full	23.34		
	3750	650000	Inner_1RB_Left	23.20		
			Inner_1RB_Right	23.33		
			Inner_Full	23.39		
	3754.98	650332	Inner_1RB_Left	23.28		
			Inner_1RB_Right	23.31		
			Inner_Full	23.43		
CP-256QAM	3745.02	649668	Inner_1RB_Left	20.00		
			Inner_1RB_Right	20.14		
			Inner_Full	20.50		
	3750	650000	Inner_1RB_Left	20.37		
			Inner_1RB_Right	26.90		
			Inner_Full	24.46		
	3754.98	650332	Inner_1RB_Left	20.43		
			Inner_1RB_Right	24.53		
			Inner_Full	20.53		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3750	650000	100	30kHz	Inner_1RB_Left	26.14
					Inner_1RB_Right	26.37
					Inner_Full	27.02
DFT-16QAM	3750	650000			Inner_1RB_Left	25.08
					Inner_1RB_Right	25.33
					Inner_Full	26.02
DFT-64QAM	3750	650000			Inner_1RB_Left	23.55
					Inner_1RB_Right	23.78
					Inner_Full	24.45
DFT-256QAM	3750	650000			Inner_1RB_Left	21.55
					Inner_1RB_Right	21.67
					Inner_Full	22.38

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3750	650000	100	30kHz	Inner_1RB_Left	24.62
					Inner_1RB_Right	24.87
					Inner_Full	25.46
CP-16QAM	3750	650000			Inner_1RB_Left	25.63
					Inner_1RB_Right	24.36
					Inner_Full	24.95
CP-64QAM	3750	650000			Inner_1RB_Left	22.61
					Inner_1RB_Right	22.85
					Inner_Full	23.40
CP-256QAM	3750	650000			Inner_1RB_Left	20.18
					Inner_1RB_Right	20.31
					Inner_Full	20.52

MIMO:

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)
CP-QPSK	3705	647000	10	30kHz	Inner_1RB_Left	21.58	22.07	24.84
					Inner_1RB_Right	21.74	22.05	24.91
					Inner_Full	21.57	22.19	24.90
	3750	650000			Inner_1RB_Left	22.24	22.72	25.50
					Inner_1RB_Right	22.17	22.7	25.45
					Inner_Full	22.14	22.85	25.52
	3795	653000			Inner_1RB_Left	21.91	22.58	25.27
					Inner_1RB_Right	22.04	22.6	25.34
					Inner_Full	21.84	22.6	25.25
CP-16QAM	3705	647000	Inner_1RB_Left	21.49	21.59	24.55		
			Inner_1RB_Right	21.67	21.64	24.67		
			Inner_Full	21.26	21.73	24.51		
	3750	650000	Inner_1RB_Left	22.04	22.25	25.16		
			Inner_1RB_Right	21.97	22.21	25.10		
			Inner_Full	21.72	22.28	25.02		
	3795	653000	Inner_1RB_Left	21.69	21.97	24.84		
			Inner_1RB_Right	21.64	21.97	24.82		
			Inner_Full	21.33	22.16	24.78		
CP-64QAM	3705	647000	Inner_1RB_Left	19.6	20.39	23.02		
			Inner_1RB_Right	19.78	20.46	23.14		
			Inner_Full	19.67	20.17	22.94		
	3750	650000	Inner_1RB_Left	20.26	21.05	23.68		
			Inner_1RB_Right	20.22	21.17	23.73		
			Inner_Full	20.21	20.83	23.54		
	3795	653000	Inner_1RB_Left	19.85	20.87	23.40		
			Inner_1RB_Right	20.03	20.94	23.52		
			Inner_Full	19.92	20.59	23.28		
CP-256QAM	3705	647000	Inner_1RB_Left	16.32	17.17	19.78		
			Inner_1RB_Right	16.52	17.25	19.91		
			Inner_Full	16.62	17.32	19.99		
	3750	650000	Inner_1RB_Left	17.03	17.85	20.47		
			Inner_1RB_Right	16.96	17.89	20.46		
			Inner_Full	17.17	17.95	20.59		
	3795	653000	Inner_1RB_Left	16.6	17.7	20.20		
			Inner_1RB_Right	16.8	17.73	20.30		
			Inner_Full	16.86	17.75	20.34		

Modulation	Carrier frequency (MHz)	UL Channel	B W	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)
CP-QPSK	3707.52	647000	15	30kHz	Inner_1RB_Left	21.59	22.04	24.83
					Inner_1RB_Right	21.78	22.06	24.93
					Inner_Full	21.6	22.2	24.92
	3750	650000			Inner_1RB_Left	22.29	22.79	25.56
					Inner_1RB_Right	22.17	22.75	25.48
					Inner_Full	22.13	22.87	25.53
	3792.48	652832			Inner_1RB_Left	21.95	22.75	25.38
					Inner_1RB_Right	22.05	22.6	25.34
					Inner_Full	21.84	22.74	25.32
CP-16QAM	3707.52	647000	Inner_1RB_Left	21.43	21.51	24.48		
			Inner_1RB_Right	21.66	21.5	24.59		
			Inner_Full	21.25	21.69	24.49		
	3750	650000	Inner_1RB_Left	21.89	22.29	25.10		
			Inner_1RB_Right	21.85	22.27	25.08		
			Inner_Full	21.57	22.39	25.01		
	3792.48	652832	Inner_1RB_Left	21.66	22.25	24.98		
			Inner_1RB_Right	21.65	22.18	24.93		
			Inner_Full	21.3	22.27	24.82		
CP-64QAM	3707.52	647000	Inner_1RB_Left	19.68	20.31	23.02		
			Inner_1RB_Right	19.79	20.37	23.10		
			Inner_Full	19.8	20.18	23.00		
	3750	650000	Inner_1RB_Left	20.23	21.18	23.74		
			Inner_1RB_Right	20.13	21.22	23.72		
			Inner_Full	20.26	20.73	23.51		
	3792.48	652832	Inner_1RB_Left	19.98	21.18	23.63		
			Inner_1RB_Right	19.93	20.99	23.50		
			Inner_Full	19.96	20.6	23.30		
CP-256QAM	3707.52	647000	Inner_1RB_Left	16.34	17.28	19.85		
			Inner_1RB_Right	16.53	17.21	19.89		
			Inner_Full	16.72	17.3	20.03		
	3750	650000	Inner_1RB_Left	17.01	17.84	20.46		
			Inner_1RB_Right	16.87	17.79	20.36		
			Inner_Full	17.24	17.94	20.61		
	3792.48	652832	Inner_1RB_Left	16.72	17.72	20.26		
			Inner_1RB_Right	16.74	17.75	20.28		
			Inner_Full	16.97	17.79	20.41		

Modulation	Carrier frequency (MHz)	UL Channel	B W	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)
CP-QPSK	3710.01	647334	20	30kHz	Inner_1RB_Left	21.66	22.23	24.96
					Inner_1RB_Right	21.77	22	24.90
					Inner_Full	21.57	22.21	24.91
	3750	650000			Inner_1RB_Left	22.22	22.71	25.48
					Inner_1RB_Right	22.16	22.64	25.42
					Inner_Full	22.06	22.8	25.46
	3789.99	652666			Inner_1RB_Left	21.91	22.61	25.28
					Inner_1RB_Right	21.96	22.56	25.28
					Inner_Full	21.83	22.72	25.31
CP-16QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	21.42	21.62	24.53
					Inner_1RB_Right	21.54	21.52	24.54
					Inner_Full	21.28	21.65	24.48
	3750	650000			Inner_1RB_Left	21.86	22.21	25.05
					Inner_1RB_Right	21.69	22.28	25.01
					Inner_Full	21.61	22.25	24.95
	3789.99	652666			Inner_1RB_Left	21.47	22.13	24.82
					Inner_1RB_Right	21.65	22	24.84
					Inner_Full	21.33	22.21	24.80
CP-64QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	19.57	20.46	23.05
					Inner_1RB_Right	19.67	20.45	23.09
					Inner_Full	19.77	20.17	22.98
	3750	650000			Inner_1RB_Left	20.17	21.01	23.62
					Inner_1RB_Right	20.02	21.13	23.62
					Inner_Full	20.21	20.76	23.50
	3789.99	652666			Inner_1RB_Left	19.88	20.92	23.44
					Inner_1RB_Right	20.02	20.87	23.48
					Inner_Full	19.97	20.65	23.33
CP-256QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	16.32	17.15	19.77
					Inner_1RB_Right	16.43	17.05	19.76
					Inner_Full	16.74	17.25	20.01
	3750	650000			Inner_1RB_Left	16.97	17.72	20.37
					Inner_1RB_Right	16.81	17.82	20.35
					Inner_Full	17.16	17.83	20.52
	3789.99	652666			Inner_1RB_Left	16.61	17.73	20.22
					Inner_1RB_Right	16.66	17.75	20.25
					Inner_Full	16.83	17.76	20.33

Modulation	Carrier frequency (MHz)	UL Channel	B W	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)
CP-QPSK	3712.5	647500	25	30kHz	Inner_1RB_Left	21.51	21.97	24.76
					Inner_1RB_Right	21.54	21.72	24.64
					Inner_Full	21.57	22.23	24.92
	3750	650000			Inner_1RB_Left	22.07	22.4	25.25
					Inner_1RB_Right	22	22.52	25.28
					Inner_Full	22.09	22.77	25.45
	3787.5	652500			Inner_1RB_Left	21.77	22.41	25.11
					Inner_1RB_Right	21.9	22.43	25.18
					Inner_Full	21.81	22.64	25.26
CP-16QAM	3712.5	647500	25	30kHz	Inner_1RB_Left	21.44	21.46	24.46
					Inner_1RB_Right	21.47	21.29	24.39
					Inner_Full	21.21	21.64	24.44
	3750	650000			Inner_1RB_Left	21.8	21.94	24.88
					Inner_1RB_Right	21.7	22.03	24.88
					Inner_Full	21.57	22.23	24.92
	3787.5	652500			Inner_1RB_Left	21.44	21.87	24.67
					Inner_1RB_Right	21.56	21.89	24.74
					Inner_Full	21.29	22.14	24.75
CP-64QAM	3712.5	647500	25	30kHz	Inner_1RB_Left	19.54	20.31	22.95
					Inner_1RB_Right	19.54	20.16	22.87
					Inner_Full	19.71	20.14	22.94
	3750	650000			Inner_1RB_Left	20.07	20.83	23.48
					Inner_1RB_Right	20.06	20.93	23.53
					Inner_Full	20.23	20.73	23.50
	3787.5	652500			Inner_1RB_Left	19.79	20.68	23.27
					Inner_1RB_Right	19.94	20.8	23.40
					Inner_Full	19.93	20.62	23.30
CP-256QAM	3712.5	647500	25	30kHz	Inner_1RB_Left	16.24	17.27	19.80
					Inner_1RB_Right	16.21	17	19.63
					Inner_Full	16.7	17.24	19.99
	3750	650000			Inner_1RB_Left	16.76	17.68	20.25
					Inner_1RB_Right	16.81	17.8	20.34
					Inner_Full	17.14	17.83	20.51
	3787.5	652500			Inner_1RB_Left	16.49	17.69	20.14
					Inner_1RB_Right	16.64	17.71	20.22
					Inner_Full	16.84	17.71	20.31

Modulation	Carrier frequency (MHz)	UL Channel	B W	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)
CP-QPSK	3715.02	647668	30	30kHz	Inner_1RB_Left	21.55	21.96	24.77
					Inner_1RB_Right	21.62	21.91	24.78
					Inner_Full	21.6	22.2	24.92
	3750	650000			Inner_1RB_Left	22	22.31	25.17
					Inner_1RB_Right	22.13	22.83	25.50
					Inner_Full	22.06	22.76	25.43
	3785.01	652334			Inner_1RB_Left	21.57	22.26	24.94
					Inner_1RB_Right	22.04	22.46	25.27
					Inner_Full	21.81	22.61	25.24
CP-16QAM	3715.02	647668	30	30kHz	Inner_1RB_Left	21.47	21.51	24.50
					Inner_1RB_Right	21.36	21.33	24.36
					Inner_Full	21.28	21.7	24.51
	3750	650000			Inner_1RB_Left	21.69	21.79	24.75
					Inner_1RB_Right	21.81	22.18	25.01
					Inner_Full	21.62	22.24	24.95
	3785.01	652334			Inner_1RB_Left	21.27	21.72	24.51
					Inner_1RB_Right	21.68	21.95	24.83
					Inner_Full	21.31	22.13	24.75
CP-64QAM	3715.02	647668	30	30kHz	Inner_1RB_Left	19.59	20.3	22.97
					Inner_1RB_Right	19.57	20.23	22.92
					Inner_Full	19.71	20.14	22.94
	3750	650000			Inner_1RB_Left	20.04	20.63	23.36
					Inner_1RB_Right	20.16	21.14	23.69
					Inner_Full	20.18	20.69	23.45
	3785.01	652334			Inner_1RB_Left	19.68	20.59	23.17
					Inner_1RB_Right	19.98	20.79	23.41
					Inner_Full	19.91	20.54	23.25
CP-256QAM	3715.02	647668	30	30kHz	Inner_1RB_Left	16.32	17.27	19.83
					Inner_1RB_Right	16.32	17.13	19.75
					Inner_Full	16.6	17.22	19.93
	3750	650000			Inner_1RB_Left	16.75	17.6	20.21
					Inner_1RB_Right	16.88	18	20.49
					Inner_Full	17.13	17.8	20.49
	3785.01	652334			Inner_1RB_Left	16.44	17.48	20.00
					Inner_1RB_Right	16.71	17.67	20.23
					Inner_Full	16.85	17.63	20.27

Modulation	Carrier frequency (MHz)	UL Channel	B W	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)
CP-QPSK	3720	648000	40	30kHz	Inner_1RB_Left	21.24	21.71	24.49
					Inner_1RB_Right	21.42	21.86	24.66
					Inner_Full	21.54	22.04	24.81
	3750	650000			Inner_1RB_Left	21.7	22.01	24.87
					Inner_1RB_Right	21.98	22.7	25.37
					Inner_Full	22.02	22.71	25.39
	3780	652000			Inner_1RB_Left	21.39	21.95	24.69
					Inner_1RB_Right	21.84	22.34	25.11
					Inner_Full	21.85	22.68	25.30
CP-16QAM	3720	648000	40	30kHz	Inner_1RB_Left	21.2	21.14	24.18
					Inner_1RB_Right	21.17	21.32	24.26
					Inner_Full	21.17	21.5	24.35
	3750	650000			Inner_1RB_Left	21.6	21.47	24.55
					Inner_1RB_Right	21.69	22.08	24.90
					Inner_Full	21.51	22.22	24.89
	3780	652000			Inner_1RB_Left	21.11	21.45	24.29
					Inner_1RB_Right	21.47	21.87	24.68
					Inner_Full	21.35	22.21	24.81
CP-64QAM	3720	648000	40	30kHz	Inner_1RB_Left	19.34	20.05	22.72
					Inner_1RB_Right	19.57	20.26	22.94
					Inner_Full	19.68	19.98	22.84
	3750	650000			Inner_1RB_Left	19.78	20.4	23.11
					Inner_1RB_Right	19.99	20.9	23.48
					Inner_Full	20.15	20.68	23.43
	3780	652000			Inner_1RB_Left	19.53	20.37	22.98
					Inner_1RB_Right	19.91	20.73	23.35
					Inner_Full	19.97	20.67	23.34
CP-256QAM	3720	648000	40	30kHz	Inner_1RB_Left	16.11	16.99	19.58
					Inner_1RB_Right	16.21	17.19	19.74
					Inner_Full	16.65	17.14	19.91
	3750	650000			Inner_1RB_Left	16.53	17.3	19.94
					Inner_1RB_Right	16.73	17.78	20.30
					Inner_Full	17.12	17.8	20.48
	3780	652000			Inner_1RB_Left	16.24	17.25	19.78
					Inner_1RB_Right	16.63	17.59	20.15
					Inner_Full	16.94	17.79	20.40

Modulation	Carrier frequency (MHz)	UL Channel	B W	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)
CP-QPSK	3725.01	648334	50	30kHz	Inner_1RB_Left	21.4	21.8	24.61
					Inner_1RB_Right	21.88	22.27	25.09
					Inner_Full	21.51	21.98	24.76
	3750	650000			Inner_1RB_Left	21.89	22.11	25.01
					Inner_1RB_Right	22.24	22.84	25.56
					Inner_Full	22.03	22.72	25.40
	3774.99	651666			Inner_1RB_Left	21.83	22.27	25.07
					Inner_1RB_Right	21.88	22.47	25.20
					Inner_Full	21.8	22.76	25.32
CP-16QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	21.22	21.24	24.24
					Inner_1RB_Right	21.56	21.67	24.63
					Inner_Full	21.2	21.46	24.34
	3750	650000			Inner_1RB_Left	21.76	21.62	24.70
					Inner_1RB_Right	21.85	22.38	25.13
					Inner_Full	21.58	22.17	24.90
	3774.99	651666			Inner_1RB_Left	21.49	21.83	24.67
					Inner_1RB_Right	21.41	21.9	24.67
					Inner_Full	21.34	22.21	24.81
CP-64QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	19.47	20.05	22.78
					Inner_1RB_Right	19.96	20.5	23.25
					Inner_Full	19.66	20	22.84
	3750	650000			Inner_1RB_Left	19.97	20.42	23.21
					Inner_1RB_Right	20.35	21.12	23.76
					Inner_Full	20.14	20.73	23.46
	3774.99	651666			Inner_1RB_Left	19.91	20.57	23.26
					Inner_1RB_Right	20	20.8	23.43
					Inner_Full	19.9	20.75	23.36
CP-256QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	16.14	17.07	19.64
					Inner_1RB_Right	16.69	17.49	20.12
					Inner_Full	16.6	17.09	19.86
	3750	650000			Inner_1RB_Left	16.71	17.43	20.10
					Inner_1RB_Right	17.03	18.15	20.64
					Inner_Full	17.13	17.77	20.47
	3774.99	651666			Inner_1RB_Left	16.49	17.57	20.07
					Inner_1RB_Right	16.66	17.76	20.26
					Inner_Full	16.93	17.82	20.41

Modulation	Carrier frequency (MHz)	UL Channel	B W	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)
CP-QPSK	3730.02	648668	60	30kHz	Inner_1RB_Left	21.42	21.84	24.65
					Inner_1RB_Right	21.71	22.17	24.96
					Inner_Full	21.56	22.01	24.80
	3750	650000			Inner_1RB_Left	21.86	22.08	24.98
					Inner_1RB_Right	22.27	22.86	25.59
					Inner_Full	22.01	22.67	25.36
	3769.98	651332			Inner_1RB_Left	21.73	22.14	24.95
					Inner_1RB_Right	21.96	22.55	25.28
					Inner_Full	21.73	22.57	25.18
CP-16QAM	3730.02	648668	Inner_1RB_Left	21.4	21.35	24.39		
			Inner_1RB_Right	21.44	21.58	24.52		
			Inner_Full	21.19	21.55	24.38		
	3750	650000	Inner_1RB_Left	21.86	21.6	24.74		
			Inner_1RB_Right	22.03	22.38	25.22		
			Inner_Full	21.55	22.18	24.89		
	3769.98	651332	Inner_1RB_Left	21.4	21.63	24.53		
			Inner_1RB_Right	21.75	22.03	24.90		
			Inner_Full	21.23	22.13	24.71		
CP-64QAM	3730.02	648668	Inner_1RB_Left	19.59	20.17	22.90		
			Inner_1RB_Right	19.87	20.47	23.19		
			Inner_Full	19.72	19.97	22.86		
	3750	650000	Inner_1RB_Left	20.01	20.39	23.21		
			Inner_1RB_Right	20.47	21.23	23.88		
			Inner_Full	20.15	20.62	23.40		
	3769.98	651332	Inner_1RB_Left	19.85	20.39	23.14		
			Inner_1RB_Right	20.14	20.89	23.54		
			Inner_Full	19.87	20.53	23.22		
CP-256QAM	3730.02	648668	Inner_1RB_Left	16.21	17.15	19.72		
			Inner_1RB_Right	16.53	17.42	20.01		
			Inner_Full	16.65	17.12	19.90		
	3750	650000	Inner_1RB_Left	16.75	17.43	20.11		
			Inner_1RB_Right	17.09	18.17	20.67		
			Inner_Full	17.11	17.78	20.47		
	3769.98	651332	Inner_1RB_Left	16.5	17.38	19.97		
			Inner_1RB_Right	16.78	17.85	20.36		
			Inner_Full	16.82	17.68	20.28		

Modulation	Carrier frequency (MHz)	UL Channel	B W	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)
CP-QPSK	3735	649000	70	30kHz	Inner_1RB_Left	20.97	21.56	24.29
					Inner_1RB_Right	21.54	22.23	24.91
					Inner_Full	20.19	20.54	23.38
	3750	650000			Inner_1RB_Left	21.69	22.06	24.89
					Inner_1RB_Right	22.09	22.51	25.32
					Inner_Full	20.6	21.16	23.90
	3765	651000			Inner_1RB_Left	21.2	21.73	24.48
					Inner_1RB_Right	21.81	22.69	25.28
					Inner_Full	20.39	20.96	23.69
CP-16QAM	3735	649000	Inner_1RB_Left	21.04	21.05	24.06		
			Inner_1RB_Right	21.2	21.79	24.52		
			Inner_Full	20.23	20.52	23.39		
	3750	650000	Inner_1RB_Left	21.67	21.44	24.57		
			Inner_1RB_Right	21.63	22.15	24.91		
			Inner_Full	20.63	21.18	23.92		
	3765	651000	Inner_1RB_Left	20.96	21.08	24.03		
			Inner_1RB_Right	21.48	21.94	24.73		
			Inner_Full	20.4	20.96	23.70		
CP-64QAM	3735	649000	Inner_1RB_Left	19.34	19.67	22.52		
			Inner_1RB_Right	19.81	20.37	23.11		
			Inner_Full	19.67	20.04	22.87		
	3750	650000	Inner_1RB_Left	19.92	20.17	23.06		
			Inner_1RB_Right	20.15	20.88	23.54		
			Inner_Full	20.06	20.71	23.41		
	3765	651000	Inner_1RB_Left	19.35	19.65	22.51		
			Inner_1RB_Right	19.98	20.62	23.32		
			Inner_Full	19.82	20.48	23.17		
CP-256QAM	3735	649000	Inner_1RB_Left	16.02	16.86	19.47		
			Inner_1RB_Right	16.53	17.61	20.11		
			Inner_Full	16.69	17.14	19.93		
	3750	650000	Inner_1RB_Left	16.66	17.24	19.97		
			Inner_1RB_Right	16.98	17.84	20.44		
			Inner_Full	17.08	17.77	20.45		
	3765	651000	Inner_1RB_Left	16.29	16.77	19.55		
			Inner_1RB_Right	16.79	17.56	20.20		
			Inner_Full	16.81	17.56	20.21		

Modulation	Carrier frequency (MHz)	UL Channel	B W	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)
CP-QPSK	3740.01	649334	80	30kHz	Inner_1RB_Left	21.48	21.96	24.74
					Inner_1RB_Right	21.96	22.59	25.30
					Inner_Full	21.98	22.55	25.28
	3750	650000			Inner_1RB_Left	21.59	21.87	24.74
					Inner_1RB_Right	21.9	22.53	25.24
					Inner_Full	21.99	22.71	25.38
	3759.99	650666			Inner_1RB_Left	21.53	21.7	24.63
					Inner_1RB_Right	22	22.54	25.29
					Inner_Full	22.05	22.77	25.44
CP-16QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	21.51	21.5	24.52
					Inner_1RB_Right	21.56	22.14	24.87
					Inner_Full	21.47	22.03	24.77
	3750	650000			Inner_1RB_Left	21.59	21.38	24.50
					Inner_1RB_Right	21.57	21.92	24.76
					Inner_Full	21.48	22.13	24.83
	3759.99	650666			Inner_1RB_Left	21.15	21.23	24.20
					Inner_1RB_Right	21.55	21.98	24.78
					Inner_Full	21.56	22.24	24.92
CP-64QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	19.69	20.12	22.92
					Inner_1RB_Right	20.07	20.87	23.50
					Inner_Full	20.1	20.47	23.30
	3750	650000			Inner_1RB_Left	19.8	20.22	23.03
					Inner_1RB_Right	20.14	20.84	23.51
					Inner_Full	20.18	20.59	23.40
	3759.99	650666			Inner_1RB_Left	19.85	20.06	22.97
					Inner_1RB_Right	20.23	20.85	23.56
					Inner_Full	20.26	20.7	23.50
CP-256QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	16.36	17.19	19.81
					Inner_1RB_Right	16.75	17.88	20.36
					Inner_Full	17.05	17.6	20.34
	3750	650000			Inner_1RB_Left	16.55	17.21	19.90
					Inner_1RB_Right	16.76	17.88	20.37
					Inner_Full	17.09	17.75	20.44
	3759.99	650666			Inner_1RB_Left	16.44	17.04	19.76
					Inner_1RB_Right	16.84	17.88	20.40
					Inner_Full	17.13	17.88	20.53

Modulation	Carrier frequency (MHz)	UL Channel	B W	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)
CP-QPSK	3745.02	649668	90	30kHz	Inner_1RB_Left	21.2	21.61	24.42
					Inner_1RB_Right	21.95	22.49	25.24
					Inner_Full	21.93	22.49	25.23
	3750	650000			Inner_1RB_Left	21.37	21.73	24.56
					Inner_1RB_Right	21.85	22.28	25.08
					Inner_Full	21.96	22.59	25.30
	3754.98	650332			Inner_1RB_Left	21.55	21.85	24.71
					Inner_1RB_Right	21.73	22.19	24.98
					Inner_Full	21.98	22.67	25.35
CP-16QAM	3745.02	649668	Inner_1RB_Left	21.23	21.09	24.17		
			Inner_1RB_Right	21.6	22.02	24.83		
			Inner_Full	21.4	22	24.72		
	3750	650000	Inner_1RB_Left	21.46	21.26	24.37		
			Inner_1RB_Right	21.46	21.81	24.65		
			Inner_Full	21.45	22.07	24.78		
	3754.98	650332	Inner_1RB_Left	21.63	21.38	24.52		
			Inner_1RB_Right	21.34	21.63	24.50		
			Inner_Full	21.45	22.17	24.84		
CP-64QAM	3745.02	649668	Inner_1RB_Left	19.49	19.93	22.73		
			Inner_1RB_Right	20.25	20.81	23.55		
			Inner_Full	20.06	20.38	23.23		
	3750	650000	Inner_1RB_Left	19.68	20.01	22.86		
			Inner_1RB_Right	20.16	20.58	23.39		
			Inner_Full	20.08	20.53	23.32		
	3754.98	650332	Inner_1RB_Left	19.84	20.02	22.94		
			Inner_1RB_Right	20.04	20.54	23.31		
			Inner_Full	20.06	20.61	23.35		
CP-256QAM	3745.02	649668	Inner_1RB_Left	16.2	17.05	19.66		
			Inner_1RB_Right	16.94	17.95	20.48		
			Inner_Full	17.03	17.53	20.30		
	3750	650000	Inner_1RB_Left	16.34	17.17	19.79		
			Inner_1RB_Right	16.73	17.77	20.29		
			Inner_Full	17.05	17.65	20.37		
	3754.98	650332	Inner_1RB_Left	16.53	17.29	19.94		
			Inner_1RB_Right	16.69	17.65	20.21		
			Inner_Full	17.04	17.74	20.41		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Ant1(dBm)	Ant2(dBm)	Total(dBm)
CP-QPSK	3750	650000	100	30kHz	Inner_1RB_Left	21.06	21.54	24.32
					Inner_1RB_Right	21.65	22.25	24.97
					Inner_Full	22	22.58	25.31
CP-16QAM	3750	650000			Inner_1RB_Left	21.27	21.02	24.16
					Inner_1RB_Right	21.31	21.64	24.49
					Inner_Full	21.48	22.1	24.81
CP-64QAM	3750	650000			Inner_1RB_Left	19.53	19.73	22.64
					Inner_1RB_Right	20.04	20.41	23.24
					Inner_Full	20.12	20.56	23.36
CP-256QAM	3750	650000			Inner_1RB_Left	16.15	16.97	19.59
					Inner_1RB_Right	16.68	17.63	20.19
					Inner_Full	17.07	17.7	20.41

2 Occupied Bandwidth

Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of 99% Power (MHz)							
					DFT-QPSK		DFT-16QAM		DFT-64QAM		DFT-256QAM	
N78 3700 -3800	Mid	10	30	Outer_Full	9.27	Fig.1	9.54	Fig.2	9.32	Fig.3	9.39	Fig.4
	Mid	15		Outer_Full	13.91	Fig.9	14.01	Fig.10	13.90	Fig.11	13.88	Fig.12
	Mid	20		Outer_Full	18.91	Fig.17	19.06	Fig.18	18.92	Fig.19	19.08	Fig.20
	Mid	25		Outer_Full	24.67	Fig.25	24.20	Fig.26	24.24	Fig.27	24.21	Fig.28
	Mid	30		Outer_Full	28.66	Fig.33	28.36	Fig.34	28.35	Fig.35	28.53	Fig.36
	Mid	40		Outer_Full	37.64	Fig.41	37.41	Fig.42	37.53	Fig.43	37.81	Fig.44
	Mid	50		Outer_Full	47.93	Fig.49	48.48	Fig.50	48.39	Fig.51	48.20	Fig.52
	Mid	60		Outer_Full	59.47	Fig.57	60.14	Fig.58	60.67	Fig.59	61.45	Fig.60
	Mid	70		Outer_Full	60.94	Fig.65	60.76	Fig.66	63.04	Fig.67	61.03	Fig.68
	Mid	80		Outer_Full	80.71	Fig.73	83.65	Fig.74	80.57	Fig.75	80.96	Fig.76
	Mid	90		Outer_Full	88.82	Fig.81	89.45	Fig.82	89.15	Fig.83	90.80	Fig.84
	Mid	100		Outer_Full	101.4	Fig.89	100.2	Fig.90	99.70	Fig.91	99.91	Fig.92
Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of 99% Power (MHz)							
					CP-QPSK		CP-16QAM		CP-64QAM		CP-256QAM	
N78 3700 -3800	Mid	10	30	Outer_Full	9.44	Fig.5	9.47	Fig.6	9.48	Fig.7	10.07	Fig.8
	Mid	15		Outer_Full	14.52	Fig.13	15.00	Fig.14	14.58	Fig.15	15.03	Fig.16
	Mid	20		Outer_Full	19.37	Fig.21	19.41	Fig.22	19.61	Fig.23	19.61	Fig.24
	Mid	25		Outer_Full	24.28	Fig.29	24.53	Fig.30	24.43	Fig.31	24.52	Fig.32
	Mid	30		Outer_Full	29.91	Fig.37	29.50	Fig.38	29.55	Fig.39	30.03	Fig.40
	Mid	40		Outer_Full	39.63	Fig.45	41.25	Fig.46	40.63	Fig.47	39.92	Fig.48
	Mid	50		Outer_Full	50.22	Fig.53	49.93	Fig.54	50.95	Fig.55	51.59	Fig.56
	Mid	60		Outer_Full	61.10	Fig.61	60.23	Fig.62	61.25	Fig.63	61.60	Fig.64
	Mid	70		Outer_Full	63.12	Fig.69	62.60	Fig.70	63.60	Fig.71	63.29	Fig.72
	Mid	80		Outer_Full	82.29	Fig.77	80.77	Fig.78	82.66	Fig.79	83.92	Fig.80
	Mid	90		Outer_Full	90.46	Fig.85	90.77	Fig.86	91.45	Fig.87	93.68	Fig.88
	Mid	100		Outer_Full	100.6	Fig.93	100.5	Fig.94	100.6	Fig.95	101.3	Fig.96

3 Emission Bandwidth

Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of -26dB transmitter power (MHz)							
					DFT-QPSK		DFT-16QAM		DFT-64QAM		DFT-256QAM	
N78 3700 -3800	Mid	10	30	Outer_Full	8.58	Fig.1	8.59	Fig.2	8.56	Fig.3	8.58	Fig.4
	Mid	15		Outer_Full	12.85	Fig.9	12.83	Fig.10	12.86	Fig.11	12.88	Fig.12
	Mid	20		Outer_Full	17.82	Fig.17	17.79	Fig.18	17.84	Fig.19	17.83	Fig.20
	Mid	25		Outer_Full	22.85	Fig.25	22.84	Fig.26	22.84	Fig.27	22.83	Fig.28
	Mid	30		Outer_Full	26.74	Fig.33	26.76	Fig.34	26.76	Fig.35	26.81	Fig.36
	Mid	40		Outer_Full	35.67	Fig.41	35.66	Fig.42	35.67	Fig.43	35.72	Fig.44
	Mid	50		Outer_Full	45.64	Fig.49	45.73	Fig.50	45.66	Fig.51	45.71	Fig.52
	Mid	60		Outer_Full	58.18	Fig.57	57.78	Fig.58	57.84	Fig.59	57.99	Fig.60
	Mid	70		Outer_Full	57.89	Fig.65	57.85	Fig.66	57.94	Fig.67	57.89	Fig.68
	Mid	80		Outer_Full	77.11	Fig.73	77.13	Fig.74	77.08	Fig.75	77.08	Fig.76
	Mid	90		Outer_Full	85.60	Fig.81	85.53	Fig.82	85.46	Fig.83	85.58	Fig.84
	Mid	100	Outer_Full	96.24	Fig.89	96.11	Fig.90	96.00	Fig.91	96.00	Fig.92	
Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of -26dB transmitter power (MHz)							
					CP-QPSK		CP-16QAM		CP-64QAM		CP-256QAM	
N78 3700 -3800	Mid	10	30	Outer_Full	8.57	Fig.5	8.58	Fig.6	8.57	Fig.7	8.59	Fig.8
	Mid	15		Outer_Full	13.55	Fig.13	13.56	Fig.14	13.57	Fig.15	13.56	Fig.16
	Mid	20		Outer_Full	18.17	Fig.21	18.17	Fig.22	18.19	Fig.23	18.18	Fig.24
	Mid	25		Outer_Full	23.04	Fig.29	23.16	Fig.30	23.11	Fig.31	23.16	Fig.32
	Mid	30		Outer_Full	27.78	Fig.37	27.84	Fig.38	27.82	Fig.39	27.85	Fig.40
	Mid	40		Outer_Full	37.72	Fig.45	37.77	Fig.46	37.81	Fig.47	37.78	Fig.48
	Mid	50		Outer_Full	47.41	Fig.53	47.44	Fig.54	47.44	Fig.55	47.38	Fig.56
	Mid	60		Outer_Full	57.74	Fig.61	57.82	Fig.62	57.77	Fig.63	57.76	Fig.64
	Mid	70		Outer_Full	57.82	Fig.69	57.91	Fig.70	57.92	Fig.71	57.84	Fig.72
	Mid	80		Outer_Full	77.45	Fig.77	77.41	Fig.78	77.43	Fig.79	77.36	Fig.80
	Mid	90		Outer_Full	87.31	Fig.85	87.27	Fig.86	87.23	Fig.87	87.38	Fig.88
	Mid	100	Outer_Full	97.14	Fig.93	97.15	Fig.94	97.21	Fig.95	97.09	Fig.96	




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5



Fig.6




Fig.7




Fig.8



Fig.9




Fig.10



Fig.11




Fig.12




Fig. 13




Fig. 14



Fig. 15




Fig. 16




Fig. 17




Fig. 18



Fig.19




Fig.20



Fig.21




Fig.22



Fig.23




Fig.24



Fig.25




Fig.26




Fig.27




Fig.28




Fig.29



Fig.30




Fig.31



Fig.32




Fig.33




Fig.34




Fig.35




Fig.36