

# APPENDIX REPORT

Project No.	SHT2112010901EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT21120109002	Model No.	SE-200PB
Start test date	2021-12-22	Finish date	2021-12-22
Temperature	23.8°C	Humidity	36%
Test Engineer	Hailey Chen	Auditor	Xiaodong Zheo

Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS

**Appendix A: Conducted Peak Output Power**

Type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
802.11b	01	15.00	12.40	≤ 30.00	Pass
	06	14.09	11.55		
	11	13.15	10.48		
802.11g	01	14.86	12.05	≤ 30.00	Pass
	06	14.05	11.24		
	11	13.04	10.07		
802.11n (HT20)	01	14.89	12.24	≤ 30.00	Pass
	06	14.13	11.41		
	11	13.06	10.20		
802.11n(HT40)	03	14.89	12.47	≤ 30.00	Pass
	06	14.11	11.58		
	09	13.40	10.83		

**Appendix B: Power Spectral Density**

Type	Channel	Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
802.11b	01	-1.96	≤8.00	Pass
	06	-1.03		
	11	-1.76		
802.11g	01	-9.34	≤8.00	Pass
	06	-9.55		
	11	-9.98		
802.11n(HT20)	01	-10.93	≤8.00	Pass
	06	-11.13		
	11	-9.83		
802.11n(HT40)	03	-11.52	≤8.00	Pass
	06	-14.31		
	09	-15.11		

Type:	802.11 b
CH01	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100</p> <p>MI[1] -1.96 dBm 2.4128630 GHz</p> <p>CF 2.412 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz</p> <p>Date: 22.DEC.2021 09:14:58</p>
CH06	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100</p> <p>MI[1] -1.03 dBm 2.4389980 GHz</p> <p>CF 2.437 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz</p> <p>Date: 22.DEC.2021 09:19:55</p>
CH11	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100</p> <p>MI[1] -1.76 dBm 2.4625110 GHz</p> <p>CF 2.462 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz</p> <p>Date: 22.DEC.2021 09:12:14</p>

Type:	802.11 g
CH01	<p><b>Spectrum</b>            Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz            Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100            1 Frequency Sweep            MI[1] 9.34 dBm            2.4057560 GHz            CF 2.412 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz            Date: 22.DEC.2021 09:04:02</p>
CH06	<p><b>Spectrum</b>            Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz            Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100            1 Frequency Sweep            MI[1] 9.55 dBm            2.4307560 GHz            CF 2.437 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz            Date: 22.DEC.2021 09:01:43</p>
CH11	<p><b>Spectrum</b>            Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz            Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100            1 Frequency Sweep            MI[1] 9.98 dBm            2.4632990 GHz            CF 2.462 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz            Date: 22.DEC.2021 09:09:20</p>


Type:	802.11n(HT20)
CH01	<p> <b>Spectrum</b>            Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz            Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT            Count 100/100            1 Frequency Sweep            MI[1] -10.93 dBm            2.4069550 GHz            CF 2.412 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz            Date: 22.DEC.2021 09:48:25         </p>
CH06	<p> <b>Spectrum</b>            Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz            Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT            Count 100/100            1 Frequency Sweep            MI[1] -11.13 dBm            2.4310560 GHz            CF 2.437 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz            Date: 22.DEC.2021 09:46:54         </p>
CH11	<p> <b>Spectrum</b>            Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz            Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT            Count 100/100            1 Frequency Sweep            MI[1] -9.83 dBm            2.4670200 GHz            CF 2.462 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz            Date: 22.DEC.2021 09:44:37         </p>


Type:	802.11n(HT40)
CH03	<p>                     MultiView Spectrum                      Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz                      Att 30 dB SWI 558 us (~27 ms) VBW 100 kHz Mode Auto FFT                      Count 100/100                      1 Frequency Sweep                      MI[1] -11.52 dBm                      2.4370000 GHz                      CF 2.422 GHz 1001 pts 5.5 MHz/ Span 55.0 MHz                      Date: 22.DEC.2021 09:58:06                 </p>
CH06	<p>                     MultiView Spectrum                      Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz                      Att 30 dB SWI 558 us (~27 ms) VBW 100 kHz Mode Auto FFT                      Count 100/100                      1 Frequency Sweep                      MI[1] -14.31 dBm                      2.4307910 GHz                      CF 2.437 GHz 1001 pts 5.5 MHz/ Span 55.0 MHz                      Date: 22.DEC.2021 09:56:41                 </p>
CH09	<p>                     MultiView Spectrum                      Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz                      Att 30 dB SWI 558 us (~27 ms) VBW 100 kHz Mode Auto FFT                      Count 100/100                      1 Frequency Sweep                      MI[1] -15.11 dBm                      2.4598820 GHz                      CF 2.452 GHz 1001 pts 5.5 MHz/ Span 55.0 MHz                      Date: 22.DEC.2021 09:54:18                 </p>

**Appendix C: 6dB bandwidth**


Type	Channel	6dB Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	10.08	≥0.5	Pass
	06	9.15		
	11	9.12		
802.11g	01	16.38	≥0.5	Pass
	06	16.38		
	11	16.41		
802.11n(HT20)	01	17.64	≥0.5	Pass
	06	17.61		
	11	17.64		
802.11n(HT40)	03	36.48	≥0.5	Pass
	06	36.48		
	09	36.48		











Type:	802.11n(HT20)																												
CH01	<p><b>Marker Table</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40318 GHz</td> <td>-11.14 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.41329 GHz</td> <td>-3.56 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.64 MHz</td> <td>0.40 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40318 GHz	-11.14 dBm			M2	1		2.41329 GHz	-3.56 dBm			D3	M1	1	17.64 MHz	0.40 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.40318 GHz	-11.14 dBm																									
M2	1		2.41329 GHz	-3.56 dBm																									
D3	M1	1	17.64 MHz	0.40 dB																									
CH06	<p><b>Marker Table</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.42821 GHz</td> <td>-9.97 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.43629 GHz</td> <td>-3.83 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.61 MHz</td> <td>-1.11 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.42821 GHz	-9.97 dBm			M2	1		2.43629 GHz	-3.83 dBm			D3	M1	1	17.61 MHz	-1.11 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.42821 GHz	-9.97 dBm																									
M2	1		2.43629 GHz	-3.83 dBm																									
D3	M1	1	17.61 MHz	-1.11 dB																									
CH11	<p><b>Marker Table</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.45318 GHz</td> <td>-11.95 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.46329 GHz</td> <td>-4.66 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.64 MHz</td> <td>1.09 dB</td> <td></td> <td></td> </tr> </tbody> </table>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.45318 GHz	-11.95 dBm			M2	1		2.46329 GHz	-4.66 dBm			D3	M1	1	17.64 MHz	1.09 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.45318 GHz	-11.95 dBm																									
M2	1		2.46329 GHz	-4.66 dBm																									
D3	M1	1	17.64 MHz	1.09 dB																									






**Appendix D: 99% Occupied Bandwidth**




Type	Channel	99% Bandwidth (MHz)	Limit (kHz)	Result
802.11b	01	13.22	-	Pass
	06	13.22		
	11	13.22		
802.11g	01	17.38	-	Pass
	06	17.50		
	11	17.44		
802.11n(HT20)	01	18.37	-	Pass
	06	18.31		
	11	18.34		
802.11n(HT40)	03	37.16	-	Pass
	06	37.28		
	09	37.16		



Type:	802.11 g																												
CH01	 <p><b>Occupied Bandwidth</b></p> <p>Ref Level 20.50 dBm Offset 1.00 dB BW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>M1[1] 1.75 dBm 2.417934 GHz</p> <p>CF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.417934 GHz</td> <td>-1.75 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.403686 GHz</td> <td>-11.61 dBm</td> <td>Occ Bw</td> <td>17.382617383 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4207512 GHz</td> <td>-13.61 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22.DEC.2021 09:03:55</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.417934 GHz	-1.75 dBm			T1	1		2.403686 GHz	-11.61 dBm	Occ Bw	17.382617383 MHz	T2	1		2.4207512 GHz	-13.61 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.417934 GHz	-1.75 dBm																									
T1	1		2.403686 GHz	-11.61 dBm	Occ Bw	17.382617383 MHz																							
T2	1		2.4207512 GHz	-13.61 dBm																									
CH06	 <p><b>Occupied Bandwidth</b></p> <p>Ref Level 20.50 dBm Offset 1.00 dB BW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>M1[1] 1.90 dBm 2.442994 GHz</p> <p>CF 2.437 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.442994 GHz</td> <td>-1.90 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4283387 GHz</td> <td>-12.76 dBm</td> <td>Occ Bw</td> <td>17.502497502 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4458412 GHz</td> <td>-13.01 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22.DEC.2021 09:01:32</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.442994 GHz	-1.90 dBm			T1	1		2.4283387 GHz	-12.76 dBm	Occ Bw	17.502497502 MHz	T2	1		2.4458412 GHz	-13.01 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.442994 GHz	-1.90 dBm																									
T1	1		2.4283387 GHz	-12.76 dBm	Occ Bw	17.502497502 MHz																							
T2	1		2.4458412 GHz	-13.01 dBm																									
CH11	 <p><b>Occupied Bandwidth</b></p> <p>Ref Level 20.50 dBm Offset 1.00 dB BW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>M1[1] 2.87 dBm 2.467964 GHz</p> <p>CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.467964 GHz</td> <td>-2.87 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4533387 GHz</td> <td>-13.46 dBm</td> <td>Occ Bw</td> <td>17.442557443 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4707812 GHz</td> <td>-16.05 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22.DEC.2021 09:08:08</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.467964 GHz	-2.87 dBm			T1	1		2.4533387 GHz	-13.46 dBm	Occ Bw	17.442557443 MHz	T2	1		2.4707812 GHz	-16.05 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.467964 GHz	-2.87 dBm																									
T1	1		2.4533387 GHz	-13.46 dBm	Occ Bw	17.442557443 MHz																							
T2	1		2.4707812 GHz	-16.05 dBm																									


Type:	802.11n(HT20)																												
CH01	 <p><b>Occupied Bandwidth</b></p> <p>Ref Level 20.50 dBm Offset 1.00 dB BW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>1 Occupied Bandwidth M1[1] 1.20 dBm 2.4103520 GHz</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.410352 GHz</td> <td>-1.20 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4027992 GHz</td> <td>-10.62 dBm</td> <td>Occ Bw</td> <td>18.371628372 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4211706 GHz</td> <td>-12.50 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22.DEC.2021 09:48:28</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.410352 GHz	-1.20 dBm			T1	1		2.4027992 GHz	-10.62 dBm	Occ Bw	18.371628372 MHz	T2	1		2.4211706 GHz	-12.50 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.410352 GHz	-1.20 dBm																									
T1	1		2.4027992 GHz	-10.62 dBm	Occ Bw	18.371628372 MHz																							
T2	1		2.4211706 GHz	-12.50 dBm																									
CH06	 <p><b>Occupied Bandwidth</b></p> <p>Ref Level 20.50 dBm Offset 1.00 dB BW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>1 Occupied Bandwidth M1[1] 1.57 dBm 2.4353520 GHz</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.435352 GHz</td> <td>-1.57 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4276292 GHz</td> <td>-12.32 dBm</td> <td>Occ Bw</td> <td>18.311688312 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4461409 GHz</td> <td>-10.29 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22.DEC.2021 09:46:38</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.435352 GHz	-1.57 dBm			T1	1		2.4276292 GHz	-12.32 dBm	Occ Bw	18.311688312 MHz	T2	1		2.4461409 GHz	-10.29 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.435352 GHz	-1.57 dBm																									
T1	1		2.4276292 GHz	-12.32 dBm	Occ Bw	18.311688312 MHz																							
T2	1		2.4461409 GHz	-10.29 dBm																									
CH11	 <p><b>Occupied Bandwidth</b></p> <p>Ref Level 20.50 dBm Offset 1.00 dB BW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>1 Occupied Bandwidth M1[1] 2.32 dBm 2.4603520 GHz</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.460352 GHz</td> <td>-2.32 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4527992 GHz</td> <td>-12.50 dBm</td> <td>Occ Bw</td> <td>18.341658342 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4711409 GHz</td> <td>-11.54 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22.DEC.2021 09:43:21</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.460352 GHz	-2.32 dBm			T1	1		2.4527992 GHz	-12.50 dBm	Occ Bw	18.341658342 MHz	T2	1		2.4711409 GHz	-11.54 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.460352 GHz	-2.32 dBm																									
T1	1		2.4527992 GHz	-12.50 dBm	Occ Bw	18.341658342 MHz																							
T2	1		2.4711409 GHz	-11.54 dBm																									




Type:	802.11n(HT40)																												
CH03	 <p>Ref Level 20.50 dBm Offset 1.00 dB BW 500 kHz Att 30 dB SWI 1.01 ms VBW 2 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth M1[1] 2.24 dBm 2.436266 GHz</p> <p>CF 2.422 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.436266 GHz</td> <td>-2.24 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4034785 GHz</td> <td>-9.23 dBm</td> <td>Occ Bw</td> <td>37.162837163 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4406414 GHz</td> <td>-9.99 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22.Dec.2021 09:59:21</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.436266 GHz	-2.24 dBm			T1	1		2.4034785 GHz	-9.23 dBm	Occ Bw	37.162837163 MHz	T2	1		2.4406414 GHz	-9.99 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.436266 GHz	-2.24 dBm																									
T1	1		2.4034785 GHz	-9.23 dBm	Occ Bw	37.162837163 MHz																							
T2	1		2.4406414 GHz	-9.99 dBm																									
CH06	 <p>Ref Level 20.50 dBm Offset 1.00 dB BW 500 kHz Att 30 dB SWI 1.01 ms VBW 2 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth M1[1] 2.20 dBm 2.424293 GHz</p> <p>CF 2.437 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.424293 GHz</td> <td>-2.20 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4184186 GHz</td> <td>-11.42 dBm</td> <td>Occ Bw</td> <td>37.282717283 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4557013 GHz</td> <td>-11.06 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22.Dec.2021 09:56:29</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.424293 GHz	-2.20 dBm			T1	1		2.4184186 GHz	-11.42 dBm	Occ Bw	37.282717283 MHz	T2	1		2.4557013 GHz	-11.06 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.424293 GHz	-2.20 dBm																									
T1	1		2.4184186 GHz	-11.42 dBm	Occ Bw	37.282717283 MHz																							
T2	1		2.4557013 GHz	-11.06 dBm																									
CH09	 <p>Ref Level 20.50 dBm Offset 1.00 dB BW 500 kHz Att 30 dB SWI 1.01 ms VBW 2 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth M1[1] 2.83 dBm 2.439712 GHz</p> <p>CF 2.452 GHz 1001 pts 6.0 MHz/ Span 60.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.439712 GHz</td> <td>-2.83 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4334785 GHz</td> <td>-9.61 dBm</td> <td>Occ Bw</td> <td>37.162837163 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4706414 GHz</td> <td>-12.27 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22.Dec.2021 09:54:00</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.439712 GHz	-2.83 dBm			T1	1		2.4334785 GHz	-9.61 dBm	Occ Bw	37.162837163 MHz	T2	1		2.4706414 GHz	-12.27 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.439712 GHz	-2.83 dBm																									
T1	1		2.4334785 GHz	-9.61 dBm	Occ Bw	37.162837163 MHz																							
T2	1		2.4706414 GHz	-12.27 dBm																									



### Appendix E: Duty Cycle



Modulation Type	Test Frequency (MHz)	T <sub>on time</sub> for single burst (ms)	T <sub>period</sub> (ms)	Duty cycle	1/T <sub>on time</sub> (kHz)
11b	2437	0.59	6.63	8.9%	1.7
11g	2437	0.58	6.61	8.8%	1.7
11n20	2437	0.56	6.58	8.5%	1.8
11n40	2437	0.58	6.60	8.8%	1.7












### Appendix F: Band edge and Spurious Emissions (conducted)

Test Item:	Bandedge	Type:	802.11 b																																										
CH01	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41098 GHz</td> <td>1.92 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-51.18 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-61.57 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-62.45 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.396016 GHz</td> <td>-48.24 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22 DEC 2021 09:15:43</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41098 GHz	1.92 dBm			M2	1		2.4 GHz	-51.18 dBm			M3	1		2.39 GHz	-61.57 dBm			M4	1		2.31 GHz	-62.45 dBm			M5	1		2.396016 GHz	-48.24 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41098 GHz	1.92 dBm																																									
M2	1		2.4 GHz	-51.18 dBm																																									
M3	1		2.39 GHz	-61.57 dBm																																									
M4	1		2.31 GHz	-62.45 dBm																																									
M5	1		2.396016 GHz	-48.24 dBm																																									
CH11	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.462478 GHz</td> <td>0.92 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-56.40 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-61.04 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.484352 GHz</td> <td>-56.68 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22 DEC 2021 09:12:25</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.462478 GHz	0.92 dBm			M2	1		2.4835 GHz	-56.40 dBm			M3	1		2.5 GHz	-61.04 dBm			M4	1		2.484352 GHz	-56.68 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.462478 GHz	0.92 dBm																																									
M2	1		2.4835 GHz	-56.40 dBm																																									
M3	1		2.5 GHz	-61.04 dBm																																									
M4	1		2.484352 GHz	-56.68 dBm																																									

Test Item:	Bandedge	Type:	802.11 g																																										
CH01	 <p>Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>1 Frequency Sweep</p> <p>2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41322 GHz</td> <td>-3.73 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-38.07 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-54.10 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-61.58 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399824 GHz</td> <td>-40.03 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22.DEC.2021 09:05:04</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41322 GHz	-3.73 dBm			M2	1		2.4 GHz	-38.07 dBm			M3	1		2.39 GHz	-54.10 dBm			M4	1		2.31 GHz	-61.58 dBm			M5	1		2.399824 GHz	-40.03 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41322 GHz	-3.73 dBm																																									
M2	1		2.4 GHz	-38.07 dBm																																									
M3	1		2.39 GHz	-54.10 dBm																																									
M4	1		2.31 GHz	-61.58 dBm																																									
M5	1		2.399824 GHz	-40.03 dBm																																									
CH11	 <p>Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>1 Frequency Sweep</p> <p>2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.467033 GHz</td> <td>-4.84 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-57.29 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-61.53 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.484304 GHz</td> <td>-54.37 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22.DEC.2021 09:29:25</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.467033 GHz	-4.84 dBm			M2	1		2.4835 GHz	-57.29 dBm			M3	1		2.5 GHz	-61.53 dBm			M4	1		2.484304 GHz	-54.37 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.467033 GHz	-4.84 dBm																																									
M2	1		2.4835 GHz	-57.29 dBm																																									
M3	1		2.5 GHz	-61.53 dBm																																									
M4	1		2.484304 GHz	-54.37 dBm																																									


Test Item:	Bandedge	Type:	802.11 n(HT20)																																										
CH01	 <p><b>2 Marker Table</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41948 GHz</td> <td>-3.62 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-38.05 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-54.19 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-62.71 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399936 GHz</td> <td>-38.05 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22.DEC.2021 09:48:40</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41948 GHz	-3.62 dBm			M2	1		2.4 GHz	-38.05 dBm			M3	1		2.39 GHz	-54.19 dBm			M4	1		2.31 GHz	-62.71 dBm			M5	1		2.399936 GHz	-38.05 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41948 GHz	-3.62 dBm																																									
M2	1		2.4 GHz	-38.05 dBm																																									
M3	1		2.39 GHz	-54.19 dBm																																									
M4	1		2.31 GHz	-62.71 dBm																																									
M5	1		2.399936 GHz	-38.05 dBm																																									
CH11	 <p><b>2 Marker Table</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.455764 GHz</td> <td>-4.81 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-55.41 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-60.74 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.483872 GHz</td> <td>-51.44 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22.DEC.2021 09:44:47</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.455764 GHz	-4.81 dBm			M2	1		2.4835 GHz	-55.41 dBm			M3	1		2.5 GHz	-60.74 dBm			M4	1		2.483872 GHz	-51.44 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.455764 GHz	-4.81 dBm																																									
M2	1		2.4835 GHz	-55.41 dBm																																									
M3	1		2.5 GHz	-60.74 dBm																																									
M4	1		2.483872 GHz	-51.44 dBm																																									

Test Item:	Bandedge	Type:	802.11 n(HT40)																																										
CH03	 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.32 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>1 Frequency Sweep</p> <p>2.31 GHz 1001 pts 13.2 MHz/ 2.442 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.4058 GHz</td> <td>-6.48 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-36.67 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-51.22 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-62.64 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.398704 GHz</td> <td>-35.83 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22.DEC.2021 09:58:47</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.4058 GHz	-6.48 dBm			M2	1		2.4 GHz	-36.67 dBm			M3	1		2.39 GHz	-51.22 dBm			M4	1		2.31 GHz	-62.64 dBm			M5	1		2.398704 GHz	-35.83 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.4058 GHz	-6.48 dBm																																									
M2	1		2.4 GHz	-36.67 dBm																																									
M3	1		2.39 GHz	-51.22 dBm																																									
M4	1		2.31 GHz	-62.64 dBm																																									
M5	1		2.398704 GHz	-35.83 dBm																																									
CH09	 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.1 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>1 Frequency Sweep</p> <p>2.432 GHz 1001 pts 6.8 MHz/ 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.463283 GHz</td> <td>-7.20 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-48.10 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-57.76 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.487896 GHz</td> <td>-47.37 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 22.DEC.2021 09:54:20</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.463283 GHz	-7.20 dBm			M2	1		2.4835 GHz	-48.10 dBm			M3	1		2.5 GHz	-57.76 dBm			M4	1		2.487896 GHz	-47.37 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.463283 GHz	-7.20 dBm																																									
M2	1		2.4835 GHz	-48.10 dBm																																									
M3	1		2.5 GHz	-57.76 dBm																																									
M4	1		2.487896 GHz	-47.37 dBm																																									


Test Item:	SE	Type:	802.11b
<p>CH01 Reference level</p>			 <p>Ref Level 30.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 MI[1] 2.12 dBm 2.4109810 GHz CF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 22.DEC.2021 09:18:07</p>
<p>CH01 30MHz~1000MHz</p>			 <p>Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 MI[1] -52.97 dBm 802.4660 MHz H1 -17.880 dBm 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 22.DEC.2021 09:18:23</p>
<p>CH01 1GHz~26GHz</p>			 <p>Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 MI[1] -46.62 dBm 3.215633 GHz H1 -17.880 dBm 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 22.DEC.2021 09:18:39</p>




CH06  
Reference level




CH06  
30MHz~1000MHz




CH06  
1GHz~26GHz




CH11  
Reference level






CH11  
30MHz~1000MHz




CH11  
1GHz~26GHz




Test Item:	SE	Type:	802.11g
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			


CH06  
Reference level




CH06  
30MHz~1000MHz



CH06  
1GHz~26GHz




CH11  
Reference level




Date: 22 DEC 2021 09:29:02

CH11  
30MHz~1000MHz



Date: 22 DEC 2021 09:29:48


CH11  
1GHz~26GHz



Date: 22 DEC 2021 09:30:04


Test Item:	SE	Type:	802.11n(HT20)
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			

CH06  
Reference level




Date: 22 DEC 2021 09:47:20

CH06  
30MHz~1000MHz




Date: 22 DEC 2021 09:47:16

CH06  
1GHz~26GHz




Date: 22 DEC 2021 09:47:13


CH11  
Reference level



CH11  
30MHz~1000MHz




CH11  
1GHz~26GHz






Test Item:	SE	Type:	802.11n(HT40)
<p>CH03 Reference level</p>			
<p>CH03 30MHz~1000MHz</p>			
<p>CH03 1GHz~26GHz</p>			

CH06  
Reference level




Date: 22 DEC 2021 09:56:48

CH06  
30MHz~1000MHz




Date: 22 DEC 2021 09:57:44

CH06  
1GHz~26GHz




Date: 22 DEC 2021 09:57:21

CH09  
Reference level




Date: 22 DEC 2021 09:54:40

CH09  
30MHz~1000MHz



Date: 22 DEC 2021 09:54:56

CH09  
1GHz~26GHz



Date: 22 DEC 2021 09:55:12

-----End of Report-----