

# APPENDIX REPORT

Project No.	SHT2101041102EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT210110411004	Model No.	SQ-100
Start test date	2021-02-02	Finish date	2021-02-02
Temperature	22.7°C	Humidity	49%
Test Engineer	Hailey Chen	Auditor	Xiaodong Zheo




Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS




**Appendix A: Conducted Peak Output Power**




Type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
802.11b	01	14.07	11.61	≤ 30.00	Pass
	06	14.20	11.67		
	11	14.01	11.45		
802.11g	01	14.70	11.68	≤ 30.00	Pass
	06	14.79	11.65		
	11	14.32	11.37		
802.11n (HT20)	01	14.90	11.99	≤ 30.00	Pass
	06	14.79	11.84		
	11	14.71	11.82		

**Appendix B: Power Spectral Density**

Type	Channel	Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
802.11b	01	-5.30	≤8.00	Pass
	06	-5.88		
	11	-5.68		
802.11g	01	-10.08	≤8.00	Pass
	06	-10.64		
	11	-10.03		
802.11n(HT20)	01	-10.35	≤8.00	Pass
	06	-10.79		
	11	-11.27		

Type:	802.11 b
CH01	 <p>Date: 2.FEB.2021 09:00:44</p>
CH06	 <p>Date: 2.FEB.2021 09:03:48</p>
CH11	 <p>Date: 2.FEB.2021 09:03:45</p>

Type:	802.11 g
CH01	 <p>CF 2.412 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz</p> <p>Date: 2.FEB.2011 09:06:07</p>
CH06	 <p>CF 2.437 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz</p> <p>Date: 2.FEB.2011 09:03:07</p>
CH11	 <p>CF 2.462 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz</p> <p>Date: 2.FEB.2011 10:08:05</p>


Type:	802.11n(HT20)
CH01	 <p>CF 2.412 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz</p> <p>Date: 2.FEB.2011 10:21:43</p>
CH06	 <p>CF 2.437 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz</p> <p>Date: 2.FEB.2011 10:24:03</p>
CH11	 <p>CF 2.462 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz</p> <p>Date: 2.FEB.2011 10:27:43</p>

**Appendix C: 6dB bandwidth**

Type	Channel	6dB Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	10.08	≥0.5	Pass
	06	10.08		
	11	10.08		
802.11g	01	16.62	≥0.5	Pass
	06	16.62		
	11	16.41		
802.11n(HT20)	01	17.88	≥0.5	Pass
	06	17.79		
	11	17.76		


**Type:** **802.11 b**

CH01




Date: 2.FEB.2021 09:09:06

CH06



Date: 2.FEB.2021 09:13:29

CH11




Date: 2.FEB.2021 09:17:09




**Type:** **802.11 g**

CH01




Date: 2.FEB.2021 09:25:43

CH06






Date: 2.FEB.2021 09:25:54

CH11









Date: 2.FEB.2021 10:05:04




Type:	802.11n(HT20)																												
CH01	 <p>Ref Level 20.50 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep</p> <p>Count 500/500</p> <p>1 Frequency Sweep</p> <p>M1(1) -14.83 dBm 2.403000 GHz M2(1) -6.75 dBm 2.4065400 GHz</p> <p>CF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.403 GHz</td> <td>-14.83 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.40654 GHz</td> <td>-6.75 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.88 MHz</td> <td>1.84 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 2.FEB.2011 10:20:51</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.403 GHz	-14.83 dBm			M2	1		2.40654 GHz	-6.75 dBm			D3	M1	1	17.88 MHz	1.84 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.403 GHz	-14.83 dBm																									
M2	1		2.40654 GHz	-6.75 dBm																									
D3	M1	1	17.88 MHz	1.84 dB																									
CH06	 <p>Ref Level 20.50 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep</p> <p>Count 500/500</p> <p>1 Frequency Sweep</p> <p>M1(1) -11.93 dBm 2.428090 GHz M2(1) -5.90 dBm 2.4319000 GHz</p> <p>CF 2.437 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.42809 GHz</td> <td>-11.93 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4319 GHz</td> <td>-5.90 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.79 MHz</td> <td>-1.61 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 2.FEB.2011 10:23:05</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.42809 GHz	-11.93 dBm			M2	1		2.4319 GHz	-5.90 dBm			D3	M1	1	17.79 MHz	-1.61 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.42809 GHz	-11.93 dBm																									
M2	1		2.4319 GHz	-5.90 dBm																									
D3	M1	1	17.79 MHz	-1.61 dB																									
CH11	 <p>Ref Level 20.50 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep</p> <p>Count 500/500</p> <p>1 Frequency Sweep</p> <p>M1(1) -12.54 dBm 2.453090 GHz M2(1) -6.13 dBm 2.4694400 GHz</p> <p>CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.45309 GHz</td> <td>-12.54 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.46944 GHz</td> <td>-6.13 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.76 MHz</td> <td>-0.10 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 2.FEB.2011 10:26:42</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.45309 GHz	-12.54 dBm			M2	1		2.46944 GHz	-6.13 dBm			D3	M1	1	17.76 MHz	-0.10 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.45309 GHz	-12.54 dBm																									
M2	1		2.46944 GHz	-6.13 dBm																									
D3	M1	1	17.76 MHz	-0.10 dB																									

**Appendix D: 99% Occupied Bandwidth**

Type	Channel	99% Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	13.37	-	Pass
	06	13.40		
	11	13.46		
802.11g	01	16.84	-	Pass
	06	16.87		
	11	16.84		
802.11n(HT20)	01	17.92	-	Pass
	06	17.92		
	11	17.92		


Type:	802.11 b																												
CH01	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.411461 GHz</td> <td>2.96 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4052268 GHz</td> <td>-12.00 dBm</td> <td>Occ Bw</td> <td>13.36663367 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4185934 GHz</td> <td>-10.17 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 2.FEB.2021 09:09:25</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.411461 GHz	2.96 dBm			T1	1		2.4052268 GHz	-12.00 dBm	Occ Bw	13.36663367 MHz	T2	1		2.4185934 GHz	-10.17 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.411461 GHz	2.96 dBm																									
T1	1		2.4052268 GHz	-12.00 dBm	Occ Bw	13.36663367 MHz																							
T2	1		2.4185934 GHz	-10.17 dBm																									
CH06	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.436431 GHz</td> <td>2.38 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4302268 GHz</td> <td>-12.50 dBm</td> <td>Occ Bw</td> <td>13.396603397 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4436234 GHz</td> <td>-11.52 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 2.FEB.2021 09:13:07</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.436431 GHz	2.38 dBm			T1	1		2.4302268 GHz	-12.50 dBm	Occ Bw	13.396603397 MHz	T2	1		2.4436234 GHz	-11.52 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.436431 GHz	2.38 dBm																									
T1	1		2.4302268 GHz	-12.50 dBm	Occ Bw	13.396603397 MHz																							
T2	1		2.4436234 GHz	-11.52 dBm																									
CH11	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.461431 GHz</td> <td>1.83 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4551668 GHz</td> <td>-13.53 dBm</td> <td>Occ Bw</td> <td>13.456543457 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4686234 GHz</td> <td>-12.02 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 2.FEB.2021 09:17:48</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.461431 GHz	1.83 dBm			T1	1		2.4551668 GHz	-13.53 dBm	Occ Bw	13.456543457 MHz	T2	1		2.4686234 GHz	-12.02 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.461431 GHz	1.83 dBm																									
T1	1		2.4551668 GHz	-13.53 dBm	Occ Bw	13.456543457 MHz																							
T2	1		2.4686234 GHz	-12.02 dBm																									

Type:	802.11 g																												
CH01	 <p>Ref Level 20.50 dBm Offset 1.00 dB BW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep</p> <p>Count 500/500</p> <p>1 Occupied Bandwidth</p> <p>M1(1) 11.40 dBm 2.4161060 GHz</p> <p>CF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.416106 GHz</td> <td>-1.10 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4034885 GHz</td> <td>-9.12 dBm</td> <td>Occ Bw</td> <td>16.843156843 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4203317 GHz</td> <td>-9.38 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 2.FEB.2021 09:25:02</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.416106 GHz	-1.10 dBm			T1	1		2.4034885 GHz	-9.12 dBm	Occ Bw	16.843156843 MHz	T2	1		2.4203317 GHz	-9.38 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.416106 GHz	-1.10 dBm																									
T1	1		2.4034885 GHz	-9.12 dBm	Occ Bw	16.843156843 MHz																							
T2	1		2.4203317 GHz	-9.38 dBm																									
CH06	 <p>Ref Level 20.50 dBm Offset 1.00 dB BW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep</p> <p>Count 500/500</p> <p>1 Occupied Bandwidth</p> <p>M1(1) 11.40 dBm 2.4411060 GHz</p> <p>CF 2.437 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.441106 GHz</td> <td>-1.40 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4284885 GHz</td> <td>-9.44 dBm</td> <td>Occ Bw</td> <td>16.873126873 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4453616 GHz</td> <td>-9.54 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 2.FEB.2021 09:23:03</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.441106 GHz	-1.40 dBm			T1	1		2.4284885 GHz	-9.44 dBm	Occ Bw	16.873126873 MHz	T2	1		2.4453616 GHz	-9.54 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.441106 GHz	-1.40 dBm																									
T1	1		2.4284885 GHz	-9.44 dBm	Occ Bw	16.873126873 MHz																							
T2	1		2.4453616 GHz	-9.54 dBm																									
CH11	 <p>Ref Level 20.50 dBm Offset 1.00 dB BW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep</p> <p>Count 500/500</p> <p>1 Occupied Bandwidth</p> <p>M1(1) 11.40 dBm 2.4661060 GHz</p> <p>CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.466106 GHz</td> <td>-2.14 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4534885 GHz</td> <td>-10.17 dBm</td> <td>Occ Bw</td> <td>16.843156843 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4703317 GHz</td> <td>-10.33 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 2.FEB.2021 10:06:02</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.466106 GHz	-2.14 dBm			T1	1		2.4534885 GHz	-10.17 dBm	Occ Bw	16.843156843 MHz	T2	1		2.4703317 GHz	-10.33 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.466106 GHz	-2.14 dBm																									
T1	1		2.4534885 GHz	-10.17 dBm	Occ Bw	16.843156843 MHz																							
T2	1		2.4703317 GHz	-10.33 dBm																									


Type:	802.11n(HT20)																												
CH01	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep</p> <p>Count 500/500</p> <p>1 Occupied Bandwidth</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>CF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.406575 GHz</td> <td>-1.10 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.403009 GHz</td> <td>-8.30 dBm</td> <td>Occ Bw</td> <td>17.922077922 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4209311 GHz</td> <td>-8.19 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 2.FEB.2021 10:21:00</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.406575 GHz	-1.10 dBm			T1	1		2.403009 GHz	-8.30 dBm	Occ Bw	17.922077922 MHz	T2	1		2.4209311 GHz	-8.19 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.406575 GHz	-1.10 dBm																									
T1	1		2.403009 GHz	-8.30 dBm	Occ Bw	17.922077922 MHz																							
T2	1		2.4209311 GHz	-8.19 dBm																									
CH06	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep</p> <p>Count 500/500</p> <p>1 Occupied Bandwidth</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>CF 2.437 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.431575 GHz</td> <td>-1.67 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.428009 GHz</td> <td>-9.23 dBm</td> <td>Occ Bw</td> <td>17.922077922 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.449311 GHz</td> <td>-8.84 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 2.FEB.2021 10:23:44</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.431575 GHz	-1.67 dBm			T1	1		2.428009 GHz	-9.23 dBm	Occ Bw	17.922077922 MHz	T2	1		2.449311 GHz	-8.84 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.431575 GHz	-1.67 dBm																									
T1	1		2.428009 GHz	-9.23 dBm	Occ Bw	17.922077922 MHz																							
T2	1		2.449311 GHz	-8.84 dBm																									
CH11	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep</p> <p>Count 500/500</p> <p>1 Occupied Bandwidth</p> <p>10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm</p> <p>CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.456515 GHz</td> <td>-2.21 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.453009 GHz</td> <td>-9.55 dBm</td> <td>Occ Bw</td> <td>17.922077922 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4709311 GHz</td> <td>-9.51 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 2.FEB.2021 10:26:21</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.456515 GHz	-2.21 dBm			T1	1		2.453009 GHz	-9.55 dBm	Occ Bw	17.922077922 MHz	T2	1		2.4709311 GHz	-9.51 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.456515 GHz	-2.21 dBm																									
T1	1		2.453009 GHz	-9.55 dBm	Occ Bw	17.922077922 MHz																							
T2	1		2.4709311 GHz	-9.51 dBm																									

### Appendix E: Duty Cycle

Modulation Type	Test Frequency (MHz)	T <sub>on time</sub> for single burst (ms)	T <sub>period</sub> (ms)	Duty cycle	1/T <sub>on time</sub> (kHz)
11b	2437	1.00	1.00	100.0%	1.0
11g	2437	1.00	1.00	100.0%	1.0
11n20	2437	1.00	1.00	100.0%	1.0





11n20








**Appendix F: Band edge and Spurious Emissions (conducted)**


Test Item:	Bandedge	Type:	802.11 b																																										
CH01	<p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41143 GHz</td> <td>0.74 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-56.30 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-60.36 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.27 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.397024 GHz</td> <td>-52.51 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 2.FEB.2021 09:10:05</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41143 GHz	0.74 dBm			M2	1		2.4 GHz	-56.30 dBm			M3	1		2.39 GHz	-60.36 dBm			M4	1		2.31 GHz	-63.27 dBm			M5	1		2.397024 GHz	-52.51 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41143 GHz	0.74 dBm																																									
M2	1		2.4 GHz	-56.30 dBm																																									
M3	1		2.39 GHz	-60.36 dBm																																									
M4	1		2.31 GHz	-63.27 dBm																																									
M5	1		2.397024 GHz	-52.51 dBm																																									
CH11	<p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.461423 GHz</td> <td>0.04 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4635 GHz</td> <td>-60.61 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-61.78 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.484448 GHz</td> <td>-59.86 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 2.FEB.2021 09:23:25</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.461423 GHz	0.04 dBm			M2	1		2.4635 GHz	-60.61 dBm			M3	1		2.5 GHz	-61.78 dBm			M4	1		2.484448 GHz	-59.86 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.461423 GHz	0.04 dBm																																									
M2	1		2.4635 GHz	-60.61 dBm																																									
M3	1		2.5 GHz	-61.78 dBm																																									
M4	1		2.484448 GHz	-59.86 dBm																																									

Test Item:	Bandedge	Type:	802.11 g																																										
CH01	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41601 GHz</td> <td>-7.01 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-47.56 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-58.91 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-62.94 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.3996 GHz</td> <td>-46.17 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 2.FEB.2021 09:06:47</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41601 GHz	-7.01 dBm			M2	1		2.4 GHz	-47.56 dBm			M3	1		2.39 GHz	-58.91 dBm			M4	1		2.31 GHz	-62.94 dBm			M5	1		2.3996 GHz	-46.17 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41601 GHz	-7.01 dBm																																									
M2	1		2.4 GHz	-47.56 dBm																																									
M3	1		2.39 GHz	-58.91 dBm																																									
M4	1		2.31 GHz	-62.94 dBm																																									
M5	1		2.3996 GHz	-46.17 dBm																																									
CH11	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.466074 GHz</td> <td>-7.85 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-55.45 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-61.61 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.483536 GHz</td> <td>-55.46 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 2.FEB.2021 10:08:46</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.466074 GHz	-7.85 dBm			M2	1		2.4835 GHz	-55.45 dBm			M3	1		2.5 GHz	-61.61 dBm			M4	1		2.483536 GHz	-55.46 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.466074 GHz	-7.85 dBm																																									
M2	1		2.4835 GHz	-55.45 dBm																																									
M3	1		2.5 GHz	-61.61 dBm																																									
M4	1		2.483536 GHz	-55.46 dBm																																									


Test Item:	Bandedge	Type:	802.11 n(HT20)																																										
CH01	<p>Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.12 ms VBW 300 kHz Mode Auto Sweep</p> <p>Count 300/300</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.4065 GHz</td> <td>-7.51 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-46.77 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-57.62 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-61.95 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399936 GHz</td> <td>-46.83 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 2.FEB.2011 10:21:04</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.4065 GHz	-7.51 dBm			M2	1		2.4 GHz	-46.77 dBm			M3	1		2.39 GHz	-57.62 dBm			M4	1		2.31 GHz	-61.95 dBm			M5	1		2.399936 GHz	-46.83 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.4065 GHz	-7.51 dBm																																									
M2	1		2.4 GHz	-46.77 dBm																																									
M3	1		2.39 GHz	-57.62 dBm																																									
M4	1		2.31 GHz	-61.95 dBm																																									
M5	1		2.399936 GHz	-46.83 dBm																																									
CH11	<p>Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.03 ms VBW 300 kHz Mode Auto Sweep</p> <p>Count 300/300</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.469431 GHz</td> <td>-6.23 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-51.99 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-61.21 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.483824 GHz</td> <td>-51.73 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 2.FEB.2011 10:27:24</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.469431 GHz	-6.23 dBm			M2	1		2.4835 GHz	-51.99 dBm			M3	1		2.5 GHz	-61.21 dBm			M4	1		2.483824 GHz	-51.73 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.469431 GHz	-6.23 dBm																																									
M2	1		2.4835 GHz	-51.99 dBm																																									
M3	1		2.5 GHz	-61.21 dBm																																									
M4	1		2.483824 GHz	-51.73 dBm																																									

Test Item:	SE	Type:	802.11 b
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			


CH06  
Reference level




CH06  
30MHz~1000MHz




CH06  
1GHz~26GHz




CH11  
Reference level






CH11  
30MHz~1000MHz




CH11  
1GHz~26GHz




Test Item:	SE	Type:	802.11 g
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			


CH06  
Reference level



CH06  
30MHz~1000MHz




CH06  
1GHz~26GHz







CH11  
Reference level






CH11  
30MHz~1000MHz




CH11  
1GHz~26GHz




Test Item:	SE	Type:	802.11 n(HT20)
<p>CH01 Reference level</p>			 <p>Date: 2.FEB.2021 10:21:01</p>
<p>CH01 30MHz~1000MHz</p>			 <p>Date: 2.FEB.2021 10:21:47</p>
<p>CH01 1GHz~26GHz</p>			 <p>Date: 2.FEB.2021 10:22:04</p>


CH06  
Reference level




CH06  
30MHz~1000MHz




CH06  
1GHz~26GHz




CH11  
Reference level



CH11  
30MHz~1000MHz



CH11  
1GHz~26GHz



-----End of Report-----