



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: MUZEN Sway Shake Open-Ear Headphones

Test Model: XOG-OE1I

Environmental Conditions

| | |
|--------------------|-----------|
| Temperature: | 23.8° C |
| Relative Humidity: | 52.1% |
| ATM Pressure: | 100.0 kPa |
| Test Engineer: | Jay Luo |
| Supervised by: | Nick Peng |





A.1 -20dB Bandwidth

| Condition | Mode | Frequency (MHz) | Antenna | -20 dB Bandwidth (MHz) | Limit -20 dB Bandwidth (MHz) | Verdict |
|-----------|-------|-----------------|---------|------------------------|------------------------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | 0.963 | N/A | Pass |
| NVNT | 1-DH5 | 2441 | Ant1 | 0.944 | N/A | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | 0.993 | N/A | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | 1.282 | N/A | Pass |
| NVNT | 2-DH5 | 2441 | Ant1 | 1.284 | N/A | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | 1.282 | N/A | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | 1.288 | N/A | Pass |
| NVNT | 3-DH5 | 2441 | Ant1 | 1.296 | N/A | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | 1.301 | N/A | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power

| Condition | Mode | Frequency (MHz) | Antenna | Conducted Power (dBm) | Limit (dBm) | Verdict |
|-----------|-------|-----------------|---------|-----------------------|-------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | 0.33 | 21 | Pass |
| NVNT | 1-DH5 | 2441 | Ant1 | 0.18 | 21 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | -0.62 | 21 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | 0.74 | 21 | Pass |
| NVNT | 2-DH5 | 2441 | Ant1 | 1.1 | 21 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | 0 | 21 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | 0.87 | 21 | Pass |
| NVNT | 3-DH5 | 2441 | Ant1 | 1.38 | 21 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | 0.15 | 21 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1










Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1











A.3 Carrier Frequencies Separation

| Condition | Mode | Antenna | Hopping Freq1 (MHz) | Hopping Freq2 (MHz) | HFS (MHz) | Limit (MHz) | Verdict |
|-----------|-------|---------|---------------------|---------------------|-----------|-------------|---------|
| NVNT | 1-DH5 | Ant1 | 2402.022 | 2402.828 | 0.806 | 0.662 | Pass |
| NVNT | 2-DH5 | Ant1 | 2402.028 | 2403.11 | 1.082 | 0.856 | Pass |
| NVNT | 3-DH5 | Ant1 | 2402.002 | 2403.014 | 1.012 | 0.867 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time

| Condition | Mode | Frequency (MHz) | Antenna | Pulse Time (ms) | Total Dwell Time (ms) | Burst Count | Period Time (ms) | Limit (ms) | Verdict |
|-----------|-------|-----------------|---------|-----------------|-----------------------|-------------|------------------|------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | 2.91 | 305.55 | 105 | 31600 | 400 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | 2.898 | 307.188 | 106 | 31600 | 400 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | 2.897 | 304.185 | 105 | 31600 | 400 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

| Condition | Mode | Antenna | Hopping Number | Limit | Verdict |
|-----------|-------|---------|----------------|-------|---------|
| NVNT | 1-DH5 | Ant1 | 79 | 15 | Pass |
| NVNT | 2-DH5 | Ant1 | 79 | 15 | Pass |
| NVNT | 3-DH5 | Ant1 | 79 | 15 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1







A.6 Band Edge

| Condition | Mode | Frequency (MHz) | Antenna | Hopping Mode | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | -57.07 | -20 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | -55.55 | -20 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | -54.78 | -20 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | -54.93 | -20 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | -53.59 | -20 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | -54.52 | -20 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

| Condition | Mode | Frequency (MHz) | Antenna | Hopping Mode | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | Hopping | -55.9 | -20 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | Hopping | -55.1 | -20 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | Hopping | -54.63 | -20 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | Hopping | -52.93 | -20 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | Hopping | -54.27 | -20 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | Hopping | -53.49 | -20 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs



Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref







Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission

















A.7 Conducted RF Spurious Emission

| Condition | Mode | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|-------|-----------------|---------|-----------------|-------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | -54.11 | -20 | Pass |
| NVNT | 1-DH5 | 2441 | Ant1 | -55.1 | -20 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | -53.93 | -20 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | -52.12 | -20 | Pass |
| NVNT | 2-DH5 | 2441 | Ant1 | -53.66 | -20 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | -52.54 | -20 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | -54.04 | -20 | Pass |
| NVNT | 3-DH5 | 2441 | Ant1 | -53.54 | -20 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | -53.43 | -20 | Pass |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

| Condition | Mode | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|-------|-----------------|---------|----------------|------------------------|-----------|
| NVNT | 1-DH5 | 2402 | Ant1 | 77.6 | 1.1 | 0.34 |
| NVNT | 1-DH5 | 2441 | Ant1 | 77.6 | 1.1 | 0.34 |
| NVNT | 1-DH5 | 2480 | Ant1 | 77.6 | 1.1 | 0.34 |
| NVNT | 2-DH5 | 2402 | Ant1 | 77.28 | 1.12 | 0.35 |
| NVNT | 2-DH5 | 2441 | Ant1 | 77.28 | 1.12 | 0.35 |
| NVNT | 2-DH5 | 2480 | Ant1 | 77.33 | 1.12 | 0.34 |
| NVNT | 3-DH5 | 2402 | Ant1 | 77.28 | 1.12 | 0.35 |
| NVNT | 3-DH5 | 2441 | Ant1 | 76.37 | 1.17 | 0.36 |
| NVNT | 3-DH5 | 2480 | Ant1 | 76.37 | 1.17 | 0.36 |




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1







Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1







A.9 Restrict Band


| Condition | Mode | Frequency (MHz) | Antenna | Hopping Mode | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | Duty Factor (dB) | E (dBuV/m) | Detector | Limit (dBuV/m) | Verdict |
|-----------|-------|-----------------|---------|--------------|-----------------|-------------|------------|------------------|------------|----------|----------------|---------|
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | 2310 | -51.65 | 2.67 | - | 46.28 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | 2310 | -58.66 | 2.67 | 1.1 | 40.37 | Average | 54 | Pass |
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | 2347.92 | -47.57 | 2.67 | - | 50.36 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | 2380.56 | -57.74 | 2.67 | 1.1 | 41.29 | Average | 54 | Pass |
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | 2390 | -50.73 | 2.67 | - | 47.2 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2402 | Ant1 | No-Hopping | 2390 | -58.63 | 2.67 | 1.1 | 40.4 | Average | 54 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | 2483.5 | -49.8 | 2.67 | - | 48.13 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | 2483.5 | -58.23 | 2.67 | 1.1 | 40.8 | Average | 54 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | 2483.944 | -45.59 | 2.67 | - | 52.34 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | 2490.76 | -57.31 | 2.67 | 1.1 | 41.72 | Average | 54 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | 2500 | -49.51 | 2.67 | - | 48.42 | Peak | 74 | Pass |
| NVNT | 1-DH5 | 2480 | Ant1 | No-Hopping | 2500 | -58.06 | 2.67 | 1.1 | 40.97 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | 2310 | -50.13 | 2.67 | - | 47.8 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | 2310 | -59 | 2.67 | 1.12 | 40.05 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | 2347.344 | -46.36 | 2.67 | - | 51.57 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | 2376.816 | -57.47 | 2.67 | 1.12 | 41.58 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | 2390 | -51.64 | 2.67 | - | 46.29 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2402 | Ant1 | No-Hopping | 2390 | -58.48 | 2.67 | 1.12 | 40.57 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | 2483.5 | -50.09 | 2.67 | - | 47.84 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | 2483.5 | -58.02 | 2.67 | 1.12 | 41.03 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | 2495.776 | -46.92 | 2.67 | - | 51.01 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | 2488.12 | -57.09 | 2.67 | 1.12 | 41.96 | Average | 54 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | 2500 | -48.18 | 2.67 | - | 49.75 | Peak | 74 | Pass |
| NVNT | 2-DH5 | 2480 | Ant1 | No-Hopping | 2500 | -57.52 | 2.67 | 1.12 | 41.53 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | 2310 | -50.21 | 2.67 | - | 47.72 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | 2310 | -58.55 | 2.67 | 1.12 | 40.5 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | 2373.072 | -47.9 | 2.67 | - | 50.03 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | 2341.296 | -57.62 | 2.67 | 1.12 | 41.43 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | 2390 | -50.14 | 2.67 | - | 47.79 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2402 | Ant1 | No-Hopping | 2390 | -58.09 | 2.67 | 1.12 | 40.96 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | 2483.5 | -50.27 | 2.67 | - | 47.66 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | 2483.5 | -57.67 | 2.67 | 1.17 | 41.43 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | 2494.144 | -46.45 | 2.67 | - | 51.48 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | 2484.592 | -57.09 | 2.67 | 1.17 | 42.01 | Average | 54 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | 2500 | -50.83 | 2.67 | - | 47.1 | Peak | 74 | Pass |
| NVNT | 3-DH5 | 2480 | Ant1 | No-Hopping | 2500 | -57.86 | 2.67 | 1.17 | 41.24 | Average | 54 | Pass |






Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average

