

› 2.4GHz Wireless Control Features

400

Connect 100ea per group.
Total 400ea connection

Easy

Installation with one
integrated wiring

Obstacle

Controllable regardless
of the obstacle


**Remote
Control**

Easy adjustment
by remote control

Group

Divide and control up
to separate groups

› Name of each part of remote control



⟨Power button⟩

- ① - Power On and memory off
- ② - Power Off
- ③ - Color conversion of ColoRex products
- ④ - Sleep mode lighting

⟨Dimming and color temperature adjustment wheel⟩

- ⑤ - Adjust brightness UP
- ⑥ - Adjust brightness DOWN
- ⑦ ⑧ - Color temperature control

⟨Group Control and Setting button⟩


- ⑨ ⑩ ⑪ ⑫

| 0 1 |

› How to set up a wireless control


Step 1

1. Insert 1.5V battery (2 x AAA size) in the remote control and press any button of the remote control to check if red light is on




Step 2

2. Turn on the power of the light. There are channel A, B, C, D at the bottom of the remote control. Press one or two times the ON button on top of the channel for 3 seconds to set wireless remote control.



Step 3

3. Light is blinking 4~6 times if the setting value of wireless control channel is done. Press the control button to check if it works properly.




※ Note: In case of setting the value for multiple products at a time, if some of the setting fails, turn off and turn on the power. Then it will repeat another process of setting the value.

| 0 2 |

› How to set off the radio control


Step 1

1. Insert 1.5V battery (2 x AAA size) in the remote control to start using. Press anybutton of the remote control and check if the red light is on.



Step 2

2. Turn off the power to set up wireless lighting control. Turn on the light while pressing the full power button at the top of the remote control. (Do not release the button until the light blinks)



Step 3

3. If the value of wireless control channel is deleted, the lights blink 4~6 times. Test by pressing the control button to check if it is deleted as intended.



※ Note: It is easy to delete the channel that you turn on the power of the light within 1~2 seconds after pressing the full power button. If it is not done properly, repeat the above process.

| 0 3 |

FCC Information to User

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution

Modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

FCC Compliance Information : This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

IMPORTANT NOTE:

FCC RF Radiation Exposure Statement:

This equipment complies with FCC RF radiation exposure limits set forth for an uncontrolled environment.

The antennas used for this transmitter must be installed to provide a separation distance of at least 10Cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.

CAUTION

To reduce the risk of electric shock, do not remove the top cover (or the rear section).
No user serviceable parts inside, refer servicing to qualified personnel.



This symbol, wherever it appears, alerts you to the presence of uninsulated dangerous voltage inside the enclosure-voltage that may be sufficient to constitute a risk of shock.



This symbol, wherever it appears, alerts you to the important operating and maintenance instructions in the accompanying literature. Please read the manual.

- 1) Read these instructions.
- 2) Keep these instructions.
- 3) Heed all warnings.
- 4) Follow all instructions.
- 5) Do not use this equipment near water.
- 6) Do not use near any heat sources such as radiators, heat resistors, stove, or other equipment that produce heat.

CAUTION

**RISK OF EXPLOSION IF BATTERY IS REPLACED
BY AN INCORRECT TYPE.
DISPOSE OF USED BATTERIES ACCORDING
TO THE INSTRUCTIONS**

European CE notice to users and product statements

This product is CE marked according to the provisions of the R&TT E Directive(99/5/EC). Hereby, CG Lighting Co.,Ltd declares that this product is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC.

For further information, please contact <http://www.cglighting.co.kr>

CE1177

CG Lighting Co.,Ltd

C509, IT Valley, 40Imi-ro, Uiwang-si, Gyeonggi-do 437-120, Korea

Tel: +82-2-596-5747

Fax: +82-2-596-5749

Web: <http://www.cglighting.co.kr>

CONTACT INFORMATION

Manufacturer Address : C509, IT Valley, 40Imi-ro, Uiwang-si, Gyeonggi-do 437-120, Korea

To locate in-country CG Lighting Co.,Ltd, distributors of the Wireless Remote Control please refer to the CG Lighting Co.,Ltd Website <http://www.cglighting.co.kr>

These distributor(s) represent local contacts for this product.

CORPORATE HEADQUARTERS:

CG Lighting Co.,Ltd

C509, IT Valley, 40Imi-ro, Uiwang-si, Gyeonggi-do 437-120, Korea

Tel: +82-2-596-5747

Fax: +82-2-596-5749

Web: <http://www.cglighting.co.kr>

This device complies with Industry Canada license-exempt RSS standard(s).

Operation is Subject to the following two condition: (1) this device may not cause interference ,and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

EUROPEAN UNION “DECLARATION OF CONFORMITY”

DECLARATION OF CONFORMITY

CG Lighting Co.,Ltd

C509, IT Valley, 40Imi-ro, Uiwang-si, Gyeonggi-do 437-120, Korea

declare under our sole responsibility that the product(s)

Wireless Remote Control – RCZB

to which this declaration relate(s) is in conformance with the following standards:

EN 301 489-1 V1.9.2:2011

EN 301 489-17 V2.2.1:2012

EN 60950-1:2006/A2:2013

EN 300 328 V1.9.1:2015

following the provisions of the 1999/5/EC Directives.