Overview

Thank you for purchasing this portable digital video camera, this camera features video recording at 4K. With resolution of 3840*2160 (60fps), it adopted Sony 1/3-inch image sensor,H.264 video encoding format, the video file storage usage is small while it has high image quality! You can connect your camera via Wi-Fi using your smart Phone remotely, to view the camera live screen and use your phone to record or shooting.

Safety Instructions

- Do not drop, impact or puncture the camera.
- Do not expose the camera to high/low temperature, excessive dust, humidity or strong vibration, otherwise the product may be damaged.
- Do not use corrosive chemicals or solvents to clean the product.
- Do not disassemble this camera or attempt to repair or modify it in any manner, if there is any damage to the camera, stop using the camera and return this product to the store where you have purchased it from, the product will be sent back to the company and fix.

Cautions

- Keep children away from the product, accessories and its packaging materials, it may cause suffocation.
- Do not put the product in a fire, otherwise it may cause an explosion.
- Remove the battery if the camera is not going to be used for long periods, and please fully-charged the battery before using it again.

TABLE OF CONTENTS

Getting to Know Your Camera	1
Standard Accessories	1
Charging the Battery	1
Component Introduction	3
Getting Started	6
Inserting an Micro SD Card	6
Loading Battery	7
Recording Mode	8
Photo Mode	11
Set Mode	13
Wi-Fi And APP Using	16
PlayBack	23
Connecting to TV	24
Connecting to the Computer	25
Technical Parameters	26
Troubleshooting	28

Getting to Know Your Camera

Standard Accessories

4K Ultra HD Camera Infrared remote control

Battery HDMI Cable
Charger User Manual
USB Cable Warranty Card

DV Pouch

The above are all accessories, if there is any missing, please contact the seller for replacement.

Charging the Battery


Before using the camera, you must load and charge the battery

Charging with the Charger



- Insert the battery into the charger to charge it, the indicator light will be red when charging.
- The indicator light will turn green when the charging is completed.

Charging with USB Cable (Direct Charge)




- Please Connect the USB Cable to the charging adapter when camera is running low.
- Connect the other side to the Camera's USB charging interface
- 3.The indicator light will be red when charging; The indicator light will turn green when the charging is completed.

Note:

- 1. When using the charger, please install the battery in the charger slot correctly.
- 2.For direct charge, please use the 5V/2A-2.5A charging adapter for charging.

Component Introduction

Rear View




For the function description of the related parts in the above figure, please refer to the following table.

No.	Name	Function description
1	IPS Touch Panel	Screen preview and video/photo playback
2	Hot shoe interface	Mount hot shoe products
3	State Light	Display of mode status
4	T/W Zoom Button	In video/Photo Mode, pull left/ right to zoom in/out In Playback Mode, pull to switch photos/videos In Menu, pull to menu selection. In Video Playback, pull to adjust the volume
(5)	Photo Button	Two-stage button, tap to focus and press to photo in photo mode
6	Mode dial	Record、Photo、Setting Mode: SET Stands for Setting Mode Stands for Record Mode Stands for Photo Mode
7	Video Button	"START/STOP"is the recording/stop button Stop playback when the video is playing
8	Night Vision Switch	Turn on/off the Night Vision
9	Battery compartment switch	Toggle to the right to open the battery compartment

10	Battery Compartment	Load NP-120 Battery
		5PIN Micro USB interface :
		Access the USB Cable to charge;
(11)	I/O Interface	HDMI: External HD Cable to
		connect to TV;
		MIC:Connect to an external
		microphone
	Menu Button	Press to enter the Menu
	DISP Button	Press to switch screen display
	DIOI DULLOII	mode
12)	Power Button	Power On/Off
	Playback Button	Press to enter the playback mode
	"Delete" Shortcut	Press to delete recent videos or photos
13)	Built-in microphone	Recording sound
14)	Micro SD slot	Open and insert the Micro SD Card

Front View




For the function description of the related parts in the above figure, please refer to the following table

No.	Name	Function Description
1	Lens	Framing
2	Horn	Plays back sounds
3	IR Night Vision light	Infrared Light
4	Infrared remote-control receiver	Receiving remote command
(5)	1/4 Tripod Socket	Tripod installation
6	Hand strap mounting hole	Install adjustable hand strap

Getting Started

Inserting an Micro SD Card




- 1.Open the Micro SD cover.
- 2.Insert the memory card in the direction shown until you hear "Clicks"
- 3. Close the Micro SD cover.
- ***Open the Micro SD cover and press the memory card.**

Note:

- 1.When using for the first time, format the Micro SD Card On this unit. The Micro SD card needs to be Class U3
- 2.Do not forcefully remove the SD card while working, otherwise it may cause loss of files or machine damage.


Loading Battery



- 1. Push the OPEN button to the right as shown.
- The battery compartment pops open, inserts a lithium battery.
- 3. Close the battery compartment.

Note: 1.Do not violently open the battery compartment and remove the battery.

2. The battery needs to be loaded into the battery compartment in a correct direction.




1	Recording mode	4	Zoom
2	Resolution	(5)	Pause Recording
3	Remaining video recording time	6	Battery Status

7	Micro SD installed	8	Menu
---	--------------------	---	------

- Press the power button or open the screen to turn on the camera, push the mode switch button to the video mode to enter the video mode.
- 2.Set the option you need by the Video setting menu.
- 3. Press the Rec button to start shooting.
- 4. Press the Rec button again to stop shooting.
- Press the photo button to pause when recording and press it again to continue.

Video setting menu

Enter the menu by button or touch, you can set the video resolution, Exposure Compensation, and other function parameters to get better video results




Name	Function Description
Video	4K60/4K30/2.7K30/FHD90/FHD60/
Resolution	FHD30/HD120/HD60/HD30/VGA30

Exposure Compensation	-2.0/-1.0/+0.0/+1.0/+2.0
Image Stabilization	On/Off
PreRecord	On/Off
Loop Video	Off/1 Min/3 Min/5 Min
Time Lapse Video Interval	Off/1 Sec/3 Sec/5 Sec/10 Sec/30 Sec/ 1 Min
Time Lapse Video Shooting Time	Unlimited/5 Min/10 Min/15 Min/20 Min/ 30 Min/60 Min
Slow Motion Movie	On/Off
Fast Motion Movie	On/Off
Wind Noise Redution	On/Off

- 1.Press the "Power button" to turn on the camera.
- 2.Press the "**Menu button**" or touch the MENU icon on the screen to enter the menu.
- 3.By switching the "T/W zoom button" or swipe screen to select the setting option freely.
- 4.By touching or pressing the "Photo button" to select the option, for example: Resolution, enter the option menu, select the resolution you need, press to return to the main menu, press again to return to the standby main interface.
 - **Note**: 1.The time-lapse video interval needs to be on, otherwise Time-lapse video shooting time cannot be selected.
 - 2.Need to select a resolution of 120 frames to use Slow Motion Movie option.

Photo Mode



1	Photo mode	(5)	Menu
2	Resolution	6	Micro SD installed
3	Remaining number of shoots	7	Battery Status
4	Zoom		

- Press the "Power button" or open the screen to turn on the camera, push the mode switch button to the Photo mode to enter the Photo mode.
- 2.Set the option you need by the Photo setting menu.
- 3. Press the "Photo button", finish the photo .

Photo setting menu

Enter the menu by button or touch. You can set the resolution, white balance, exposure and other function parameters to get better photo results in the menu.



Name	Function Description
Resolution	28MP/24MP/20MP/16MP/14MP/12MP/1
Resolution	0MP/8MP/7MP/5MP/3MP/2MP/VGA
ISO	Auto/100/200/400/800/1600/3200
Exposure Compensation	-2.0/-1.0/+0.0/+1.0/+2.0
Time Lapse Photo Interval	Off/3 Sec/5 Sec/10 Sec/30 Sec/1 Min
Time Lapse Photo Shooting Time	Unlimited/5 Min/10 Min/15 Min/20 Min/ 30 Min/60 Min
Photo Burst	3 shots/1s、7 shots/2s、15 shots/4s
Filoto Buist	30 shots/8s、Off
Fast Motion Movie	On/Off


Wind Noise	On/Off
Redution	Oli/Oli


- 1. Press the power button to turn on the camera.
- 2.Press the menu button or touch the MENU icon on the screen to enter the menu
- 3.By switching the "T/W zoom button" or swipe screen to select the setting option freely.
- 4.By touching or pressing the "Photo button" to select the option, for example: Resolution, enter the option menu, select the resolution you need, press to return to the main menu, press again to return to the standby main

Set Mode

interface

Through this setting menu, you can customize the function parameters such as Power Frequency, sounds and ,Effect






Name		Function Description
Power Frequency		50HZ/60HZ
	Shutter	Off/On
Coundo	Boot-Up	Off/On
Sounds	Веер	Off/On
	Volume	0/1/2/3
White Balance		Auto/Daylight/Shade/Tung sten Light/White Fluorescent
Effect		Normal/BW/Natural/ Negative/Warm/ Brightness Contrast
Date&Time		Y/M/D
Screen Saver		1/3/5/Off
Auto Power Off		1 Min/3 Min/5 Min/Off
Power-On Auto Record		Off/On

USB	MSDC/UVCMJPG	
Telescopic Pattern	Off/On	
Language	12 Languages	
Date Stamp	Off/Date/Date&Time	
Format Card	Yes/No	
System	Restore to Factory Stetting/System Info/Card Info	

- 1.Press the "Power button" or open the screen to turn on the camera, push the mode switch button to the SET mode to enter the SET mode
- 2.By switching the T/W zoom button or touching to select the Set option.
- 3.By touching or pressing the "**Photo**" button to select the option.
- 4.press to return to the main menu.

Slide Show



- Press the "Power button" or open the screen to turn on the camera, push the mode switch button to the SET mode to enter the SET mode.
- 2.By switching the T/W zoom button or touching to select the Slide Show option.
- 3. Enter the slide show interface, click MENU for 3 second, 5 second, 10 second playback interval, and click Start slide show
- 4. Press "Photo button" to pause the slide show, and press "Video button" to stop the slide show.

Wi-Fi And APP Using

You can control the camera remotely by using APP. Features include full camera control, live preview, playback and camera setting


APP Downloading

For Android user: Search
"OD Cam"in Google Play or
scan the following
QR code to download.
For IOS user: Search
"OD Cam"in Google
Play or scan the following
OR code to download.



APP Connecting

- 1.Press the "Power button" or open the screen to turn on the camera, push the mode switch button to the SET mode to enter the SET mode.
- 2.By switching the T/W zoom button or touching to select the Wi-Fi option.
 - 2.Enter the Phone setting Wi-Fi, find the Wi-Fi name HDV_xxxx,Touch and input the password 12345678.
- Enter the APP , Touch "Connect device" to enter the user interface



APP Video Mode

- 1.Touch the on the App user interface to enter the Video mode.
- 2...Touch the icon , "**REC**" will be displayed at the top left of the interface and flashes on the live preview, Start recording.
- 3. Touch the icon again, Stop recording.

APP Photo Mode

- 1.Touch the on the App user interface to enter the Photo mode
- 2. Touch the icon in live preview mode.
- 3. The app will sound "click".
- 4.Finished.

APP Setting


This setting function allows you to customize the parameters such as the Resolution, Voice of the camera, Recording, and date

Press the on the App user interface to enter the Setting mode.

Name	Description	
Wi-Fi Name	Can be modified	
Wi-Fi Password	Can be modified	
Video Resolution	Select different resolution	
Voice Recording	On/Off Voice recording	
Date Display	On/Off Date Display	
Photo resolution	Select different resolution	
Exposure value	Adjust the parameters to get desired results	
Memory Space	View the remaining space of the memory card	
Format the memory card	Remote to format memory card	
Factory Setting	Restore factory defaults	
APP Version	Current APP Version	
FW Version	Current camera version	

My Device

You can playback recorded videos and photos download them to your phone through APP.



A.Play Files Online

- 1.In the main interface of "My Device", select "Video" or "Photo" to enter the thumbnail preview interface.
- 2. Select any thumbnail to play the file (Photo or video).

B.Online Download

1.In the main interface of "My Device", select "Video" or "Photo" to enter the thumbnail preview interface.

- Select one or more of files, tap the Download button to download to your phone.
- You can view the downloaded video or photo in "My Download" page.


C.Delete Files Online

- 1.In the main interface of "My Device", select "Video" or "Photo" to enter the thumbnail preview interface.
- Select one or more of files, tap the Delete button to delete the photo or video.

My Files

This function allows you to view the video & photo you downloaded, and you can clip, add sticker, word or filter to your photos.

A.Video Clip




- 1.In the main interface of "My Download", select "Video" to enter the thumbnail preview interface.
- 2. Tap the video that you want to edit, and tap "Edit" to enter the video clip screen.
- 3.Move the sliders on both sides of the video timeline to change the start and stop times, tap Done, then tap Save as New Clip. You can share it to your social media platform.

NOTE:

- 1.At least 8 seconds of video is required when cutting.
- 2. You can preview after editing.

B.Photo Editing



1.Enter"My Files|",swipe left.

- 2. Select the photo you need Touch" Edit"
- 3.Add filter, sticker, words and press"Save".
- 4. You can Save or Share the photo.

NOTE:For Android: You must disconnect the camera
Wi-Fi first and share after connecting network.

Play Back

This function allows you to play recorded video or photo in the camera

Video


- 1. Press in the video mode to enter the video playback six palace interface.
- 2. Click a video thumbnail to enter the preview .
- Select any one of the video thumbnail to enter the preview screen.
- 4. Switch to the previous or next by "T/W Zoom "button.
- 5.By selecting button or "photo button" to start playback.
- 6.During the playback, press"T/W zoom button" to adjust the sound, press the "photo button" to pause playback, press "record button" to stop playing.
- 7.By tapping or pressing the "**Menu button**", you can delete or unlock files.

Photo

- 1. Press in the Photo mode to enter the photo playback six palace interface.
- 2. Click a photo thumbnail to enter the preview.
- 3. Switch to the previous or next by "T/W Zoom "button.
- 4.By tapping or pressing the "**Menu button**", you can delete or unlock files.

Connecting to TV

When connect the HDMI to your camera's HDMI output and your TV, the image on your screen can also be displayed on your TV screen.




- 1. Press the power button or open the screen to turn on the camera and enter the standby state.
- Take out the HDM cable and connect the camera with the HDMI connector of the TV.

Turn the TV to the HDMI channel, the preview screen will appears on the TV.

Connecting to the Computer

This function allows you to use your camera as a MSDC disk or PC Camera



MSDC Mode

- 1. Power on the camera and enter the standby mode.
- 2.Enter the USB function in the setting menu and select the option "MSDC", then exit the menu mode.
- 3. Connect the camera and computer with the cable.
- 4. The camera preview screen enters the "connected" mode,

and the "removable disk" appears on the computer, and the function is turned on successfully.

PC Camera Mode

- 1. Power on the camera and enter the standby mode.
- 2.Enter the USB function in the setting menu and select the option "UVCMJPG", then exit the menu mode.
- 3. Connect the camera and computer with the cable.
- 4.The camera preview screen enters the "connected" mode. Open the video device software on the computer end to see the lens screen. The function is turned on successfully.

Note : When use the camera as a PC Camera, the camera is not able to record video.

Technical Parameters

Sensor	13.0 MP CMOS	
Aperture	F.NO: 2.5	
Lens	f=3.3mm	
Focus range	1m ~ infinity	
Lens type	Digital zoom lens	
Zoom	30X	
External	Support Micro SD Card(U3), Maximum	
Storage	256GB	
Screen	3.0-inch IPS Touch Screen	

	4K:3840*2160(60fps)/3840*2160(30fps)	
	2.7K:2704*1520(30fps)	
	FHD:1920*1080(90fps)/1920*1080(60fps)	
Video Resolution	1920*1080(30fps)	
	HD:1280*720(120fps)/1280*720(60fps)	
	1280*720(30fps)	
	VGA:640*480(30fps)	
	, , ,	
Photo Resolution	28MP(6080x4560)/24MP(5600x4200)	
	20MP(5200x3900)/16MP(4640x3480)	
	14MP(4320x3240)/12MP(4000x3000)	
	10MP(4320x2430)/8MP(3840x2160)	
	7MP(3648x2048)/5MP(2592x1944)	
	3MP(2048x1536)/2MP(1920x1080)	
	VGA(640*480)	
File format	Video:MP4 Photo:JPEG	
ISO	Auto/100/200/400/800/1600/3200	
Wi-Fi	Support	
IR Light	Yes	
Hot shoe	Support external mic/light	
USB port	USB2.0 : MIC IN/DC IN	
Lens caliber	M=37mm	
Speaker	Built-in	
Microphone	Built-in	
Battery	NP120 Li-ion battery	
Working Temperature	0~40 °C	

Troubleshooting

Trouble	Possible reason	Solution
Cannot power on	Battery is not	Insert battery
	inserted correctly/dead	correctly/ Charge
Unclear Focus	Out of focus range / lens dirty	Shooting in focus able range/Clean the lens
Unable to use memory card/unable to record	Card damage / Micro SD card does not meet requirement	Replace the Micro SD card / Format the Micro SD Card / Use the U3 Card
Fail to use it as a PC Cam	USB Cable is loose / Computer system version is not compatible	Replace the USB interface / Select a compatible system

ECC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- · Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- $\dot{}$ Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment. This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure Information

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.