



Appendix B

E-UTRA Band26 (814-824)



CONTENT

	Page
1 EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA.....	3
2 PEAK-TO-AVERAGE RATIO	10
2.1 FOR LTE	10
2.1.1 Test Band = LTE band26.....	10
3 MODULATION CHARACTERISTICS	12
3.1 FOR LTE	12
3.1.1 Test Band = LTE band26.....	12
4 BANDWIDTH	14
4.1 FOR LTE	15
4.1.1 Test Band = LTE band26.....	15
5 EMISSION MASK	35
5.1 FOR LTE	35
5.1.1 Test Band = LTE band26.....	35
6 SPURIOUS EMISSION AT ANTENNA TERMINAL.....	67
6.1 FOR LTE	67
7 FIELD STRENGTH OF SPURIOUS RADIATION	69
7.1 FOR LTE	69
7.1.1 Test Band = LTE band26.....	69
8 FREQUENCY STABILITY	70
8.1 FREQUENCY ERROR VS. VOLTAGE	70
8.2 FREQUENCY ERROR VS. TEMPERATURE	70



1 Effective (Isotropic) Radiated Power Output Data

Effective Radiated Power of Transmitter (ERP) for LTE BAND 26

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
BAND26	LTE/TM1	1.4M	LCH	RB1#0	23.61	22.26	38.45	PASS
				RB1#2	23.72	21.57	38.45	PASS
				RB1#5	23.28	21.13	38.45	PASS
				RB3#0	23.27	21.12	38.45	PASS
				RB3#2	23.55	21.40	38.45	PASS
				RB3#3	23.65	21.50	38.45	PASS
				RB6#0	22.32	20.17	38.45	PASS
			MCH	RB1#0	23.15	21.00	38.45	PASS
				RB1#2	23.52	21.37	38.45	PASS
				RB1#5	23.11	20.96	38.45	PASS
				RB3#0	23.33	21.18	38.45	PASS
				RB3#2	23.34	21.19	38.45	PASS
				RB3#3	23.64	21.49	38.45	PASS
				RB6#0	22.27	20.12	38.45	PASS
			HCH	RB1#0	23.29	21.14	38.45	PASS
				RB1#2	23.36	21.21	38.45	PASS
				RB1#5	22.96	20.81	38.45	PASS
				RB3#0	23.38	21.23	38.45	PASS
				RB3#2	23.23	21.08	38.45	PASS
				RB3#3	23.21	21.06	38.45	PASS
				RB6#0	22.09	19.94	38.45	PASS



**SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch**

Report No.: SZEM180300241701

Page: 4 of 70

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
BAND26	LTE/TM2	1.4M	LCH	RB1#0	21.51	20.16	38.45	PASS
				RB1#2	21.99	19.84	38.45	PASS
				RB1#5	21.45	19.30	38.45	PASS
				RB3#0	22.40	20.25	38.45	PASS
				RB3#2	22.25	20.10	38.45	PASS
				RB3#3	22.38	20.23	38.45	PASS
				RB6#0	21.37	19.22	38.45	PASS
			MCH	RB1#0	22.19	20.04	38.45	PASS
				RB1#2	22.04	19.89	38.45	PASS
				RB1#5	21.37	19.22	38.45	PASS
				RB3#0	22.20	20.05	38.45	PASS
				RB3#2	22.38	20.23	38.45	PASS
				RB3#3	22.31	20.16	38.45	PASS
				RB6#0	21.16	19.01	38.45	PASS
			HCH	RB1#0	21.61	19.46	38.45	PASS
				RB1#2	22.08	19.93	38.45	PASS
				RB1#5	20.99	18.84	38.45	PASS
				RB3#0	21.77	19.62	38.45	PASS
				RB3#2	21.76	19.61	38.45	PASS
				RB3#3	22.16	20.01	38.45	PASS
				RB6#0	21.10	18.95	38.45	PASS



**SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch**

Report No.: SZEM180300241701

Page: 5 of 70

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
BAND26	LTE/TM1	3M	LCH	RB1#0	23.19	21.84	38.45	PASS
				RB1#7	22.99	20.84	38.45	PASS
				RB1#14	22.79	20.64	38.45	PASS
				RB8#0	21.70	19.55	38.45	PASS
				RB8#4	21.79	19.64	38.45	PASS
				RB8#7	21.67	19.52	38.45	PASS
				RB15#0	21.61	19.46	38.45	PASS
			MCH	RB1#0	23.31	21.16	38.45	PASS
				RB1#7	23.08	20.93	38.45	PASS
				RB1#14	22.76	20.61	38.45	PASS
				RB8#0	21.95	19.80	38.45	PASS
				RB8#4	22.37	20.22	38.45	PASS
				RB8#7	22.05	19.90	38.45	PASS
				RB15#0	22.35	20.20	38.45	PASS
			HCH	RB1#0	22.94	20.79	38.45	PASS
				RB1#7	22.32	20.17	38.45	PASS
				RB1#14	22.86	20.71	38.45	PASS
				RB8#0	22.23	20.08	38.45	PASS
				RB8#4	22.30	20.15	38.45	PASS
				RB8#7	21.97	19.82	38.45	PASS
				RB15#0	21.43	19.28	38.45	PASS



**SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch**

Report No.: SZEM180300241701

Page: 6 of 70

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
BAND26	LTE/TM2	3M	LCH	RB1#0	21.16	19.81	38.45	PASS
				RB1#7	20.98	18.83	38.45	PASS
				RB1#14	21.63	19.48	38.45	PASS
				RB8#0	20.65	18.50	38.45	PASS
				RB8#4	21.20	19.05	38.45	PASS
				RB8#7	20.88	18.73	38.45	PASS
				RB15#0	21.30	19.15	38.45	PASS
			MCH	RB1#0	22.22	20.07	38.45	PASS
				RB1#7	21.68	19.53	38.45	PASS
				RB1#14	21.32	19.17	38.45	PASS
				RB8#0	21.24	19.09	38.45	PASS
				RB8#4	20.81	18.66	38.45	PASS
				RB8#7	21.29	19.14	38.45	PASS
				RB15#0	20.72	18.57	38.45	PASS
			HCH	RB1#0	22.17	20.02	38.45	PASS
				RB1#7	20.97	18.82	38.45	PASS
				RB1#14	21.65	19.50	38.45	PASS
				RB8#0	20.96	18.81	38.45	PASS
				RB8#4	20.82	18.67	38.45	PASS
				RB8#7	21.32	19.17	38.45	PASS
				RB15#0	20.20	18.05	38.45	PASS



**SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch**

Report No.: SZEM180300241701

Page: 7 of 70

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
BAND26	LTE/TM1	5M	LCH	RB1#0	23.05	21.70	38.45	PASS
				RB1#13	22.82	20.67	38.45	PASS
				RB1#24	22.05	19.90	38.45	PASS
				RB12#0	21.70	19.55	38.45	PASS
				RB12#6	21.71	19.56	38.45	PASS
				RB12#13	21.68	19.53	38.45	PASS
				RB25#0	22.04	19.89	38.45	PASS
			MCH	RB1#0	22.73	20.58	38.45	PASS
				RB1#13	23.54	21.39	38.45	PASS
				RB1#24	23.08	20.93	38.45	PASS
				RB12#0	21.68	19.53	38.45	PASS
				RB12#6	21.72	19.57	38.45	PASS
				RB12#13	21.56	19.41	38.45	PASS
				RB25#0	21.39	19.24	38.45	PASS
			HCH	RB1#0	23.09	20.94	38.45	PASS
				RB1#13	22.69	20.54	38.45	PASS
				RB1#24	22.69	20.54	38.45	PASS
				RB12#0	21.86	19.71	38.45	PASS
				RB12#6	21.80	19.65	38.45	PASS
				RB12#13	22.21	20.06	38.45	PASS
				RB25#0	21.30	19.15	38.45	PASS



**SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch**

Report No.: SZEM180300241701

Page: 8 of 70

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
BAND26	LTE/TM2	5M	LCH	RB1#0	21.62	20.27	38.45	PASS
				RB1#13	21.97	19.82	38.45	PASS
				RB1#24	21.72	19.57	38.45	PASS
				RB12#0	20.37	18.22	38.45	PASS
				RB12#6	21.16	19.01	38.45	PASS
				RB12#13	19.95	17.80	38.45	PASS
				RB25#0	21.06	18.91	38.45	PASS
			MCH	RB1#0	22.28	20.13	38.45	PASS
				RB1#13	21.33	19.18	38.45	PASS
				RB1#24	20.95	18.80	38.45	PASS
				RB12#0	21.07	18.92	38.45	PASS
				RB12#6	21.16	19.01	38.45	PASS
				RB12#13	20.83	18.68	38.45	PASS
				RB25#0	21.11	18.96	38.45	PASS
			HCH	RB1#0	20.84	18.69	38.45	PASS
				RB1#13	21.16	19.01	38.45	PASS
				RB1#24	20.27	18.12	38.45	PASS
				RB12#0	21.09	18.94	38.45	PASS
				RB12#6	20.63	18.48	38.45	PASS
				RB12#13	20.55	18.40	38.45	PASS
				RB25#0	20.99	18.84	38.45	PASS



**SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch**

Report No.: SZEM180300241701

Page: 9 of 70

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
BAND26	LTE/TM1	10M	LCH MCH HCH	RB1#0	23.16	21.81	38.45	PASS
				RB1#25	23.00	20.85	38.45	PASS
				RB1#49	23.26	21.11	38.45	PASS
				RB25#0	22.24	20.09	38.45	PASS
				RB25#13	22.53	20.38	38.45	PASS
				RB25#25	21.29	19.14	38.45	PASS
				RB50#0	22.29	20.14	38.45	PASS

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
BAND26	LTE/TM2	10M	LCH MCH HCH	RB1#0	21.77	20.42	38.45	PASS
				RB1#25	21.07	18.92	38.45	PASS
				RB1#49	21.63	19.48	38.45	PASS
				RB25#0	21.44	19.29	38.45	PASS
				RB25#13	21.19	19.04	38.45	PASS
				RB25#25	20.61	18.46	38.45	PASS
				RB50#0	21.51	19.36	38.45	PASS

Note:

a: For getting the ERP (Efficient Radiated Power) in substitution method, the following formula should be taken to calculate it,

$$\text{ERP [dBm]} = \text{SGP [dBm]} - \text{Cable Loss [dB]} + \text{Gain [dBd]}$$

b: SGP=Signal Generator Level



2 Peak-to-Average Ratio

Part I - Test Results

Test Band	Test Mode	Test Channel	Measured[dB]	Limit [dB]	Verdict
Band 26	TM1/10M	LCH/MCH/HCH	4.90	13	PASS
	TM2/10M	LCH/MCH/HCH	5.80	13	PASS


Part II - Test Plots

2.1 For LTE

2.1.1 Test Band = LTE band26

2.1.1.1 Test Mode = LTE/TM1.Bandwidth=10MHz

2.1.1.1.1 Test Channel = LCH/MCH/HCH




Date: 3.MAY.2018 09:11:37



2.1.1.2 Test Mode = LTE/TM2.Bandwidth=10MHz

2.1.1.2.1 Test Channel = LCH/MCH/HCH



Date: 3.MAY.2018 09:12:29


3 Modulation Characteristics

3.1 For LTE

3.1.1 Test Band = LTE band26


3.1.1.1 Test Mode = LTE /TM1 10MHz

3.1.1.1.1 Test Channel = MCH



3.1.1.2 Test Mode = LTE /TM2 10MHz

3.1.1.2.1 Test Channel = MCH





4 Bandwidth

Part I - Test Results

Test Band	Test Mode	Test Channel	Occupied Bandwidth [MHz]	Emission Bandwidth [MHz]	Verdict
Band 26	TM1/1.4MHz	LCH	1.08	1.23	PASS
		MCH	1.08	1.25	PASS
		HCH	1.08	1.23	PASS
	TM2/1.4MHz	LCH	1.08	1.23	PASS
		MCH	1.08	1.23	PASS
		HCH	1.08	1.23	PASS
	TM1/3MHz	LCH	2.72	2.95	PASS
		MCH	2.72	3.00	PASS
		HCH	2.72	2.97	PASS
	TM2/3MHz	LCH	2.72	2.95	PASS
		MCH	2.72	2.97	PASS
		HCH	2.72	2.96	PASS
	TM1/5MHz	LCH	4.48	4.78	PASS
		MCH	4.48	4.81	PASS
		HCH	4.49	4.84	PASS
	TM2/5MHz	LCH	4.48	4.79	PASS
		MCH	4.49	4.82	PASS
		HCH	4.49	4.81	PASS
TM1/10MHz	LCH/MCH/HCH	8.91	9.48	PASS	
TM2/10MHz	LCH/MCH/HCH	8.89	9.46	PASS	




Part II – Test Plots

4.1 For LTE

4.1.1 Test Band = LTE band26

4.1.1.1 Test Mode = LTE/TM1 1.4MHz


4.1.1.1.1 Test Channel = LCH



Date: 1.MAY.2018 06:12:33




4.1.1.1.2 Test Channel = MCH



Date: 1.MAY.2018 06:14:24



4.1.1.1.3 Test Channel = HCH




Date: 1.MAY.2018 06:17:09



4.1.1.2 Test Mode = LTE/TM2 1.4MHz


4.1.1.2.1 Test Channel = LCH



Date: 1.MAY.2018 06:11:18




4.1.1.2.2 Test Channel = MCH



Date: 1.MAY.2018 06:15:21

4.1.1.2.3 Test Channel = HCH




Date: 1.MAY.2018 06:16:20



4.1.1.3 Test Mode = LTE/TM1 3MHz


4.1.1.3.1 Test Channel = LCH



Date: 1.MAY.2018 06:20:33




4.1.1.3.2 Test Channel = MCH



Date: 1.MAY.2018 06:19:10


4.1.1.3.3 Test Channel = HCH



Date: 1.MAY.2018 06:23:23

4.1.1.4 Test Mode = LTE/TM2 3MHz


4.1.1.4.1 Test Channel = LCH



Date: 1.MAY.2018 06:21:28




4.1.1.4.2 Test Channel = MCH



Date: 1.MAY.2018 06:18:15

4.1.1.4.3 Test Channel = HCH




Date: 1.MAY.2018 06:22:41



4.1.1.5 Test Mode = LTE/TM1 5MHz


4.1.1.5.1 Test Channel = LCH



Date: 1.MAY.2018 06:27:14




4.1.1.5.2 Test Channel = MCH



Date: 1.MAY.2018 06:24:31



4.1.1.5.3 Test Channel = HCH




Date: 1.MAY.2018 06:28:19




4.1.1.6 Test Mode = LTE/TM2 5MHz

4.1.1.6.1 Test Channel = LCH




Date: 1.MAY.2018 06:26:22

4.1.1.6.2 Test Channel = MCH



Date: 1.MAY.2018 06:25:20

4.1.1.6.3 Test Channel = HCH




Date: 1.MAY.2018 06:29:20



4.1.1.7 Test Mode = LTE/TM1 10MHz

4.1.1.7.1 Test Channel = LCH/ MCH/HCH




Date: 1.MAY.2018 06:31:10



4.1.1.8 Test Mode = LTE/TM2 10MHz

4.1.1.8.1 Test Channel = LCH/ MCH/HCH



Date: 1.MAY.2018 06:30:24

5 Emission Mask


5.1 For LTE

5.1.1 Test Band = LTE band26

5.1.1.1 Test Mode = LTE/TM1 1.4MHz

5.1.1.1.1 Test Channel = LCH


5.1.1.1.1.1 Test RB=1RB#0



Date: 3.MAY.2018 02:35:57



5.1.1.1.2 Test RB=6RB




Date: 3.MAY.2018 02:36:16



5.1.1.1.2 Test Channel = HCH


5.1.1.1.2.1 Test RB=1RB



Date: 3.MAY.2018 02:39:01




5.1.1.1.2.2 Test RB=6RB



Date: 3.MAY.2018 02:39:23

5.1.1.2 Test Mode = LTE/TM2 1.4MHz
5.1.1.2.1 Test Channel = LCH


5.1.1.2.1.1 Test RB=1RB#0



Date: 3.MAY.2018 02:35:27



5.1.1.2.1.2 Test RB=6RB




Date: 3.MAY.2018 02:36:34



5.1.1.2.2 Test Channel = HCH


5.1.1.2.2.1 Test RB=1RB



Date: 3.MAY.2018 02:37:36



5.1.1.2.2.2 Test RB=6RB




Date: 3.MAY.2018 02:37:14

5.1.1.3 Test Mode = LTE/TM1 3MHz


5.1.1.3.1 Test Channel = LCH

5.1.1.3.1.1 Test RB=1RB#0



Date: 3.MAY.2018 02:40:39


5.1.1.3.1.2 Test RB=15RB



Date: 3.MAY.2018 02:41:02

5.1.1.3.2 Test Channel = HCH


5.1.1.3.2.1 Test RB=1RB#14



Date: 3.MAY.2018 02:42:49



5.1.1.3.2.2 Test RB=15RB




Date: 3.MAY.2018 02:43:22

5.1.1.4 Test Mode = LTE/TM2 3MHz

5.1.1.4.1 Test Channel = LCH


5.1.1.4.1.1 Test RB=1RB#0



Date: 3.MAY.2018 02:41:35



5.1.1.4.1.2 Test RB=15RB




Date: 3.MAY.2018 02:41:18



5.1.1.4.2 Test Channel = HCH


5.1.1.4.2.1 Test RB=1RB#14



Date: 3.MAY.2018 02:42:18




5.1.1.4.2.2 Test RB=15RB



Date: 3.MAY.2018 02:43:48




Test Mode = LTE/TM1 5MHz
5.1.1.4.3 Test Channel = LCH
5.1.1.4.3.1 Test RB=1RB#0



Date: 3.MAY.2018 02:46:59



5.1.1.4.3.2 Test RB=25RB




Date: 3.MAY.2018 02:47:58



5.1.1.4.4 Test Channel = HCH


5.1.1.4.4.1 Test RB=1RB#24



Date: 3.MAY.2018 02:46:26



5.1.1.4.4.2 Test RB=25RB




Date: 3.MAY.2018 02:44:50



5.1.1.5 Test Mode = LTE/TM2 5MHz
5.1.1.5.1 Test Channel = LCH


5.1.1.5.1.1 Test RB=1RB#0



Date: 3.MAY.2018 02:44:50




5.1.1.5.1.2 Test RB=25RB



Date: 3.MAY.2018 02:47:39

5.1.1.5.2 Test Channel = HCH


5.1.1.5.2.1 Test RB=1RB#24



Date: 3.MAY.2018 02:45:59



5.1.1.5.2.2 Test RB=25RB




Date: 3.MAY.2018 02:45:42



5.1.1.6 Test Mode = LTE/TM1 10MHz

5.1.1.6.1 Test Channel = LCH


5.1.1.6.1.1 Test RB=1RB#0



Date: 3.MAY.2018 02:51:55



5.1.1.6.1.2 Test RB=50RB




Date: 3.MAY.2018 02:49:44



5.1.1.6.2 Test Channel = HCH


5.1.1.6.2.1 Test RB=1RB#99



Date: 3.MAY.2018 02:52:18




5.1.1.6.2.2 Test RB=50RB



Date: 3.MAY.2018 02:50:11

5.1.1.7 Test Mode = LTE/TM2 10MHz


5.1.1.7.1.1 Test RB=1RB#0



Date: 3.MAY.2018 02:51:34



5.1.1.7.1.2 Test RB=50RB




Date: 3.MAY.2018 02:50:47



5.1.1.7.2 Test Channel = HCH


5.1.1.7.2.1 Test RB=1RB#99



Date: 3.MAY.2018 02:52:43



5.1.1.7.2.2 Test RB=50RB



Date: 3.MAY.2018 02:51:11

6 Spurious Emission at Antenna Terminal


NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (Span / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

Part I - Test Plots


6.1 For LTE

6.1.1.1 Test Mode = LTE / TM1 10MHz RB1#0

6.1.1.1.1 Test Channel = LCH/MCH/HCH



Date: 1.MAY.2018 14:22:01



Date: 1.MAY.2018 14:22:38

S



7 Field Strength of Spurious Radiation

7.1 For LTE

7.1.1 Test Band = LTE band26

7.1.1.1 Test Mode =LTE/TM1 10MHz RB1#0

7.1.1.1.1 Test Channel = LCH/MCH/HCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
72.280000	-77.11	-13.00	64.11	Vertical
144.006667	-72.33	-13.00	59.33	Vertical
1629.000000	-55.30	-13.00	42.30	Vertical
2443.500000	-55.72	-13.00	42.72	Vertical
3258.050000	-66.16	-13.00	53.16	Vertical
8960.500000	-63.31	-13.00	50.31	Vertical
62.713333	-77.50	-13.00	64.50	Horizontal
144.006667	-74.91	-13.00	61.91	Horizontal
2443.500000	-56.58	-13.00	43.58	Horizontal
3258.050000	-67.12	-13.00	54.12	Horizontal
4887.275000	-65.68	-13.00	52.68	Horizontal
8960.500000	-58.25	-13.00	45.25	Horizontal

NOTE:

- 1) All modes are tested, but the data presented above is the worst case. The disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.
- 2) We have tested all modulation and all Bandwidth, but only the worst case data presented in this report.



8 Frequency Stability

8.1 Frequency Error VS. Voltage

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTE band26	LTE/TM1 10MHz	LCH/MCH/HCH	TN	VL	3.83	0.00468	PASS
				VN	-1.97	-0.00241	PASS
				VH	-5.04	-0.00615	PASS
	LTE/TM2 10MHz	LCH/MCH/HCH	TN	VL	-5.39	-0.00658	PASS
				VN	-6.54	-0.00798	PASS
				VH	-5.19	-0.00633	PASS

8.2 Frequency Error VS. Temperature

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTE band26	LTE/TM1 10MHz	LCH/MCH/HCH	VN	-30	1.64	0.00200	PASS
				-20	-7.60	-0.00928	PASS
				-10	-6.34	-0.00774	PASS
				0	7.39	0.00902	PASS
				10	-5.43	-0.00663	PASS
				20	7.22	0.00882	PASS
				30	-2.75	-0.00335	PASS
				40	0.03	0.00004	PASS
50	0.35	0.00043	PASS				

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTE band26	LTE/TM2 10MHz	LCH/MCH/HCH	VN	-30	0.09	0.00011	PASS
				-20	-1.59	-0.00194	PASS
				-10	8.10	0.00989	PASS
				0	1.58	0.00193	PASS
				10	8.49	0.01037	PASS
				20	8.13	0.00993	PASS
				30	-1.49	-0.00182	PASS
				40	4.87	0.00595	PASS
50	7.52	0.00919	PASS				

The End