

Report No.: SUZR/2021/9002507

Rev.: 01 Page: 1 of 27

# RF-Emission Test Report

**Report No:** ZR/2021/90025

Applicant: Great Talent Technology Limited

Manufacturer: Great Talent Technology Limited

Product Name: smart phone
Model No.(EUT): MH-T6000
Trade Mark: MOXEE

FCC ID: 2ALZM-MH-T6000

Standards: ANSI C63.19-2011 CFR 47 FCC Part 20

**Date of Receipt:** 2021-11-12

**Date of Test:** 2021-11-16 to 2021-11-23

Date of Issue: 2021-12-15
Test conclusion: PASS \*

\* In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Panta Sun

Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sqs.com/en/Terms-and-Conditions.aspx">http://www.sqs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are tetalined for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www. t (86–512) 62992980 sgs.c

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 2 of 27

### **REVISION HISTORY**

Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2021-12-15		Original



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sas.com/en/Terms-and-Conditions appx and, for electronic format documents, at http://www.sas.com/en/Terms-and-Conditions for Electronic Document as a http://www.sas.com/en/Terms-and-Conditions for Terms-a-Document ex. Attention is drawn to the limitation of liability, Indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or fallsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsharq Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上区苏州工业园区洞胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com. t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 3 of 27

#### **TEST SUMMARY**

Frequency Band	HAC RF Emiss	sion Test result*	M-rating	
GSM850	E-Field dB(V/m)	37.30	M4	
GSM1900	E-Field dB(V/m)	29.13	M4	
WCDMA Band II	E-Field dB(V/m)	/	M4	
WCDMA Band IV	E-Field dB(V/m)	/	M4	
WCDMA Band V	E-Field dB(V/m)	/	M4	
LTE Band 2	E-Field dB(V/m)	/	M4	
LTE Band 4	E-Field dB(V/m)	/	M4	
LTE Band 5	E-Field dB(V/m)	/	M4	
LTE Band 12	E-Field dB(V/m)	/	M4	
LTE Band 25	E-Field dB(V/m)	/	M4	
LTE Band 26	E-Field dB(V/m)	/	M4	
LTE Band 41	E-Field dB(V/m)	25.18	M4	
LTE Band 66	E-Field dB(V/m)	/	M4	
LTE Band 71	E-Field dB(V/m)	/	M4	
WI-FI (2.4GHz)	E-Field dB(V/m)	/	M4	
HAC Rate Category	HAC Rate Category: M4			

#### Note:

- 1) This portable wireless equipment has been shown to be hearing-aid compatible under the above rated category, specified in ANSI/IEEE Std.C63.19-2011 and had been tested in accordance with the specified measurement procedures, Hear-Aid Compatibility is based on the assumption that all production units will be designed electrically identical to the device tested in this report. Test results reported herein relate only to the item(s) tested and are for North American Bands only.
- 2) \*- HAC RF Emission Test for low power exemption according to ANSI C63.19-2011 and HAC RF Emission rating is M4 (Refer to Section 9.3 for details).

Reviewed by
Well Wei

Prepared by

Nature Shen



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agx; and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document as public to Terms and Conditions for Telectronic Document as http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document as public to the state of the stat



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 4 of 27

### **CONTENTS**

1	Gene	eral Information	5
	1.1	Introduction	5
	1.2	Details of Client	
	1.3	Test Location	6
	1.4	Test Facility	
	1.5	General Description of EUT	7
	1.5.1		
	1.5.2	, ,	
	1.6	Test Specification	
	1.7	ANSI C63.19-2011 limits	11
2	Calil	pration certificate	11
3	HAC	(T Coil) Measurement System	12
	3.1	Measurement System Diagram for SPEAG Robotic	12
	3.2	E-Field Probe	13
	3.3	Test Arch	
	3.4	Phone Holder	13
4	Meas	surement uncertainty evaluation	14
5	RF E	mission Measurements Reference and Plane	15
6	Syst	em Verification Procedure	16
	6.1	System Check	16
	6.2	System Check Result	16
7	Mod	ulation Interference Factor	18
8	HAC	Measurement Procedure	20
9	HAC	RF Measurement Results	21
	9.1	Max Tune-up	
	9.2	Conducted RF Output Power	
	9.3	Low-power Exemption	
	9.4	HAC RF Emission Test Results	25
1(	) Equi	pment list	26
11	Calil	oration certificate	27
12	2 Phot	tographs	27
Α	ppendix	A: Detailed System Check Results	27
Α	ppendix	B: Detailed Test Results	27
Α	ppendix	C: Calibration certificate	27
Α	ppendix	D: Photographs	27



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sas.com/en/Terms-and-Conditions appx and, for electronic format documents, at http://www.sas.com/en/Terms-and-Conditions for Electronic Document as a http://www.sas.com/en/Terms-and-Conditions for Terms-a-Document ex. Attention is drawn to the limitation of liability, Indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or fallsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号约6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com. t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 5 of 27

#### 1 General Information

#### 1.1 Introduction

The purpose of the Hearing Aid Compatibility is to enable measurements of the near electric fields generated by wireless communication devices in the region controlled for use by a hearing aid in accordance with ANSI-C63.19-2011

The purpose of this standard is to establish categories for hearing aids and for WD (wireless communications devices) that can indicate to health care practitioners and hearing aid users which hearing aids are compatible with which WD, and to provide tests that can be used to assess the electromagnetic characteristics of hearing aids and WD and assign them to these categories. The various parameters required, in order to demonstrate compatibility and accessibility are measured. The design of the standard is such that when a hearing aid and WD achieve one of the categories specified, as measured by the methodology of this standard, the indicated performance is realized.

In order to provide for the usability of a hearing aid with a WD, several factors must be coordinated:
a) Radio frequency (RF) measurements of the near-field electric fields emitted by a WD to categorize these emissions for correlation with the RF immunity of a hearing aid.

Hence, the following are measurements made for the WD: RF E-Field emissions

The measurement plane is parallel to, and 1.5cm in front of, the reference plane.

Applications for certification of equipment operation under part 20, that a manufacturer is seeking to certify as hearing aid compatible, as set forth in §20.19 of that part, shall include a statement indication compliance with the test requirements of §20.19 and indicating the appropriate U-rating for the equipment. The manufacturer of the equipment shall be responsible for maintaining the test results.

#### 1.2 Details of Client

Applicant:	Great Talent Technology Limited
Address:	35F,HBC HuiLong Center Building-II Minzhi Street,Longhua,Shenzhen,P.R. China 518110
Manufacturer:	Great Talent Technology Limited
Address:	35F,HBC HuiLong Center Building-II Minzhi Street,Longhua,Shenzhen,P.R. China 518110



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apx">http://www.sgs.com/en/Terms-and-Conditions.apx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) \$3071443.



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 6 of 27

#### 1.3 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test Engineer:	Nature Shen, Claire Shen

### 1.4 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the

American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) \$3071443.



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 7 of 27

### 1.5 General Description of EUT

Device Type :	portable device				
Exposure Category:	uncontrolled environment / general population				
Product Name:	smart phone				
Model No.(EUT):	MH-T6000				
FCC ID:	2ALZM-MH-T6000				
Trade Mark:	MOXEE				
Product Phase:	Identical Prototype				
IMEI:	350021980002259				
Hardware Version:	Q6006_V1.0				
Software Version:	MH-T6000V1.0.0B004				
Antenna Type:	Integrated				
<b>Device Operating Configuratio</b>	ns :				
Modulation Mode:	LTE: QPSK,16QAM	CDMA: QPSK, 16QAM(HSPA+); Γ: GFSK, π/4DQPSK,8DPSK			
Device Class:	В				
GPRS Multi-slots Class:	33	EGPRS Multi-slots Class:	33		
HSDPA UE Category:	24	HSUPA UE Category	7		
DC-HSDPA UE Category:	24				
	4,tested with power level 5(GSM850)				
Power Class	1,tested with power level 0(GSM1900)				
Fower Class	3, tested with power control "all 1"(WCDMA Band)				
	3, tested with power cor	ntrol Max Power(LTE Band)			
	Band	Tx (MHz)	Rx (MHz)		
	GSM850	824~849	869~894		
	GSM1900	1850~1910	1930~1990		
	WCDMA Band II	1850~1910	1930~1990		
	WCDMA Band IV	1710~1755	2110~2155		
	WCDMA Band V	824~849	869~894		
	LTE Band 2	1850 ~1910	1930 ~1990		
	LTE Band 4	1710~1755	2110~2155		
Frequency Bands:	LTE Band 5	824~849	869-894		
requeries barias.	LTE Band 12	699~716	729~746		
	LTE Band 25	1850~1915	1930~1995		
	LTE Band 26	814~849	859~894		
	LTE Band 41 (Class 2/3)	2496~2690	2496~2690		
	LTE Band 66	1710~1780	2110~2200		
	LTE Band 71	663~698	617~652		
	Bluetooth	2400~2483.5	2400~2483.5		
	Wi-Fi 2.4G	2402~2472	2402~2472		
RF Cable:	□ Provided	by the aplicant   Provided by the	ne laboratory		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sas.com/en/Terms-and-Conditions appx and, for electronic format documents, at http://www.sas.com/en/Terms-and-Conditions for Electronic Document as a http://www.sas.com/en/Terms-and-Conditions for Terms-a-Document ex. Attention is drawn to the limitation of liability, Indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or fallsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Kangsu) Plot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜鹿1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com. t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 8 of 27

	Model:	BTE-3005
Dattan Information	Normal Voltage:	3.8V
Battery Information:	Rated capacity:	3000mAh
	Manufacturer:	Phenix New Energy (Huizhou) Co., Ltd.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faistification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CM.Doccheck@sgs.com


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Kangsu) Plot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜鹿1号的6号厂房南部 邮编: 215000



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 9 of 27

### 1.5.1 DUT Antenna Locations(Back View)





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) \$3071443.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.c t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 10 of 27

#### 1.5.2 List of air interfaces/frequency bands

Air Interface	Band (MHz)	Туре	ANSI C63.19 Tested	Simultaneous Transmitter	Name of Voice Service	Power Reduction
	850	\/O	V	BT, Wi-Fi	CMDC Voice	NA
GSM	1900	VO	Yes		CMRS Voice	
-	EDGE	VD	Yes		Google Duo*	
	Band II			BT, Wi-Fi		NA
MCDMA	Band IV	VO	Yes		CMRS Voice	
WCDMA	Band V					NA
-	HSPA	VD	Yes		Google Duo*	
	Band 2			BT, Wi-Fi	VoLTE Google Duo*	NA
	Band 4					
	Band 5					
LTE	Band 12	VD	Yes			
(FDD)	Band 25	VD				
	Band 26					
	Band 66					
	Band 71					
LTE (TDD)	Band 41	VD	Yes	BT, Wi-Fi	VoLTE Google Duo*	NA
Wi-Fi	2450	VD	Yes	WWAN	Google Duo*	NA
BT	2450	DT	NA	WWAN	NA	NA

VO: Legacy Cellular Voice Service from Table 7.1 in 7.4.2.1 of ANSI C63.19-2011

DT: Digital Transport (no voice)

VD: IP Voice Service over Digital Transport

\* For protocols not listed in Table 7.1 of ANSI C63.19-2011 or the ANSI C63.19-2011 VoLTE

interpretation, the average speech level of -20 dBm0 should be used.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) \$3071443.

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号约6号厂房南部 邮编: 215000



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 11 of 27

### 1.6 Test Specification

Identity	Document Title
CFR 47 FCC Part 20	§20.19 Hearing aid-compatible mobile handsets.
	American National Standard for Methods of Measurement of Compatibility between Wireless Communication Devices
KDB 285076 D01	HAC Guidance v05r01

#### 1.7 ANSI C63.19-2011 limits

Emission Catagories	E-field emissions dB(V/m)			
Emission Categories	< 960 MHz	> 960 MHz		
Category M1	50-55	40-45		
Category M2	45-50	35-40		
Category M3	40-45	30-45		
Category M4	<40	<30		

Table 1: Telephone near-field categories in linear units

### 2 Calibration certificate

Temperature	Min. = 18°C, Max. = 25 °C
Relative humidity	Min. = 30%, Max. = 70%

Table 2: The Ambient Conditions



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx.and">https://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents as subject to Terms and Conditions for Electronic Document sat http://www.sgs.com/en/Terms-en/Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) \$307,1443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔1号约6号厂房南部 邮编: 215000



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 12 of 27

### 3 HAC (T Coil) Measurement System

### 3.1 Measurement System Diagram for SPEAG Robotic




Fig. 1. The SPEAG Robotic Diagram

The DASY5 system for performing compliance tests consists of the following items:

- A standard high precision 6-axis robot (Stabile RX family) with controller, teach pendant and software. An arm extension is for accommodating the data acquisition electronics (DAE).
- An Audio Magnetic probe.
- A data acquisition electronics (DAE) which performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.
- The Electro-optical converter (EOC) performs the conversion between optical and electrical of the signals for the digital communication to the DAE and for the analog signal from the optical surface detection. The EOC is connected to the measurement server.
- The function of the measurement server is to perform the time critical tasks such as signal filtering, control of the robot operation and fast movement interrupts.
- A probe alignment unit which improves the (absolute) accuracy of the probe positioning.
- A computer operating Windows 7.
- · DASY5 software.
- Remote control with teach pendant and additional circuitry for robot safety such as warning lamps, etc.
- The Test Arch SAM phantom
- The device holder for handheld mobile phones.
- Validation dipole kits allowing to validate the proper functioning of the system.



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed worleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Cocuments">http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Cocuments</a>. Usually the terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Cocuments.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Cocuments.</a>. It is the second of the second in the second of the second in the second i

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 13 of 27


#### 3.2 E-Field Probe

Construction	One dipole parallel, two dipoles normal to probe axis Built-in shielding against static charges PEEK enclosure material
Calibration	In air from 100 MHz to 6.0 GHz (absolute accuracy ±6.0%, k=2)
Frequency	(extended to 20 MHz for MRI), Linearity: ± 0.2 dB (100 MHz to 6 GHz)
Directivity	± 0.2 dB in air (rotation around probe axis) ± 0.4 dB in air (rotation normal to probe axis)
Dynamic Range	2 V/m to > 1000 V/m; Linearity: ± 0.2 dB
Dimensions	Tip diameter: 8 mm Distance from probe tip to dipole centers: 2.5 mm



#### 3.3 Test Arch

Description	Enables easy and well defined positioning of the phone and validation dipoles as well as simple teaching of the robot.
Dimensions	length: 370 mm width: 370 mm height: 370 mm



#### 3.4 Phone Holder

Description Supports accurate and reliable positioning of any phon Effect on near field <+/- 0.5 dB	ne
---	----





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) \$3071443.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 14 of 27

## 4 Measurement uncertainty evaluation

Uncertainty Component	Uncertainty Value (%)	Probability Distribution	Divisor	ci (E)	Standard Uncertainty (E) (%)					
Measurement system										
Probe calibration	±5.1	N	1	1	±5.1					
Axial isotropy	±4.7	R	$\sqrt{3}$	1	±2.7					
Sensor position	±16.5	R	$\sqrt{3}$	1	±9.5					
Boundary effect	±2.4	R	$\sqrt{3}$	1	±1.4					
Phantom Boundary Effect	±7.2	R	$\sqrt{3}$	1	±4.1					
Linearity	±4.7	R	$\sqrt{3}$	1	±2.7					
Scaling with PMR calibration	±10.0	R	$\sqrt{3}$	1	±5.8					
System Detection limit	±1.0	R	$\sqrt{3}$	1	±0.6					
Readout Electronics	±0.3	N	1	1	±0.3					
Response time	±0.8	R	$\sqrt{3}$	1	±0.5					
Integration time	±2.6	R	$\sqrt{3}$	1	±1.5					
RF ambient conditions	±3.0	R	$\sqrt{3}$	1	±1.7					
RF reflection	±12.0	R	$\sqrt{3}$	1	±6.9					
Probe positioner	±1.2	R	$\sqrt{3}$	1	±0.7					
Probe positioning	±4.7	R	$\sqrt{3}$	1	±2.7					
Extrapolation and interpolation	±1.0	R	$\sqrt{3}$	1	±0.6					
Related to test samples										
<b>Device Positioning Vertical</b>	±4.7	R	$\sqrt{3}$	1	±2.7					
Device Positioning Lateral	±1.0	R	$\sqrt{3}$	1	±0.6					
Device Holder and Phantom	±2.4	R	$\sqrt{3}$	1	±1.4					
Power drift	±5.0	R	$\sqrt{3}$	1	±2.9					
Phantom and Setup Related										
Phantom Thickness	±2.4	R	$\sqrt{3}$	1	±1.4					
Combined Std. Uncertainty		±16.3								
Expanded Std. Uncertainty on Power (K=2)		• • •								
Expanded Std. Uncertainty on Field (K=2)										

Table 3: Measurement uncertainties for RF



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Kangsu) Plot Free Trade Zone 215000中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜鹿1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 15 of 27

#### 5 RF Emission Measurements Reference and Plane

Fig.3 illustrate the references and reference plane that shall be used in a typical EUT emissions measurement. The principle of this section is applied to EUT with similar geometry. Please refer to Appendix C for the setup photographs.

- ♦ The area is 5 cm by 5 cm.
- ◆ The area is centered on the audio frequency output transducer of the EUT.
- ♦ The area is in a reference plane, which is defined as the planar area that contains the highest point in the area of the phone that normally rests against the user's ear. It is parallel to the centerline of the receiver area of the phone and is defined by the points of the receiver-end of the EUT handset, which, in normal handset use, rest against the ear.
- ◆ The measurement plane is parallel to, and 10 mm in front of, the reference plane.



Fig.3 WD reference and plane for RF emission measurements



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) \$3071443.

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.t t (86–512) 62992980 sgs.china@sgs.com





Report No.: SUZR/2021/9002507

Rev.: 01 Page: 16 of 27

## 6 System Verification Procedure

#### 6.1 System Check

Place a dipole antenna meeting the requirements given in ANSI C63.19-2011 in the position normally occupied by the WD. The dipole antenna serves as a known source for an electrical and magnetic output. Position the E-field probe so that the following occurs:

- The probes and their cables are parallel to the coaxial feed of the dipole antenna
- The probe cables and the coaxial feed of the dipole antenna approach the measurement area from opposite directions
- The center point of the probe element(s) are 15 mm from the closest surface of the dipole elements. Scan the length of the dipole with the E-field probe and record the two maximum values found near the dipole ends. Average the two readings and compare the reading to the expected value in the calibration certificate or the expected value in this standard.




Fig.4 System verification

### 6.2 System Check Result

_								
Frequency (MHz)	Input Power (mW)	E-Field Value 1 (V/m)	E-Field Value 2 (V/m)	Averaged Measured* Value(V/m)	Target** Value (V/m)	Deviation*** (%)	Limit**** (%)	Test Date
835	20	115.10	123.70	119.40	110.4	8.15	±18	2021-11-16
1880	20	91.04	97.83	94.44	86.5	9.17	±18	2021-11-16
2600	20	84.6	86.12	85.36	85.0	0.42	±18	2021-12-03

#### Note:

- \* Please refer to the appendix A for detailed measurement data and plot.
- \*\* Target value is provided by SPEAD in the calibration certificate of specific dipoles.
- \*\*\* Deviation (%) = 100 \* (Measured value minus Target value) divided by Target value.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sag.com/en/Terms-and-Conditions.aspx.and.">http://www.sag.com/en/Terms-and-Conditions.aspx.and.</a> for electronic Documents at <a href="http://www.sag.com/en/Terms-en/Conditions/Terms-en/Co

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980

sgs.china@sgs.com



Report No.: SUZR/2021/9002507

Rev.: 01

Page: 17 of 27

\*\*\*\* ANSI C63.19 requires values within ± 18% are acceptable.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) \$3071443.

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号约6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com. t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 18 of 27

#### 7 Modulation Interference Factor

The HAC Standard ANSI C63.19-2011 defines a new scaling using the Modulation Interference Factor (MIF). For any specific fixed and repeatable modulated signal, a modulation interference factor (MIF, expressed in dB) may be developed that relates its interference potential to its steady-state rms signal level or average power level. This factor is a function only of the audio-frequency amplitude modulation characteristics of the signal and is the same for field-strength and conducted power measurements. It is important to emphasize that the MIF is valid only for a specific repeatable audio-frequency amplitude modulation characteristic. Any change in modulation characteristic requires determination and application of a new MIF

The Modulation Interference factor (MIF, in dB) is added to the measured average E-field (in dBV/m) and converts it to the RF Audio Interference level (in dBV/m). This level considers the audible amplitude modulation components in the RF E-field. CW fields without amplitude modulation are assumed to not interfere with the hearing aid electronics.

Modulations without time slots and low fluctuations at low frequencies have low MIF values, TDMA modulations with narrow transmission and repetition rates of few 100 Hz have high MIF values and give similar classifications as ANSI C63.19-2011.

ER3D, EF3D and EU2D E-field probes have a bandwidth <10 kHz and can therefore not evaluate the RF envelope in the full audio band. DASY52 is therefore using the indirect measurement method according to ANSI C63.19-2011 which is the primary method. These near field probes read the averaged E-field measurement. Especially for the new high peak-to-average (PAR) signal types, the probes shall be linearized by PMR calibration in order to not overestimate the field reading. Probe Modulation Response (PMR) calibration linearizes the probe response over its dynamic range for specific modulations which are characterized by their UID and result in an uncertainty specified in the probe calibration certificate. The MIF is characteristic for a given waveform envelope and can be used as a constant conversion factor if the probe has been PMR calibrated.

The evaluation method for the MIF is defined in ANSI C63.19-2011 section D.7. An RMS demodulated RF signal is fed to a spectral filter (similar to an A weighting filter) and forwarded to a temporal filter acting as a quasi-peak detector. The averaged output of these filtering is scaled to a 1 kHz 80% AM signal as reference. MIF measurement requires additional instrumentation and is not well suited for evaluation by the end user with reasonable uncertainty.

It may alliteratively be determined through analysis and simulation, because it is constant and characteristic for a communication signal. DASY52 uses well-defined signals for PMR calibration. The MIF of these signals has been determined by simulation and it is automatically applied.

The MIF measurement uncertainty is estimated as follows, declared by HAC equipment provider SPEAG, for modulation frequencies from slotted waveforms with fundamental frequency and at least 2 harmonics within 10 kHz:

1. 0.2 dB for MIF: -7 to +5 dB 2. 0.5 dB for MIF: -13 to +11 dB 3. 1 dB for MIF: > -20 dB

MIF values applied in this test report were provided by the HAC equipment provider of SPEAG, and the worst values for all air interface are listed below to be determine the Low-power Exemption.

SPEAG UID	UID version	Communication system	MIF(dB)
10021	DAC	GSM-FDD (TDMA,GMSK)	3.63
10025	DAC	EDGE-FDD (TDMA, 8PSK, TN 0)	3.75
10460	AAA	UMTS-FDD (WCDMA, AMR)	-25.43
10225	AAA	UMTS-FDD (HSPA+)	-20.39
10169	CAE	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	-15.63
10170	CAE	LTE-FDD (SC-FDMA,1RB, 20 MHz,16-QAM)	-9.76
10172	CAG	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	-1.62



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apx">http://www.sgs.com/en/Terms-and-Conditions.apx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.apx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) \$3071443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 19 of 27

10173	CAG	LTE-TDD (SC-FDMA,1RB, 20 MHz,16-QAM)	-1.44
10061	CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps)	-2.02
10077	CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps)	0.12
10427	AAB	IEEE 802.11n (HT Green eld, 150 Mbps, 64-QAM)	-13.44
10069	CAC	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps)	-3.15
10616	AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 90pc duty cycle)	-5.57



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faistification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CM.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔1号约6号厂房南部 邮编: 215000 (86–512) 62992980 www.sgsgroup.com. (86–512) 62992980 sgs.china@sgs.com



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 20 of 27

### 8 HAC Measurement Procedure

#### The evaluation was performed with the following procedure:

- a) Confirm the proper operation of the field probe, probe measurement system, and other instrumentation and the positioning system.
- b) Position the WD in its intended test position.
- c) Set the WD to transmit a fixed and repeatable combination of signal power and modulation characteristic that is representative of the worst case (highest interference potential) encountered in normal use. Transiently occurring start-up, changeover, or termination conditions, or other operations likely to occur less than 1% of the time during normal operation, may be excluded from consideration.
- d) The center subgrid shall be centered on the T-Coil mode perpendicular measurement point or the acoustic output, as appropriate. Locate the field probe at the initial test position in the 50 mm by 50 mm grid, which is contained in the measurement plane, refer to illustrated in Figure 3. If the field alignment method is used, align the probe for maximum field reception.
- e) Record the reading at the output of the measurement system.
- f) Scan the entire 50 mm by 50 mm region in equally spaced increments and record the reading at each measurement point. The distance between measurement points shall be sufficient to assure the identification of the maximum reading.
- g) Identify the five contiguous subgrids around the center subgrid whose maximum reading is the lowest of all available choices. This eliminates the three subgrids with the maximum readings. Thus, the six areas to be used to determine the WD's highest emissions are identified.
- h) Identify the maximum reading within the nonexcluded subgrids identified in step g).
- i) Convert the maximum reading identified in step h) to RF audio interference level, in, V/m, by taking the square root of the reading and then dividing it by the measurement system transfer function, established in 5.5.1.1. Convert the result to dB(V/m) by taking the base-10 logarithmand multiplying it by 20. Indirect measurement method
- Replacing step i) of 5.5.1.2, the RF audio interference level in dB(V/m) is obtained by adding the MIF (in dB) to the maximum steady-state rms field-strength reading, in dB(V/m), from step h). Use this result to determine the category rating.
- j) Compare this RF audio interference level with the categories in Clause 8 and record the resulting WD category rating.
- k) For the T-Coil mode M-rating assessment, determine whether the chosen perpendicular measurement point is contained in an included subgrid of the first scan. If so, then a second scan is not necessary. The first scan and resultant category rating may be used for the T-Coil mode M rating.

Otherwise, repeat step a) through step i), with the grid shifted so that it is centered on the perpendicular measurement point. Record the WD category rating.





Report No.: SUZR/2021/9002507

Rev.: 01 Page: 21 of 27

### 9 HAC RF Measurement Results

### 9.1 Max Tune-up

	Frequency Band					
	GSN	M850	33.50			
GSM	EDG	E850	31.50			
GSIVI	GSM	11900	30.00			
	EDG	E1900	27.00			
	Bai	nd V	23.70			
WCDMA	Bar	nd IV	22.90			
VVCDIVIA	Bai	33.50				
	HS	31.50				
	Bai	23.50				
	Bai	24.50				
	Bai	23.50				
FDD LTE	Bar	23.50				
IDDEIL	Bar	23.50				
	Bar	23.50				
	Bar	24.50				
	Bar	24.50				
TDD LTE	Band 41	QPSK	24.00			
IDDLIE	Danu 41	16QAM	23.00			

	Average Power (dBm)	
2. 4GHz WLAN	802.11b	17.00
	802.11g	13.00
	802.11n-HT20	13.00
	802.11n-HT40	13.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND.occheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔1号约6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.d t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 22 of 27

### 9.2 Conducted RF Output Power

#### Ant1:

Anti.						
	GSM 850					
Burst Outpo		Tungun				
Channel 128 190 251						
GSM (GMSK, 1 Tx slot)	31.85	31.72	31.64	33.50		
	GSM 190	)				
Burst Outpo		Tungun				
Channel	512	661	810	Tune up		
GSM (GMSK, 1 Tx slot)	28.87	28.66	28.32	30.00		

Ľ	TE Band 41	class3		Conducted Power(dBm)					
Bandwidth	Modulation	RR size	RB	Channel	Channel	Channel	Channel	Channel	Tune up
Banawiatii	Modulation	IND SIZE	offset	39750	40185	40620	41055	41490	rune up
		1	0	21.23	21.29	21.26	21.21	21.20	22.70
		1	50	21.30	21.44	21.37	21.36	21.45	22.70
		1	99	21.21	21.27	21.31	21.24	21.37	22.70
	QPSK	50	0	20.53	20.55	20.58	20.55	20.65	21.70
		50	25	20.58	20.54	20.51	20.59	20.54	21.70
		50	50	20.48	20.54	20.47	20.48	20.46	21.70
20MHz		100	0	20.22	20.11	20.21	20.27	20.11	21.70
ZUIVITIZ		1	0	20.45	20.38	20.39	20.35	20.48	21.70
		1	50	20.57	20.44	20.50	20.47	20.60	21.70
		1	99	20.44	20.45	20.53	20.61	20.52	21.70
	16QAM	50	0	19.48	19.53	19.57	19.58	19.59	20.70
		50	25	19.58	19.60	19.61	19.57	19.51	20.70
		50	50	19.78	19.69	19.69	19.74	19.78	20.70
		100	0	19.48	19.56	19.52	19.55	19.55	20.70



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sas.com/en/Terms-and-Conditions appx and, for electronic format documents, at http://www.sas.com/en/Terms-and-Conditions for Electronic Document as a http://www.sas.com/en/Terms-and-Conditions for Terms-a-Document ex. Attention is drawn to the limitation of liability, Indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or fallsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号约6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.t t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 23 of 27

Ľ	TE Band 41	class2		Conducted Power(dBm)						
Bandwidth	Modulation	DR cizo	RB	Channel	Channel	Channel	Channel	Channel	Tung up	
Danuwium	Modulation	KD SIZE	offset	39750	40185	40620	41055	41490	Tune up	
		1	0	23.85	23.95	23.95	23.89	23.93	24.00	
		1	50	23.89	23.86	23.93	23.89	23.97	24.00	
		1	99	23.95	23.91	23.89	23.94	23.86	24.00	
	QPSK	50	0	22.93	22.96	22.92	22.90	22.91	23.00	
		50	25	22.87	22.91	22.87	22.79	22.89	23.00	
		50	50	22.87	22.94	22.91	22.86	22.95	23.00	
20MHz		100	0	22.90	22.93	22.87	22.86	22.89	23.00	
ZUIVITZ		1	0	22.95	22.83	22.92	22.82	22.83	23.00	
		1	50	22.80	22.82	22.90	22.90	22.96	23.00	
		1	99	22.83	22.75	22.78	22.77	22.85	23.00	
	16QAM	50	0	21.97	21.87	21.99	21.78	21.89	22.00	
		50	25	21.61	21.71	21.69	21.62	21.62	22.00	
		50	50	21.55	21.73	21.65	21.60	21.68	22.00	
		100	0	21.84	21.85	21.92	21.93	21.90	22.00	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faistification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-75) 8307 1443, or email: CM.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

sgs.china@sgs.com



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 24 of 27

### 9.3 Low-power Exemption

According to ANSI C63.19-2011, a RF air interface technology of a device is exempt from testing when its

average antenna input power plus its MIF is ≤17 dBm for any of its operation modes.

Air Interface (Ant)		Max Average Antenna Input Power (dBm)	Worst Case MIF (dB)	Power + MIF (dB)	C63.19 test required
GSM	1850	33.50	3.63	37.13	Yes
EDGI	E850	31.50	3.75	35.25	Yes
GSM1900		30.00	3.63	33.63	Yes
EDGE	1900	27.00	3.75	30.75	Yes
WC	DMA	23.70	-25.43	-1.73	No
WCDMA - HSPA		22.90	-20.39	2.51	No
LTE - FDD		24.50	-9.76	14.74	No
LTE TOD	QPSK	24.00	25.38	49.38	Yes
LTE - TDD	16QAM	23.00	24.56	47.56	Yes

Air Interface	Max Average Antenna Input Power (dBm)	Worst Case MIF (dB)	Power + MIF (dB)	C63.19 test required
802.11b	17.00	-2.02	14.98	No
802.11g	13.00	0.12	13.12	No
802.11n-HT40	13.00	-13.44	-0.44	No
802.11n-HT20	13.00	-13.44	-0.44	No

#### General Note:

- 1. EDGE data modes and 16QAM is not necessary due the GSM Voice mode and QPSK is the worst case.
- 2. According to ANSI C63.19 2011-version, for the air interface technology of a device is exempt from testing when its average antenna input power plus its MIF is ≤17 dBm for any of its operating modes.
- 3. HAC RF rating is M4 for the air interface which meets the low power exemption.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agx; and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document as public to Terms and Conditions for Telectronic Document as http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document as public to the state of the stat

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com. t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUZR/2021/9002507

Rev.: 01

Page: 25 of 27

### 9.4 HAC RF Emission Test Results

Band	Test Mode	Channel	Frequency (MHz)	MIF (dB)	Audio Interference Level (dBV/m)		Power Drift (dB)	Category
GSM850	GSM Voice	128	824.2	3.63	37.30	2.70	-0.02	M4
GSM850	GSM Voice	190	836.6	3.63	37.15	2.85	-0.04	M4
GSM850	GSM Voice	251	848.8	3.63	36.42	3.58	0.03	M4
GSM1900	GSM Voice	512	1850.2	3.63	28.73	1.27	-0.04	M4
GSM1900	GSM Voice	661	1880	3.63	29.13	0.87	0.07	M4
GSM1900	GSM Voice	810	1909.8	3.63	28.47	1.53	-0.10	M4
LTE Band 41 PC2	20M QPSK 1RB_99	39750	2506	-1.62	23.78	6.22	0.02	M4
LTE Band 41 PC2	20M QPSK 1RB_0	40185	2549.5	-1.62	24.43	5.57	0.18	M4
LTE Band 41 PC2	20M QPSK 1RB_0	40620	2593	-1.62	24.79	5.21	0.01	M4
LTE Band 41 PC2	20M QPSK 1RB_99	41055	2636.5	-1.62	25.02	4.98	0.02	M4
LTE Band 41 PC2	20M QPSK 1RB_50	41490	2680	-1.62	25.18	4.82	0.12	M4
LTE Band 41 PC3	20M QPSK 1RB_50	39750	2506	-1.62	23.19	6.81	0.11	M4
LTE Band 41 PC3	20M QPSK 1RB_50	40185	2549.5	-1.62	23.23	6.77	0.09	M4
LTE Band 41 PC3	20M QPSK 1RB_50	40620	2593	-1.62	23.67	6.33	-0.02	M4
LTE Band 41 PC3	20M QPSK 1RB_50	41055	2636.5	-1.62	23.30	6.70	0.09	M4
LTE Band 41 PC3	20M QPSK 1RB_50	41490	2680	-1.62	23.49	6.51	-0.04	M4

#### Remark:

1. The detail RF Emission results please refer to appendix B.

Test Engineer: Nature Shen, Claire Shen ss



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agx; and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document as public to Terms and Conditions for Telectronic Document as http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document as public to the state of the stat

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号约6号厂房南部 邮编: 215000



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 26 of 27

10 Equipment list

	Equipment	Manufacturer	Model	Serial Number	Calibration Date	Due date of calibration
$\boxtimes$	Software	SPEAG	DASY52 52.10.4	NA	NCR	NCR
$\boxtimes$	DAE	SPEAG	DAE4	1663	2021-03-01	2022-02-28
$\boxtimes$	E-Field Probe	SPEAG	EF3DV3	4051	2021-05-28	2022-05-27
$\boxtimes$	Validation Kits	SPEAG	CD835V3	1052	2021-05-27	2022-05-26
$\boxtimes$	Validation Kits	SPEAG	CD1880V3	1044	2021-05-27	2022-05-26
$\boxtimes$	Validation Kits	SPEAG	CD2600V3	1021	2021-05-27	2022-05-26
$\boxtimes$	Test Arch SD HAC	SPEAG	NA	NA	NCR	NCR
	Universal Radio Communication Tester	R&S	CMW500	111637	2021-04-14	2022-04-13
$\boxtimes$	Signal Generator	Agilent	N5171B	MY53050736	2021-04-14	2022-04-13
	Preamplifier	Mini-Circuits	ZHL-42W	15542	NCR	NCR
$\boxtimes$	Power Meter	Agilent	E4416A	GB41292095	2021-04-14	2022-04-13
$\boxtimes$	Power Sensor	Agilent	8481H	MY41091234	2021-04-14	2022-04-13
	Power Sensor	R&S	NRP-Z92	100025	2021-04-14	2022-04-13
$\boxtimes$	Attenuator	SHX	TS2-3dB	30704	NCR	NCR
$\boxtimes$	Coaxial low pass filter	Mini-Circuits	VLF-2500(+)	NA	NCR	NCR
$\boxtimes$	Coaxial low pass filter	Microlab Fxr	LA-F13	NA	NCR	NCR
$\boxtimes$	DC POWER SUPPLY	SAKO	SK1730SL5A	NA	NCR	NCR
$\boxtimes$	Humidity and Temperature Indicator	KIMTOKA	KIMTOKA	NA	2021-04-15	2022-04-14

#### Note:

1. All the equipments are within the valid period when the tests are performed.

2. NCR: "No-Calibration Required".



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not excerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) \$3071443.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUZR/2021/9002507

Rev.: 01 Page: 27 of 27

11 Calibration certificate

Please see the Appendix B

12 Photographs

Please see the Appendix C

**Appendix A: Detailed System Check Results** 

**Appendix B: Detailed Test Results** 

**Appendix C: Calibration certificate** 

**Appendix D: Photographs** 

---END---

