

Report No.: XEWM2203000061RG05

Rev.: 01 Page: 1 of 24

### **TEST REPORT**

Application No: XEWM2203000061RG

Applicant: Great Talent Technology Limited

Address of Applicant: 35F,HBC HuiLong Center Building-II Minzhi Street,Longhua, Shenzhen,

P.R. China

Manufacturer: Great Talent Technology Limited

Address of Manufacturer: 35F, HBC HuiLong Center Building-II Minzhi Street, Longhua, Shenzhen,

P.R. China

**EUT Description:** feature phone

Model No.: SC3218B
Trade Mark: SCHOK

FCC ID: 2ALZM-SC3218B

Standard(s): 47 CFR Part 15, Subpart B

**Date of Receipt**: 2021/11/9

**Date of Test**: 2021/11/27 to 2021/12/21

**Date of Issue**: 2022/3/18

Test Result: Pass\*

Authorized Signature:

Panta Sun

Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/lengas.gax.and">http://www.sgs.com/en/lengas.gax.and</a>, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/lerms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/lerms-and-Conditions/Terms-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of transaction from exercising all their rights and obligations under the transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificite, please contact us at telephone: (86-755) 8307 1443.

 South of No. First, No. 1, Runsteing (next). Author Madatrial Part, Suzhou Area, Chine (Jaingsu) Plot Free Trade Zone
 215000
 t (86-512) 62992980
 wwww.sgsgroup.com.

 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上区苏州工业园区园胜路(号的号厂房商部
 邮编: 215000
 t (86-512) 62992980
 sgs.china@sgs.com

<sup>\*</sup> In the configuration tested, the EUT complied with the standards specified above.



Report No.: XEWM2203000061RG05

Rev.: 01 2 of 24 Page:

Revision Record								
Version	Chapter	Date	Modifier	Remark				
01		2022/3/18		Original				

Prepared By	(Weller Liu) / Engineer
Checked By	(Well Wei) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: XEWM2203000061RG05

Rev.: 01

Page: 3 of 24

### **Test Summary**

Emission Part									
Item	Standard	Method	Requirement	Result					
Conducted Emissions at Mains Terminals (150kHz-30MHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass					
Radiated Emissions (30MHz-1GHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass					
Radiated Emissions (above 1GHz)	47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass					

Internal Source	Upper Frequency
Below 1.705MHz	30MHz
1.705MHz to 108MHz	1GHz
108MHz to 500MHz	2GHz
500MHz to 1GHz	5GHz
Above 1GHz	5th harmonic of the highest frequency or 40GHz, whichever is lower



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

South of No. 6 Plent, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国 ( 江苏 ) 自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮第: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: XEWM2203000061RG05

Rev.: 01

Page: 4 of 24

#### Remark:

This test report (Report No.: XEWM2203000061RG05 issued on 2022-03-16) is based on the original test report (Report No.: ZR/2021/8005305 issued on 2021-12-22).

Review this report and original report, this report just changing the parts according to the declaration letter from client.

Considering to the difference, pre-scan were performed on the sample in this report to find the items which can be influential to the result in the original test report for fully retest.

Therefore in this report all items do not need to retest and all test data in this report are based on the previous report with report number ZR/2021/8005305 issued on 2021-12-22.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agx; and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document as that this printed in the conditions for Terms and Conditions of Terms and Conditions for Terms-and-Conditions/Terms-e-Document as year. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) \$307,1443.



Report No.: XEWM2203000061RG05

Rev.: 01 Page: 5 of 24

### **Contents**

1 G	ENERAL INFORMATION	6
1.1 1.2	DESCRIPTION OF SUPPORT UNITS	
1.3	TEST FACILITY	
1.4	DEVIATION FROM STANDARDS	
1.5	ABNORMALITIES FROM STANDARD CONDITIONS	
	MISSION TEST RESULTS	
2.1		
E	.U.T. Operation	9
	.1.1 Test Setup Procedures	
	.1.2 Measurement Data	
2.2	RADIATED EMISSIONS (30MHz-1GHz)	13
2.	2.1 E.U.T. Operation	13
2.	2.2 Test Setup Procedures	14
	2.3 Measurement Data	
2.3	RADIATED EMISSIONS (ABOVE 1GHz)	17
	.3.1 E.U.T. Operation	
2.	.3.2 Test Setup Procedures	18
2.	.3.3 Measurement Data	18
3 E	QUIPMENT LIST	21
4 M	IEASUREMENT UNCERTAINTY	23
5 P	HOTOGRAPHS	24
5.1	TEST SETUP	24
5.2	EUT CONSTRUCTIONAL DETAILS (EUT PHOTOS)	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined herein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: Ch.Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: XEWM2203000061RG05

Rev.: 01 Page: 6 of 24

### 1 General Information

Product Name:	feature phone	·								
Model No.(EUT):	SC3218B									
Trade Mark:	SCHOK									
Hardware Version:	Q3203_V1.0									
Software Version:	SC3218T_V1.0.0									
	Band	Tx (MHz)	Rx (MHz)							
	GSM850	824~849	869~894							
	GSM1900	1850~1910	1930~1990							
	WCDMA Band II	1850~1910	1930~1990							
	WCDMA Band IV	1710~1755	2110~2155							
	LTE Band 2	1850~1910	1930~1990							
	LTE Band 4	1710~1755	2110~2155							
	LTE Band 5	824~849	869~894							
	LTE Band 12	699~716	729~746							
Frequency Bands:	LTE Band 25	1850~1915	1930~1995							
	LTE Band 26	814~849	859~894							
	LTE Band 41	2496~2690	2496~2690							
	LTE Band 66	1710~1780	2110~2200							
	LTE Band 71	663~698	617~652							
	Wi-Fi 2.4G	2412~2462	2412~2462							
	Bluetooth	2402~2480	2402~2480							
	FM	88~	108							
	GNSS(GPS+Glonass + Beidou+Galileo+SBAS)	1559~1610								

### Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sold responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sss.com</a>

or email: CM. Docetheck (愛Sg.s.com south of No. Flort, No.1, Funsherp (Rest. Subru Industrial Park, Subru Are, Chine (Jangsu) (Pit Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州/ド区苏州工业园区河胜路1号からデノ房南部 単編: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: XEWM2203000061RG05

Rev.: 01

Page: 7 of 24

#### Accessorv:

Item No.	Mode No.	Manufacturer	Description
Adapter	TPA-5950100UU		Input: 100-240V -50/60Hz 0.2A Output: 5.0V, 1000mA
USB cable	TYPE-C TO USBA/ BLK	Dongguan Guojun Plastic Electronics Co., Ltd.	Length: 0.8m
Battery (EUT)	SB2000	Phenix New Energy (Hui Zhou)Co.,Ltd.	Li-ion Battery: 3.8V, 3000mAh



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com



Report No.: XEWM2203000061RG05

Rev.: 01 Page: 8 of 24

### 1.1 Description of Support Units

Description	Manufacturer	Model No.	Inventory No.
Router	Smavwave Technology Co.,Ltd	SRT 421	SUWI-04-34-01
Computer	Lenovo	T14	SUWI-03-33-04
Mouse	Lenovo	3D optical Mouse	SUWI-03-33-05
Adaptor	Huawei	HW-050200C02	SUWI-03-33-06

#### 1.2 Test Location

All tests were performed at:

1					
Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd				
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone				
Post code:	215000				
Test engineer:	Weller Liu, King-p Li, Nature Shen, Tizzy Song				

### 1.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

### • A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

#### Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

#### • FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327

#### 1.4 Deviation from Standards

None

### 1.5 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Comditions/Terms-en/C

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cr t (86–512) 62992980 sgs.china@sgs.com



Report No.: XEWM2203000061RG05

Rev.: 01

Page: 9 of 24

### 2 Emission Test Results

### 2.1 Conducted Emissions at Mains Terminals (150kHz-30MHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014 Frequency Range: 150kHz to 30MHz

Limit:

0.15M-0.5MHz 66dB( $\mu$ V)-56dB( $\mu$ V) quasi-peak, 56dB( $\mu$ V)-46dB( $\mu$ V) average

0.5M-5MHz 56dB( $\mu$ V) quasi-peak, 46dB( $\mu$ V) average 5M-30MHz 60dB( $\mu$ V) quasi-peak, 50dB( $\mu$ V) average

Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz

### **E.U.T. Operation**

Operating Environment:

Temperature: 22~23 °C Humidity: 44~46% RH Atmospheric Pressure: 101 kPa

Pretest these modes to find the worst case:

a: GSM850 Idle+ Adaptor+usb+Earphone+WLAN Idle(2.4G)+BT Idle+Camera b: LTE Band 5 Idle+ Adaptor+usb+Earphone+WLAN Idle(2.4G)+BT Idle+MP4

c: LTE Band 12 Idle+ Adaptor+usb+Earphone+WLAN Idle(2.4G)+BT Idle+FM d: LTE Band 26 Idle+ Adaptor+usb+Earphone+WLAN Idle(2.4G)+BT Idle+Camera

e: LTE Band 71 Idle+ Adaptor+usb+Earphone+WLAN Idle(2.4G)+BT Idle+MP4

The worst case for final test:

b: LTE Band 5 Idle+ Adaptor+usb+Earphone+WLAN Idle(2.4G)+BT Idle+MP4



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agx; and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document as that this printed in the conditions for Terms and Conditions of Terms and Conditions for Terms-and-Conditions/Terms-e-Document as year. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) \$307,1443.




Report No.: XEWM2203000061RG05

Rev.: 01

Page: 10 of 24

#### 2.1.1 Test Setup Procedures

- 1. The EUT was placed 0.4 meter from the conducting wall of the shielding room was kept at least 80 centimeters from any other grounded conducting surface.
- 2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
- 3. All the support units are connecting to the other LISN.
- 4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
- 5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
- 6. Both sides of AC line were checked for maximum conducted interference.
- 7. The frequency range from 150 kHz to 30 MHz was searched.
- 8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF Bandwidth = 9kHz) with Maximum Hold Mode. Then measurement is also conducted by Average Detector and Quasi-Peak Detector Function respectively.



#### 2.1.2 Measurement Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agx; and, for electronic Documents at http://www.ags.com/en/Terms-and-Conditions/Terms-e-Document as that this printed in the conditions for Terms and Conditions of Terms and Conditions for Terms-and-Conditions/Terms-e-Document as year. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) \$307,1443.




Report No.: XEWM2203000061RG05

Rev.: 01

Page: 11 of 24

### Mode :b; Line:Live Line



Fina	Final Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.168	9.71	32.59	42.30	65.06	22.76	15.42	25.13	55.06	29.93	PASS
2	0.416	9.52	30.23	39.75	57.53	17.78	16.03	25.55	47.53	21.98	PASS
3	0.5370	9.58	30.66	40.24	56.00	15.76	14.43	24.01	46.00	21.99	PASS
4	0.9510	9.54	30.71	40.25	56.00	15.75	12.48	22.02	46.00	23.98	PASS
5	2.436	9.66	29.89	39.55	56.00	16.45	10.18	19.84	46.00	26.16	PASS
6	4.871	9.64	27.11	36.75	56.00	19.25	7.42	17.06	46.00	28.94	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx">http://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-Condit

or email: CN\_DocCheck(@sgs\_com | Sound vNa. Fire, No. Finarshare Road, Subrou Indastell Park, Subrou Area, China (Jiangsu) Plxt Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上立国区海胜路(号的6号) 房南部 - 邮線: 215000

t (86–512) 62992980 www.sgsgroup.com.ci t (86–512) 62992980 sgs.china@sgs.com




Report No.: XEWM2203000061RG05

Rev.: 01

Page: 12 of 24

### Mode :b; Line: Neutral Line



Final Data List											
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.168	9.72	31.88	41.60	65.06	23.46	17.40	27.12	55.06	27.94	PASS
2	0.1860	9.69	30.56	40.25	64.21	23.96	18.95	28.64	54.21	25.57	PASS
3	0.5100	9.80	28.11	37.91	56.00	18.09	15.44	25.24	46.00	20.76	PASS
4	0.9600	9.69	27.99	37.68	56.00	18.32	12.93	22.62	46.00	23.38	PASS
5	2.432	9.78	28.89	38.67	56.00	17.33	14.98	24.76	46.00	21.24	PASS
6	3.809	9.72	25.01	34.73	56.00	21.27	12.27	21.99	46.00	24.01	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx and, for electronic format documents subject to a reasonable of the company services of the com



Report No.: XEWM2203000061RG05

Rev.: 01

Page: 13 of 24

### 2.2 Radiated Emissions (30MHz-1GHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014 Frequency Range: 30MHz to 1GHz

Measurement Distance: 3m

Limit:

30 MHz - 88 MHz  $40.0 (\text{dB}\mu\text{V/m})$  quasi-peak 88 MHz - 216 MHz  $43.5 (\text{dB}\mu\text{V/m})$  quasi-peak  $46.0 (\text{dB}\mu\text{V/m})$  quasi-peak 960 MHz - 1000 MHz  $54.0 (\text{dB}\mu\text{V/m})$  quasi-peak

Detector: Peak for pre-scan (120kHz resolution bandwidth) 30M to1000MHz

#### 2.2.1 E.U.T. Operation

Operating Environment:

Temperature: 22~23 °C Humidity: 44~46% RH Atmospheric Pressure: 101 kPa

Pretest these modes to find the worst case:

a: GSM850 Idle+ Adaptor+usb+Earphone+WLAN Idle(2.4G)+BT Idle+Camera b: LTE Band 5 Idle+ Adaptor+usb+Earphone+WLAN Idle(2.4G)+BT Idle+MP4

c: LTE Band 12 Idle+ Adaptor+usb+Earphone+WLAN Idle(2.4G)+BT Idle+FM d: LTE Band 26 Idle+ Adaptor+usb+Earphone+WLAN Idle(2.4G)+BT Idle+Camera e: LTE Band 71 Idle+ Adaptor+usb+Earphone+WLAN Idle(2.4G)+BT Idle+MP4

The worst case for final test:

b: LTE Band 5 Idle+ Adaptor+usb+Earphone+WLAN Idle(2.4G)+BT Idle+MP4



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chira (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cr t (86–512) 62992980 sgs.china@sgs.com




Report No.: XEWM2203000061RG05

Rev.: 01

Page: 14 of 24

#### 2.2.2 Test Setup Procedures

- 1. The EUT was placed in a semi Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation.
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.
- 7. If the emission level of the EUT in peak mode was 6 dB lower than the limit specified, peak values of EUT will be reported. Otherwise, the emission will be repeated by using the quasi-peak method and reported.



#### 2.2.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasipeak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.

The three polarities of X,Y,Z were measured by EUT, but only the worst data had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. Final, No. 1, Runsheng Road, Suthou Industrial Park, Suchou Area, China (Jiangsu) PNot Free Trade Zone 215000 中国 - 苏州 - 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润胜路1号约6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.c t (86–512) 62992980 sgs.china@sgs.com




Report No.: XEWM2203000061RG05

Rev.: 01

Page: 15 of 24

### Mode:b; Polarization: Horizontal



QP Detector

Final Data List									
NO.	Frequency [MHz]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	42.8525	-21.32	21.24	40.00	18.76	152	204	Horizontal	
2	90.3825	-21.02	14.20	43.50	29.30	236	214	Horizontal	
3	109.0550	-19.69	17.33	43.50	26.17	258	257	Horizontal	
4	215.9975	-19.29	26.69	43.50	16.81	145	41	Horizontal	
5	437.8850	-14.28	25.83	46.00	20.17	339	114	Horizontal	
6	595.2675	-10.84	24.39	46.00	21.61	201	152	Horizontal	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx and, for electronic format documents subject to a reasonable of the company services of the com




Report No.: XEWM2203000061RG05

Rev.: 01

Page: 16 of 24

Mode:b; Polarization: Vertical



QP Detector

Final	Final Data List								
NO.	Frequency [MHz]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	42.8525	-21.32	36.69	40.00	3.31	236	147	Vertical	
2	55.2200	-21.37	26.52	40.00	13.48	258	37	Vertical	
3	215.9975	-19.29	27.82	43.50	15.68	154	333	Vertical	
4	437.8850	-14.28	32.98	46.00	13.02	298	109	Vertical	
5	556.7100	-12.41	26.79	46.00	19.21	387	84	Vertical	
6	595.2675	-10.84	33.85	46.00	12.15	265	213	Vertical	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.spx and, for electronic format documents of the company of



Report No.: XEWM2203000061RG05

Rev.: 01

Page: 17 of 24

### 2.3 Radiated Emissions (above 1GHz)

Test Requirement: 47 CFR Part 15, Subpart B

Test Method: ANSI C63.4:2014 Frequency Range: Above 1GHz

Measurement Distance: 3m

Limit:

Above 1GHz 74(dBµV/m) peak, 54(dBµV/m) average

Detector: Peak for pre-scan (1000kHz resolution bandwidth) 1000M to 40000MHz

#### 2.3.1 E.U.T. Operation

Operating Environment:

Temperature: 22~23 °C Humidity: 44~46% RH Atmospheric Pressure: 101 kPa

Pretest these a: GSM850 Idle+ Adaptor+usb+Earphone+WLAN Idle(2.4G)+BT Idle+Camera b: LTE Band 5 Idle+ Adaptor+usb+Earphone+WLAN Idle(2.4G)+BT Idle+MP4 c: LTE Band 12 Idle+ Adaptor+usb+Earphone+WLAN Idle(2.4G)+BT Idle+FM

d: LTE Band 26 Idle+ Adaptor+usb+Earphone+WLAN Idle(2.4G)+BT Idle+Camera e: LTE Band 71 Idle+ Adaptor+usb+Earphone+WLAN Idle(2.4G)+BT Idle+MP4

The worst case for final test:

e: LTE Band 71 Idle+ Adaptor+usb+Earphone+WLAN Idle(2.4G)+BT Idle+MP4



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-

South of No. Fisht. No. 1, Danshey Rod. South of No. 1, Danshey

t (86–512) 62992980 www.sgsgroup.com.cr t (86–512) 62992980 sgs.china@sgs.com




Report No.: XEWM2203000061RG05

Rev.: 01

Page: 18 of 24

### 2.3.2 Test Setup Procedures

- 1. The EUT was placed in a full Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation.
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak and AV Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.



#### 2.3.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.

The three polarities of X,Y,Z were measured by EUT, but only the worst data had been displayed. Scan from 1GHz to 30GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.




Report No.: XEWM2203000061RG05

Rev.: 01

Page: 19 of 24

#### Mode:e; Polarization:Horizontal



Final	Final Data List								
NO.	Frequency	Reading	Level	Factor	Limit	Margin	Height	Angle	Polarity
1	1062.0500	46.52	23.80	-22.72	54.00	30.20	163	112	Horizontal
2	1288.1500	57.32	34.11	-23.21	74.00	39.89	185	55	Horizontal
3	1791.3500	45.70	22.86	-22.84	54.00	31.14	145	154	Horizontal
4	3296.7000	54.25	37.62	-16.63	74.00	36.38	246	161	Horizontal
5	12879.6000	44.16	48.63	4.47	74.00	25.37	309	203	Horizontal
6	17962.6000	31.76	44.00	12.24	54.00	10.00	215	317	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condit




Report No.: XEWM2203000061RG05

Rev.: 01

Page: 20 of 24

#### Mode:e; Polarization:Vertical



	¥ 111 20100101	V 711 Dollooloi							
Final	Final Data List								
NO.	Frequency	Reading	Level	Factor	Limit	Margin	Height	Angle	Polarity
1	1255.8500	57.05	33.85	-23.20	74.00	40.15	185	182	Vertical
2	1649.4000	45.37	22.56	-22.81	54.00	31.44	163	51	Vertical
3	5255.1000	52.05	40.58	-11.47	74.00	33.42	246	27	Vertical
4	10472.4000	35.31	37.74	2.43	54.00	16.26	302	321	Vertical
5	17239.2500	32.16	40.53	8.37	54.00	13.47	175	280	Vertical
6	17974.5000	41.34	53.70	12.36	74.00	20.30	249	359	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condit



Report No.: XEWM2203000061RG05

Rev.: 01

Page: 21 of 24

### 3 Equipment List

Conduction Test Equipment							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
Shielding Room	Brilliant-emc	N/A	SUWI-04-03-01	2021/5/8	2024/5/7		
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2021/2/20	2022/2/19		
Wideband Radio Communication Tester	Anritsu	MT8820C	SUWI-01-16-08	2021/2/20	2022/2/19		
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-06	2021/2/20	2022/2/19		
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-01	2021/2/20	2022/2/19		
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-02	2021/2/20	2022/2/19		
Measurement Software	Tonscend	JS32-CE V3.0.0.1	SUWI-02-09-05	NCR	NCR		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

or email: CN\_Doccheck@sgs.com Sudnid No. 6 Plant No. 1, Runslang Road, Sudou Industrial Part, Sudou Area, China (基本gs.ii) PM Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn 中国・苏州・中国(江苏)自由原東改造医苏州片区市州工业園区理政策等1号的号厂房南部 邮集: 215000 t (86-512) 62992980 sgs.china@sgs.com



Report No.: XEWM2203000061RG05

Rev.: 01

22 of 24 Page:

RE Test Equipment							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-01	2021/5/8	2024/5/7		
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2021/2/20	2022/2/19		
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2021/5/28	2022/5/27		
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2021/2/20	2022/2/19		
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	VULB 9163	SUWI-01-11-01	2021/5/16	2022/5/15		
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2021/5/16	2022/5/15		
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2021/5/14	2022/5/13		
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14-01	2021/2/20	2022/2/19		
Amplifier	Tonscend	TAP01018050	SUWI-01-14-02	2021/2/20	2022/2/19		
Amplifier	Tonscend	TAP18040048	SUWI-01-14-03	2021/2/20	2022/2/19		
Active Loop Antenna	SCHWRZBECK MESS- ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2021/6/10	2022/6/9		
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2021/2/20	2022/2/19		
Measurement Software	Tonscend	JS32-RE V3.0.0.3	SUWI-02-09-04	NCR	NCR		
Wideband Radio Communication Tester	ROHDE&SCHWARZ	CMW500	SUWI-01-27-01	2021/9/28	2022/9/27		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indeminification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: XEWM2203000061RG05

Rev.: 01

Page: 23 of 24

### 4 Measurement Uncertainty

No.	Item	Measurement Uncertainty			
1	Conduction Emission	± 2.90dB (150kHz to 30MHz)			
		± 4.8dB (30MHz to 1GHz)			
2	Radiated Emission	± 4.8dB (1GHz to 18GHz)			
		± 4.8dB (Above 18GHz)			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

or email: CN. Doccheck@sgs.com

I South of No. 6 Plant. No. 1, Runsheng Road. Suzhou Industrial Park. Suzhou Area. China (Jiangsu) Pilot Free Trade Zone 215000 t (86–5

中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: XEWM2203000061RG05

Rev.: 01

24 of 24 Page:

#### 5 **Photographs**

### 5.1 Test Setup

Refer to Appendix A.1 15B Setup Photos.

### 5.2 EUT Constructional Details (EUT Photos)

Refer to Photographs of EUT Constructional Details

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@gs.com

中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980