

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SEWM2302000050RG02

Rev.: 01 Page: 1 of 3

Appendix B.9

LTE Band 71



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, agey and, for electronic format document subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.asp Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document only and within the limits of transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce the company of the co

t (86–512) 62992980 www.sgsgrou t (86–512) 62992980 sgs.china@s



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SEWM2302000050RG02

Rev.: 01 Page: 2 of 3

Effective (Isotropic) Radiated Power Output Data

Test for Spot check the max BW power:

Test Result

Band	Bandwidth	Modulation	Channel	RB	Result(dBm)	ERP	Limit	Verdict
Danu			Channel	Configuration	Result(abili)	(dBm)	(dBm)	veruici
Band71	20MHz	QPSK	133222	1RB#0	23.04	17.74	34.77	PASS
Band71	20MHz	QPSK	133222	1RB#50	23.15	17.85	34.77	PASS
Band71	20MHz	QPSK	133222	1RB#99	23.16	17.86	34.77	PASS
Band71	20MHz	QPSK	133222	50RB#0	22.70	17.40	34.77	PASS
Band71	20MHz	QPSK	133222	50RB#25	22.83	17.53	34.77	PASS
Band71	20MHz	QPSK	133222	50RB#50	22.85	17.55	34.77	PASS
Band71	20MHz	QPSK	133222	100RB#0	22.74	17.44	34.77	PASS
Band71	20MHz	QPSK	133322	1RB#0	23.14	17.84	34.77	PASS
Band71	20MHz	QPSK	133322	1RB#50	23.15	17.85	34.77	PASS
Band71	20MHz	QPSK	133322	1RB#99	23.07	17.77	34.77	PASS
Band71	20MHz	QPSK	133322	50RB#0	22.93	17.63	34.77	PASS
Band71	20MHz	QPSK	133322	50RB#25	22.71	17.41	34.77	PASS
Band71	20MHz	QPSK	133322	50RB#50	22.67	17.37	34.77	PASS
Band71	20MHz	QPSK	133322	100RB#0	22.83	17.53	34.77	PASS
Band71	20MHz	QPSK	133372	1RB#0	23.10	17.80	34.77	PASS
Band71	20MHz	QPSK	133372	1RB#50	23.08	17.78	34.77	PASS
Band71	20MHz	QPSK	133372	1RB#99	23.05	17.75	34.77	PASS
Band71	20MHz	QPSK	133372	50RB#0	22.88	17.58	34.77	PASS
Band71	20MHz	QPSK	133372	50RB#25	22.76	17.46	34.77	PASS
Band71	20MHz	QPSK	133372	50RB#50	22.72	17.42	34.77	PASS
Band71	20MHz	QPSK	133372	100RB#0	22.85	17.55	34.77	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on requestor or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SEWM2302000050RG02

Rev.: 01 Page: 3 of 3

Field Strength of Spurious Radiation

Test for spot check:

Test Band = LTE Band 71_ TM1
Test Channel = Mid

Final Data List										
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Height	Angle	Polarity
	[MHz]	[dBµV]	[dB]		[dBm]	[dBm]	[dB]	[cm]	[°]	
1	1348.18	44.78	-48.77	25.50	-73.75	-13.00	60.75	169	206	Horizontal
2	2022.27	43.79	-48.04	26.95	-72.56	-13.00	59.56	251	298	Horizontal
3	2696.36	44.30	-47.07	28.57	-69.46	-13.00	56.46	186	175	Horizontal
4	3370.45	42.92	-46.23	29.45	-69.12	-13.00	56.12	221	191	Horizontal
5	4044.54	42.09	-45.46	30.67	-67.96	-13.00	54.96	152	316	Horizontal
6	4718.63	40.73	-44.56	31.93	-67.17	-13.00	54.17	238	316	Horizontal

Final Data List										
NO.	Frequency	Reading	Factor	AF[dB/m]	Level	Limit	Margin	Height	Angle	Polarity
	[MHz]	[dBµV]	[dB]		[dBm]	[dBm]	[dB]	[cm]	[°]	
1	1348.18	45.01	-48.77	25.50	-73.52	-13.00	60.52	293	95	Vertical
2	2022.27	44.53	-48.04	26.95	-71.82	-13.00	58.82	256	357	Vertical
3	2696.36	43.48	-47.07	28.57	-70.28	-13.00	57.28	247	141	Vertical
4	3370.45	43.51	-46.23	29.45	-68.53	-13.00	55.53	218	22	Vertical
5	4044.54	41.90	-45.46	30.67	-68.15	-13.00	55.15	165	290	Vertical
6	4718.63	40.88	-44.56	31.93	-67.02	-13.00	54.02	183	169	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.agpx and, for electronic format documents at subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.agpx attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is subject to the control of the company of the company of the control of the company. Any unauthorized alteration, forgery or fallification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullset extent of the law. Unless otherwise stated the sealts shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.