

SGS

Report No.: SEWM2302000049RG02

Rev.: 01 Page: 1 of 5

Appendix B.2

WCDMA Band II & IV & V



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.grand, of relectronic format document subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asp. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits (client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgor or falsification of the content appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2302000049RG02

Rev.: 01 Page: 2 of 5

Effective (Isotropic) Radiated Power Output Data

Test for spot check:

Test Result

Band	Channel	Power(dBm)	EIRP	Limit(dBm)	Verdict
BandII	9262	22.28	23.49	33	PASS
BandII	9400	22.20	23.41	33	PASS
BandII	9538	22.10	23.31	33	PASS
Band	Channel	Power(dBm)	EIRP	Limit(dBm)	Verdict
BandIV	1312	22.55	22.82	30	PASS
BandIV	1412	22.56	22.83	30	PASS
BandIV	1513	22.62	22.89	30	PASS
Band	Channel	Power(dBm)	ERP	Limit(dBm)	Verdict
BandV	4132	22.40	19.79	38.5	PASS
BandV	4182	22.47	19.86	38.5	PASS
BandV	4233	22.41	19.8	38.5	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.app. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its invervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents, if document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAI, Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国 (江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2302000049RG02

Rev.: 01 Page: 3 of 5

Field Strength of Spurious Radiation

Test for spot check:

Test Band = WCDMA II_ TM1
Test Channel = Mid

Fina	Final Data List												
NO	Frequency	Reading	Factor	V [[4D/]	Level	Limit	Margin	Height	Angle	Delevite			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	3760	42.17	-45.54	30.03	-68.60	-13.00	55.60	189	190	Horizontal			
2	5640	40.97	-43.81	33.05	-65.05	-13.00	52.05	135	141	Horizontal			
3	7520	41.25	-41.53	36.54	-59.00	-13.00	46.00	201	157	Horizontal			
4	9400	37.21	-38.16	38.56	-57.65	-13.00	44.65	265	141	Horizontal			
5	11280	31.33	-35.28	39.32	-59.89	-13.00	46.89	184	174	Horizontal			
6	13160	30.82	-34.68	39.70	-59.42	-13.00	46.42	193	107	Horizontal			

Fina	Final Data List												
NO.	Frequency	Reading	Factor	Λ [[dP/m]	Level	Limit	Margin	Height	Angle	Dolority			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	3760	42.46	-45.54	30.03	-68.31	-13.00	55.31	258	193	Vertical			
2	5640	41.50	-43.81	33.05	-64.52	-13.00	51.52	238	210	Vertical			
3	7520	38.96	-41.53	36.54	-61.29	-13.00	48.29	174	176	Vertical			
4	9400	34.43	-38.16	38.56	-60.43	-13.00	47.43	162	0	Vertical			
5	11280	30.86	-35.28	39.32	-60.36	-13.00	47.36	232	327	Vertical			
6	13160	30.70	-34.68	39.70	-59.54	-13.00	46.54	186	310	Vertical			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.agpx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.agpx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its invervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAD-Ooccheck@ass.com



Report No.: SEWM2302000049RG02

Rev.: 01 Page: 4 of 5

Test Band = WCDMA IV_ TM1 Test Channel = Mid

Fina	Final Data List												
NO	Frequency	Reading	Factor	A EU ID /····1	Level	Limit	Margin	Height	Angle	Delegate			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	3465.2	43.42	-45.77	29.41	-68.20	-13.00	55.20	193	212	Horizontal			
2	5197.8	40.81	-44.15	32.60	-66.00	-13.00	53.00	261	313	Horizontal			
3	6930.4	42.15	-42.48	36.06	-59.53	-13.00	46.53	148	330	Horizontal			
4	8663	39.27	-39.54	38.23	-57.30	-13.00	44.30	183	8	Horizontal			
5	10395.6	35.70	-36.49	38.94	-57.11	-13.00	44.11	229	17	Horizontal			
6	12128.2	32.46	-35.20	38.73	-59.27	-13.00	46.27	174	17	Horizontal			

Fina	Final Data List											
NO	Frequency	Reading	Factor	V [[4D/]	Level	Limit	Margin	Height	Angle	Dalawitu		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3465.2	43.76	-45.77	29.41	-67.86	-13.00	54.86	177	51	Vertical		
2	5197.8	41.05	-44.15	32.60	-65.76	-13.00	52.76	191	116	Vertical		
3	6930.4	42.77	-42.48	36.06	-58.91	-13.00	45.91	226	0	Vertical		
4	8663	36.79	-39.54	38.23	-59.78	-13.00	46.78	184	296	Vertical		
5	10395.6	32.21	-36.49	38.94	-60.60	-13.00	47.60	172	1	Vertical		
6	12128.2	31.98	-35.20	38.73	-59.75	-13.00	46.75	213	229	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.gsp.xad, for relectronic format documents, subject to Terms and Conditions of lectornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its invervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except access to the second of the content of th

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Pitol Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2302000049RG02

Rev.: 01 Page: 5 of 5

Test Band = WCDMA V_ TM1 Test Channel = Mid

Fina	Final Data List												
NO	Frequency	Reading	Factor	A EU ID /····1	Level	Limit	Margin	Height	Angle	D. L. St.			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1674.5	59.19	-48.31	25.56	-58.82	-13.00	45.82	175	360	Horizontal			
2	2509.2	43.62	-46.79	27.93	-70.50	-13.00	57.50	291	343	Horizontal			
3	3345.6	44.67	-46.19	29.46	-67.32	-13.00	54.32	156	3	Horizontal			
4	4182	42.31	-45.16	30.89	-67.22	-13.00	54.22	233	357	Horizontal			
5	5018.4	39.45	-44.93	32.60	-68.14	-13.00	55.14	148	352	Horizontal			
6	5854.8	40.31	-43.34	33.74	-64.55	-13.00	51.55	159	357	Horizontal			

Fina	Final Data List												
NO.	Frequency	Reading	Factor	V [[4D/==]	Level	Limit	Margin	Height	Angle	Dalasitus			
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity			
1	1674.5	54.58	-48.31	25.56	-63.43	-13.00	50.43	149	169	Vertical			
2	2509.2	42.97	-46.79	27.93	-71.15	-13.00	58.15	206	229	Vertical			
3	3345.6	45.70	-46.19	29.46	-66.29	-13.00	53.29	184	37	Vertical			
4	4182	41.66	-45.16	30.89	-67.87	-13.00	54.87	166	81	Vertical			
5	5018.4	39.73	-44.93	32.60	-67.86	-13.00	54.86	265	155	Vertical			
6	5854.8	39.71	-43.34	33.74	-65.15	-13.00	52.15	244	186	Vertical			

Remark

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic footunents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its internition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or results shown in this test report refer only to the sample(s) lested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND_Doccheck@sas.com

|South of No. 6 Plant, No. 1, Runsheng Road, Stuchou Industrial Pank, Suzhou Area, China (Jiangsu) Pitol Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com