Report No.: SEWM2302000049RG02

Rev.: 01 Page: 1 of 4

Appendix B.1

GSM 850 & 1900



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printee worleral, available on request or accessible at https://mww.sgs.com/in/lems-and-Conditions.aspx.and, for electronic format documents within the first of the first area of the fir

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pitot Free Trade Zone 21500 (中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区洞脏路1号的6号厂房南部 邮编:21500 (t (86–512) 62992980 w t (86–512) 62992980 sg

www.sgsgroup.com.cn sgs.china@sgs.com

Report No.: SEWM2302000049RG02

Rev.: 01 Page: 2 of 4

Effective (Isotropic) Radiated Power Output Data

Test for spot check:

Test Result

Band	Channel	conducted Power (dBm) ERP/EIRP (dBm		Limit(dBm)	Verdict
GSM850	128	32.03	29.42	38.5	PASS
GSM850	190	32.11	29.50	38.5	PASS
GSM850	251	32.24	29.63	38.5	PASS
GSM1900	512	29.52	30.73	33	PASS
GSM1900	661	29.45	30.66	33	PASS
GSM1900	810	28.73	29.94	33	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, aspx in the company subject of the company subject on the company subject of the company subject on the company

or email: CM.Doceheck@sgs.com Subfid No. Flort, No.1, Funsherg News, Subru Industrial Park, Subrou Area, Chine (Jangsu) Plot Free Trate Zone 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜数1号的6号厂房商部 単編。 215000

Report No.: SEWM2302000049RG02

Rev.: 01 Page: 3 of 4

Field Strength of Spurious Radiation

Test for spot check:

Test Band = GSM 850
Test Channel = Mid channel

Final Data List										
NO	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dalawitu
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1672.5	69.86	-48.32	25.56	-48.15	-13.00	35.15	137	104	Horizontal
2	2509	60.80	-46.79	27.93	-53.31	-13.00	40.31	226	164	Horizontal
3	3345.5	57.93	-46.19	29.46	-54.06	-13.00	41.06	194	179	Horizontal
4	4182	45.81	-45.16	30.89	-63.72	-13.00	50.72	182	133	Horizontal
5	5018.4	39.84	-44.93	32.60	-67.75	-13.00	54.75	169	75	Horizontal
6	5854.8	40.57	-43.34	33.74	-64.29	-13.00	51.29	283	104	Horizontal

Final Data List										
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	1673	70.61	-48.32	25.56	-47.40	-13.00	34.40	159	122	Vertical
2	2509.5	62.26	-46.79	27.93	-51.86	-13.00	38.86	237	8	Vertical
3	3345.5	64.01	-46.19	29.46	-47.98	-13.00	34.98	155	255	Vertical
4	4182	49.02	-45.16	30.89	-60.51	-13.00	47.51	248	255	Vertical
5	5018.4	39.42	-44.93	32.60	-68.17	-13.00	55.17	199	136	Vertical
6	5854.8	40.69	-43.34	33.74	-64.17	-13.00	51.17	236	164	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

or email: <u>CN. Doccheck@sgs.com</u> South of No. 6 Part, No. 1, Rursheng Road, Soutou houstrial Park, Soutou Area, China (Jiangsu) Pitol Free Trade Zone 215000 中国 - 苏州 - 中国(江苏) 自由贸易试验区苏州广区苏州工业园区满胜数号的6号厂房南部 鄉編: 215000

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SEWM2302000049RG02

Rev.: 01 Page: 4 of 4

Test Band = GSM 1900 Test Channel = Mid

Final Data List										
NO.	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dolority
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3760	41.86	-45.54	30.03	-68.91	-13.00	55.91	157	0	Horizontal
2	5640	40.91	-43.81	33.05	-65.11	-13.00	52.11	206	246	Horizontal
3	7520	38.58	-41.53	36.54	-61.67	-13.00	48.67	209	198	Horizontal
4	9400	35.43	-38.16	38.56	-59.43	-13.00	46.43	147	0	Horizontal
5	11280	31.41	-35.28	39.32	-59.81	-13.00	46.81	185	278	Horizontal
6	13160	30.43	-34.68	39.70	-59.81	-13.00	46.81	166	7	Horizontal

Final Data List										
NO	Frequency	Reading	Factor	AF	Level	Limit	Margin	Height	Angle	Dalanitus
NO.	[MHz]	[dBµV]	[dB]	[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity
1	3760	42.95	-45.54	30.03	-67.82	-13.00	54.82	294	357	Vertical
2	5640	40.15	-43.81	33.05	-65.87	-13.00	52.87	186	262	Vertical
3	7520	39.08	-41.53	36.54	-61.17	-13.00	48.17	138	328	Vertical
4	9400	34.71	-38.16	38.56	-60.15	-13.00	47.15	265	328	Vertical
5	11280	30.95	-35.28	39.32	-60.27	-13.00	47.27	148	29	Vertical
6	13160	30.39	-34.68	39.70	-59.85	-13.00	46.85	182	1	Vertical

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit – Level

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx. Attention is torsawn to the limitation of initiation of initiation or produced that information on content to accompany a findings at the time of its intervention only and within the limits of transaction from exercising all their rights and obligations under the transaction document. Sind document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullset extent of lew Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact at telephone: (86-75) 8307 1443, **Attention:** To check the authenticity of testing /inspection report & certificate, please contact at telephone: (86-75) 8307 1443, **Attention:** To check the authenticity of testing /inspection report & certificate, please contact at telephone: (86-75) 8307 1443, ***

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

t (86–512) 62992980 t (86–512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com