Report No.: SEWM2302000049RG06

Rev.: 01 Page: 1 of 30

TEST REPORT

Application No.: SEWM2302000049RG

Applicant: Great Talent Technology Limited

Address of Applicant: 35F,HBC HuiLong Center Building-II Minzhi Street,Longhua, Shenzhen,

P.R. China

Manufacturer: Great Talent Technology Limited

Address of Manufacturer: 35F,HBC HuiLong Center Building-II Minzhi Street,Longhua, Shenzhen,

P.R. China

EUT Description: smart phone

Model No.: U696CL

Trade Mark: UMX

FCC ID: 2ALZM-U696CL

Standard(s): FCC 47 CFR Part 15, Subpart B

Date of Receipt: 2023/02/22

Date of Test: 2023/02/28 to 2023/03/02

Date of Issue: 2023/03/02

Test Result: Pass*

Authorized Signature:

Panta Sun Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://mems-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://mww.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stands the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, please contact vast telephone; (86-75) 8307 1443,

**Attention: To check the authenticity of testing /inspection report & certificate, please contact vast telephone; (86-75) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6月厂房南部 鄉編: 215000 t (86-512) 62992980 t (86-512) 62992980

www.sgsgroup.com.cn sgs.china@sgs.com

^{*} In the configuration tested, the EUT complied with the standards specified above.



Report No.: SEWM2302000049RG06

Rev.: 01 2 of 30 Page:

Revision Record							
Version Chapter Date Modifier Remark							
01		2023/03/02		Original			

Prepared By	King-P Li		
	(King-p Li) / Test Engineer		
Checked By	well wei'		
	(Well Wei) / Reviewer		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or flatisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Authenticity of testing (inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CND. Doccheck@ess.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 郸编: 215000

t (86-512) 62992980 sgs.china@sgs.com

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2302000049RG06

Rev.: 01 Page: 3 of 30

Test Summary

Emission Part								
Item Standard Method Requireme								
Conducted Emissions at Mains Terminals (150kHz-30MHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass				
Radiated Emissions (30MHz-1GHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass				
Radiated Emissions (above 1GHz)	FCC 47 CFR Part 15, Subpart B	ANSI C63.4:2014	Class B	Pass				

Internal Source	Upper Frequency				
Below 1.705MHz	30MHz				
1.705MHz to 108MHz	1GHz				
108MHz to 500MHz	2GHz				
500MHz to 1GHz	5GHz				
Above 1GHz	5th harmonic of the highest frequency or 40GHz, whichever is lower				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intermiton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. Government to enable the approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Action of the company of the Compa



Report No.: SEWM2302000049RG06

Rev.: 01 Page: 4 of 30

Remark:

This test report (Report No.: SEWM2302000049RG06 issue on 2023/03/02) is based on the original test report (Report No.: XZR/2021/5004001 issue on 2021/08/03).

Review this report and original report, this report just changing the parts according to the declaration letter from client.

Therefore, all spot check test data in this report are based on the previous report with report number XZR/2021/5004001 issue on 2021/08/03.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T



Report No.: SEWM2302000049RG06

Rev.: 01 5 of 30 Page:

Contents

1	Ger	eral Information	6
	1.1 1.2 1.3 1.4 1.5	Description of Support Units Test Location Test Facility Deviation from Standards Abnormalities from Standard Conditions	8 8
2	Emi	ssion Test Results	
	2.1. 2.1. 2.2 2.2. 2.2. 2.2. 2.3 2.3. 2.3.	Conducted Emissions at Mains Terminals (150kHz-30MHz)	
3	Equ	ipment List	27
4	Mea	surement Uncertainty	29
5	Pho	tographs	30
	5.1	Test Setup	30



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intermiton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. Government to enable the approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Action of the company of the Compa



Report No.: SEWM2302000049RG06

Rev.: 01 Page: 6 of 30

General Information 1

EUT Description:	smart phone								
Model No.:	U696CL	U696CL							
Trade Mark:	UMX								
Hardware Version:	U696CL_V1.0	U696CL_V1.0							
Software Version:	UMX_U696CL_V11.01.0	2.00.230218							
IMEI:	990018256309000	990018256309000							
	Band	Tx (MHz)	Rx (MHz)						
	GSM850	824~849	869~894						
	GSM1900	1850~1910	1930~1990						
	WCDMA Band II	1850~1910	1930~1990						
	WCDMA Band IV	1710~1755	2110~2155						
	WCDMA Band V	824~849	869~894						
	LTE Band 2	1850~1910	1930~1990						
	LTE Band 4	1710~1755	2110~2155						
	LTE Band 5	824~849	869~894						
	LTE Band 12	699~716	729~746						
Frequency Bands:	LTE Band 25	1850~1915	1930~1995						
	LTE Band 26	814~824	859~869						
	(814 to 824 MHz) LTE Band 26								
	(824 to 849 MHz)	824~849	869~894						
	LTE Band 41	2496~2690	2496~2690						
	LTE Band 66	1710~1780	2110~2200						
	LTE Band 71	663~698	617~652						
	Wi-Fi 2.4G	2412~2462	2412~2462						
	Bluetooth	2402~2480	2402~2480						
	GNSS	1	1559~1610						

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-And-Conditions/Terms-and-Conditions/Terms-And-Conditions/Terms-And-Conditions/T

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2302000049RG06

Rev.: 01 Page: 7 of 30

Accessory:

Item No.	Mode No.	Manufacturer		
Adapter TPA-5950100UU ShenZhen Kingfulin Technology Co., Ltd.				
USB cable TYPE-C TO USBA/M L0.8M BLK		Dongguan Guojun Plastic Electronics Co., Ltd.		
Battery (EUT) UBT2300		Phenix New Energy(Hui Zhou)Co.,Ltd.		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intermiton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. Government to enable the approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Action of the company of the Compa



Report No.: SEWM2302000049RG06

Rev.: 01 Page: 8 of 30

1.1 Description of Support Units

Description	Manufacturer	Model No.	Inventory No.	
Router	Smavwave Technology Co.,Ltd	SRT 421	SUWI-04-34-01	
Computer	Lenovo	T14	SUWI-03-33-04	
Mouse	Lenovo	3D optical Mouse	SUWI-03-33-05	

1.2 Test Location

All tests were performed at:

Company: SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.			
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone		
Post code:	215000		
Test engineer:	King-p Li		

1.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327

1.4 Deviation from Standards

None

1.5 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2302000049RG06

Rev.: 01 Page: 9 of 30

2 Emission Test Results

2.1 Conducted Emissions at Mains Terminals (150kHz-30MHz)

Test Requirement:	47 CFR Part 15, Subpart B								
Test Method:	ANSI C63.4:2014								
Frequency Range:	150kHz to 30MHz	150kHz to 30MHz							
Receiver Setup:	RBW = 9kHz, VBW = 30kHz								
	Fraguency Bongo (MHz)	Limit(dBμV)							
	Frequency Range (MHz)	Quasi-peak	average						
	0.15M-0.5MHz	66 ~ 56*	56 ~ 46*						
Limit:	0.5M-5MHz	56	46						
	5M-30MHz	60	50						
	*Decreases with the logarithm of the frequency								
	Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz								

2.1.1 E.U.T. Operation

Operating Environment:

Temperature:	22~23°C
Humidity:	44~46%RH
Atmospheric Pressure:	101.0kPa
Pretest these modes to find the worst case:	a: Transfer data between the EUT and the PC+USB cable b: GSM 850 Idle+BT+WLAN+GNSS Rx+playing MP4 (SD card) + USB Cable+adapter c: WCDMA Band V Idle +BT+WLAN+GNSS Rx+camera (Front) + USB Cable+adapter d: LTE Band 5 Idle+BT+WLAN +GNSS Rx+ camera (Back)+ USB Cable+adapter
	e: LTE Band 26 Idle+BT+WLAN +GNSS Rx+ camera (worst)+ USB Cable+adapter f: LTE Band 71 Idle+BT+WLAN +GNSS Rx+ camera (worst)+ USB Cable+adapter
The worst case for final test:	a: Transfer data between the EUT and the PC+USB cable d: LTE Band 5 Idle+BT+WLAN +GNSS Rx+ camera (Back)+ USB Cable+adapter



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://mems-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://mww.sgs.com/en/Terms-and-Conditions/Terms-e-Document.sspx.
Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exended the time of the sole of the sole




Report No.: SEWM2302000049RG06

Rev.: 01 Page: 10 of 30

2.1.2 Test Setup Procedures

- 1. The EUT was placed 0.4 meter from the conducting wall of the shielding room was kept at least 80 centimeters from any other grounded conducting surface.
- 2. Connect EUT to the power mains through a line impedance stabilization network (LISN).
- 3. All the support units are connecting to the other LISN.
- 4. The LISN provides 50 ohm coupling impedance for the measuring instrument.
- 5. The FCC states that a 50 ohm, 50 microhenry LISN should be used.
- 6. Both sides of AC line were checked for maximum conducted interference.
- 7. The frequency range from 150 kHz to 30 MHz was searched.
- 8. Set the test-receiver system to Peak Detect Function and specified bandwidth (IF Bandwidth = 9kHz) with Maximum Hold Mode. Then measurement is also conducted by Average Detector and Quasi-Peak Detector Function respectively.



2.1.3 Measurement Data

An initial pre-scan was performed with peak detector. Quasi-Peak or Average measurement were performed at the frequencies with maximized peak emission were detected.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SEWM2302000049RG06

Rev.: 01 Page: 11 of 30



Final	Final Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1860	10.77	41.18	51.95	64.21	12.26	26.27	37.04	54.21	17.17	PASS
2	0.3165	10.58	30.71	41.29	59.80	18.51	14.46	25.04	49.80	24.76	PASS
3	2.8725	10.67	22.38	33.05	56.00	22.95	6.23	16.90	46.00	29.10	PASS
4	5.1180	10.65	26.18	36.83	60.00	23.17	20.42	31.07	50.00	18.93	PASS
5	8.6685	10.66	26.55	37.21	60.00	22.79	20.52	31.18	50.00	18.82	PASS
6	10.4010	10.63	27.32	37.95	60.00	22.05	15.80	26.43	50.00	23.57	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gos.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gos.com/en/Terms-and-Conditions/T



Report No.: SEWM2302000049RG06

Rev.: 01 Page: 12 of 30



Final	Final Data List											
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict	
1	0.1905	10.67	40.02	50.69	64.01	13.32	27.37	38.04	54.01	15.97	PASS	
2	0.3210	10.78	32.25	43.03	59.68	16.65	16.40	27.18	49.68	22.50	PASS	
3	2.8725	10.64	25.70	36.34	56.00	19.66	8.67	19.31	46.00	26.69	PASS	
4	5.0910	10.63	26.49	37.12	60.00	22.88	19.62	30.25	50.00	19.75	PASS	
5	8.7045	10.60	27.37	37.97	60.00	22.03	21.02	31.62	50.00	18.38	PASS	
6	10.3020	10.67	27.34	38.01	60.00	21.99	16.35	27.02	50.00	22.98	PASS	

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gos.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gos.com/en/Terms-and-Conditions/T



Report No.: SEWM2302000049RG06

Rev.: 01 Page: 13 of 30



Final	Final Data List											
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict	
1	0.1905	10.78	40.76	51.54	64.01	12.47	27.92	38.70	54.01	15.31	PASS	
2	0.3165	10.58	31.64	42.22	59.80	17.58	15.01	25.59	49.80	24.21	PASS	
3	2.8725	10.67	22.22	32.89	56.00	23.11	5.91	16.58	46.00	29.42	PASS	
4	5.1540	10.65	24.84	35.49	60.00	24.51	19.06	29.71	50.00	20.29	PASS	
5	8.8080	10.66	27.29	37.95	60.00	22.05	21.26	31.92	50.00	18.08	PASS	
6	10.1760	10.63	27.32	37.95	60.00	22.05	16.38	27.01	50.00	22.99	PASS	

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gos.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gos.com/en/Terms-and-Conditions/T



Report No.: SEWM2302000049RG06

Rev.: 01 Page: 14 of 30



Final	Final Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Reading [dBµV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1860	10.68	41.78	52.46	64.21	11.75	26.81	37.49	54.21	16.72	PASS
2	0.3165	10.77	32.39	43.16	59.80	16.64	17.52	28.29	49.80	21.51	PASS
3	1.3110	10.78	25.38	36.16	56.00	19.84	17.92	28.70	46.00	17.30	PASS
4	5.1495	10.63	27.43	38.06	60.00	21.94	20.94	31.57	50.00	18.43	PASS
5	8.7405	10.61	27.67	38.28	60.00	21.72	21.35	31.96	50.00	18.04	PASS
6	10.3965	10.67	26.67	37.34	60.00	22.66	15.91	26.58	50.00	23.42	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[dB μ V] Value[dB μ V]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gos.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gos.com/en/Terms-and-Conditions/T

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6月厂房南部 鄉編: 215000



Report No.: SEWM2302000049RG06

Rev.: 01 Page: 15 of 30

2.2 Radiated Emissions (30MHz-1GHz)

Test Requirement:	47 CFR Part 15, Subpart B		
Test Method:	ANSI C63.4:2014		
Frequency Range:	30MHz to 1GHz		
Measurement Distance:	3m		
	Frequency Range (MHz)	Limit(dBµV/m)	Detector
	30MHz -88MHz	40.0	Quasi-peak
Limit:	88MHz-216MHz	43.5	Quasi-peak
	216MHz-960MHz	46.0	Quasi-peak
	960MHz-1000MHz	54.0	Quasi-peak
Detector:	Peak for pre-scan (120kHz res	solution bandwidth) 30M	to1000MHz

2.2.1 E.U.T. Operation

Temperature:	22~23°C
Humidity:	44~46%RH
Atmospheric Pressure:	101.0kPa
	a: Transfer data between the EUT and the PC+USB cable
	b: GSM 850 Idle+BT+WLAN+GNSS Rx+playing MP4 (SD card) + USB Cable+adapter
Pretest these modes to	c: WCDMA Band V Idle +BT+WLAN+GNSS Rx+camera (Front) + USB Cable+adapter
find the worst case:	d: LTE Band 5 Idle+BT+WLAN +GNSS Rx+ camera (Back)+ USB Cable+adapter
	e: LTE Band 26 Idle+BT+WLAN +GNSS Rx+ camera (worst)+ USB Cable+adapter
	f: LTE Band 71 Idle+BT+WLAN +GNSS Rx+ camera (worst)+ USB Cable+adapter
The worst case for final	a: Transfer data between the EUT and the PC+USB cable
test:	c: WCDMA Band V Idle +BT+WLAN+GNSS Rx+camera (Front) + USB Cable+adapter



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-and-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document control to reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact ax telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsherg Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pitol Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SEWM2302000049RG06

Rev.: 01 Page: 16 of 30

2.2.2 Test Setup Procedures

- 1. The EUT was placed in a semi Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation.
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.
- 7. If the emission level of the EUT in peak mode was 6 dB lower than the limit specified, peak values of EUT will be reported. Otherwise, the emission will be repeated by using the quasi-peak method and reported.



2.2.3 **Measurement Data**

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Quasi-peak measurements were conducted based on the peak sweep graph. The EUT was measured by BiConiLog antenna with 2 orthogonal polarities.

The three polarities of X,Y,Z were measured by EUT, but only the worst data had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/T


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980 sgs.china@sgs.com



Report No.: SEWM2302000049RG06

Rev.: 01 Page: 17 of 30



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	84.32	43.59	9.35	-27.82	25.12	40.00	14.88	124	338	Horizontal		
2	244.37	42.26	11.38	-26.11	27.53	46.00	18.47	146	52	Horizontal		
3	308.39	39.86	12.97	-26.51	26.32	46.00	19.68	254	304	Horizontal		
4	379.2	32.24	14.36	-25.51	21.09	46.00	24.91	142	222	Horizontal		
5	480.08	34.26	16.29	-25.04	25.51	46.00	20.49	241	245	Horizontal		
6	831.705	30.25	20.92	-23.49	27.68	46.00	18.32	221	277	Horizontal		

Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-And-Conditions/Terms-and-Conditions/Terms-And-Conditions/Terms-And-Conditions/T



Report No.: SEWM2302000049RG06

Rev.: 01 Page: 18 of 30



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	57.8875	39.68	12.92	-27.71	24.89	40.00	15.11	163	212	Vertical		
2	84.5625	40.24	9.36	-27.82	21.78	40.00	18.22	106	113	Vertical		
3	227.1525	32.62	10.81	-26.50	16.93	46.00	29.07	115	154	Vertical		
4	332.64	34.68	13.47	-25.79	22.36	46.00	23.64	232	249	Vertical		
5	473.5325	37.59	16.22	-24.87	28.95	46.00	17.05	196	359	Vertical		
6	662.44	32.26	19.14	-24.06	27.35	46.00	18.65	224	0	Vertical		

Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-And-Conditions/Terms-and-Conditions/Terms-And-Conditions/Terms-And-Conditions/T



Report No.: SEWM2302000049RG06

Rev.: 01 Page: 19 of 30



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	38.245	31.24	13.83	-28.17	16.90	40.00	23.10	158	327	Horizontal		
2	92.8075	42.59	9.64	-27.58	24.65	43.50	18.85	226	24	Horizontal		
3	97.9	43.69	10.00	-27.43	26.27	43.50	17.23	247	24	Horizontal		
4	203.145	37.85	10.01	-26.90	20.96	43.50	22.54	149	286	Horizontal		
5	269.8325	38.66	12.06	-26.40	24.32	46.00	21.68	238	78	Horizontal		
6	383.8075	30.25	14.45	-25.47	19.23	46.00	26.77	221	89	Horizontal		

Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-And-Conditions/Terms-and-Conditions/Terms-And-Conditions/Terms-And-Conditions/T



Report No.: SEWM2302000049RG06

Rev.: 01 Page: 20 of 30



Final	Final Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity		
1	40.9125	41.38	13.99	-28.07	27.30	40.00	12.70	184	191	Vertical		
2	44.065	44.56	13.73	-28.05	30.24	40.00	9.76	236	237	Vertical		
3	55.22	42.58	13.13	-27.81	27.90	40.00	12.10	218	21	Vertical		
4	92.08	47.99	9.59	-27.61	29.97	43.50	13.53	192	31	Vertical		
5	204.6	38.26	10.05	-26.85	21.47	43.50	22.03	242	145	Vertical		
6	270.075	32.87	12.06	-26.40	18.53	46.00	27.47	152	0	Vertical		

Remark:

1. The Quasi-Peak measurements were performed on the EUT.

2. Value = Reading + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Margin = Limit[dB μ V/m] –Value[dB μ V/m]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-And-Conditions/Terms-and-Conditions/Terms-And-Conditions/Terms-And-Conditions/T



Report No.: SEWM2302000049RG06

Rev.: 01 21 of 30 Page:

2.3 Radiated Emissions (above 1GHz)

Test Requirement:	47 CFR Part 15, Subpa	rt B							
Test Method:	ANSI C63.4:2014	NSI C63.4:2014							
Frequency Range:	Above 1GHz								
Measurement Distance:	3m	m							
	Frequency (MHz) Limit (dBµV/m)		Detector						
Limit:	Above 1011	74	Peak						
	Above 1GHz	54	Average						
Detector:	Peak for pre-scan (100 frequency or 40GHz, w		5th harmonic of the highest						

2.3.1 E.U.T. Operation

Temperature:	22~23°C
Humidity:	44~46%RH
Atmospheric Pressure:	101.0kPa
	a: Transfer data between the EUT and the PC+USB cable
	b: GSM 850 Idle+BT+WLAN+GNSS Rx+playing MP4 (SD card) + USB Cable+adapter
Pretest these modes to	c: WCDMA Band V Idle +BT+WLAN+GNSS Rx+camera (Front) + USB Cable+adapter
find the worst case:	d: LTE Band 5 Idle+BT+WLAN +GNSS Rx+ camera (Back)+ USB Cable+adapter
	e: LTE Band 26 Idle+BT+WLAN +GNSS Rx+ camera (worst)+ USB Cable+adapter
	f: LTE Band 71 Idle+BT+WLAN +GNSS Rx+ camera (worst)+ USB Cable+adapter
The worst case for final	a: Transfer data between the EUT and the PC+USB cable
test:	c: WCDMA Band V Idle +BT+WLAN+GNSS Rx+camera (Front) + USB Cable+adapter



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-and-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervition only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document control to reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact ax telephone: (86-755) 8307 1443,




Report No.: SEWM2302000049RG06

Rev.: 01 Page: 22 of 30

2.3.2 Test Setup Procedures

- 1. The EUT was placed in a full Anechoic Chamber as show below
- 2. The EUT was set 3 meters from the interference receiving antenna, which was mounted on the top of a variable height antenna tower.
- 3. The table was rotated 360 degrees to determine the position of the highest radiation (Distance from antenna to EUT is 1m for measurements >18GHz).
- 4. The antenna height is adjusted between 1 to 4 meters above ground to find the maximum value of the field strength for both horizontal polarization and vertical polarization of the antenna.
- 5. For each suspected emission, the EUT was arranged to its worst case and then tune the antenna tower (from 1 m to 4 m) and turntable (from 0 degree to 360 degrees) to find the maximum reading.
- 6. Set the test-receiver system to Peak and AV Detect Function with specified bandwidth with Maximum Hold Mode, and the trace was allowed to stabilize.
- 7. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.



2.3.3 Measurement Data

An initial pre-scan was performed in the chamber using the spectrum analyser in peak detection mode. Average measurements were conducted based on the peak sweep graph. The EUT was measured by Horn antenna with 2 orthogonal polarities.

The three polarities of X, Y, Z were measured by EUT, but only the worst data had been displayed. Scan from 5th harmonic of the highest frequency or 40GHz, whichever is lower, the disturbance above 18GHz was very low. The points marked on below plots are the highest emissions could be found when testing, so only below points had been displayed.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-And-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/T



Report No.: SEWM2302000049RG06

Rev.: 01 Page: 23 of 30



Data List

Data	_13(
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2490.9	52.82	27.88	33.88	-46.82	74.00	40.12	296	151	Horizontal
2	8425.6	46.53	37.97	44.31	-40.18	74.00	29.69	265	230	Horizontal
3	13602.1	42.31	39.96	47.88	-34.39	74.00	26.12	241	309	Horizontal
4	3209.15	43.07	29.52	26.33	-46.26	54.00	27.67	142	98	Horizontal
5	10325.35	34.78	38.86	36.72	-36.92	54.00	17.28	263	151	Horizontal
6	16079.85	32.15	37.96	36.67	-33.43	54.00	17.33	288	359	Horizontal

Remark:

1. The Peak and Average measurements were performed on the EUT.

2. Level = Reading Level + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dB μ V/m] – Level[dB μ V/m]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gos.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gos.com/en/Terms-and-Conditions/T

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6月厂房南部 鄉編: 215000



Report No.: SEWM2302000049RG06

Rev.: 01 Page: 24 of 30



Data List

Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2509.6	52.43	27.93	33.57	-46.79	74.00	40.43	196	0	Vertical
2	8508.9	46.14	38.06	44.27	-39.93	74.00	29.73	265	100	Vertical
3	13537.5	41.99	39.92	47.81	-34.11	74.00	26.19	284	179	Vertical
4	3934.2	43.05	30.44	27.97	-45.52	54.00	26.03	142	357	Vertical
5	10209.75	35.03	38.73	36.80	-36.96	54.00	17.20	211	6	Vertical
6	15234.1	31.59	38.90	37.38	-33.10	54.00	16.62	224	100	Vertical

Remark:

1. The Peak and Average measurements were performed on the EUT.

2. Level = Reading Level + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dB μ V/m] – Level[dB μ V/m]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/T

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6月厂房南部 鄉編: 215000



Report No.: SEWM2302000049RG06

Rev.: 01 Page: 25 of 30



Data List

Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2314.1	53.30	27.53	33.20	-47.62	74.00	40.80	296	359	Horizontal
2	4425.5	52.55	31.28	39.08	-44.75	74.00	34.92	265	77	Horizontal
3	11227.2	41.69	39.37	45.83	-35.23	74.00	28.17	241	352	Horizontal
4	3390.2	43.07	29.44	26.25	-46.26	54.00	27.75	142	51	Horizontal
5	7382.65	39.67	36.43	34.25	-41.85	54.00	19.75	263	51	Horizontal
6	13655.65	33.41	39.99	38.73	-34.67	54.00	15.27	224	3	Horizontal

Remark:

1. The Peak and Average measurements were performed on the EUT.

2. Level = Reading Level + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dB μ V/m] - Level[dB μ V/m]




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gos.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gos.com/en/Terms-and-Conditions/T

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6月厂房南部 鄉編: 215000



Report No.: SEWM2302000049RG06

Rev.: Page: 26 of 30



Data List

Data	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2442.45	52.77	27.78	33.33	-47.23	74.00	40.67	196	357	Vertical
2	5202.4	50.57	32.60	39.23	-43.94	74.00	34.77	265	0	Vertical
3	13576.6	41.75	39.95	47.42	-34.28	74.00	26.58	241	334	Vertical
4	3935.9	42.93	30.45	27.86	-45.52	54.00	26.14	254	96	Vertical
5	6891.35	40.23	35.98	33.70	-42.52	54.00	20.30	142	334	Vertical
6	13585.95	33.25	39.95	38.88	-34.32	54.00	15.12	269	0	Vertical

Remark:

1. The Peak and Average measurements were performed on the EUT.

2. Level = Reading Level + AF + Factor:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit[dB μ V/m] – Level[dB μ V/m]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.gos.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.gos.com/en/Terms-and-Conditions/T

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2302000049RG06

Rev.: 27 of 30 Page:

3 **Equipment List**

CE Test System							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date (yyyy/mm/dd)	Cal Due Date (yyyy/mm/dd)		
Wideband Radio Communication Tester	Anritsu	MT8820C	SUWI-01-16-08	2023/02/06	2024/02/05		
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-06	2023/02/07	2024/02/06		
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07		
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-03	2023/02/08	2024/02/07		
Artificial network	ROHDE&SCHWARZ	ENV216	SUWI-01-19-04	2023/02/08	2024/02/07		
Measurement Software CE	Tonsend	JS32-CE V4.0.0.2	SUWI-02-09-05	NCR	NCR		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Decument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its internition only and within the limits of Client's instructions, if any. The Company's osle responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unautionized alteration, forgery, or latelistication of the content or results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443, or email: CND_Doccheck@sg.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 sgs.china@sgs.com

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2302000049RG06

Rev.: 01 28 of 30 Page:

RE Test System							
Equipment Manufacturer		Model No.	Inventory No.	Cal Date (yyyy/mm/dd)	Cal Due Date (yyyy/mm/dd)		
Semi-Anechoic Chamber	Brilliant-emc	N/A	SUWI-04-02-01	2021/05/08	2024/05/07		
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-05	2023/02/07	2024/02/06		
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2022/05/28	2023/05/27		
Test receiver	ROHDE&SCHWARZ	ESR7	SUWI-01-10-01	2023/02/08	2024/02/07		
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	VULB 9163	SUWI-01-11-01	2021/05/16	2023/05/15		
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9120D	SUWI-01-11-02	2021/05/16	2023/05/15		
Receiving antenna	SCHWRZBECK MESS- ELEKTRONIK	BBHA 9170	SUWI-01-11-03	2021/05/14	2023/05/13		
Amplifier	Tonscend	TAP9K3G40	SUWI-01-14-01	2023/02/06	2024/02/05		
Amplifier	Tonscend	TAP01018050	SUWI-01-14-02	2023/02/06	2024/02/05		
Amplifier	Tonscend	TAP18040048	SUWI-01-14-03	2023/02/08	2024/02/07		
Active Loop Antenna	SCHWRZBECK MESS- ELEKTRONIK	FMZB 1519B	SUWI-01-21-01	2021/06/10	2023/06/09		
Wideband Radio Communication Tester	Anritsu	MT8820C	SUWI-01-16-08	2023/02/06	2024/02/05		
Measurement Software	Tonscend	JS32-RE 4.0.0.0	SUWI-02-09-04	NCR	NCR		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Fleetornic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intermiton only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. Government to enable the approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the Action of the company of the Compa

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 郸编: 215000

t (86-512) 62992980 sgs.china@sgs.com

t (86-512) 62992980 www.sgsgroup.com.cn



Report No.: SEWM2302000049RG06

Rev.: 01 Page: 29 of 30

4 Measurement Uncertainty

No.	Item	Measurement Uncertainty		
1	Conduction Emission	± 2.9dB (150kHz to 30MHz)		
		± 4.8dB (Below 1GHz)		
2	Radiated Emission	± 4.8dB (1GHz to 18GHz)		
		± 4.8dB (Above 18GHz)		

Remark:

The U_{lab} (lab Uncertainty) is less than U_{cispr/ETSI} (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer worleaf, available on request or accessible at https://mems-and-conditions.aspy.and, for electronic format documents without printer and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspy.tethentonic farawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of itsense to the company of the company of the company of the company of the company. Any unauthorized alteration, forgety or faisification of the content of the company. Any unauthorized alteration, forgety or faisification of the content of the content of the company of the company. Any unauthorized alteration, forgety or faisification of the content of the conten

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6月厂房南部 鄉編: 215000



Report No.: SEWM2302000049RG06

Rev.: 01 Page: 30 of 30

Photographs 5

5.1 Test Setup

Refer to Appendix A.1 15B Setup Photos.

---End of Report---



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com