


Test Result of Power Spectral Density


BLE_1M

Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
Low Channel	2402	-9.51	8	Pass
Middle Channel	2440	-10.14	8	Pass
High Channel	2480	-10.60	8	Pass


Low Channel



Middle Channel




High Channel




Test Result of Conducted Spurious Emissions, Tx Mode

BLE_1M



Test Result of Conducted Band Edge, Tx Mode

BLE_1M




Appendix A: Test Results of Conducted Test_37130-AKD3

Test Result of 6 dB Bandwidth


BLE_1M

Channel	Channel Frequency (MHz)	6 dB Bandwidth (kHz)	Limit (kHz)	Result
Low Channel	2402	659.34	> 500	Pass
Middle Channel	2440	656.34	> 500	Pass
High Channel	2480	659.34	> 500	Pass


Low Channel



Middle Channel




High Channel



Test Result of 99% Occupied Bandwidth

BLE_1M

Channel	Channel Frequency (MHz)	99% Bandwidth (MHz)
Low Channel	2402	1.01
Middle Channel	2440	1.02
High Channel	2480	1.01




Test Result of Power Spectral Density


BLE_1M

Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
Low Channel	2402	-9.91	8	Pass
Middle Channel	2440	-10.72	8	Pass
High Channel	2480	-11.10	8	Pass


Low Channel



Middle Channel




High Channel




Test Result of Conducted Spurious Emissions, Tx Mode

BLE_1M



Test Result of Conducted Band Edge, Tx Mode

BLE_1M



Appendix B: Test Results of Radiated Spurious Emissions & Mains Conducted Emission Test_37130-AGJ5


Band Edges, 2.31GHz ~ 2.9GHz

BLE_1M

Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2316.71	53.03	15.93	37.10	74.00	-20.97	320	202	Peak	Horizontal	
2 *	2402.00	93.25	55.88	37.37	74.00	19.25	320	202	Peak	Horizontal	
3	2798.35	53.79	15.88	37.91	74.00	-20.21	320	202	Peak	Horizontal	

Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2376.67	53.77	16.48	37.29	74.00	-20.23	104	243	Peak	Vertical	
2 *	2402.00	94.54	57.17	37.37	74.00	20.54	104	243	Peak	Vertical	
3	2767.96	54.12	16.25	37.87	74.00	-19.88	104	243	Peak	Vertical	

BLE_1M

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2320.95	40.45	3.34	37.11	54.00	-13.55	320	202	Average	Horizontal	
2 *	2402.00	92.27	54.90	37.37	54.00	38.27	320	202	Average	Horizontal	
3	2837.93	41.91	3.88	38.03	54.00	-12.09	320	202	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2305.76	40.68	3.36	37.32	54.00	-13.32	104	243	Average	Vertical	
2 *	2402.00	93.58	56.21	37.37	54.00	39.58	104	243	Average	Vertical	
3	2812.21	42.04	4.10	37.94	54.00	-11.96	104	243	Average	Vertical	

BLE_1M

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2381.03	52.54	15.24	37.30	74.00	-21.46	245	206	Peak	Horizontal	
2 *	2480.00	87.51	49.95	37.56	74.00	13.51	245	206	Peak	Horizontal	
3	2601.05	54.01	16.02	37.99	74.00	-19.99	245	206	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2337.21	53.64	16.48	37.16	74.00	-20.36	189	237	Peak	Vertical	
2 *	2480.00	86.63	49.27	37.56	74.00	12.63	189	237	Peak	Vertical	
3	2622.96	54.41	16.48	37.93	74.00	-19.59	189	237	Peak	Vertical	

BLE_1M

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2329.79	40.50	3.36	37.14	54.00	-13.50	245	206	Average	Horizontal	
2 *	2480.00	86.55	40.99	37.56	54.00	32.55	245	206	Average	Horizontal	
3	2840.99	42.18	4.14	38.04	54.00	-11.82	245	206	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2366.89	40.55	3.29	37.26	54.00	-13.45	189	237	Average	Vertical	
2 *	2480.00	85.83	40.27	37.56	54.00	31.83	189	237	Average	Vertical	
3	2811.31	42.06	4.12	37.94	54.00	-11.94	189	237	Average	Vertical	


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

BLE_1M

Low Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	83.68	4.07	79.61	128.22	-44.54	100	349	QP	Open		
2	0.03	73.09	1.82	71.27	118.95	-45.86	100	245	QP	Open		
3	0.05	65.84	0.34	65.50	113.93	-48.09	100	235	QP	Open		
4	0.08	61.45	-0.26	61.71	110.00	-48.55	100	1	QP	Open		
5	0.11	55.64	-2.83	58.47	106.50	-50.86	100	270	QP	Open		
6	0.13	55.39	-2.23	57.62	105.44	-50.05	100	233	QP	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.50	59.78	13.05	46.73	73.59	-13.81	100	360	QP	Open		
2	4.39	50.96	12.63	38.33	69.50	-18.54	100	153	QP	Open		
3	9.41	50.49	12.79	37.70	69.50	-19.01	100	115	QP	Open		
4	13.64	51.71	14.17	37.54	69.50	-17.79	100	53	QP	Open		
5	19.33	48.96	12.58	36.38	69.50	-20.54	100	300	QP	Open		
6	23.35	48.49	13.15	35.34	69.50	-21.01	100	89	QP	Open		

BLE_1M

Low Channel (Close) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	82.98	4.11	78.87	127.61	-44.63	100	75	QP	Close		
2	0.02	72.96	1.03	71.93	120.21	-47.25	100	348	QP	Close		
3	0.04	67.13	-0.58	67.71	115.66	-48.53	100	8	QP	Close		
4	0.07	62.59	0.43	62.16	110.48	-47.89	100	320	QP	Close		
5	0.10	56.84	-2.28	59.12	107.41	-50.57	100	356	QP	Close		
6	0.13	54.61	-2.91	57.52	105.32	-50.71	100	72	QP	Close		

Low Channel (Close) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.28	62.90	11.70	51.20	98.80	-35.90	100	43	QP	Close		
2	4.41	55.56	17.23	38.33	69.50	-13.94	100	181	QP	Close		
3	9.77	50.29	12.65	37.64	69.50	-19.21	100	10	QP	Close		
4	15.81	49.71	12.14	37.57	69.50	-19.79	100	31	QP	Close		
5	22.97	49.64	14.05	35.59	69.50	-19.86	100	115	QP	Close		
6	25.41	50.53	16.42	34.11	69.50	-18.97	100	145	QP	Close		


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

BLE_1M

Low Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	69.09	23.05	32.92	-9.87	40.00	-16.95	200	128 QP	Horizontal		
2	149.21	27.99	35.66	-7.67	43.50	-15.51	200	78 QP	Horizontal		
3	286.76	24.45	31.22	-6.77	46.00	-21.55	100	114 QP	Horizontal		
4	535.27	27.36	29.98	-2.62	46.00	-18.64	100	14 QP	Horizontal		
5	644.30	29.17	29.78	-0.61	46.00	-16.83	100	217 QP	Horizontal		
6	795.23	31.68	30.05	1.63	46.00	-14.32	100	119 QP	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	44.84	27.60	35.12	-7.52	40.00	-12.40	100	360 QP	Vertical		
2	148.24	26.10	33.76	-7.66	43.50	-17.40	200	154 QP	Vertical		
3	437.30	26.70	30.66	-3.96	46.00	-19.30	100	274 QP	Vertical		
4	523.15	26.74	29.51	-2.77	46.00	-19.26	100	360 QP	Vertical		
5	639.94	28.86	29.51	-0.65	46.00	-17.14	100	360 QP	Vertical		
6	810.37	30.46	28.55	1.91	46.00	-15.54	100	227 QP	Vertical		


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

BLE_1M

Low Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	47.46	57.66	-10.20	54.00	-6.54	229	228	Average	Horizontal		
2	4894.00	52.16	62.36	-10.20	74.00	-21.84	229	228	Peak	Horizontal		
3	7206.00	46.87	54.52	-7.65	74.00	-27.13	200	229	Peak	Horizontal		
4	14412.00	39.90	38.06	1.84	54.00	-14.10	212	0	Average	Horizontal		
5	14412.00	50.40	48.56	1.84	74.00	-23.60	212	0	Peak	Horizontal		
6	16814.00	48.57	42.01	6.56	54.00	-5.43	204	33	Average	Horizontal		
7	16814.00	50.42	51.06	6.56	74.00	-15.58	204	33	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	49.19	59.39	-10.20	54.00	-4.81	183	180	Average	Vertical		
2	4894.00	54.07	64.27	-10.20	74.00	-19.93	183	180	Peak	Vertical		
3	7206.00	42.48	50.13	-7.65	54.00	-11.52	100	48	Average	Vertical		
4	7206.00	51.28	58.93	-7.65	74.00	-22.72	100	48	Peak	Vertical		
5	14412.00	47.56	45.72	1.84	74.00	-26.44	300	73	Peak	Vertical		
6	16814.00	46.02	39.46	6.56	54.00	-7.98	199	56	Average	Vertical		
7	16814.00	56.12	49.56	6.56	74.00	-17.88	199	56	Peak	Vertical		

BLE_1M

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	2	3	4	5	6
Freq	Level	Read	Level	Factor	Limit
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB
4888.00	43.80	53.85	-10.05	74.00	-30.20
7320.00	46.43	54.21	-7.78	74.00	-27.57
14640.00	39.79	37.31	2.48	54.00	-14.21
14640.00	50.45	47.97	2.48	74.00	-23.55
17088.00	47.93	41.49	6.44	54.00	-6.07
17088.00	58.26	51.82	6.44	74.00	-15.74



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




1	2	3	4	5
Freq	Level	Read	Level	Factor
MHz	dBuV/m	dBuV	dB/m	dBuV/m
4888.00	45.83	55.89	-10.06	74.00
7320.00	43.83	51.61	-7.78	54.00
7320.00	52.58	60.36	-7.78	74.00
17088.00	47.84	41.40	6.44	54.00
17088.00	58.05	51.61	6.44	74.00

BLE_1M

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4968.00	46.28	56.04	-9.76	74.00	-27.72	200	231	Peak	Horizontal	
2	7440.00	44.54	52.26	-7.72	74.00	-29.46	200	231	Peak	Horizontal	
3	17360.00	44.84	38.30	6.54	54.00	-9.16	114	67	Average	Horizontal	
4	17360.00	55.02	48.48	6.54	74.00	-18.98	114	67	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4968.00	46.22	55.98	-9.76	74.00	-27.78	100	86	Peak	Vertical	
2	7440.00	47.35	55.07	-7.72	74.00	-26.65	200	51	Peak	Vertical	
3	17360.00	46.58	40.04	6.54	54.00	-7.42	102	62	Average	Vertical	
4	17360.00	56.58	50.04	6.54	74.00	-17.42	102	62	Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)


(Neutral)



TUV Rheinland Taiwan Ltd(New Taipei City Branch),
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd(New Taipei City Branch),
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel: +886-2172-1000 Fax: +886-2172-1322



Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test_37130-AKD3


Band Edges, 2.31GHz ~ 2.9GHz

BLE_1M

Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2377.73	53.05	15.75	37.30	74.00	-20.95	100	310	Peak	Horizontal		
2	2402.00	94.26	56.89	37.37	74.00	-20.26	100	310	Peak	Horizontal		
3	2801.88	54.68	16.77	37.91	74.00	-19.32	100	310	Peak	Horizontal		

Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2330.85	52.93	15.79	37.14	74.00	-21.07	104	212	Peak	Vertical		
2	2402.00	96.78	59.41	37.37	74.00	-22.78	104	212	Peak	Vertical		
3	2698.94	54.72	16.92	37.80	74.00	-19.28	104	212	Peak	Vertical		

BLE_1M

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2357.23	41.04	3.82	37.22	54.00	-12.96	100	310	Average	Horizontal	
2 *	2402.00	93.29	55.92	37.37	54.00	39.29	100	310	Average	Horizontal	
3	2618.49	42.43	4.49	37.94	54.00	-11.57	100	310	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2365.95	41.07	3.82	37.25	54.00	-12.93	104	212	Average	Vertical	
2 *	2402.00	95.86	58.49	37.37	54.00	41.86	104	212	Average	Vertical	
3	2635.21	42.77	4.88	37.89	54.00	-11.23	104	212	Average	Vertical	

BLE_1M

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2311.89	53.52	16.44	37.08	74.00	-20.48	362	326 Peak	Horizontal		
2 *	2480.00	89.09	51.53	37.56	74.00	15.09	362	326 Peak	Horizontal		
3	2806.83	54.42	16.49	37.93	74.00	-19.58	362	326 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2324.72	53.38	16.25	37.13	74.00	-20.62	213	195 Peak	Vertical		
2 *	2480.00	90.45	52.89	37.56	74.00	16.45	213	195 Peak	Vertical		
3	2838.87	54.72	16.69	38.03	74.00	-19.28	213	195 Peak	Vertical		

BLE_1M


High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

BLE_1M

Middle Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	78.73	2.51	76.22	124.57	-45.84	100	310	QP	Open		
2	0.03	70.42	0.86	69.56	117.03	-46.61	100	174	QP	Open		
3	0.08	60.10	-1.62	61.72	110.01	-49.91	100	316	QP	Open		
4	0.10	56.22	-3.34	59.56	107.83	-51.61	100	152	QP	Open		
5	0.12	55.10	-3.01	58.11	106.04	-50.94	100	1	QP	Open		
6	0.14	53.89	-3.24	57.13	104.90	-51.01	100	240	QP	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.42	59.74	11.67	48.07	95.17	-35.43	100	0	QP	Open		
2	2.18	51.39	12.78	38.61	69.50	-18.11	100	254	QP	Open		
3	4.41	51.19	12.86	38.33	69.50	-18.31	100	267	QP	Open		
4	15.45	49.42	11.78	37.64	69.50	-20.08	100	0	QP	Open		
5	20.68	48.47	12.35	36.12	69.50	-21.03	100	72	QP	Open		
6	25.93	47.47	13.19	34.28	69.50	-22.03	100	356	QP	Open		

BLE_1M

Middle Channel (Close) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	83.20	3.71	79.49	120.11	-44.91	100	106 QP	Close		
2	0.02	74.76	2.84	71.92	120.18	-45.42	100	44 QP	Close		
3	0.04	67.74	0.81	66.93	115.03	-47.29	100	54 QP	Close		
4	0.07	63.15	0.64	62.51	110.84	-47.69	100	158 QP	Close		
5	0.10	57.64	-2.19	59.83	108.02	-50.38	100	360 QP	Close		
6	0.13	53.68	-3.94	57.62	105.45	-51.77	100	177 QP	Close		

Middle Channel (Close) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	1.47	52.59	13.20	39.39	64.24	-11.65	100	268 QP	Close		
2	7.57	50.61	12.41	38.20	69.50	-18.89	100	359 QP	Close		
3	11.90	49.87	12.58	37.29	69.50	-19.63	100	111 QP	Close		
4	18.64	48.71	12.12	36.59	69.50	-20.79	100	98 QP	Close		
5	23.33	48.13	12.78	35.35	69.50	-21.37	100	258 QP	Close		
6	25.79	48.27	14.03	34.24	69.50	-21.23	100	254 QP	Close		


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

BLE_1M

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	78.64	22.38	32.58	-10.20	40.00	-17.62	200	328	QP	Horizontal	
2	149.00	29.40	37.08	-7.68	43.50	-14.10	200	102	QP	Horizontal	
3	183.16	26.57	35.50	-8.93	43.50	-16.93	200	112	QP	Horizontal	
4	321.00	24.26	30.34	-6.08	46.00	-21.74	100	279	QP	Horizontal	
5	603.66	28.21	29.41	-1.20	46.00	-17.79	100	156	QP	Horizontal	
6	735.29	30.89	30.07	0.82	46.00	-15.11	100	209	QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	44.84	26.89	34.41	-7.52	40.00	-13.11	100	360	QP	Vertical	
2	150.38	26.42	34.10	-7.68	43.50	-17.08	100	169	QP	Vertical	
3	183.84	25.33	34.36	-9.03	43.50	-18.17	100	182	QP	Vertical	
4	536.44	27.20	29.80	-2.60	46.00	-18.80	140	360	QP	Vertical	
5	592.02	28.76	30.33	-1.57	46.00	-17.24	100	360	QP	Vertical	
6	739.94	30.66	29.74	0.92	46.00	-15.34	200	24	QP	Vertical	


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

BLE_1M

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	46.37	56.57	-10.20	54.00	-7.63	200	147	Average	Horizontal		
2	4894.00	51.13	61.33	-10.20	74.00	-22.87	200	147	Peak	Horizontal		
3	7206.00	45.55	53.20	-7.65	74.00	-28.45	300	125	Peak	Horizontal		
4	16814.00	47.38	40.82	6.56	54.00	-6.62	291	10	Average	Horizontal		
5	16814.00	57.67	51.11	6.56	74.00	-16.33	291	10	Peak	Horizontal		
6	19216.00	45.28	46.97	-1.77	54.00	-8.00	100	71	Average	Horizontal		
7	19216.00	55.69	57.46	-1.77	74.00	-18.31	100	71	Peak	Horizontal		

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	48.11	58.31	-10.20	54.00	-5.89	200	164	Average	Vertical		
2	4894.00	52.94	63.14	-10.20	74.00	-21.06	200	164	Peak	Vertical		
3	7206.00	43.86	51.51	-7.65	54.00	-10.14	100	36	Average	Vertical		
4	7206.00	52.24	59.89	-7.65	74.00	-21.76	100	36	Peak	Vertical		
5	14412.00	44.33	42.49	1.84	54.00	-9.67	170	68	Average	Vertical		
6	14412.00	54.19	52.35	1.84	74.00	-19.81	170	68	Peak	Vertical		
7	16814.00	47.41	40.85	6.56	54.00	-6.59	301	73	Average	Vertical		
8	16814.00	57.85	51.29	6.56	74.00	-16.15	301	73	Peak	Vertical		
9	19216.00	43.72	45.49	-1.77	54.00	-10.28	300	47	Average	Vertical		
10	19216.00	54.26	56.03	-1.77	74.00	-19.74	300	47	Peak	Vertical		

BLE_1M

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4888.00	45.92	55.98	-10.06	74.00	-28.08	280	157	Peak	Horizontal		
2	7328.00	47.11	54.89	-7.78	74.00	-26.89	280	228	Peak	Horizontal		
3	17088.00	48.04	41.60	6.44	54.00	-5.96	218	31	Average	Horizontal		
4	17088.00	58.66	52.22	6.44	74.00	-15.34	218	31	Peak	Horizontal		
5	19528.00	42.24	43.94	-1.70	54.00	-11.76	180	74	Average	Horizontal		
6	19528.00	52.92	54.62	-1.70	74.00	-21.08	180	74	Peak	Horizontal		




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4888.00	46.36	56.42	-10.06	74.00	-27.64	180	158	Peak	Vertical		
2	7328.00	42.96	50.74	-7.78	54.00	-11.04	182	40	Average	Vertical		
3	7328.00	51.28	59.06	-7.78	74.00	-22.72	182	40	Peak	Vertical		
4	17088.00	48.41	41.97	6.44	54.00	-5.59	288	74	Average	Vertical		
5	17088.00	58.95	52.51	6.44	74.00	-15.05	288	74	Peak	Vertical		
6	19528.00	42.20	43.90	-1.70	54.00	-11.80	189	51	Average	Vertical		
7	19528.00	52.96	54.66	-1.70	74.00	-21.04	189	51	Peak	Vertical		

BLE_1M
High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4965.00	45.44	55.20	-9.76	74.00	-28.56	200	225	Peak	Horizontal		
2	7440.00	45.60	53.32	-7.72	74.00	-28.40	200	228	Peak	Horizontal		
3	17360.00	46.17	39.63	6.54	54.00	-7.83	100	241	Average	Horizontal		
4	17360.00	56.05	49.51	6.54	74.00	-17.95	100	241	Peak	Horizontal		

High Channel (Vertical)


TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4965.00	46.54	56.32	-9.78	74.00	-27.46	200	151	Peak	Vertical		
2	7440.00	41.89	49.61	-7.72	54.00	-12.11	100	66	Average	Vertical		
3	7440.00	50.61	58.33	-7.72	74.00	-23.39	100	66	Peak	Vertical		
4	14880.00	42.27	39.58	2.69	54.00	-11.73	188	71	Average	Vertical		
5	14880.00	52.19	49.50	2.69	74.00	-21.81	188	71	Peak	Vertical		
6	17360.00	48.06	41.52	6.54	54.00	-5.94	100	63	Average	Vertical		
7	17360.00	58.14	51.60	6.54	74.00	-15.86	100	63	Peak	Vertical		

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd(New Taipei City Branch),
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322



TUV Rheinland Taiwan Ltd(New Taipei City Branch),
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322

