Spurious Emissions at Antenna Terminal		
Channel	**5MHz Bandwidth QPSK**	
Lowest		
Middle		
Highest		

Spurious Emissions at Antenna Terminal		
Channel	**10MHz Bandwidth QPSK**	
Lowest		
Middle		
Highest		

Out of band emission, Band Edge		
Mode	**Lowest**	**Highest**
QPSK 1.4MHz		
QPSK 3MHz		
QPSK 5MHz		

Out of band emission, Band Edge		
Mode	**Lowest**	**Highest**
QPSK 10MHz		

Out of band emission, Band Edge		
Mode	**Lowest**	**Highest**
16QAM 1.4MHz		
16QAM 3MHz		
16QAM 5MHz		

Out of band emission, Band Edge		
Mode	**Lowest**	**Highest**
16QAM 10MHz		

4.9 Antenna Port Test Data and Results for LTE Band 7:

Serial Number:	CR21110087-S1	Test Date:	2021/12/01~2021/12/14
Test Site:	RF	Test Mode:	Transmitting
Tester:	Wolf Mo	Test Result:	**Pass**

Environmental Conditions:					
Temperature: (℃)	22.3~22.7	Relative Humidity: (%)	31~44	ATM Pressure: (kPa)	101.5~101.9

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	Spectrum Analyzer	101474	2021/7/22	2022/7/21
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554403	Each time	N/A
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D09	N/A	N/A
Weinschel	Coaxial Attenuators	53-20-34	LN751	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	149218	2021/7/22	2022/7/21
BACL	TEMP&HUMI Test Chamber	BTH-150	30026	2021/7/22	2022/7/22
UNI-T	Multimeter	UT39A+	C210582554	2021/9/30	2022/9/30
E-Microwave	Two-way Spliter	ODP-1-6	OE0120176	Each Time	N/A

** Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

EUT Information@LTE Band 7▲:					
Antenna Gain (dBi):	1			Cable Loss (dB):	0.5
Operation Voltage(V_{DC}):					
Lowest:	3.5	Normal:	3.7	Highest:	4.2

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
5MHz	2502.5	2535	2567.5
10MHz	2505	2535	2565
15MHz	2507.5	2535	2562.5
20MHz	2510	2535	2560

Test Data:

FCC§2.1046;§ 27.50(h)(2)

RF Output Power:

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum EIRP (dBm)	EIRP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
5MHz QPSK	RB1#0	22.03	22.38	21.95	23.01	33
	RB1#13	21.95	22.13	22.12		
	RB1#24	22.17	22.51	22.23		
	RB15#0	21.42	21.27	21.27		
	RB15#10	21.26	21.28	21.29		
	RB25#0	21.36	21.27	21.30		
5MHz 16QAM	RB1#0	21.28	21.50	21.17	22	33
	RB1#13	20.45	21.15	20.67		
	RB1#24	20.54	21.38	20.83		
	RB15#0	20.54	20.02	20.18		
	RB15#10	20.46	20.14	20.11		
	RB25#0	20.66	20.35	20.22		
10MHz QPSK	RB1#0	22.49	22.51	22.29	23.01	33
	RB1#25	22.21	22.50	22.11		
	RB1#49	22.23	22.40	22.20		
	RB25#0	21.38	21.42	21.28		
	RB25#25	21.15	21.34	21.31		
	RB50#0	21.28	21.43	21.41		
10MHz 16QAM	RB1#0	21.59	21.77	21.38	22.27	33
	RB1#25	21.26	21.46	21.30		
	RB1#49	21.03	21.33	21.31		
	RB25#0	20.41	20.55	20.45		
	RB25#25	20.10	20.35	20.29		
	RB50#0	20.28	20.36	20.43		
15MHz QPSK	RB1#0	22.42	22.53	22.24	23.03	33
	RB1#38	22.10	22.25	22.17		
	RB1#74	22.34	22.25	22.50		
	RB36#0	21.30	21.34	21.32		
	RB36#39	21.16	21.39	21.33		
	RB75#0	21.24	21.40	21.31		
15MHz 16QAM	RB1#0	21.51	22.11	21.62	22.61	33
	RB1#38	21.06	21.41	21.44		
	RB1#74	21.24	21.93	21.65		
	RB36#0	20.43	20.44	20.23		
	RB36#39	20.17	20.37	20.38		
	RB75#0	20.36	20.41	20.31		

20MHz QPSK	RB1#0	22.52	22.50	22.30	23.13	33
	RB1#50	22.28	22.63	22.21		
	RB1#99	22.40	22.53	22.61		
	RB50#0	21.34	21.42	21.18		
	RB50#50	21.21	21.37	21.36		
	RB100#0	21.34	21.45	21.26		
20MHz 16QAM	RB1#0	21.34	22.05	22.33	22.83	33
	RB1#50	21.19	21.56	22.27		
	RB1#99	21.47	21.02	21.87		
	RB50#0	20.50	20.42	20.01		
	RB50#50	20.28	20.36	20.16		
	RB100#0	20.35	20.46	20.30		
Note: EIRP=Conducted Power(dBm) - Cable loss(dB) + Antenna Gain(dBi)						
					Result:	**Pass**

Peak-to-average Ratio(PAR)

Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
20MHz QPSK	RB1#0	3.71	4.32	4.20	13
	RB100#0	4.58	4.90	4.64	13
20MHz 16QAM	RB1#0	4.67	5.51	5.07	13
	RB100#0	5.57	5.86	5.68	13
				Result:	**Pass**

FCC §2.1049, §27.53:Occupied Bandwidth

Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
5MHz QPSK	4.531	4.511	4.511	5.060	5.060	5.040
5MHz 16QAM	4.511	4.551	4.531	5.000	5.060	5.080
10MHz QPSK	8.942	8.942	8.942	9.800	9.760	9.760
10MHz 16QAM	8.942	8.942	8.981	9.720	9.800	9.720
15MHz QPSK	13.533	13.473	13.473	14.760	14.700	14.700
15MHz 16QAM	13.533	13.533	13.473	14.700	14.700	14.700
20MHz QPSK	17.964	17.884	17.964	19.360	19.440	19.520
20MHz 16QAM	17.964	17.884	17.884	19.440	19.360	19.600
Note: The test plots please refer to the Plots of Occupied Bandwidth						

FCC §2.1051, § 27.53:Spurious Emissions at Antenna Terminal	
Result:	**Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.**

FCC §2.1051, § 27.53:Out of band emission, Band Edge	
Result:	**Pass, Please refer to the test plots of Out of band emission, Band Edge.**

FCC §2.1055, §27.54: Frequency Stability

Test Mode:	20M QPSK	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (℃)	Voltage (V_{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.7	2500.528	2500.00	2569.470	2570
	-20	3.7	2500.528	2500.00	2569.470	2570
	-10	3.7	2500.529	2500.00	2569.471	2570
	0	3.7	2500.529	2500.00	2569.471	2570
	10	3.7	2500.528	2500.00	2569.472	2570
	20	3.7	2500.529	2500.00	2569.471	2570
	30	3.7	2500.529	2500.00	2569.471	2570
	40	3.7	2500.527	2500.00	2569.472	2570
	50	3.7	2500.529	2500.00	2569.471	2570
Frequency Stability vs. Voltage	20	3.5	2500.529	2500.00	2569.470	2570
	20	4.2	2500.527	2500.00	2569.471	2570
					Result:	**Pass**

Test Mode:	20M 16QAM	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (℃)	Voltage (V_{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.7	2500.528	2500.00	2569.470	2570
	-20	3.7	2500.528	2500.00	2569.470	2570
	-10	3.7	2500.529	2500.00	2569.471	2570
	0	3.7	2500.529	2500.00	2569.471	2570
	10	3.7	2500.528	2500.00	2569.472	2570
	20	3.7	2500.529	2500.00	2569.471	2570
	30	3.7	2500.529	2500.00	2569.471	2570
	40	3.7	2500.527	2500.00	2569.472	2570
	50	3.7	2500.529	2500.00	2569.471	2570
Frequency Stability vs. Voltage	20	3.5	2500.529	2500.00	2569.470	2570
	20	4.2	2500.527	2500.00	2569.471	2570
					Result:	**Pass**

Test Plots:

Occupied Bandwidth		
Channel	5MHz Bandwidth QPSK	5MHz Bandwidth 16QAM
Lowest		
Middle		
Highest		

Occupied Bandwidth		
Channel	10MHz Bandwidth QPSK	10MHz Bandwidth 16QAM
Lowest		
Middle		
Highest		

Occupied Bandwidth		
Channel	15MHz Bandwidth QPSK	15MHz Bandwidth 16QAM
Lowest		
Middle		
Highest		

Occupied Bandwidth		
Channel	20MHz Bandwidth QPSK	20MHz Bandwidth 16QAM
Lowest		
Middle		
Highest		

Spurious Emissions at Antenna Terminal		
Channel	**5MHz Bandwidth QPSK**	
Lowest		
Middle		
Highest		

Spurious Emissions at Antenna Terminal		
Channel	**10MHz Bandwidth QPSK**	
Lowest		
Middle		
Highest		

Spurious Emissions at Antenna Terminal		
Channel	**15MHz Bandwidth QPSK**	
Lowest		
Middle		
Highest		

Spurious Emissions at Antenna Terminal		
Channel	**20MHz Bandwidth QPSK**	
Lowest		
Middle		
Highest		

Out of band emission, Band Edge		
Mode	**Lowest**	**Highest**
QPSK 5MHz		
QPSK 10MHz		
QPSK 15MHz		

Out of band emission, Band Edge		
Mode	**Lowest**	**Highest**
QPSK 20MHz		

Out of band emission, Band Edge		
Mode	**Lowest**	**Highest**
16QAM 5MHz		
16QAM 10MHz		
16QAM 15MHz		

Out of band emission, Band Edge		
Mode	**Lowest**	**Highest**
16QAM 20MHz		

4.10 Antenna Port Test Data and Results for LTE Band 12:

Serial Number:	CR21110087-S1	Test Date:	2021/12/01~2021/12/14
Test Site:	RF	Test Mode:	Transmitting
Tester:	Wolf Mo	Test Result:	**Pass**

Environmental Conditions:					
Temperature: (℃)	22.3~22.7	Relative Humidity: (%)	31~44	ATM Pressure: (kPa)	101.5~101.9

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	Spectrum Analyzer	101474	2021/7/22	2022/7/21
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554403	Each time	N/A
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D09	N/A	N/A
Weinschel	Coaxial Attenuators	53-20-34	LN751	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	149218	2021/7/22	2022/7/21
BACL	TEMP&HUMI Test Chamber	BTH-150	30026	2021/7/22	2022/7/22
UNI-T	Multimeter	UT39A+	C210582554	2021/9/30	2022/9/30
E-Microwave	Two-way Spliter	ODP-1-6	OE0120176	Each Time	N/A

** Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

EUT Information@ LTE Band 12▲:					
Antenna Gain (dBi):	3	Antenna Gain (dBd):	0.85	Cable Loss (dB):	0.1
Operation Voltage(V_{DC}):					
Lowest:	3.5	Normal:	3.7	Highest:	4.2

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	699.7	707.5	715.3
3MHz	700.5	707.5	714.5
5MHz	701.5	707.5	713.5
10MHz	704	707.5	711

Test Data:

FCC§2.1046;§ 27.50(c) (10)

RF Output Power:

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum ERP (dBm)	ERP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	23.56	23.69	23.28	24.46	34.77
	RB1#3	23.56	23.71	23.46		
	RB1#5	23.66	23.63	23.54		
	RB3#0	23.67	23.68	23.30		
	RB3#3	23.62	23.56	23.55		
	RB6#0	22.66	22.59	22.45		
1.4MHz 16QAM	RB1#0	22.94	22.62	22.12	23.9	34.77
	RB1#3	23.15	22.67	22.44		
	RB1#5	22.99	22.68	22.54		
	RB3#0	22.87	22.38	22.05		
	RB3#3	22.76	22.32	22.23		
	RB6#0	21.82	21.31	21.55		
3MHz QPSK	RB1#0	23.50	23.64	23.27	24.41	34.77
	RB1#8	23.52	23.66	23.21		
	RB1#14	23.48	23.57	23.50		
	RB6#0	22.76	22.61	22.59		
	RB6#9	22.51	22.62	22.68		
	RB15#0	22.71	22.56	22.62		
3MHz 16QAM	RB1#0	23.40	23.07	22.41	24.15	34.77
	RB1#8	22.73	22.70	22.25		
	RB1#14	22.51	22.52	22.54		
	RB6#0	21.62	21.42	21.62		
	RB6#9	21.33	21.69	21.71		
	RB15#0	21.73	21.67	21.47		
5MHz QPSK	RB1#0	23.40	23.45	23.30	24.36	34.77
	RB1#13	23.11	23.42	23.39		
	RB1#24	23.41	23.61	23.37		
	RB15#0	22.72	22.46	22.58		
	RB15#10	22.56	22.60	22.56		
	RB25#0	22.64	22.45	22.58		
5MHz 16QAM	RB1#0	21.91	22.60	22.46	23.46	34.77
	RB1#13	21.43	22.39	22.16		
	RB1#24	21.74	22.71	22.33		
	RB15#0	21.67	21.15	21.57		
	RB15#10	21.42	21.31	21.42		
	RB25#0	21.74	21.26	21.47		

10MHz QPSK	RB1#0	23.49	23.76	23.60	24.51	34.77
	RB1#25	23.75	23.73	23.55		
	RB1#49	23.64	23.26	23.49		
	RB25#0	22.55	22.56	22.70		
	RB25#25	22.67	22.55	22.62		
	RB50#0	22.57	22.54	22.69		
10MHz 16QAM	RB1#0	22.82	22.58	22.39	23.93	34.77
	RB1#25	22.73	23.18	22.51		
	RB1#49	22.62	22.63	22.16		
	RB25#0	21.47	21.53	21.82		
	RB25#25	21.65	21.61	21.64		
	RB50#0	21.47	21.59	21.76		
Note: ERP=Conducted Power(dBm) - Cable loss(dB) + Antenna Gain(dBd)						
					Result:	**Pass**

Peak-to-average Ratio(PAR)

Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
10MHz QPSK	RB1#0	4.41	4.93	4.96	13
	RB50#0	5.51	5.19	5.13	13
10MHz 16QAM	RB1#0	5.39	6.12	6.00	13
	RB50#0	6.43	6.29	6.14	13
				Result:	**Pass**

FCC §2.1049, §27.53:Occupied Bandwidth

Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.096	1.102	1.108	1.302	1.314	1.284
1.4MHz 16QAM	1.102	1.096	1.102	1.314	1.296	1.302
3MHz QPSK	2.695	2.695	2.695	2.940	2.940	2.952
3MHz 16QAM	2.683	2.683	2.683	2.964	2.964	2.964
5MHz QPSK	4.551	4.511	4.511	5.060	5.020	5.020
5MHz 16QAM	4.531	4.531	4.531	5.000	5.060	5.080
10MHz QPSK	9.022	8.901	8.942	9.760	9.680	9.720
10MHz 16QAM	8.981	8.942	8.942	9.640	9.640	9.720
Note: The test plots please refer to the Plots of Occupied Bandwidth						

FCC §2.1051, §27.53:Spurious Emissions at Antenna Terminal

Result:	**Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.**

FCC §2.1051, §27.53:Out of band emission, Band Edge	
Result:	**Pass, Please refer to the test plots of Out of band emission, Band Edge.**

FCC §2.1055, §27.54: Frequency Stability

Test Mode:	10M QPSK	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (℃)	Voltage (V_{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.7	699.528	699.00	715.470	716.00
	-20	3.7	699.528	699.00	715.470	716.00
	-10	3.7	699.529	699.00	715.471	716.00
	0	3.7	699.529	699.00	715.471	716.00
	10	3.7	699.527	699.00	715.472	716.00
	20	3.7	699.529	699.00	715.471	716.00
	30	3.7	699.529	699.00	715.471	716.00
	40	3.7	699.529	699.00	715.472	716.00
	50	3.7	699.527	699.00	715.471	716.00
Frequency Stability vs. Voltage	20	3.5	699.529	699.00	715.471	716.00
	20	4.2	699.529	699.00	715.472	716.00
					Result:	**Pass**

Test Mode:	10M 16QAM	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (℃)	Voltage (V_{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.7	699.528	699.00	715.470	716.00
	-20	3.7	699.528	699.00	715.470	716.00
	-10	3.7	699.529	699.00	715.471	716.00
	0	3.7	699.529	699.00	715.471	716.00
	10	3.7	699.527	699.00	715.472	716.00
	20	3.7	699.529	699.00	715.471	716.00
	30	3.7	699.529	699.00	715.471	716.00
	40	3.7	699.529	699.00	715.472	716.00
	50	3.7	699.527	699.00	715.471	716.00
Frequency Stability vs. Voltage	20	3.5	699.529	699.00	715.471	716.00
	20	4.2	699.529	699.00	715.472	716.00
					Result:	**Pass**

Test Plots:

Occupied Bandwidth		
Channel	1.4MHz Bandwidth QPSK	1.4MHz Bandwidth 16QAM
Lowest		
Middle		
Highest		

Occupied Bandwidth		
Channel	3MHz Bandwidth QPSK	3MHz Bandwidth 16QAM
Lowest		
Middle		
Highest		

Occupied Bandwidth		
Channel	5MHz Bandwidth QPSK	5MHz Bandwidth 16QAM
Lowest		
Middle		
Highest		

Occupied Bandwidth		
Channel	10MHz Bandwidth QPSK	10MHz Bandwidth 16QAM
Lowest		
Middle		
Highest