


3RD ANGLE
PROJECTION

TOLERANCES	A	B	C	D	ANGLE
-16	±0.05	±0.1	±0.2	±0.4	± 10'
16-63	±0.1	±0.2	±0.4	±0.6	± 15'
63-150	±0.15	±0.25	±0.5	±0.8	± 30'
150-250	±0.2	±0.3	±0.6	±1	± 1°
250-500	±0.4	±0.6	±0.8	±1.5	± °



NOTE:

- IF TOLERANCE FOR EACH DIMENSIONS NOT SHOWN, REFER TO TABLE TABLE FOR TOLERANCE.
- USE R=1.0MM FOR ALL RADIII NOT SPECIFIED.
- UNACCEPTABLE CONDITIONS: FLASH, SHRINKAGE, DEFORMATION, AND/OR SPOTS.
- REPRESENTS REVISIONS OR NEW DIMENSIONS.
- REPRESENTS CRITICAL AREAS TO BE MEASURED. ALL OTHER DIMENSIONS ARE FOR REFERENCE.
- THE MOULD NUMBER: NO
- TEXTURE NUMBER: NO
- ALL SUBSTANCE NEED TO MEET THE **HALOGENFREE/ROHS/REACH/PROFESS/VOIC** REQUIREMENTS. DETAILS REFER TO ZYLUX'S PROCEDURE "QMI-P40.01".
- WILL USE± 0.05MM INNER DIAMETER FOR THE SCREW WHICH NOT SPECIFIED THE DETAILED DIMENSION.

[E]			
[D]			
[C]			
[B]			
[A]	PROTOTYPE-A4	2022/12/23	MAOKAI
ISS	CHANGE RECORDS	DATE	REVISER

TITLE	Party speaker	REV	SHEET	MODEL: CS-A000073AA	DATE: 2022/12/23	
	PRODUCT LABEL	A	1/1	UNIT: mm	SCALE: 1 : 1	
MATERIAL	100#PET+吸膜	NO. K1203-0009915		APPROVAL	CHECKED	DESIGN
COLOR	黑底银字	DRAWER.: MAOKAI		POBBY	YONG	MAOKAI
Zylux Acoustic Corporation						