



The Photos of SAR test

No. I18Z62189-SEM01

For

Vodafone Procurement Company S.à r.l.,

Smart phone

Model Name: VFD 630

With

Hardware Version: V0.2

Software Version: VFD 630-V02

FCC ID: 2AM86VFD630



Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT


No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel:+86(0)10-62304633-2512, Fax:+86(0)10-62304633-2504


Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn




Picture 1: Constituents of the sample




Picture 2: Left Hand Touch Cheek Position



Picture 3: Left Hand Tilt 15° Position



Picture 4: Right Hand Touch Cheek Position




Picture 5: Right Hand Tilt 15° Position

Test positions for body:


The Body SAR is tested at the following 8 test positions all with the distance =10/15 mm between the EUT and the phantom bottom:




Picture 6: Front




Picture 7: Rear




Picture 8: Left




Picture 9: Right




Picture 10: Bottom



Picture 11: Top



Picture 12: Front 15mm



Picture 13: Rear 15mm