






(Plot G2.1, WCDMA850MHz, Channel = 4175, 1GHz to 9GHz)




(Plot G3, WCDMA850MHz, Channel = 4233, 30MHz to 1GHz)




(Plot I1, WCDMA1900MHz, Channel = 9262, 30MHz to 1GHz)




(Plot I1.1, WCDMA1900MHz, Channel = 9262, 1GHz to 20GHz)




(Plot I2, WCDMA1900MHz, Channel = 9400, 30MHz to 1GHz)




(Plot I2.1, WCDMA1900MHz, Channel = 9400, 1GHz to 20GHz)




(Plot I3, WCDMA1900MHz, Channel = 9538, 30MHz to 1GHz)




(Plot I3.1, WCDMA1900MHz, Channel = 9538 1GHz to 20GHz)




(Plot J1, HSDPA 850MHz, Channel = 4132, 30MHz to 1GHz)




(Plot J1.1, HSDPA 850MHz, Channel = 4132, 1GHz to 9GHz)




(Plot J2, HSDPA 850MHz, Channel = 4175, 30MHz to 1GHz)




(Plot J2.1, HSDPA 850MHz, Channel = 4175, 1GHz to 9GHz)




(Plot J3, HSDPA 850MHz, Channel = 4233, 30MHz to 1GHz)




(Plot J3.1, HSDPA 850MHz, Channel = 4233, 1GHz to 9GHz)




(Plot L1, HSDPA 1900MHz, Channel = 9262, 30MHz to 1GHz)




(Plot L1.1, HSDPA 1900MHz, Channel = 9262, 1GHz to 20GHz)




(Plot L2, HSDPA 1900MHz, Channel = 9400, 30MHz to 1GHz)




(Plot L2.1, HSDPA1900MHz, Channel = 9400, 1GHz to 20GHz)



(Plot L3, HSDPA1900MHz, Channel = 9538, 30MHz to 1GHz)




(Plot L3.1, HSDPA1900MHz, Channel = 9538 1GHz to 20GHz)



(Plot M1, HSUPA 850MHz, Channel = 4132, 30MHz to 1GHz)




(Plot M1.1, HSUPA 850MHz, Channel = 4132, 1GHz to 9GHz)




(Plot M2, HSUPA 850MHz, Channel = 4175, 30MHz to 1GHz)




(Plot M2.1, HSUPA 850MHz, Channel = 4175, 1GHz to 9GHz)




(Plot M3, HSUPA 850MHz, Channel = 4233, 30MHz to 1GHz)




(Plot M3.1, HSUPA 850MHz, Channel = 4233, 1GHz to 9GHz)




(Plot O1, HSUPA 1900MHz, Channel = 9262, 30MHz to 1GHz)




(Plot O1.1, HSUPA 1900MHz, Channel = 9262, 1GHz to 20GHz)




(Plot O2, HSUPA 1900MHz, Channel = 9400, 30MHz to 1GHz)




(Plot O2.1, HSUPA1900MHz, Channel = 9400, 1GHz to 20GHz)




(Plot O3, HSUPA1900MHz, Channel = 9538, 30MHz to 1GHz)




(Plot O3.1, HSUPA1900MHz, Channel = 9538 1GHz to 20GHz)



(Plot P1, HSPA+ 850MHz, Channel = 4132, 30MHz to 1GHz)




(Plot P1.1, HSPA+ 850MHz, Channel = 4132, 1GHz to 9GHz)



(Plot P2, HSPA+ 850MHz, Channel = 4175, 30MHz to 1GHz)




(Plot P2.1, HSPA+ 850MHz, Channel = 4175, 1GHz to 9GHz)




(Plot P3, HSPA+ 850MHz, Channel = 4233, 30MHz to 1GHz)




(Plot P3.1, HSPA+ 850MHz, Channel = 4233, 1GHz to 9GHz)




(Plot R1, HSPA+ 1900MHz, Channel = 9262, 30MHz to 1GHz)




(Plot R1.1, HSPA+ 1900MHz, Channel = 9262, 1GHz to 20GHz)




(Plot R2, HSPA+ 1900MHz, Channel = 9400, 30MHz to 1GHz)



(Plot R2.1, HSPA+1900MHz, Channel = 9400, 1GHz to 20GHz)



(Plot R3, HSPA+1900MHz, Channel = 9538, 30MHz to 1GHz)



(Plot R3.1, HSPA+1900MHz, Channel = 9538 1GHz to 20GHz)


2.6. Band Edge

2.6.1. Requirement

According to FCC section 22.917(b) and FCC section 24.238(b) in the 1MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth (26dB emission bandwidth) of the fundamental emission of the transmitter may be employed.

2.6.2. Test Description

Test Setup:



The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50Ohm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power i.e. Power Control Level (PCL) = 5 and Power Class = 4. A call is established between the EUT and the SS.




2.6.3. Test Result

The lowest and highest channels are tested to verify the band edge emissions.


A. Test Verdict:

Band	Channel	Frequency (MHz)	Measured Max. Band Edge Emission (dBm)	Refer to Plot	Limit (dBm)	Verdict
GSM 850MHz	128	824.2	-13.93	Plat A1	-13	PASS
	251	848.8	-14.31	Plot A2		PASS
GSM 1900MHz	512	1850.2	-17.31	Plat B1	-13	PASS
	810	1909.8	-18.04	Plot B2		PASS
EGPRS 850MHz	128	824.2	-23.58	Plat C1	-13	PASS
	251	848.8	-22.13	Plot C2		PASS
EGPRS 1900MHz	512	1850.2	-19.22	Plat D1	-13	PASS
	810	1909.8	-19.14	Plot D2		PASS


B. Test Plots:




(Plot A1, GSM 850, Channel = 128)




(Plot A2, GSM 850, Channel = 251)




(Plot B1, GSM 1900, Channel = 512)




(Plot B2, GSM 1900, Channel = 810)




(Plot C1, EGPRS 850, Channel = 128)



(Plot C2, EGPRS 850, Channel = 251)



(Plot D1, EGPRS 1900, Channel = 512)




(Plot D2, EGPRS 1900, Channel = 810)


**WCDMA Test Verdict**

Band	Channel	Frequency (MHz)	Measured Max. Band Edge Emission (dBm)	Refer to Plot	Limit (dBm)	Verdict
WCDMA 850MHz	4132	826.4	-22.08	Plat E1	-13	PASS
	4233	846.6	-22.61	Plot E2		PASS
WCDMA 1900MHz	9262	1852.4	-21.27	Plat G1	-13	PASS
	9538	1907.6	-18.74	Plot G2		PASS
HSDPA 850MHz	4132	826.4	-25.87	Plat H1	-13	PASS
	4233	846.6	-24.88	Plot H2		PASS
HSDPA 1900MHz	9262	1852.4	-28.94	Plat J1	-13	PASS
	9538	1907.6	-29.78	Plot J2		PASS
HSUPA 850MHz	4132	826.4	-29.59	Plat K1	-13	PASS
	4233	846.6	-28.17	Plot K2		PASS
HSUPA 1900MHz	9262	1852.4	-34.44	Plat M1	-13	PASS
	9538	1907.6	-35.60	Plot M2		PASS
HSPA+ 850MHz	4132	826.4	-19.77	Plat N1	-13	PASS
	4233	846.6	-19.80	Plot N2		PASS
HSPA+ 1900MHz	9262	1852.4	-21.10	Plat P1	-13	PASS
	9538	1907.6	-18.23	Plot P2		PASS


Test Plot




(Plot E1, WCDMA 850, Channel = 4132)




(Plot E2, WCDMA 850, Channel = 4233)



(Plot G1, WCDMA 1900, Channel = 9262)



(Plot G2, WCDMA 1900, Channel = 9538)



(Plot H1, HSDPA 850, Channel = 4132)




(Plot H2, HSDPA 850, Channel = 4233)



(Plot J1, HSDPA 1900, Channel = 9262)



(Plot J2, HSDPA 1900, Channel = 9538)



(Plot K1, HSUPA 850, Channel = 4132)




(Plot K2, HSUPA 850, Channel = 4233)




(Plot M1, HSUPA 1900, Channel = 9262)




(Plot M2, HSUPA 1900, Channel = 9538)




(Plot N1, HSPA+ 850, Channel = 4132)



(Plot N2, HSPA+ 850, Channel = 4233)



(Plot P1, HSPA+ 1900, Channel = 9262)



(Plot P2, HSPA+ 1900, Channel = 9538)

2.7. Transmitter Radiated Power (EIRP/ERP)

2.7.1. Requirement


According to FCC section 22.913, the Effective Radiated Power (ERP) of mobile transmitters and auxiliary test transmitters must not exceed 7Watts.

According to FCC section 24.232, the broadband PCS mobile station is limited to 2 Watts e.i.r.p. peak power.

According to FCC section 27.50, mobile, and portable (hand-held) stations is limited to 1 Watts e.i.r.p. peak power.

2.7.2. Test Description

Test Setup:



The EUT, which is powered by the Battery charged with the AC Adapter, is located in a 3m Full-Anechoic Chamber; the cable loss, air loss and so on of the site as factors are pre-calibrated using the "Substitution" method, and calculated to correct the reading.

A call is established between the EUT and the SS via a Common Antenna. The EUT is commanded by the SS to operate at the maximum and minimum output power (i.e. GSM850MHz band Power Control Level (PCL) = 5/19 and Power Class = 4, GSM1900MHz band Power Control Level (PCL) = 0/15 and Power Class = 1), and only the test result of the maximum output power was recorded. Please refer to section 2.1.3 of this report.

- Step size (dB): 3dB

The Test Antenna is a Bi-Log one (used for 30MHz to 1GHz) or a Horn one (used for above 3GHz),



it's located at the same height as the EUT. The Filters consists of Notch Filters and High Pass Filter.

2.7.3. Test Result

The Turn Table is actuated to turn from 0° to 360°, and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. The lowest, middle and highest channels are tested.

The substitution corrections are obtained as described below:

$$A_{\text{SUBST}} = P_{\text{SUBST_TX}} - P_{\text{SUBST_RX}} - L_{\text{SUBST_CABLES}} + G_{\text{SUBST_TX_ANT}}$$

$$A_{\text{TOT}} = L_{\text{CABLES}} + A_{\text{SUBST}}$$

Where A_{SUBST} is the final substitution correction including receive antenna gain.

$P_{\text{SUBST_TX}}$ is signal generator level,

$P_{\text{SUBST_RX}}$ is receiver level,

$L_{\text{SUBST_CABLES}}$ is cable losses including TX cable,

$G_{\text{SUBST_TX_ANT}}$ is substitution antenna gain.

A_{TOT} is total correction factor including cable loss and substitution correction

During the test, the data of A_{TOT} was added in the Test Spectrum Analyze, so Spectrum Analyze reading is the final values which contain the data of A_{TOT} .



GSM Test verdict:


Band	Channel	Frequency (MHz)	PCL	Measured ERP			Limit		Verdict
				dBm	W	Refer to Plot	dBm	W	
GSM 850MHz	128	824.20	5	33.13	2.06	Plot A	38.5	7	PASS
	190	836.60	5	33.69	2.34				PASS
	251	848.80	5	33.38	2.18				PASS
GPRS 850MHz	128	824.20	5	32.54	1.79	Plot B ^{Note 1}	38.5	7	PASS
	190	836.60	5	32.20	1.66				PASS
	251	848.80	5	31.77	1.50				PASS
EGPRS 850MHz	128	824.20	5	27.64	0.58	Plot C ^{Note 1}	38.5	7	PASS
	190	836.60	5	27.46	0.56				PASS
	251	848.80	5	27.86	0.61				PASS
GSM 1900MHz	512	1850.2	0	30.46	1.11	Plot D	33	2	PASS
	661	1880.0	0	30.47	1.11				PASS
	810	1909.8	0	30.69	1.17				PASS
GPRS 1900MHz	512	1850.2	0	29.67	0.93	Plot E ^{Note 1}	33	2	PASS
	661	1880.0	0	29.55	0.90				PASS
	810	1909.8	0	29.73	0.94				PASS
EGPRS 1900MHz	512	1850.2	0	24.48	0.28	Plot F ^{Note 1}	33	2	PASS
	661	1880.0	0	25.85	0.38				PASS
	810	1909.8	0	25.02	0.32				PASS

Note 1: For the GPRS and EGPRS model, all the slots were tested and just the worst data were recorded in this report.


Note 2: Both horizontal and vertical polarizations of the test antenna are evaluated respectively, only the worst data (horizontal) were recorded in this report.




Test Plots:




(Plot A, GSM 850MHz, Channel = 128, 190, 251)




(Plot B, GPRS 850MHz, Channel = 128, 190, 251)




(Plot C, EGPRS 850MHz, Channel = 128, 190, 251)



(Plot D, GSM 1900MHz, Channel = 512, 661, 810)



(Plot E, GPRS 1900MHz, Channel = 512, 661, 810)



(Plot F, EGPRS 1900MHz, Channel = 512, 661, 810)




WCDMA Test verdict:

Band	Channel	Frequency (MHz)	Measured ERP			Limit		Verdict
			dBm	W	Refer to Plot	dBm	W	
WCDMA 850MHz	4132	826.4	23.32	0.21	Plot G	38.5	7	PASS
	4175	835.0	24.74	0.30				PASS
	4233	846.6	23.27	0.21				PASS
HSDPA 850MHz	4132	826.4	22.37	0.17	Plot H	38.5	7	PASS
	4175	835.0	22.83	0.19				PASS
	4233	846.6	22.14	0.16				PASS
HSUPA 850MHz	4132	826.4	21.81	0.15	Plot I	38.5	7	PASS
	4175	835.0	21.94	0.16				PASS
	4233	846.6	22.14	0.16				PASS
HSPA+ 850MHz	4132	826.4	21.97	0.16	Plot J	38.5	7	PASS
	4175	835.0	21.67	0.15				PASS
	4233	846.6	22.02	0.16				PASS
WCDMA 1900MHz	9262	1852.4	19.60	0.09	Plot K	33	2	PASS
	9400	1880.0	20.30	0.11				PASS
	9538	1907.6	20.90	0.12				PASS
HSDPA 1900MHz	9262	1852.4	17.77	0.06	Plot L	33	2	PASS
	9400	1880.0	18.27	0.07				PASS
	9538	1907.6	18.01	0.06				PASS
HSUPA 1900MHz	9262	1852.4	17.02	0.05	Plot M	33	2	PASS
	9400	1880.0	17.23	0.05				PASS
	9538	1907.6	16.26	0.04				PASS
HSPA+ 1900MHz	9262	1852.4	17.24	0.05	Plot N	33	2	PASS
	9400	1880.0	17.04	0.05				PASS
	9538	1907.6	16.70	0.05				PASS


Note 1: Both horizontal and vertical polarizations of the test antenna are evaluated respectively, only the worst data (horizontal) were recorded in this report.




Test Plot




(Plot G, WCDMA 850 MHz, Channel = 4132, 4175, 4233)




(Plot H, HSDPA 850 MHz, Channel = 4132, 4175, 4233)




(Plot I, HSUPA 850 MHz, Channel = 4132, 4175, 4233)



(Plot J, HSPA+ 850 MHz, Channel = 4132, 4175, 4233)



(Plot K, WCDMA 1900 MHz, Channel = 9262, 9400, 9538)



(Plot L, HSDPA 1900 MHz, Channel = 9262, 9400, 9538)