

Figure C.5 Frequency Response of WCDMA 1700




Figure C.6 Frequency Response of CDMA BC0




Figure C.7 Frequency Response of CDMA BC1




Figure C.8 Frequency Response of CDMA BC10




Figure C.9 Frequency Response of LTE B2




Figure C.10 Frequency Response of LTE B4




Figure C.11 Frequency Response of LTE B5




Figure C.12 Frequency Response of LTE B12




Figure C.13 Frequency Response of LTE B13




Figure C.14 Frequency Response of LTE B25




Figure C.15 Frequency Response of LTE B26




Figure C.16 Frequency Response of LTE B41 Power Class 2




Figure C.17 Frequency Response of LTE B41 Power Class 3




Figure C.18 Frequency Response of LTE B71




Figure C.19 Frequency Response of WiFi-2.4G




Figure C.20 Frequency Response of GSM1900 - OTT VoIP




Figure C.21 Frequency Response of LTE B2 - OTT VoIP




Figure C.22 Frequency Response of LTE B41 Power Class 2 - OTT VoIP




Figure C.23 Frequency Response of WiFi-2.4G - OTT VoIP

ANNEX D PROBE CALIBRATION CERTIFICATE

**Calibration Laboratory of
Schmid & Partner
Engineering AG**
Zeughausstrasse 43, 8004 Zurich, Switzerland



S Schweizerischer Kalibrierdienst
S Service suisse d'étalonnage
C Servizio svizzero di taratura
S Swiss Calibration Service

Accredited by the Swiss Accreditation Service (SAS)
The Swiss Accreditation Service is one of the signatories to the EA
Multilateral Agreement for the recognition of calibration certificates

Accreditation No.: **SCS 0108**

Client **CTTL (Auden)**

Certificate No: **AM1DV2-1064_Jul18**

CALIBRATION CERTIFICATE

Object: **AM1DV2 - SN: 1064**

Calibration procedure(s): **QA CAL-24.v4
Calibration procedure for AM1D magnetic field probes and TMFS in the audio range**

Calibration date: **July 17, 2018**

This calibration certificate documents the traceability to national standards, which realize the physical units of measurements (SI). The measurements and the uncertainties with confidence probability are given on the following pages and are part of the certificate.

All calibrations have been conducted in the closed laboratory facility: environment temperature (22 ± 3)°C and humidity < 70%.

Calibration Equipment used (M&TE critical for calibration)

Primary Standards	ID #	Cal Date (Certificate No.)	Scheduled Calibration
Keithley Multimeter Type 2001	SN: 0810278	31-Aug-17 (No. 21092)	Aug-18
Reference Probe AM1DV2	SN: 1008	03-Jan-18 (No. AM1DV2-1008_Jan18)	Jan-19
DAE4	SN: 781	17-Jan-18 (No. DAE4-781_Jan18)	Jan-19
Secondary Standards	ID #	Check Date (in house)	Scheduled Check
AMCC	SN: 1050	01-Oct-13 (in house check Oct-17)	Oct-19
AMMI Audio Measuring Instrument	SN: 1062	26-Sep-12 (in house check Oct-17)	Oct-19

Calibrated by:	Name Leif Klysner	Function Laboratory Technician	Signature 
Approved by:	Katja Pokovic	Technical Manager	

Issued: July 17, 2018

This calibration certificate shall not be reproduced except in full without written approval of the laboratory.